

# MODEL 60 Modular WOOD-FIRED OVEN



23" x 26" Interior cooking area

Wall and dome elements are a dense superior high temperature refractory material composed of 80% alumina and other advanced elements for extra durability, heat retention and longevity.

High Thermal Mass for excellent heat retention.

Hearth Floor Tiles - "Pierre de Boulanger" are cold pressed at 8,500 psi and ceramitized at 2800F degrees.

Large oven entrance opening allows for maximum visibility and easy usage.

Shipping Weight: 1,000 lb

## Model 60 Modular Oven Includes:

### Floor Tiles (9)

9 - 12" X 12"x 1 1/2"

### Oven Pieces:

Primary Hood



Rear Section Pieces (2)

Middle Section Pieces (2)

Front Entrance Pieces (2)

### Additional Items:

- Steel Entrance Plate (black)
- Thick Cast Aluminum Door
- Dial Temperature Gauge (probe 3ft)
- Refractory Cement (22 lb / 10 kg Bag)
- Galvanized Metal Flashing
- High Heat Silicone Tube
- Plywood Spacers
- Refractory Cement (container)
- Package of Fire Starters
- Stainless Steel Pizza Peel
- 4" x16" Screened Vent
- Installation Instructions and Video/DVD




**EARTHSTONE**  
**WOOD-FIRE OVENS**

6717 San Fernando Road  
Glendale CA 91201


Tel: 800-840-4915 - 818-553-1134  
earthstoneovens.com



**MODEL 60 Modular**  
WOOD-FIRED OVEN



Top View




**EARTHSTONE**  
**WOOD-FIRE OVENS**

6717 San Fernando Road  
Glendale CA 91201

Tel: 800-840-4915 - 818-553-1134  
earthstoneovens.com

**MODEL 60 Modular**  
WOOD-FIRED OVEN



8" CONCRETE BLOCK  
FOR BASE COURSES  
4" BLOCK AROUND OVEN  
(UPPER COURSES)

  
**EARTHSTONE**  
**WOOD-FIRE OVENS**  
6717 San Fernando Road  
Glendale CA 91201  
Tel: 800-840-4915 - 818-553-1134  
earthstoneovens.com