

# Treker

## 4200 & 4400 NT ST Utility Vehicles



21107

### **700-108P Parts Manual**



Read the Operator's manual entirely. When you see this symbol, the subsequent instructions and warnings are serious - follow without exception. Your life and the lives of others depend on it!

© Copyright 2009 Printed 02/19/09

*Cover photo may show optional equipment not supplied with standard unit.*

**Land' Pride**



# Table of Contents

|                                     |          |
|-------------------------------------|----------|
| <b>Section 1: Introduction.....</b> | <b>4</b> |
| Using This Manual.....              | 4        |
| Manual Replacement Information..... | 4        |
| Manual Revisions.....               | 4        |
| Touch-up Paint.....                 | 4        |
| Hardware Legend.....                | 5        |
| Replacement Hardware.....           | 5        |
| Serial Numbers.....                 | 5        |
| Part Number Service Coding.....     | 5        |

## TREKER 00 SERIES

|  |           |
|--|-----------|
| <b>Section 2: Frame &amp; Suspension.....</b>                              | <b>6</b>  |
| Lower Control Arm S/N 400269-.....   | 6         |
| Lower Control Arm S/N 400270 To 407690.....                                | 8         |
| Lower Control Arm S/N 407691 to 464184 ST: S/N 407691<br>to 464880 NT..... | 10        |
| Lower Control Arm S/N 464185+ ST: S/N 464881+ NT.....                      | 12        |
| Main Frame.....  | 14        |
| Shock Front.....   | 16        |
| Shock Rear.....  | 18        |
| Trailing Arm (S/N 464191-.....   | 20        |
| Trailing Arm (S/N 464192+.....   | 22        |
| <b>Section 3: Steering Components.....</b>                                 | <b>24</b> |
| Steering Components (S/N 429606- NT) (S/N 434129-<br>ST).....              | 24        |
| Steering Components (S/N 429607+ NT) (S/N 434130+<br>ST).....              | 26        |
| <b>Section 4: Throttle.....</b>  | <b>28</b> |
| Throttle Components.....   | 28        |
| <b>Section 5: Brakes.....</b>  | <b>30</b> |
| Brake Drum Rear Components.....  | 30        |
| Front Brake System.....  | 32        |
| Front Disc Brake Components.....   | 34        |
| Rear Brake System.....   | 36        |
| <b>Section 6: Drive Train.....</b>   | <b>38</b> |
| CV Driveshaft S/N 434125 to 437241.....                                    | 38        |
| Drive Belt Components.....   | 40        |
| Engine Mounting Honda.....   | 42        |
| Front Differential Components.....   | 44        |
| Front Differential, Axleshaft and Driveshaft.....                          | 48        |
| Shift Selector Components.....   | 50        |
| Transaxle Rear and Axle Shafts.....  | 52        |
| Transaxle Rear Components.....   | 54        |
| Transfer Case and Rear Driveshaft S/N 484886- ST S/N<br>464194- NT.....    | 58        |
| Transfer Case and Rear Driveshaft S/N 484887+ ST S/N<br>464195+ NT.....    | 60        |
| Transfer Case Components.....  | 62        |

© Copyright 2009. All rights reserved.

Land Pride provides this publication "as is" without warranty of any kind, either expressed or implied. While every precaution has been taken in the preparation of this manual, Land Pride assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein. Land Pride reserves the right to revise and improve its products as it sees fit. This publication describes the state of this product at the time of its publication, and may not reflect the product in the future. The illustrations in this manual are not intended for safe and proper assembly or disassembly of equipment. The illustrations are intended for ordering parts only.

Land Pride is registered trademark.

All other brands and product names are trademarks or registered trademarks of their respective holders.

Printed in the United States of America.



## Alphabetized Table of Contents

### TREKER 00 SERIES

#### A

|                                |    |
|--------------------------------|----|
| Air Filter Components, NT..... | 64 |
| Air Filter Components, ST..... | 66 |

#### B

|                                 |    |
|---------------------------------|----|
| Brake Drum Rear Components..... | 30 |
|---------------------------------|----|

#### C

|   |     |
|---|-----|
| Cargo Box Components.....               | 108 |
| Cargo Box Tilt Lock-Down Latch.....     | 110 |
| Cargo Box Tilt Lock-Up Arm.....         | 112 |
| CV Driveshaft S/N 434125 to 437241..... | 38  |
| CVT Enclosure Kit.....                  | 124 |

#### D

|                            |     |
|----------------------------|-----|
| Decals.....                | 120 |
| Drive Belt Components..... | 40  |

#### E

|  |    |
|--|----|
| Electrical Wiring NT S/N 464880- ST S/N 464184-..... | 76 |
| Electrical Wiring NT S/N 464881+ ST S/N 464185+..... | 78 |
| Electrical Wiring Schematic, Main 00 Series NT.....  | 80 |
| Electrical Wiring Schematic, Main 00 Series ST.....  | 82 |
| Engine Mounting Honda.....                           | 42 |
| Exhaust Components (S/N 440720+.....                 | 68 |
| Exhaust Components NT & ST S/N 440719-.....          | 70 |

#### F

|   |     |
|---|-----|
| Four Post Accessory Bar.....                      | 96  |
| Front Brake System.....                           | 32  |
| Front Bumpers.....                                | 126 |
| Front Differential Components.....                | 44  |
| Front Differential, Axleshaft and Driveshaft..... | 48  |
| Front Disc Brake Components.....                  | 34  |
| Front Tires.....                                  | 116 |
| Fuel System Components.....                       | 72  |
| Fuel System Components, NT.....                   | 74  |

#### H

|                      |     |
|----------------------|-----|
| Hood Components..... | 114 |
|----------------------|-----|

#### I

|  |    |
|--|----|
| Instrument Panel, 4200 (S/N 418338-.....)          | 84 |
| Instrument Panel, 4200 (SN 418339 to 440716).....  | 86 |
| Instrument Panel, 4400 (S/N 418338-.....)          | 88 |
| Instrument Panel, 4400 (S/N 418339 to 440713)..... | 90 |
| Instrument Panel, 4200 (S/N 440714+).....          | 92 |
| Instrument Panel, 4400 (S/N 440714+).....          | 94 |

#### L

|  |    |
|--|----|
| Lower Control Arm S/N 400269-.....   | 6  |
| Lower Control Arm S/N 400270 To 407690.....                                | 8  |
| Lower Control Arm S/N 407691 to 464184 ST: S/N 407691<br>to 464880 NT..... | 10 |

|   |    |
|---|----|
| Lower Control Arm S/N 464185+ ST: S/N 464881+<br>NT ..... | 12 |
|---|----|

#### M

|                 |    |
|-----------------|----|
| Main Frame..... | 14 |
|-----------------|----|

#### N

|                                      |     |
|--------------------------------------|-----|
| NT ST Camo and Decal Components..... | 122 |
|--------------------------------------|-----|

#### P

|   |     |
|---|-----|
| Panels and Shields, NT S/N (460319-).....         | 100 |
| Panels and Shields, ST (S/N 460319-).....         | 102 |
| Panels Sheilds & Choke Cable ST(S/N 460320+)....  | 104 |
| Panels Shields & Choke Cable NT S/N (460320+).... | 106 |

#### R

|                        |     |
|------------------------|-----|
| Rear Brake System..... | 36  |
| Rear Tires.....        | 118 |

#### S

|   |    |
|---|----|
| Seat Components.....  | 98 |
| Shift Selector Components.....                                | 50 |
| Shock Front.....  | 16 |
| Shock Rear.....   | 18 |
| Steering Components (S/N 429606- NT) (S/N 434129-<br>ST)..... | 24 |
| Steering Components (S/N 429607+ NT) (S/N 434130+<br>ST)..... | 26 |

#### T

|   |    |
|---|----|
| Throttle Components.....  | 28 |
| Trailing Arm (S/N 464191-.....)   | 20 |
| Trailing Arm (S/N 464192+.....)   | 22 |
| Transaxle Rear and Axle Shafts.....                                     | 52 |
| Transaxle Rear Components.....  | 54 |
| Transfer Case and Rear Driveshaft S/N 484886- ST S/N<br>464194- NT..... | 58 |
| Transfer Case and Rear Driveshaft S/N 484887+ ST S/N<br>464195+ NT..... | 60 |
| Transfer Case Components.....   | 62 |

## General Information

### Using This Manual

This manual is divided into sections. The first section contains General Information. The remaining sections divide the machine into segments (i.e. Frames, Drives, Hydraulics, etc.) which illustrate and list all parts. A Parts Number Index is located at the back of the book.

The Land Pride parts in this manual are specially designed for this machine and should be replaced with Land Pride parts only.

The information in this manual is current at time of printing. Some parts may change to assure top performance.

Right-hand and left-hand as used in this manual are determined by facing the direction the machine will travel while in use.

Below is an example of two facing pages from a parts manual. Familiarize yourself with the type of information contained on these pages.

### Manual Replacement Information

Replacement manuals are available. Refer to our website at [www.landpride.com](http://www.landpride.com) or e-mail us at [lit@landpride.com](mailto:lit@landpride.com) for additional information. Our website continues to provide the most up-to-date manuals available.

### Touch-up Paint

Repaint parts where paint is worn or scratched to prevent rust. Aerosol cans and touch-up bottles with brush applicator are available through your local dealer. Land Pride color descriptions and part numbers are listed below. Also available are quart and gallon size paints. Add QT or GL to end of the Aerosol P/N.


| Color                     | Product <sup>1</sup> | Aerosol  | Touch-Up   |
|---------------------------|----------------------|----------|------------|
| Gloss Black               | LP                   | 821-032C | 821-032CTU |
| Medium Gloss Black        | UV                   | 821-053C | 821-053CTU |
| Beige                     | LP                   | 821-011C | 821-011CTU |
| Green                     | SLP                  | 821-058C | 821-058CTU |
| Orange                    | SLP                  | 821-066C | 821-066CTU |
| Red                       | SLP/UV               | 821-054C | 821-054CTU |
| Blue                      | SLP/UV               | 821-067C | 821-067CTU |
| Dark Green Sparkle        | UV                   | 821-055C | 821-055CTU |
| Gondo Forest Green        | UV                   | 821-057C | 821-057CTU |
| Brite Yellow <sup>2</sup> | UV                   | 821-056C | 821-056CTU |
| Gondo Yellow <sup>3</sup> | UV                   | 821-059C | 821-059CTU |

Notes:

1 LP = All Land Pride Products except Utility Vehicles  
SLP = Select Land Pride Products that are available in optional Green, Orange, Red, & Blue colors.  
UV = Utility Vehicles

2 Used on Trekkers and (Runabouts with S/N 407628-)

3 Used on Gondos and (Runabouts with S/N 407629+)



# General Information

## Hardware Legend

|          |  |
|----------|--|
| AR       | As Required                                      |
| BLADE    | Blade Bolt                                       |
| C        | Cap Screw  |
| CP       | Cotter Pin                                       |
| CPHSSS   | Cup Point Hex Socket Set Screw                   |
| CPSHSS   | Cup Point Square Head Set Screw                  |
| CPSQHSS  | Cup Point Square Head Set Screw                  |
| CRFCHMS3 | Cross Recess Flat Countersunk Head Machine Screw |
| CRPHMS   | Cross Recess Pan Head Machine Screw              |
| CRPHTFS  | Cross Recess Pan Head Thread Forming             |
| CRRHMS   | Cross Recess Round Head Machine Screw            |
| CRTHMS   | Cross Recess Truss Head Machine Screw            |
| CSNB     | Countersunk Square Neck Bolt                     |
| FHMS     | Flat Head Machine Screw                          |
| FTC      | Full Thread Cap Screw                            |
| H        | Hex Nut  |
| HCLN     | Hex Center Lock Nut                              |
| HFLCS    | Hex Flange Lock Cap Screw                        |
| HFS      | Hex Flange Screw                                 |
| HFSLN    | Hex Flange Serrated Lock Nut                     |
| HFSS     | Hex Flange Serrated Screw                        |
| HHCS     | Hex Head Cap Screw or Metric Bolt                |
| HSBHCS   | Hex Socket Button Head Cap Screw                 |
| HSFCHCS  | Hex Socket Flat Countersunk Head Cap Screw       |
| HSHCS    | Hex Socket Head Cap Screw                        |
| HSSS     | Hex Socket Head Screw                            |
| HTLN     | Hex Top Lock Nut                                 |
| HWHCS    | Hex Washer Head Cap Screw                        |

|                |   |
|----------------|---|
| HWHMS          | Hex Washer Head Machine Screw               |
| HXBHCS         | Hex Socket Button Head Cap Screw            |
| J              | Hex Jam Nut                                 |
| JIC            | 37 Degree Tapered Thread                    |
| L              | Helical Spring Lock Washer                  |
| LUG            | Lug Bolt                                    |
| NFC            | National Fine Cap Screw                     |
| NPSM           | National Pipe Straight Mechanical           |
| NPTF           | National Pipe Taper Fuel                    |
| P              | Wide Plain Washer                           |
| PHMS           | Pan Head Machine Screw                      |
| PLOW           | Plow Bolt                                   |
| RHMS           | Round Head Machine Screw                    |
| RHSNB          | Round Head Square Neck Bolt                 |
| SCREW LEVELING | Leveling Screw                              |
| SCREW THUMB    | Thumb Screw                                 |
| SCREW WELD     | Weld Screw                                  |
| SFCHMS         | Slotted Flat Countersunk Head Machine Screw |
| SFHMS          | Slotted Fillister Head Machine Screw        |
| SP             | Special                                     |
| SP SCREW       | Special Screw                               |
| SQHSS          | Square Head Set Screw                       |
| SRHMS          | Slotted Round Head Machine Screw            |
| SSS            | Socket Set Screw                            |
| STCS           | Self Tapping Cap Screw                      |
| STHMS          | Slotted Truss Head Machine Screw            |
| WHEEL          | Wheel Studs and Hub Long Bolts              |
| WING           | Wing Bolt                                   |

## Replacement Hardware

The **Hardware Legend** above lists hardware abbreviations used in the parts list. All bolts and nuts are Grade 5 unless otherwise noted. The use of improper grades of hardware can result in personal injury, damage to equipment, or loss of property.

## Colored Replacement Parts

Land Pride offers replacement parts in factory standard colors and also on select models in Green, Orange, Red and Blue. Because of the variety of colors available, special attention must be given to the part number to prevent ordering the wrong replacement part.

A suffix number corresponding to one of the colors below must be added at the end of Land Pride's part number when ordering a replacement part with that color.

|                            |                          |
|----------------------------|--------------------------|
| <b>81 . . . . . Green</b>  | <b>83 . . . . . Red</b>  |
| <b>82 . . . . . Orange</b> | <b>84 . . . . . Blue</b> |

For example, if you are ordering a replacement part with part number 555-555C and the part you need is red, then add the suffix 83 to the end of the number to make the part number read 555-555C83. Parts ordered without a suffix number will be supplied in factory standard colors.

## Black Replacement Parts

Some parts are factory standard black and some must be special ordered black. If your part is special ordered black, a second part number with the additional suffix number 85 on the end will be available. In this situation you must order that part with the suffix number for it to be black. Parts that are factory standard black will not have the suffix number.

## Part Number Service Coding

Within the parts list some part numbers are coded for revisions and interchangeability. See notations in revision column.


## Serial Numbers

Always use the serial and model number when ordering parts. Refer to the Operator's Manual for serial number plate location.

|                      |  |
|----------------------|--|
| (S/N 20001+)         | Includes serial numbers 20001 and above (to the latest number)   |
| (S/N 10001 to 20000) | Includes serial numbers between and including 10001 and 20000    |
| (S/N 10000-)         | Includes serial numbers 10000 and below (to the earliest number) |

## Lower Control Arm S/N 400269-

Applies to 4200NT, 4200ST, 4400NT, 4400ST




***Lower Control Arm S/N 400269-*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description               | Comments                                      | Revision |
|-----|----------|--------------------------------|---|----------|
|     | dwg21300 | Drawing Image Number           |   |          |
| 1.  | 700-004D | KEEPER PLATE                   |   |          |
| 2.  | 700-114H | FRONT A-ARM WELDMENT           | For Both L.H. & R.H                           |          |
| 3.  | 700-116S | ARM CONTROL, RH-LOWER ASSEMBLY | Includes No. 2, 4, 5,6,10 & 12                |          |
| 3.  | 700-110S | ARM CONTROL, LH-LOWER ASSEMBLY | Includes No. 2, 4, 5,6,10 & 12                |          |
| 4.  | 700-138D | FNT CONTROL ARM SHAFT          |   |          |
| 5.  | 700-139D | FNT CONTROL ARM BUSHING        | Material Change To Reduce Wear<br>S/N 454673+ |          |
| 6.  | 800-359C | SNAP RING EXT 5100-125 1.25SFT |   |          |
| 7.  | 802-017C | HHCS 3/8-16X1 GR5              |   |          |
| 8.  | 802-257C | HFSS 1/4-20X3/4 GR5            | S/N (400210+)                                 | Rev. 2   |
| 9.  | 803-255C | NUT HEX NYLOCK 1/4-20          |   |          |
| 10. | 803-340C | NUT HEX NYLOCK M12X1.25 PLT    |   |          |
| 11. | 700-256D | RH DISC BRAKE ASM 1/6 TAPER    |   |          |
| 11. | 700-257D | LH DISC BRAKE ASM 1/6 TAPER    |   |          |
| 12. | 840-124C | BALL JOINT 1/6 TAPER,M12X1.25  | Does not include #8 & #15                     |          |

## Lower Control Arm S/N 400270 To 407690

Applies to 4200NT, 4200ST, 4400NT, 4400ST




***Lower Control Arm S/N 400270 To 407690*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description              | Comments                                      | Revision |
|-----|----------|-------------------------------|---|----------|
|     | dwg21313 | Drawing Image Number          |   |          |
| 1.  | 700-004D | KEEPER PLATE                  |   |          |
| 2.  | 700-117S | ARM CONTROL, RH-LOWER SIR SUB | Includes No. 3, 4, 5, 6, 10, 11 & 13          |          |
| 2.  | 700-118S | ARM CONTROL, LH LOWER SIR SUB | Includes No. 3, 4, 5, 6, 10, 11 & 13          |          |
| 3.  | 700-119H | FRONT A-ARM WELDMENT SIR      |   |          |
| 4.  | 700-138D | FNT CONTROL ARM SHAFT         |   |          |
| 5.  | 700-139D | FNT CONTROL ARM BUSHING       | Material Change To Reduce Wear<br>S/N 454673+ |          |
| 6.  | 800-363C | SNAP RING EXT. 36MM DIN 471   |   |          |
| 7.  | 802-017C | HHCS 3/8-16X1 GR5             |   |          |
| 8.  | 802-257C | HFSS 1/4-20X3/4 GR5           |   |          |
| 9.  | 803-255C | NUT HEX NYLOCK 1/4-20         |   |          |
| 10. | 803-341C | NUT HEX SLOTTED M10X1.25 PLT  |   |          |
| 11. | 805-063C | PIN COTTER 3/32 X 1 LONG      |   |          |
| 12. | 815-143C | RH DISC BRAKE ASM 172mm W/JNT |   |          |
| 12. | 815-144C | LH DISC BRAKE ASM 172mm W/JNT |   |          |
| 13. | 840-136C | BALL JOINT SIR                | Includes #8, #15 & #16                        |          |

## Lower Control Arm S/N 407691 to 464184 ST: S/N 407691 to 464880 NT

Applies to 4200NT, 4200ST, 4400NT, 4400ST




***Lower Control Arm S/N 407691 to 464184 ST: S/N 407691 to 464880 NT*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description              | Comments                                      | Revision |
|-----|----------|-------------------------------|---|----------|
|     | dwg21317 | Drawing Image Number          |   |          |
| 1.  | 700-004D | KEEPER PLATE                  |   |          |
| 2.  | 700-123S | RH A-ARM BOLT ON STYLE ASM    | Includes No. 3, 4, 9, 10, 14 & 15             |          |
| 2.  | 700-122S | LH A-ARM BOLT ON STYLE ASM    | Includes No. 3, 4, 9, 10, 14 & 15             |          |
| 3.  | 700-138D | FNT CONTROL ARM SHAFT         |   |          |
| 4.  | 700-139D | FNT CONTROL ARM BUSHING       | Material Change To Reduce Wear<br>S/N 454673+ |          |
| 5.  | 802-017C | HHCS 3/8-16X1 GR5             |   |          |
| 6.  | 802-257C | HFSS 1/4-20X3/4 GR5           |   |          |
| 7.  | 802-609C | HHCS M10X1.5X30 GR8.8         |   |          |
| 8.  | 803-255C | NUT HEX NYLOCK 1/4-20         |   |          |
| 9.  | 803-341C | NUT HEX SLOTTED M10X1.25 PLT  |   |          |
| 10. | 804-011C | WASHER FLAT 3/8 USS PLT       |   |          |
| 11. | 804-162C | WASHER FLAT M10 PLT           |   |          |
| 12. | 805-063C | PIN COTTER 3/32 X 1 LONG      |   |          |
| 13. | 815-143C | RH DISC BRAKE ASM 172mm W/JNT |   |          |
| 13. | 815-144C | LH DISC BRAKE ASM 172mm W/JNT |   |          |
| 14. | 840-137C | BALL JOINT BOLT ON SIR        |   |          |
| 15. | 840-138C | LH A-ARM W/BOLT ON BALL JOINT | Includes 14 & 15                              |          |
| 15. | 840-139C | RH A-ARM W/BOLT ON BALL JOINT | Includes 14 & 15                              |          |

## Lower Control Arm S/N 464185+ ST: S/N 464881+ NT

Applies to 4200NT, 4200ST, 4400NT, 4400ST




***Lower Control Arm S/N 464185+ ST: S/N 464881+ NT*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description              | Comments                                   | Revision |
|-----|----------|-------------------------------|--|----------|
|     | dwg23791 | Drawing Image Number          |  |          |
| 1.  | 802-486C | HHCS M12X1.75X80 GR8.8 PLT    |  |          |
| 2.  | 802-609C | HHCS M10X1.5X30 GR8.8         |  |          |
| 3.  | 803-280C | NUT HEX NYLOCK M10X1.5 PLT    |  |          |
| 4.  | 803-281C | NUT HEX NYLOCK M12X1.75 PLT   |  |          |
| 5.  | 803-341C | NUT HEX SLOTTED M10X1.25 PLT  |  |          |
| 6.  | 804-011C | WASHER FLAT 3/8 USS PLT       |  |          |
| 7.  | 804-162C | WASHER FLAT M10 PLT           |  |          |
| 8.  | 805-063C | PIN COTTER 3/32 X 1 LONG      |  |          |
| 9.  | 815-143C | RH DISC BRAKE ASM 172mm W/JNT |  |          |
| 9.  | 815-144C | LH DISC BRAKE ASM 172mm W/JNT |  |          |
| 10. | 840-137C | BALL JOINT BOLT ON SIR        |  |          |
| 11. | 840-227C | A-ARM, RIGHT ASSEMBLY         | Includes No. 2, 3, 5, 6, 7, 8, 10, 12 & 13 |          |
| 11. | 840-226C | A-ARM, LEFT ASSEMBLY          | Includes No. 2, 3, 5, 6, 7, 8, 10, 12 & 13 |          |
| 12. | 840-228C | A-ARM, NEW BUSHING            |  |          |
| 13. | 840-229C | BUSHING, A-ARM                |  |          |

## Main Frame

---

Applies to 4200NT, 4200ST, 4400NT, 4400ST



21207

## Main Frame


---

Applies to 4200NT, 4200ST, 4400NT, 4400ST

| Ref | Part No. | Part Description              | Comments  | Revision |
|-----|----------|-------------------------------|---|----------|
| 1.  | dwg21207 | Drawing Image Number          |   |          |
| 1.  | 700-144A | SERV - NT MAIN FRAME W/DECALS | S/N 464880- Will Require Replacement of Front & Rear Suspension |          |
| 1.  | 700-145A | SERV - ST MAIN FRAME W/DECALS | S/N 464184- Will Require Replacement of Front & Rear Suspension |          |

## Shock Front

Applies to 4200NT, 4200ST, 4400NT, 4400ST




23892

***Shock Front*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description              | Comments  | Revision |
|-----|----------|-------------------------------|---|----------|
|     | dwg23892 | Drawing Image Number          |   |          |
|     | 700-500A | TREKER SHOCK UPDATE KIT       | (Update kit for units S/N 524740-)<br>Contains 2 Ea. 840-321C |          |
|     |          | *                             |   |          |
| 1.  | 700-055H | STEERING BRACKET RIGHT        |   |          |
| 1.  | 700-054H | STEERING BRACKET LEFT         |   |          |
| 2.  | 701-193A | SPRINGS, ST TRUCK HI RATE     | 2 ea. Item 7  |          |
| 3.  | 802-771C | HHCS 3/8-16X2 GR8 PLT         |   |          |
| 4.  | 803-078C | NUT LOCK 3/8-16 NYLON INSERT  |   |          |
| 5.  | 803-280C | NUT HEX NYLOCK M10X1.5 PLT    |   |          |
| 6.  | 840-321C | SHOCK COIL/STRUT FRNT TRUCK   | S/N 524741+   |          |
| 6.  | 840-100C | SHOCK COIL/STRUT FRNT TRUCK   | S/N 524740-   |          |
| 7.  | 840-330C | SPRG, TRUCK FRT STRUT HI RATE |   |          |
| 8.  | 700-131A | STRUT TOP HARDWARE KIT        |   |          |

Shock Rear

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**



21210

## Shock Rear


---

Applies to 4200NT, 4200ST, 4400NT, 4400ST

| Ref | Part No. | Part Description        | Comments | Revision |
|-----|----------|-------------------------|----------|----------|
|     | dwg21210 | Drawing Image Number    |          |          |
| 1.  | 700-212D | SHOCK SPACER PLATE      |          |          |
| 2.  | 802-751C | HHCS M14X2.00X60 GR8.8  |          |          |
| 3.  | 803-334C | NUT HEX NYLOCK M14X2.00 |          |          |
| 4.  | 840-101C | SHOCK COIL REAR TRUCK   |          |          |

## Trailing Arm (S/N 464191-)

Applies to 4200NT, 4200ST, 4400NT, 4400ST




***Trailing Arm (S/N 464191-)*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description           | Comments  | Revision |
|-----|----------|----------------------------|---|----------|
|     | dwg21209 | Drawing Image Number       |   |          |
| 1.  | 700-004H | ARM, TRAILING, LH WELDMENT | NT & ST   |          |
| 2.  | 700-005H | ARM, TRAILING, RH WELDMENT | NT & ST   |          |
| 3.  | 700-018D | TRAILING ARM BUSHING       | Material Change To Reduce Wear<br>S/N 454673+   |          |
| 4.  | 700-045D | SHAFT TRAILING ARM PIVOT   |   |          |
| 5.  | 710-094D | KEEPER PLATE               |   |          |
| 6.  | 802-080C | HHCS 7/16-14X1 GR5         | S/N (400210+)   |          |
| 7.  | 802-257C | HFSS 1/4-20X3/4 GR5        | S/N (400209-) Drill out tapped hole<br>and replace 1st revision with 2nd<br>revision & #8 |          |
| 7.  | 801-174C | HH DRILL SCREW 1/4 X 3/4LG |   |          |
| 8.  | 803-255C | NUT HEX NYLOCK 1/4-20      | S/N (400210+)   |          |

## Trailing Arm (S/N 464192+)

Applies to 4200NT, 4200ST, 4400NT, 4400ST




**Trailing Arm (S/N 464192+)****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description               | Comments | Revision |
|-----|----------|--------------------------------|----------|----------|
|     | dwg21209 | Drawing Image Number           |          |          |
| 1.  | 700-256S | TRAILING ARM RH ASSY           |          |          |
| 2.  | 700-257S | TRAILING ARM LH ASSY           |          |          |
| 3.  | 700-262H | TRAILING ARM RH WELDMENT       |          |          |
| 4.  | 700-263H | TRAILING ARM LH WELDMENT       |          |          |
| 5.  | 700-371H | CENTER PIVOT TUBE WELDMENT     |          |          |
| 6.  | 700-374D | RPBY 700-422H                  |          |          |
| 7.  | 700-422H | TRAILING ARM PIVOT BOLT WLDmnt |          |          |
| 8.  | 803-319C | NUT HEX TOP LOCK 9/16-12 YLW   |          |          |
| 9.  | 817-517C | BUSHING IDLER ARM RUBBER       |          |          |

## Steering Components (S/N 429606- NT) (S/N 434129- ST)

Applies to 4200NT, 4200ST, 4400NT, 4400ST




21220

***Steering Components (S/N 429606- NT) (S/N 434129- ST)*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description                    | Comments    | Revision |
|-----|----------|-------------------------------------|-------------|----------|
|     | dwg21220 | Drawing Image Number                |             |          |
| 1.  | 700-060H | STEERING COLUMN WELDMENT            |             |          |
| 2.  | 700-273D | STEERING STOP BUSHING               |             |          |
| 3.  | 802-387C | HFS 5/16-18X3/4 GR5                 |             |          |
| 4.  | 802-714C | HHCS M8X1.25X25 GR8.8 YLW PLT       |             |          |
| 5.  | 802-760C | HHCS M8X1.25X100 GR8.8 PLT          |             |          |
| 6.  | 803-084C | NUT HEX NYLOCK 5/16-18 PLT          |             |          |
| 7.  | 803-278C | NUT HEX NYLOCK M8X1.25 PLT          |             |          |
| 8.  | 803-283C | NUT HEX M16X2.00X8MM THK PLT        |             |          |
| 9.  | 803-340C | NUT HEX NYLOCK M12X1.25 PLT         |             |          |
| 10. | 804-084C | WASHER FLAT 5/16 HARD ASTM F436     |             |          |
| 11. | 817-525C | BUSHING 1 OD X .75ID X 1            |             |          |
| 12. | 826-399C | RACK & PINION NT                    |             |          |
| 12. | 826-400C | RACK & PINION ST                    |             |          |
| 13. | 14083    | BOOT LH FOR 826-399C/400C           |             |          |
| 14. | 14094    | BOOT RH FOR 826-399C/400C           |             |          |
| 15. | 100050   | TIE ROD END                         | Includes #9 |          |
| 16. | 840-064C | STEERING WHEEL                      |             |          |
| 17. | 840-065C | STEERING WHEEL CAP                  |             |          |
| 18. | 840-129C | LOWER STEERING SHAFT TRUCK ASSEMBLY |             |          |
| 19. | 23035    | BOLT FOR 840-093C                   |             |          |
| 20. | 802-628C | HHCS M10X1.5X35 PLT                 |             |          |
| 21. | 803-280C | NUT HEX NYLOCK M10X1.5 PLT          |             |          |
| 22. | 20061    | SPRING WASHER FOR 840-093C          |             |          |
| 23. | 840-130C | UPPER STEERING SHAFT TRUCK ASSEMBLY |             |          |
| 24. | 620250   | MVL INNER TIE ROD END               |             |          |

## Steering Components (S/N 429607+ NT) (S/N 434130+ ST)

Applies to 4200NT, 4200ST, 4400NT, 4400ST




22117

***Steering Components (S/N 429607+ NT) (S/N 434130+ ST)*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description                | Comments | Revision |
|-----|----------|---------------------------------|----------|----------|
|     | dwg22117 | Drawing Image Number            |          |          |
| 1.  | 9175     | NUT HEX SLOTTED M12X1.25 PLT    |          |          |
| 2.  | 0680002  | TIE ROD W/BALL 826-399C/400C    |          |          |
| 3.  | 43142100 | NUT HEX M14X1.5 PLT             |          |          |
| 4.  | 47002300 | SPACER 826-399C/400C            |          |          |
| 5.  | 700-060H | STEERING COLUMN WELDMENT        |          |          |
| 6.  | 802-387C | HFS 5/16-18X3/4 GR5             |          |          |
| 7.  | 802-714C | HHCS M8X1.25X25 GR8.8 YLW PLT   |          |          |
| 8.  | 802-760C | HHCS M8X1.25X100 GR8.8 PLT      |          |          |
| 9.  | 803-084C | NUT HEX NYLOCK 5/16-18 PLT      |          |          |
| 10. | 803-278C | NUT HEX NYLOCK M8X1.25 PLT      |          |          |
| 11. | 803-283C | NUT HEX M16X2.00X8MM THK PLT    |          |          |
| 12. | 804-084C | WASHER FLAT 5/16 HARD ASTM F436 |          |          |
| 13. | 805-063C | PIN COTTER 3/32 X 1 LONG        |          |          |
| 14. | 817-525C | BUSHING 1 OD X .75ID X 1        |          |          |
| 15. | 826-399C | RACK & PINION NT                |          |          |
| 15. | 826-400C | RACK & PINION ST                |          |          |
| 16. | 0909001  | BOOT 826-399C/400C              |          |          |
| 17. | 0180006  | TIE ROD END 826-399C/400C       |          |          |
| 18. | 840-064C | STEERING WHEEL                  |          |          |
| 19. | 840-065C | STEERING WHEEL CAP              |          |          |
| 20. | 840-093C | STEERING SHAFT TRUCK            |          |          |
| 21. | 23035    | MVL BOLT FOR 840-093C           |          |          |
| 22. | 802-628C | HHCS M10X1.5X35 PLT             |          |          |
| 23. | 803-280C | NUT HEX NYLOCK M10X1.5 PLT      |          |          |
| 24. | 20061    | MVL SPRING WASHER FOR 840-093C  |          |          |
| 25. | 840-130C | UPPER STEERING SHAFT TRUCK ASM  |          |          |

## Throttle Components

Applies to 4200NT, 4200ST, 4400NT, 4400ST



## Throttle Components


---

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description                | Comments                             | Revision |
|-----|----------|---------------------------------|--------------------------------------|----------|
|     | dwg21264 | Drawing Image Number            |                                      |          |
| 1.  | 700-127H | GAS PEDAL WELDMENT              | S/N 412103+                          |          |
| 1.  | 700-058H | RPBY 700-128S                   | S/N 412102-                          |          |
| 2.  | 700-128S | GAS PEDAL W/PAD ASSEMBLY        | Includes #1 & #14                    |          |
| 3.  | 700-129D | GAS PEDAL MOUNT                 |                                      |          |
| 4.  | 700-206D | GAS PEDAL ADJUSTMENT PLATE      |                                      |          |
| 5.  | 700-254D | BODY MOUNT SPACER .25 THICK     | S/N 409701+ ( ST & NT Use as needed) |          |
| 5.  | 700-255D | BODY MOUNT SPACER .375 THICK    | S/N 409701+ (ST & NT Use as needed)  |          |
| 6.  | 802-010C | HHCS 5/16-18X1 1/4 GR5          |                                      |          |
| 16. | 840-261C | CHOKE CABLE ST                  |                                      |          |
| 7.  | 802-079C | HHCS 3/8-16X1 1/4 GR5           |                                      |          |
| 8.  | 802-735C | HHCS 5/16-18X3/4 GR5 YELLOW DIE |                                      |          |
| 9.  | 803-068C | NUT HEX FLANGE 3/8-16 PLT       |                                      |          |
| 10. | 803-086C | NUT MAC-LOK FLG 3/8-16 GR F     |                                      |          |
| 11. | 803-177C | NUT HEX LOCK 5/16-18 FLG.       |                                      |          |
| 12. | 807-227C | SPRING EXT .5OD .075W 2.75LG    |                                      |          |
| 13. | 817-540C | BUSHING NYLON 3/8ID (SNAP IN)   |                                      |          |
| 14. | 840-002C | THROTTLE CABLE                  |                                      |          |
| 15. | 840-134C | BRAKE/ACCELERATOR PEDAL RUBBER  |                                      |          |
| 16. | 840-261C | CHOKE CABLE NT                  | NT UNIT S/N 460320+                  |          |
| 16. | 840-241C | CHOKE CABLE ST                  | ST UNIT S/N 460320                   |          |

## Brake Drum Rear Components

Applies to 4200NT, 4200ST, 4400NT, 4400ST




## **Brake Drum Rear Components**

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description                    | Comments             | Revision |
|-----|----------|-------------------------------------|----------------------|----------|
|     | dwg21159 | Drawing Image Number                |                      |          |
|     | 815-145C | RH DRUM ASM 180mm 4 ON 4" BC        | ITEM 19 NOT INCLUDED |          |
|     | 815-146C | LH DRUM ASM 180mm 4 ON 4" BC        | ITEM 19 NOT INCLUDED |          |
| 1.  | F136     | LEFT SHOE                           |                      |          |
| 2.  | F137     | RIGHT SHOE                          |                      |          |
| 3.  | F777     | BALL BEARING                        |                      |          |
| 4.  | F855     | BEARING HOLDER HUB                  |                      |          |
| 5.  | F179     | BRAKE SHOE DISC RH                  |                      |          |
| 5.  | F178     | BRAKE SHOE DISC LH                  |                      |          |
| 6.  | F827     | BLEEDER SCREW                       |                      |          |
| 7.  | F622     | SHOES LOCKING SPRING                |                      |          |
| 8.  | F792     | RIGHT SPRING/HAND BRAKE LEVER       |                      |          |
| 8.  | F793     | LEFT SPRING/HAND BRAKE LEVER        |                      |          |
| 9.  | F261     | HYDRAULIC CYLINDER                  |                      |          |
| 10. | F908     | DRUM                                |                      |          |
| 11. | F176     | RIGHT LEVERS SET                    |                      |          |
| 11. | F177     | LEFT LEVERS SET                     |                      |          |
| 12. | F852     | CMX SPACER                          |                      |          |
| 13. | F175     | BRAKE FLANGE HUB W/STUDS            |                      |          |
| 14. | F258     | SCREW M6 x 40                       |                      |          |
| 15. | F610     | UPPER RETURN SPRING                 |                      |          |
| 16. | F621     | SPRING PIN                          |                      |          |
| 17. | F609     | LOWER RETURN SPRING                 |                      |          |
| 18. | F909     | STUD                                |                      |          |
| 19. | 803-329C | NUT LUG 1/2-20 x 60 DEG PLT (.81AF) |                      |          |
| 20. | F828     | BOOT                                |                      |          |

## ***Front Brake System***

## **Applies to 4200NT, 4200ST, 4400NT, 4400ST**



**Front Brake System****Applies to 4200NT, 4200ST, 4400NT, 4400ST**


| Ref | Part No. | Part Description                         | Comments             | Revision            |
|-----|----------|--|----------------------|---------------------|
|     | dwg21219 | Drawing Image Number                     |                      |                     |
| 1.  | 700-056H | BRAKE PEDAL PIVOT WELDMENT               | S/N 464192+          |                     |
| 2.  | 700-342H | BRAKE PEDAL ARM WELDMENT                 | S/N 412103 to 464191 | Rev. 2              |
| 2.  | 700-126H | BRAKE PEDAL ARM WELDMENT                 | S/N 412102-          | Rev 1; Use up stock |
| 2.  | 700-057H | RPBY 700-129S                            | S/N 464192+          | Includes #2 & #31   |
| 3.  | 700-341S | BRAKE PEDAL W/ PAD ASSEMBLY              | S/N 464191-          | Includes #2 & #31   |
| 3.  | 700-129S | BRAKE PEDAL W/PAD ASSEMBLY               |                      |                     |
| 4.  | 800-347C | WIRING/TUBE CLIP FOR 1/4 OD              |                      |                     |
| 5.  | 800-355C | RETAINING RING 5/8 EXT.                  |                      |                     |
| 6.  | 800-356C | CLAMP PINCH FOR .50 OD HOSE              |                      |                     |
| 7.  | 800-360C | HOSE CLAMP 1/4 ID                        |                      |                     |
| 8.  | 801-174C | HH DRILL SCREW 1/4 x 3/4 LG              |                      |                     |
| 9.  | 802-738C | HHCS 5/16-18 x 1 GR5 YELLOW DIE          |                      |                     |
| 10. | 803-084C | NUT HEX NYLOCK 5/16-18 PLT               |                      |                     |
| 11. | 805-063C | PIN COTTER 3/32 x 1 LONG                 |                      |                     |
| 12. | 805-066C | PIN CLEVIS 5/16 x 1                      |                      |                     |
| 13. | 815-150C | MASTER CYLINDER PUSH ROD                 |                      |                     |
| 14. | 815-151C | JAM NUT MASTER CYL. PUSH ROD             |                      |                     |
| 15. | 815-152C | MASTER CYLINDER BOOT                     |                      |                     |
| 16. | 815-154C | MASTER CYLINDER CLEVIS                   |                      |                     |
| 17. | 815-155C | DUAL RESEVOIR BRAKE FLUID W/CAP          |                      |                     |
| 18. | 815-156C | DUAL MASTER CYLINDER                     |                      |                     |
| 19. | 815-157C | MASTER CYLINDER PRESS. SWITCH            |                      |                     |
| 20. | 815-158C | MSTR CYL CPPR WSHR 16X10X1.5MM           |                      |                     |
| 21. | 815-163C | MASTER CYLINDER RESERVOIR CLIP           |                      |                     |
| 22. | 815-167C | BULK HEAD FLOW THROUGH                   |                      |                     |
| 23. | 815-173C | FRONT BRAKE LINE LH                      |                      |                     |
| 24. | 815-186C | NT STEEL BRAKE LINE                      |                      |                     |
| 24. | 815-175C | ST STEEL BRAKE LINE                      |                      |                     |
| 25. | 815-187C | FRONT BRAKE LINE 15 1/4 RH NT            |                      |                     |
| 25. | 815-174C | FRONT BRAKE LINE 21 1/4 RH ST            |                      |                     |
| 26. | 815-190C | FRNT BRAKE LINE END LH STEEL             |                      |                     |
| 27. | 815-196C | FRNT BRAKE LINE END RH STEEL             |                      |                     |
| 28. | 815-210C | BRAKE LINE RBR 17" M10 x 1 FEMALE        |                      |                     |
| 29. | 817-526C | BUSHING 3/4 OD x 5/8 ID x 3/4 FLG HD     |                      |                     |
| 30. | 840-104C | 12.5" FUEL LINE/HYDRAULIC FLUID RESVOIR. |                      |                     |
| 31. | 840-134C | BRAKE/ACCELERATOR PEDAL RUBBER           | S/N 412103+          |                     |
| 32. | 803-177C | NUT HEX FLG TOP LK 5/16-18 YLW           |                      |                     |
|     | *        |  |                      |                     |
|     | *        |  |                      |                     |

**IMPORTANT NOTES:**

1. Brake fluid type = DOT 3
2. Fluid capacity = Fill to line on reservoir

## Front Disc Brake Components

Applies to 4200NT, 4200ST, 4400NT, 4400ST




## Front Disc Brake Components

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description               | Comments   | Revision |
|-----|----------|--------------------------------|--|----------|
|     | dwg21221 | Drawing Image Number           |  |          |
|     | 815-143C | RH DISC BRAKE ASM 172mm W/JNT  | (S/N 400270+) Does not include #3, Rev. 2<br>#4 & #5 |          |
|     | 700-256D | RH DISC BRAKE ASM 1/6 TAPER    | (S/N 400269-) Does not include #3, Rev. 1<br>#4 & #5 |          |
|     | 815-144C | LH DISC BRAKE ASM 172mm W/JNT  | (S/N 400270+) Does not include #3, Rev. 2<br>#4 & #5 |          |
|     | 700-257D | LH DISC BRAKE ASM 1/6 TAPER    | (S/N 400269-) Does not include #3, Rev. 1<br>#4 & #5 |          |
| 1.  | 802-589C | HHCS 7/16-14X2 GR5             |  |          |
| 2.  | 803-229C | NUT HEX FLANGE LOC 7/16-14 PLT |  |          |
| 3.  | 803-280C | NUT HEX NYLOCK M10X1.5 PLT     |  |          |
| 4.  | 803-332C | NUT HEX M16X1.5 TOP LOCK PLT   |  |          |
| 5.  | 815-147C | FRNT DISC BRAKE STUB SHAFT 2WD |  |          |
| 6.  | D2041    | NUT M8                         |  |          |
| 7.  | F763     | BALL BEARING 60,05X30X37       |  |          |
| 8.  | F765     | SEEEGER                        |  |          |
| 9.  | F772     | SCREW M 10 X 1.25 X 35         |  |          |
| 10. | F773     | GROWER 10                      |  |          |
| 11. | F824     | DUST BOOT RING                 |  |          |
| 12. | F822     | CAP                            |  |          |
| 13. | F823     | SEALING RING                   |  |          |
| 14. | F820     | RUBBER DUST BOOT               |  |          |
| 15. | F827     | BLEEDER SCREW                  |  |          |
| 16. | F828     | BOOT                           |  |          |
| 17. | F829     | PLUG                           |  |          |
| 18. | F832     | ELASTIC RING                   |  |          |
| 19. | F845     | SCREW M8 X 20                  |  |          |
| 20. | F774     | SCREW M8 X 65                  |  |          |
| 21. | F799     | HHS M10X1.5X50 PLT             |  |          |
| 22. | F813     | CALIPER BODY                   |  |          |
| 23. | F815     | REACTION BRACKET               |  |          |
| 24. | F818     | SPACER                         |  |          |
| 25. | F1004    | BRAKE PAD KIT (PER WHEEL)      |  |          |
| 26. | F826     | PIN                            |  |          |
| 27. | F840     | WHEEL PIVOT                    | S/N 400270+  | Rev. 2   |
| 27. | 700-219D | WHEEL PIVOT                    | S/N 400269-  | Rev. 1   |
| 28. | F834     | CALIPER CLAMPING PLATE         |  |          |
| 29. | F843     | DISC BRAKE                     |  |          |
| 30. | F181     | CMEX FLANGE WITH STUDS         |  | Rev. 2   |
| 30. | F896     | RPBY F181                      |  | Rev. 1   |
| 31. | F909     | STUD                           |  |          |

## **Rear Brake System**

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**



21223

## Rear Brake System


---

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description                    | Comments | Revision |
|-----|----------|-------------------------------------|----------|----------|
|     | dwg21233 | Drawing Image Number                |          |          |
| 1.  | 700-021H | EQUALIZER PARK BRAKE WLDMENT        |          |          |
| 2.  | 700-238D | MICRO-SWITCH PARK BRAKE BRACKET     |          |          |
| 3.  | 710-069D | EQUILIZER PARK BRAKE                |          |          |
| 4.  | 800-347C | WIRING/TUBE CLIP FOR 1/4 OD         |          |          |
| 5.  | 800-351C | E RETAINING RING EXTERNAL           |          |          |
| 6.  | 801-151C | SCR HEX SELF TAP 1/4-20 x 1 TYPE F  |          |          |
| 7.  | 801-174C | HH DRILL SCREW 1/4 x 3/4 LG         |          |          |
| 8.  | 802-731C | HHCS M8X1.25 x 30 GR10.9 YLW PLT    |          |          |
| 9.  | 802-735C | HHCS 5/16-18X3/4 GR5 YELLOW DI      |          |          |
| 10. | 802-740C | SHLDR BLT 5/16 x.50 1/4-20UNC       |          |          |
| 11. | 802-773C | HSHCS #4-40 x 3/4                   |          |          |
| 12. | 803-084C | NUT HEX NYLOCK 5/16-18 PLT          |          |          |
| 13. | 803-211C | NUT HEX #4-40 PLT                   |          |          |
| 14. | 803-255C | NUT HEX NYLOCK 1/4-20               |          |          |
| 15. | 804-157C | WASHER SPRING LOCK M8 PLT           |          |          |
| 16. | 805-063C | PIN COTTER 3/32 x1 LONG             |          |          |
| 17. | 805-066C | PIN CLEVIS 5/16 x1 BEE IND.         |          |          |
| 18. | 805-336C | CLEVIS PIN 6MM x 16MM USABLE LENGTH |          |          |
| 19. | 805-342C | PIN CLEVIS 1/4 x 3/4                |          |          |
| 20. | 815-153C | PARK BRAKE LEVER                    |          |          |
| 21. | 815-165C | REAR BRAKE LINE 28.3                |          |          |
| 22. | 815-178C | FITTING 3 WAY HYDRAULIC             |          |          |
| 23. | 815-186C | NT STEEL BRAKE LINE                 |          |          |
| 23. | 815-175C | ST STEEL BRAKE LINE                 |          |          |
| 24. | 815-211C | REAR RUBBER BRAKE LINE              |          |          |
| 25. | 833-330C | PARK BRAKE MICRO-SWITCH             |          |          |
| 26. | 840-117C | PARK BRAKE CABLE NT 46.5"LG         | NT       |          |
| 26. | 840-119C | PARK BRAKE CABLE ST 51 1/2"LG       | ST       |          |
| 27. | 11001    | NUT MALE BRAKE LINE M10X1.25        |          |          |
| 28. | 11000    | NUT MALE BRAKE LINE M10X1.0         |          |          |

**CV Driveshaft S/N 434125 to 437241**

Applies to 4400ST



22231


***CV Driveshaft S/N 434125 to 437241*****Applies to 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>        | <b>Comments</b> | <b>Revision</b> |
|------------|-----------------|--------------------------------|-----------------|-----------------|
|            | dwg22231        | Drawing Image Number           |                 |                 |
| 1.         | 700-219H        | REAR U-JOINT SKID PLATE        |                 |                 |
| 2.         | 700-281D        | SKID PLATE U-JOINT (ST)        |                 |                 |
| 3.         | 800-296C        | KEY 3/16 X 7/8                 |                 |                 |
| 4.         | 801-181C        | TPHMS Y 1/4-20X1 YELLOW DIE    |                 |                 |
| 5.         | 802-017C        | HHCS 3/8-16X1 GR5              |                 |                 |
| 6.         | 802-023C        | HHCS 3/8-16X1 3/4 GR5          |                 |                 |
| 7.         | 802-115C        | HHCS 5/16-18X2 GR5             |                 |                 |
| 8.         | 802-143C        | HHCS 3/8-16X2 GR5              |                 |                 |
| 9.         | 802-758C        | HHCS 3/8-24X1 1/2 GR8 PLT      |                 |                 |
| 10.        | 803-084C        | NUT HEX NYLOCK 5/16-18 PLT     |                 |                 |
| 11.        | 803-209C        | NUT FLANGE LOCK 3/8-16 PLT     |                 |                 |
| 12.        | 803-293C        | NUT HEX FLNG T-LOCK 1/4-20 PLT |                 |                 |
| 13.        | 804-011C        | WASHER FLAT 3/8 USS PLT        |                 |                 |
| 14.        | 804-013C        | WASHER LOCK SPRING 3/8 PLT     |                 |                 |
| 15.        | 822-203C        | PILLOW BLOCK BEARING TRUCK     |                 |                 |
| 16.        | 826-463C        | DRIVELINE, FRONT 4X4 NT/ST     |                 |                 |
| 17.        | 826-465C        | DRIVELINE, REAR 4X4 ST         |                 |                 |
| 18.        | 840-080C        | MOUNT MOTOR H SYTLE            |                 |                 |
| 19.        | 840-108C        | WASHER FENDER 1.5OD X.4IDX.06T |                 |                 |

## Drive Belt Components

Applies to 4200NT, 4200ST, 4400NT, 4400ST

FOR CORRECT PULLEY ALIGNMENT,  
SHIM SHOULDER OF TRANS-AXLE SHAFT  
TO ENGINE SPACER COLLAR WITH AN  
OFFSET DIMENSION OF 2.341".  
USE SHIM KIT #700-112A.




## **Drive Belt Components**

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description                | Comments      | Revision |
|-----|----------|---------------------------------|---------------|----------|
|     | dwg21241 | Drawing Image Number            |               |          |
| 1.  | 700-215D | CVT SPACER                      |               |          |
| 2.  | 710-097D | KEY 3/16 X 3                    |               |          |
| 3.  | 790-001A | TREKER ENGINE/TRANS ALIGNMENT   | Optional      |          |
| 4.  | 800-350C | KEY .187 X .247 X 2.5 LG        |               |          |
| 5.  | 802-314C | HHCS M8X1.25 X 20 GR8.8         |               |          |
| 6.  | 802-320C | HHCS 1/2-20 X 2 GR5             |               |          |
| 7.  | 802-765C | HHCS M8X1.25 X 10 GR8.8         |               |          |
| 8.  | 802-770C | HHCS 3/8-24 X 3 1/2 GR5 PLT     |               |          |
| 9.  | 804-013C | WASHER LOCK SPRING 3/8 PLT      |               |          |
| 10. | 804-017C | WASHER FLAT 1/2 USS PLT         |               |          |
| 11. | 804-084C | WASHER FLAT 5/16 HARD ASTM F436 |               |          |
| 12. | 804-201C | WASHER LOCK SPRING 5/16 YELLOW  |               |          |
| 13. | 816-464C | BELT CVT TRUCK                  | (S/N 437153+) |          |
| 13. | 816-413C | BELT CVT TRUCK                  | (S/N 437152-) |          |
| 14. | 826-444C | CVT DRIVER                      | (S/N 437153+) |          |
| 14. | 826-415C | CVT DRIVER TRUCK                | (S/N 437152-) |          |
| 15. | 826-445C | CVT DRIVEN TRUCK 9 1/2"OD       | (S/N 437153+) |          |
| 15. | 826-416C | CVT DRIVEN TRUCK 10 1/8" OD     | (S/N 437152-) |          |
| 16. | 840-098C | CVT COVER FRONT TRUCK           |               |          |
| 17. | 840-135C | ADAPTER CVT DRIVEN              |               |          |
| 18. | 700-112A | CVT SHIM KIT                    |               |          |

## Engine Mounting Honda

Applies to 4200NT, 4200ST, 4400NT, 4400ST



21240

## ***Engine Mounting Honda***


---

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description  | Comments   | Revision |
|-----|----------|---|--|----------|
|     | dwg21240 | Drawing Image Number                                      |  |          |
| 1.  | 700-059H | ENGINE MOUNT WELDMENT                                     |  |          |
| 2.  | 700-074D | TRANS SUPPORT PLATE                                       |  |          |
| 3.  | 700-075D | ENGINE SUPPORT TUBE, RIGHT                                |  |          |
| 4.  | 700-076D | ENGINE SUPPORT TUBE, LEFT                                 |  |          |
| 5.  | 700-078D | SPACER  |  |          |
| 6.  | 700-099D | TRANS MNT SUPPORT BRACKET ST                              |  |          |
| 6.  | 700-071D | TRANS MNT SUPPORT BRACKET NT                              |  |          |
| 7.  | 700-207S | COVER/ENGINE TOP ASSEMBLY                                 | (S/N 421313+)  |          |
| 7.  | 700-208S | ENGINE COVER SERVICE KIT                                  | For S/N 421312-  |          |
| 8.  | 700-274D | SPACER PLATE, MOTOR MOUNT                                 | (S/N 429636+)  |          |
| 9.  | 700-356D | COVER THROTTLE LINKAGE                                    |  |          |
| 10. | 801-180C | TPHMS Y 1/4-20X3/4 YELLOW DIE                             | (S/N 421313+)  |          |
| 11. | 801-181C | TPHMS Y 1/4-20X1 YELLOW DIE                               |  |          |
| 12. | 801-198C | TPHMS Y 1/4-20X1/2 YELLOW DIE                             |  |          |
| 13. | 802-024C | HHCS 3/8-16X3 GR5   |  |          |
| 14. | 802-113C | HHCS 7/16-14X1 3/4 GR5                                    |  |          |
| 15. | 802-143C | HHCS 3/8-16X2 GR5   |  |          |
| 16. | 803-005C | NUT SQ 1/4-20 PLT   | (S/N 421313+)  |          |
| 17. | 803-078C | NUT LOCK 3/8-16 NYLON INSERT                              |  |          |
| 18. | 803-209C | NUT FLANGE LOCK 3/8-16 PLT                                |  |          |
| 19. | 803-229C | NUT HEX FLANGE LOC 7/16-14 PLT                            |  |          |
| 20. | 803-293C | NUT HEX FLNG T-LOCK 1/4-20 YLW                            |  |          |
| 21. | 804-011C | WASHER FLAT 3/8 USS PLT                                   |  |          |
| 22. | 826-413C | HONDA ENGINE 20HP TRUCK                                   | Non Warranty Replacement Part                                    |          |
| 23. | 839-122C | HFCS M8-1.25X20 10.9 HX FL ZN                             |  |          |
| 24. | 840-080C | MOUNT MOTOR H SYTLE                                       |  |          |
| 25. | 840-108C | WASHER FENDER 1.5OD X.4IDX.06T                            |  |          |
| 26. | 840-142C | VOLTAGE REGULATOR FOR 826-41                              |  |          |
|     | *        |   |  |          |
|     | *        |   |  |          |
|     |          | Honda Engine Information:                                 |  |          |
|     |          | Spark Plug  | NGK2015 / BPR2ES   |          |
|     |          | Honda Snap Ring (Throttle Cable)                          | 90605-230-000  |          |
|     |          | Honda Jet Kit (Elevation 0-4,999 ft. (Fractory Installed) | 99201-ZG8-1050   |          |
|     |          | Honda Jet Kit (Elevation 5,000-7,999 ft.                  | 99201-ZG8-1020   |          |
|     |          | Honda Jet Kit (Elevation 8,000 ft and up)                 | 99201-ZG8-1000   |          |
|     |          | Honda Oil Filter  | 831-038C   |          |
|     |          | Fluid Type = SAE 10W30                                    |  |          |
|     |          | Fluid Capacity = 1.48 qts with filter change              |  |          |
|     | *        |   |  |          |
|     | 700-245K | TREKER TUNE-UP KIT (5"FILTER)                             | Contains Spark Plug, Fuel Filter, Engine Oil Filter & Air Filter |          |

## Front Differential Components

Applies to 4400NT, 4400ST



## Front Differential Components

---

Applies to 4400NT, 4400ST

| Ref | Part No.         | Part Description  | Comments  | Revision  |
|-----|------------------|---|---|---|
|     | dwg21232         | Drawing Image Number                                    |   |   |
|     | 826-398C         | FRONT DIFFERENTIAL W/ELE CLTCH                          |   |   |
| 1.  | 6203-12-100      | OUTPUT COVER PLATE ASSEMBLY                             | #1 Kit includes #2 to #8 & 42   |   |
| 2.  |                  | MATE-N-LOK- HOUSING                                     | Sold with #1 kit  |   |
| 3.  |                  | MATE-N-LOK PIN  | Sold with #1 kit  |   |
| 4.  |                  | GROMMET, OUTPUT COVER                                   | Sold with #1 kit  |   |
| 5.  |                  | COVER PLATE, OUTPUT-MACHINED                            | Sold with #1 kit  |   |
| 6.  |                  | O-RING, OUTPUT-164S (SQ. RING)                          | Sold with #1 kit & #39 kit  |   |
| 7.  |                  | COIL POCKET INSERT                                      | Sold with #1 kit  |   |
| 8.  |                  | COIL W/PRESS FIT BOBBIN                                 | Sold with #1 kit  |   |
| 9.  | 6203-59-032-B    | ARMATURE PLATE  |   |   |
| 10. | 6203-26-020-A    | SHIM .05 THICK BRASS, HALF HARD                         |   |   |
| 11. | 1215-02-038-T    | 6008-C3 DEEP GROOVE ROLLER BEARING 4E                   |   |   |
| 12. | 6203-01-166      | CLUTCH ASSEMBLY   | #12 Kit includes #13 to #16   |   |
| 13. | 1215-02-141-T    | 6015-C3 DEEP GROOVE ROLLER BALL BEARING                 | Sold separately & with #12 kit  |   |
| 14. | 6203-13-124-D    | CLTH.HSG./RNG GR., 42T 6.75DP                           | Sold separately & with #12 kit  |   |
| 15. | 6203-29-010-0    | ROLL KIT  | Sold separately & with #12 kit  |   |
| 16. | 6203-20-072      | ROLL CAGE ASSEMBLY                                      | #16 Kit includes #17 & #18  |   |
| 17. |                  | ROLL CAGE, PLASTIC-MACHINED                             | Sold separately & with #16 kit  |   |
| 18. | 6203-35-024-0    | SPRING KIT, H-CLIP .008 THK                             | Sold separately & with #16 kit  |   |
| 19. | 6203-27-017-B    | RACE/OUTPUT HUB ASSEMBLY                                | #19 Kit includes #20 to #21   |   |
| 20. |                  | RACE/OUTPUT HUB, FEMALE                                 | Sold with #19 kit   |   |
| 21. |                  | PAP0806 PERMIGLIDE BUSHING                              | Sold with #19 kit   |   |
| 22. | 1242-00-009-T    | TC815 NEEDLE ROLLER THRUST BEARING                      | Sold separately & with #19 kit  |   |
| 23. | 0430-01-002-T    | 1/2 DIA X 1 LG. DOWEL PIN                               | Sold separately & with #19 kit  |   |
| 24. |                  | RACE/OUTPUT HUB, MALE                                   | Sold with #19 kit   |   |
| 25. | 6203-13-165      | GEARCASE ASSEMBLY                                       | #25 Kit includes #26 to #32   |   |
| 26. |                  | MB1615 DU BUSHING                                       | Sold with #25 kit   |   |
| 27. |                  | LABEL, BAR CODE   | Sold with #25 kit   |   |
| 28. |                  | TUBE, VENT 1/2 HOSE                                     | Sold with #25 kit   |   |
| 29. | 0518-03-009-T    | PLUG OIL FILL 3/4-16 HOLLOW HEAD                        | Sold separately & with #25 kit  | Torque item #29 (PLUG OIL FILL 3/4-16 HOLLOW HD) 10 ft*lbs. |
| 30. |                  | GEARCASE, LH-MACHINED                                   | Sold with #25 kit   |   |
| 31. |                  | BUSHNG, SELF LUBRICATING 80X85X20                       | Sold with #25 kit   |   |
| 32. | 6203-95-001-0    | DRAIN PLUG ASSEMBLY                                     | #32 Kit includes #33 & #34  |   |
| 33. |                  | WASHER, .625X.06, NYLON 6/6                             | Sold with #32 kit   |   |
| 34. |                  | PLUG, OIL DRAIN, 3/8-16HH FLANGE                        | W/MAG. TIPSold with #32 kit; Torque item #34 (PLG,OIL DRAIN,3/8-16HH FLNGE W/M) 9 ft*lbs. |   |
| 35. | 6203-93-001-0    | BOLT KIT  |   | Torque item #35 (5/16" x 1" Hex Head Bolts) 17 ft*lbs.      |
| 36. | 6203-47-024-B    | SHAFT PNION 11T3.75DP, MACHINED                         |   |   |
| 37. | 1215-02-154-T    | 6306-03-C3 DP GROOVE                                    | ROLLER BALL BEARING   |   |
| 38. | 6203-12-064-B    | COVER PLATE, INPUT-MACHINED                             |   |   |
| 39. | 6203-56-001-0    | MINOR REPAIR KIT  | #39 Kit includes #6 & #40 to #42  |   |
| 40. |                  | 0-RING, INPUT, 148S                                     | Sold with #39 kit   |   |
| 41. |                  | 25X47X8 TRIPLE LIP OIL SEAL                             | Sold with #1 kit & #39 kit  |   |
| 42. |                  | 40X52X7TC OIL SEAL, OUTPUT                              | Sold with #39 kit   |   |
|     | *                |   |   |   |
|     | *                |   |   |   |
|     | IMPORTANT NOTES: |   |   |   |
|     |                  | 1. Torque 3/4" oil drain plug (Item #29) to 10 ft. lbs. |   |   |
|     |                  | 2. Torque 3/8" oil drain plut (Item #34) to 9 ft. lbs.  |   |   |

## ***Front Differential Components (continued)***

---

**Applies to 4400NT, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b> | <b>Comments</b>   | <b>Revision</b> |
|------------|-----------------|-------------------------|---|-----------------|
|            |                 |                         | <ul style="list-style-type: none"><li>3. Torque 5/16" x 1" bolts (Item #35) to 17 ft. lbs.</li><li>4. Use command track gen2 gear lube part # 821-061C or Mobil 424</li><li>5. Gear lube capacity = 5 oz.</li></ul> |                 |

***Front Differential Components (continued)***


---

**Applies to 4400NT, 4400ST**

***This Page Intentionally Left Blank***

## Front Differential, Axleshaft and Driveshaft

Applies to 4400NT, 4400ST




***Front Differential, Axleshaft and Driveshaft*****Applies to 4400NT, 4400ST**

| Ref | Part No.  | Part Description                  | Comments                               | Revision |
|-----|-----------|-----------------------------------|--|----------|
|     | dwg21229  | Drawing Image Number              |  |          |
| 1.  | 1-0170NPL | CROSS & BRG KIT                   |  |          |
| 2.  | 700-466D  | VENT HOSE 1705 LG 4X4 GEARBOX     |  |          |
| 3.  | 800-303C  | CABLE TIE 2 DIA MIN - BLK         |  |          |
| 4.  | 800-353C  | SPRING CIR CLIP .95OD x .063 WIRE |  |          |
| 5.  | 800-356C  | CLAMP PINCH FOR .50 OD HOSE       |  |          |
| 6.  | 802-017C  | HHCS 3/8-16 x 1 GR5               |  |          |
| 7.  | 802-115C  | HHCS 5/16-18 x 2 GR5              |  |          |
| 8.  | 803-078C  | NUT LOCK 3/8-16 NYLON INSERT      |  |          |
| 9.  | 803-084C  | NUT HEX NYLOCK 5/16-18 PLT        |  |          |
| 10. | 803-332C  | NUT HEX M16 x 1.5 TOP LOCK PLT    |  |          |
| 11. | 804-011C  | WASHER FLAT 3/8 USS PLT           |  |          |
| 12. | 804-013C  | WASHER LOCK SPRING 3/8 PLT        |  |          |
| 13. | 822-203C  | PILLOW BLOCK BEARING TRUCK        |  |          |
| 14. | 826-398C  | FRONT DIFFERENTIAL                | WITH ELECTRIC CLUTCH                   |          |
| 15. | 5048      | OUTER BOOT KIT W/ 2 CLAMPS        | Left and right side                    |          |
| 16. | 5051      | INNER BOOT KIT W/2 CLAMPS         | Left and right side                    |          |
| 17. | 826-403C  | FRONT AXLE SHAFT NARROW           | Left & right side / Includes #15 & #16 |          |
| 17. | 826-405C  | FRONT AXLE SHAFT STANDARD         | Left & right side / Includes #15 & #16 |          |
| 18. | 826-438C  | FRONT HALF DRIVELINE 4 x 4 NT/ST  |  |          |

## Shift Selector Components

Applies to 4200NT, 4200ST, 4400NT, 4400ST



21301


## **Shift Selector Components**

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>          | <b>Comments</b>    | <b>Revision</b> |
|------------|-----------------|----------------------------------|--------------------|-----------------|
|            | dwg21301        | Drawing Image Number             |                    |                 |
| 1.         | 700-073D        | SHIFT CABLE PLATE                |                    |                 |
| 2.         | 700-135D        | SHIFT LEVER                      |                    |                 |
| 3.         | 802-551C        | HHCS 1/4-20 X 2 1/4 GR5          |                    |                 |
| 4.         | 802-764C        | HWH 5/16-18 X 3/4 THREAD-ROLLING |                    |                 |
| 5.         | 802-769C        | HHCS 1/4-20 X 1 1/4 GR8          |                    |                 |
| 6.         | 803-255C        | NUT HEX NYLOCK 1/4-20            |                    |                 |
| 7.         | 803-293C        | NUT HEX FLNG T-LOCK 1/4-20 PLT   |                    |                 |
| 8.         | 840-114C        | SELECTOR CONTROL TRUCK           | Includes #9 to #13 |                 |
| 9.         | IC-3180         | RUBBER SHIELD/SELECTOR CONROL    |                    |                 |
| 10.        | IC-3514         | KNOB, SELCECTOR CONTROL          |                    |                 |
| 11.        | 807-235C        | SPRING COMP.5DX.406IDX1.5L.04W   |                    |                 |
| 12.        | IC-3586         | KIT MICRO SWITCH WITH WIRES      |                    |                 |
| 13.        | 803-154C        | NUT HEX LOCK M6 PLT              |                    |                 |
| 14.        | V7-1C17D8-201   | MICRO SWITCH 4 SHIFTER 840-114C  |                    |                 |
| 15.        | 840-209C        | BALL JOINT 6MM X 1.00            |                    |                 |

## Transaxle Rear and Axle Shafts

Applies to 4200NT, 4200ST, 4400NT, 4400ST




ITEM 11  
IDENTICAL LEFT AND  
RIGHT HAND SIDES

***Transaxle Rear and Axle Shafts*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description                    | Comments            | Revision |
|-----|----------|-------------------------------------|---------------------|----------|
|     | dwg21243 | Drawing Image Number                |                     |          |
| 1.  | 700-073D | SHIFT CABLE PLATE                   |                     |          |
| 2.  | 700-135D | SHIFT LEVER                         |                     |          |
| 3.  | 802-764C | HWH 5/16-18X3/4 THREAD-ROLLING      |                     |          |
| 4.  | 802-769C | HHCS 1/4-20X1 1/4 GR8               |                     |          |
| 5.  | 803-255C | NUT HEX NYLOCK 1/4-20               |                     |          |
| 6.  | 803-332C | NUT HEX M16X1.5 TOP LOCK PLT        |                     |          |
| 7.  | 804-005C | FLAT WASHER M16 NARROW PLT          |                     |          |
| 8.  | 826-395C | GEARBOX SPICER INDEPENDENT REAR 4X4 |                     |          |
| 8.  | 826-454C | TRANSAXLE W/ AUTO-LOCK DIFF.        | Optiomal on NT Only |          |
| 9.  | 5051     | INNER BOOT KIT WWITH 2 CLAMPS       |                     |          |
| 10. | 5048     | OUTER BOOT KIT WITH 2 CLAMPS        |                     |          |
| 11. | 826-406C | REAR AXLE SHAFT NT 18T INT SPL      | INCLUDES #9 & #10   |          |
| 11. | 826-455C | REAR AXLE SHFT NT, 24T INT.SPL EA   | INCLUDES #9 & #10   |          |
| 11. | 826-404C | REAR AXLE SHAFT ST 18T INT SPL      | INCLUDES #9 & #10   |          |

## Transaxle Rear Components

Applies to 4200NT, 4200ST, 4400NT, 4400ST



## **Transaxle Rear Components**

---

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No.    | Part Description               | Comments  | Revision                    |
|-----|-------------|--------------------------------|---|-----------------------------|
|     | dwg21222    | Drawing Image Number           |   |                             |
|     | 826-395C    | GBOX DANA/SPICER INDEP.REAR4X4 |   |                             |
| 1.  | 012CH291-2X | HOUSING AND SHAFT ASSBLY       | (S/N 440713+) (See Dwg Note 3);                           | Rev. 2 not compat. w/Rev. 1 |
| 1.  | 012CH291-1X | HOUSING AND SHAFT ASSBLY       | (S/N 440712-) (See Dwg Note 3)                            | Rev. 1                      |
| 2.  | 012CH289    | HOUSING-AXLE FIN               | (See Note 3)  |                             |
| 3.  | 012LK133    | KIT, DETENT                    | Consist of compression spring, set screw and detent ball. |                             |
| 4.  | 012HH122    | SEAL - OIL                     |   |                             |
| 5.  | 012GV164-X  | ACTUATOR ASSY                  |   |                             |
| 6.  | 012SV118-X  | SHIFT ROD SUB-ASSY             | S/N 440713+   | Rev. 2 not compat. w/Rev. 1 |
| 6.  | 012SV112-X  | SHIFT ROD SUB-ASSY             | S/N 440712-   | Rev. 1                      |
| 7.  | 012HH128    | SEAL - OIL                     |   |                             |
| 8.  | 012TA327-X  | TB ASM-REAR FIN W/O SEAL       |   |                             |
| 9.  | 515A8       | SEAL - OIL                     |   |                             |
| 10. | 026HM107    | SCREW - FLG HEAD               |   |                             |
| 11. | 514A7       | RING - SNAP                    |   |                             |
| 12. | 012HR128    | RING - SNAP                    |   |                             |
| 13. | 585971      | BEARING 6004-2RS               |   |                             |
| 14. | 012SR129    | SHAFT - AXLE FIN               |   |                             |
| 15. | 012HM110-1  | SCREW - FLG HEAD               |   |                             |
| 16. | 012HN120    | NUT - LOCK                     |   |                             |
| 17. | 41356       | PLUG - RUBBER                  |   |                             |
| 18. | 012HN140    | VENT PLUG                      |   |                             |
| 19. | 012HP120    | PIN - DOWEL                    |   |                             |
| 20. | 585965      | BEARING 6205                   |   |                             |
| 21. | 012GS307    | SHAFT - INPUT FIN              |   |                             |
| 22. | 012LK134    | KIT, SHIM                      | Use Shims as required                                     |                             |
| 22. | 012HS120    | RPBY 012LK134                  |   |                             |
| 23. | 012HD111    | BEARING -6303 BALL SINGLE      |   |                             |
| 24. | 012HD129    | BEARING -6204 BALL SINGLE      |   |                             |
| 25. | 012HS121    | SPACER - FLAT                  |   |                             |
| 26. | 012GS202-X  | GEAR ASSY - FORWARD            |   |                             |
| 27. | 012GS302    | GEAR - CLUTCH                  |   |                             |
| 28. | 012GS337    | SHAFT - INTERMEDIATE FIN       |   |                             |
| 29. | 012GS204-X  | GEAR ASSY - REVERSE            |   |                             |
| 30. | 012GS215    | GEAR - HELICAL FIN             |   |                             |
| 31. | 012HH140    | SEAL - OIL                     |   |                             |
| 32. | 012HS125    | WASHER - THRUST                |   |                             |
| 33. | 012GS207-X  | GEAR ASSY - IDLER              |   |                             |
| 34. | 012HS126    | WASHER - THRUST                |   |                             |
| 35. | 012HR128    | RING - SNAP                    |   |                             |
| 36. | 585994      | BEARING 6007                   |   |                             |
| 37. | 012GS216    | GEAR - HELICAL FIN             |   |                             |
| 38. | 012DA120X   | ASSEMBLY, DIFFERENTIAL         |   |                             |
| 38. | 012DA117-X  | RPBY 012DA120X                 |   |                             |
| 38. | 012DA111-X  | RPBY012DA117-X                 |   |                             |
| 39. | 012HN138    | NUT - LOCK                     |   |                             |
| 40. | 012HM129    | BOLT - HEX                     |   |                             |
| 41. | 012HG145    | DRAIN PLUG                     |   |                             |
| 42. | 012HR121    | RETAINER - AXLE SHAFT          |   |                             |
| 43. | 012HH137    | RING - O                       |   |                             |
| 44. | 5803        | SWITCH, NEUTRAL, GEARBOX       | S/N 440713+   |                             |
|     | *           |                                |   |                             |
|     | *           |                                |   |                             |

**IMPORTANT NOTES:**

1. Use Mobil 424 or equivalent
2. Gear lube capacity = 20 oz.

## ***Transaxle Rear Components (continued)***

---

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b> | <b>Comments</b>   | <b>Revision</b> |
|------------|-----------------|-------------------------|---|-----------------|
|            |                 |                         | 3. Use Loctite 518 as a gasket between housings<br>#1 & #2. |                 |

***Transaxle Rear Components (continued)***


---

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

***This Page Intentionally Left Blank***

## Transfer Case and Rear Driveshaft S/N 484886- ST S/N 464194- NT

Applies to 4400NT, 4400ST




**Transfer Case and Rear Driveshaft S/N 484886- ST S/N 464194- NT****Applies to 4400NT, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>         | <b>Comments</b>           | <b>Revision</b> |
|------------|-----------------|---------------------------------|---------------------------|-----------------|
|            | dwg21231        | Drawing Image Number            |                           |                 |
| 1.         | 1-0170NPL       | CROSS & BRG KIT                 |                           |                 |
| 2.         | 700-016D        | GEARBOX MOUNT SPACER            |                           |                 |
| 3.         | 700-134D        | TRANSFER CASE MOUNT             |                           |                 |
| 4.         | 800-296C        | KEY 3/16 X 7/8                  |                           |                 |
| 5.         | 800-366C        | KEY .187 X .187 X 2.25 LG       | S/N 409730+; (1 Required) |                 |
| 5.         | 800-296C        | KEY 3/16 X 7/8                  | S/N 409729-; (2 Required) |                 |
| 6.         | 802-735C        | HHCS 5/16-18X3/4 GR5 YELLOW DI  |                           |                 |
| 7.         | 802-750C        | HHCS 3/8-16X4 1/4 GR5           |                           |                 |
| 8.         | 802-758C        | HHCS 3/8-24X1 1/2 GR8 PLT       |                           |                 |
| 9.         | 802-774C        | HSHCS 1/4-28X5/8                | (4 Required)              |                 |
| 10.        | 803-209C        | NUT FLANGE LOCK 3/8-16 PLT      |                           |                 |
| 11.        | 804-011C        | WASHER FLAT 3/8 USS PLT         |                           |                 |
| 12.        | 804-013C        | WASHER LOCK SPRING 3/8 PLT      |                           |                 |
| 13.        | 804-084C        | WASHER FLAT 5/16 HARD ASTM F436 |                           |                 |
| 14.        | 804-201C        | WASHER LOCK SPRING 5/16 YELLOW  |                           |                 |
| 15.        | 826-396C        | REAR HALF DRIVELINE 4X4 NT      |                           |                 |
| 15.        | 826-419C        | REAR HALF DRIVELINE 4X4 ST      |                           |                 |
| 16.        | 826-417C        | GBOX MODEL R100 1.5TO1 RATIO    |                           |                 |
| 17.        | 840-080C        | MOUNT MOTOR H SYTLE             |                           |                 |
| 18.        | 840-096C        | GB COUPLER 4WD TRUCK            | Includes #8               |                 |
| 19.        | 840-108C        | WASHER FENDER 1.5OD X .4IDX.06T |                           |                 |

**Transfer Case and Rear Driveshaft S/N 484887+ ST S/N 464195+ NT**

Applies to 4400NT




23885

**Transfer Case and Rear Driveshaft S/N 484887+ ST S/N 464195+ NT****Applies to 4400NT**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>         | <b>Comments</b> | <b>Revision</b> |
|------------|-----------------|---------------------------------|-----------------|-----------------|
|            | dwg23885        | Drawing Image Number            |                 |                 |
| 1.         | 1-0170NPL       | CROSS & BRG KIT                 |                 |                 |
| 2.         | 700-408D        | GEAR BOX MNT PLATE              |                 |                 |
| 3.         | 700-447D        | MOUNT BRACKET GEARBOX REAR      |                 |                 |
| 4.         | 700-448D        | MOUNT BRACKET GEARBOX FRONT     |                 |                 |
| 5.         | 800-296C        | KEY 3/16 X 7/8                  |                 |                 |
| 6.         | 800-366C        | KEY .187 X .187 X 2.25 LG       |                 |                 |
| 7.         | 802-735C        | HHCS 5/16-18X3/4 GR5 YELLOW DI  |                 |                 |
| 8.         | 802-738C        | HHCS 5/16-18X1 GR5 YELLOW DIE   |                 |                 |
| 9.         | 802-758C        | HHCS 3/8-24X1 1/2 GR8 PLT       |                 |                 |
| 10.        | 802-774C        | HSHCS 1/4-28X5/8                |                 |                 |
| 11.        | 803-084C        | NUT HEX NYLOCK 5/16-18 PLT      |                 |                 |
| 12.        | 804-013C        | WASHER LOCK SPRING 3/8 PLT      |                 |                 |
| 13.        | 804-084C        | WASHER FLAT 5/16 HARD ASTM F436 |                 |                 |
| 14.        | 804-201C        | WASHER LOCK SPRING 5/16 YELLOW  |                 |                 |
| 15.        | 826-417C        | GBOX MODEL R100 1.5TO1 RATIO    |                 |                 |
| 16.        | 826-396C        | REAR HALF DRIVELINE 4X4 NT      |                 |                 |
| 16.        | 826-419C        | REAR HALF DRIVELINE 4X4 ST      |                 |                 |
| 17.        | 840-096C        | GB COUPLER 4WD TRUCK            |                 |                 |

## Transfer Case Components

Applies to 4400NT, 4400ST



## **Transfer Case Components**

---

**Applies to 4400NT, 4400ST**


| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>            | <b>Comments</b> | <b>Revision</b> |
|------------|-----------------|------------------------------------|-----------------|-----------------|
|            | dwg21237        | Drawing Image Number               |                 |                 |
|            | 826-417C        | GBOX MODEL R100 1.5TO1 RATIO       |                 |                 |
| 1.         | R100-003M-A0427 | HOUSING, R100 MACHINED TAP STD     |                 |                 |
| 2.         | R100-004M-A0428 | HOUSING, R100 MACHINED THRU STD    |                 |                 |
| 3.         | R100-8B00-A0471 | STUB SHAFT/GEAR ASSEMBLY           |                 |                 |
| 4.         | R100-8B00-A0473 | SUPERIOR CROSS SHAFT/GEAR ASSEMBLY |                 |                 |
| 5.         | 244643          | BEARING, CONE1.00VN-L44643         |                 |                 |
| 6.         | 244610          | BEARING, CUP 1.98VN-L44610         |                 |                 |
| 7.         | 109843          | SEAL, 1-1.5-.187(R)TC              |                 |                 |
| 8.         | 100301          | CAP, CP-1.5 -.187D#7647            |                 |                 |
| 9.         | 203293          | RTN RING EXT1.000 SHAFT            |                 |                 |
| 10.        | 103125          | BOLT 5/16-18 X 1.25 SHCS           |                 |                 |
| 11.        | 200300          | PLUG 1/4-18NPT SCHD                |                 |                 |
| 12.        | 2003PR          | PLUG VENT 5PSIV/N005677            |                 |                 |
| 13.        | 2003VB          | BUSHING 1/4NPT X 1/8 NPT           |                 |                 |
|            | *               |                                    |                 |                 |
|            | *               |                                    |                 |                 |

**IMPORTANT NOTES:**

1. Use S.A.E 80/90 wt. GL-5 lube.
2. Oil capacity = 6 oz.

## Air Filter Components, NT

Applies to 4200NT, 4400NT




**Air Filter Components, NT****Applies to 4200NT, 4400NT**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>                  | <b>Comments</b>                       | <b>Revision</b> |
|------------|-----------------|--|---------------------------------------|-----------------|
|            | dwg21242        | Drawing Image Number                     |                                       |                 |
| 1.         | 816-522C        | HOSE, 2" ID X 4" LONG                    |                                       |                 |
| 1.         | 700-195D        | RPBY 816-522C                            |                                       |                 |
| 2.         | 816-524C        | HOSE, 2" ID X 16" LONG                   |                                       |                 |
| 2.         | 700-198D        | RPBY 816-524C                            |                                       |                 |
| 3.         | 800-259C        | CLAMP WRM DRV#36SS (1.81-2.75)           |                                       |                 |
| 4.         | 802-738C        | HHCS 5/16-18 X 1 GR5 YELLOW DIE          |                                       |                 |
| 5.         | 802-752C        | HSHCS M6X1 X 45 GR8.8                    |                                       |                 |
| 6.         | 803-084C        | NUT HEX NYLOCK 5/16-18 PLT               |                                       |                 |
| 7.         | 804-084C        | WASHER FLAT 5/16 HARD ASTM F436          |                                       |                 |
| 8.         | 816-421C        | GASKET-ENGINE AIR INTAKE TRUCK           |                                       |                 |
| 9.         | 839-309C        | AIR CLEANER ASSEMBLY WITH FILTER G057514 | Includes #11, #12, #14, & 2 ea of #13 |                 |
| 10.        | 839-311C        | CLEANER CLAMP PPGF30                     |                                       |                 |
| 11.        | 839-323C        | AIR FILTER P821575                       |                                       |                 |
| 12.        | 839-375C        | COVER WITH LATCHES P533761               |                                       |                 |
| 13.        | 839-376C        | LATCH P538928                            |                                       |                 |
| 14.        | 839-377C        | VACUATOR (BURP) P522958                  |                                       |                 |
| 15.        | 840-094C        | AIR INTAKE PLASTIC NT TRUCK              |                                       |                 |

## Air Filter Components, ST

Applies to 4200ST, 4400ST



INCLUDES 1 EA OF #10, 11, & 13  
& 2 EA 12


## **Air Filter Components, ST**

**Applies to 4200ST, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>  | <b>Comments</b> | <b>Revision</b> |
|------------|-----------------|--|-----------------|-----------------|
|            | dwg21248        | Drawing Image Number   |                 |                 |
| 1.         | 816-523C        | HOSE, 2" ID X 5 1/2" LONG  |                 |                 |
| 1.         | 700-194D        | RPBY 816-523C  |                 |                 |
| 2.         | 800-259C        | CLAMP WRM DRV#36SS (1.81-2.75)   |                 |                 |
| 3.         | 802-738C        | HHCS 5/16-18X1 GR5 YELLOW DIE  |                 |                 |
| 4.         | 802-752C        | HSHCS M6X1X45 GR8.8  |                 |                 |
| 5.         | 803-177C        | NUT HEX LOCK 5/16-18 FLG.  |                 |                 |
| 6.         | 804-084C        | WASHER FLAT 5/16 HARD ASTM F436  |                 |                 |
| 7.         | 816-421C        | GASKET-ENGINE AIR INTAKE TRUCK   |                 |                 |
| 8.         | 839-309C        | AIR CLEANER ASSEMBLY W/FILTER G057514 Includes #10, #11, #13 & 2 ea of #12 |                 |                 |
| 9.         | 839-311C        | AIR CLEANER CLAMP PPGF30   |                 |                 |
| 10.        | 839-323C        | AIR FILTER P821575   |                 |                 |
| 11.        | 839-375C        | COVER W/LATCHES P533761  |                 |                 |
| 12.        | 839-376C        | LATCH P538928  |                 |                 |
| 13.        | 839-377C        | VACUATOR (BURP) P522958  |                 |                 |
| 14.        | 840-072C        | AIR INTAKE PLASTIC ST TRUCK  |                 |                 |

## Exhaust Components (S/N 440720+)

Applies to 4200NT, 4200ST, 4400NT, 4400ST




***Exhaust Components (S/N 440720+)*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>         | <b>Comments</b> | <b>Revision</b> |
|------------|-----------------|---------------------------------|-----------------|-----------------|
|            | dwg22118        | Drawing Image Number            |                 |                 |
| 1.         | 700-517D        | SHIM, MUFFLER MOUNTING          | As Required     |                 |
| 2.         | 801-183C        | SCREW HEX SLT 8-18X1/2 PLT      |                 |                 |
| 3.         | 801-193C        | SCREW HEX #8 X 1/2 SELF TAP     |                 |                 |
| 4.         | 802-735C        | HHCS 5/16-18X3/4 GR5 YELLOW DI  |                 |                 |
| 5.         | 803-177C        | NUT HEX LOCK 5/16-18 FLG.       |                 |                 |
| 6.         | 803-220C        | NUT HEX FLANGE M8X1.25 PLT      |                 |                 |
| 7.         | 804-084C        | WASHER FLAT 5/16 HARD ASTM F436 |                 |                 |
| 8.         | 807-219C        | SPRING EXT. .50DX1.68LGX.08W    |                 |                 |
| 9.         | 839-383C        | GASKET MUFFLER HONDA 20HP       |                 |                 |
| 10.        | 839-401C        | HONDA 20 HP ENGINE MUFFLER      |                 |                 |
| 11.        | 839-402C        | HONDA 20 HP ENGINE MANIFOLD     |                 |                 |
| 12.        | 839-403C        | EXHAUST HEAT SHEILD 20 HP       |                 |                 |
| 13.        | 840-315C        | SPARK ARRESTER WITH SCREW       |                 |                 |

## Exhaust Components NT & ST S/N 440719-)

Applies to 4200NT, 4200ST, 4400NT, 4400ST



***Exhaust Components NT & ST S/N 440719-)*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**


| Ref | Part No. | Part Description                      | Comments                        | Revision |
|-----|----------|---------------------------------------|---------------------------------|----------|
|     | dwg21239 | Drawing Image Number                  |                                 |          |
| 1.  | 700-227D | MUFFLER SUPPORT STAND                 | (S/N 421412-) See Note 1        |          |
| 2.  | 802-735C | HHCS 5/16-18X3/4 GR5 YELLOW DI        |                                 |          |
| 3.  | 803-177C | NUT HEX LOCK 5/16-18 FLG.             |                                 |          |
| 4.  | 803-220C | NUT HEX FLANGE M8X1.25 PLT            |                                 |          |
| 5.  | 804-084C | WASHER FLAT 5/16 HARD ASTM F436       |                                 |          |
| 6.  | 807-219C | SPRING EXTENSION .5OD X 1.68LG X .08W |                                 |          |
| 7.  | 839-321C | HONDA ENGINE MUFFLER 18/20 HP TRUCK   | (S/N 421413+) See Notes 2 & 3   |          |
| 7.  | N/A      | MUFFLER WITH STRAIGHT TAIL PIPE       | (S/N 421412-) Old style muffler |          |
| 8.  | 839-322C | ENGINE MANIFOLD-HONDA 18/20HP TRUCK   |                                 |          |
| 9.  | 839-383C | GASKET MUFFLER HONDA 20HP             |                                 |          |
| 10. | 840-079C | SPARK ARRESTER 1.26 ID                | (S/N 421412-) See Note 1        |          |
| 11. | 840-315C | SPARK ARRESTER WITH SCREW             |                                 |          |
| 11. | 840-176C | RPLBY 840-315C                        | (S/N 421413+) See Note 2        |          |
| 12. | RIN10046 | EXHAUST SOCK 20HP HONDA               | See Note 2                      |          |
| 13. | RXR10148 | EXHAUST SOCK CLAMP 2 PER PKG          | See Note 2                      |          |
|     | *        |                                       |                                 |          |
|     | *        |                                       |                                 |          |

**Notes:**

1. Items #1 and #10 are used with old style muffler only.
2. Part No. 839-321C includes new style muffler with bent tail pipe and items #11, #12 and #13.
3. If replacing total exhaust, upgrade by ordering 700-218S (straight exhaust manifold & heat shield) and 839-401C (muffler).

## Fuel System Components

Applies to 4200ST, 4400ST



21245

## Fuel System Components


---

Applies to 4200ST, 4400ST

| Ref | Part No. | Part Description             | Comments | Revision |
|-----|----------|------------------------------|----------|----------|
|     | dwg21245 | Drawing Image Number         |          |          |
| 1.  | 700-017D | GAS TANK MOUNT SPACER        |          |          |
| 2.  | 700-175D | GAS TANK STRAP, WIDE         |          |          |
| 3.  | 700-213D | FUEL LINE 9" ST MODEL        |          |          |
| 4.  | 700-368S | ST FUEL TANK ASSY            |          |          |
| 5.  | 800-007C | PINCH CLAMP HONDA .32OD HOSE |          |          |
| 6.  | 800-356C | CLAMP PINCH FOR .50 OD HOSE  |          |          |
| 7.  | 802-004C | HHCS 1/4-20X3/4 GR5          |          |          |
| 8.  | 802-005C | HHCS 1/4-20X1 GR5            |          |          |
| 9.  | 803-255C | NUT HEX NYLOCK 1/4-20        |          |          |
| 10. | 831-035C | HONDA FUEL FILTER            |          |          |
| 11. | 839-297C | GROMMET FOR FUEL GAUGE       |          |          |
| 12. | 839-298C | FUEL CAP TALL                |          |          |
| 13. | 839-301C | FUEL TANK 8 GALLON ST        |          |          |
| 14. | 839-302C | FUEL GAUGE                   |          |          |

## Fuel System Components, NT

Applies to 4200NT, 4400NT



## **Fuel System Components, NT**


---

**Applies to 4200NT, 4400NT**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>         | <b>Comments</b> | <b>Revision</b> |
|------------|-----------------|---------------------------------|-----------------|-----------------|
|            | dwg21299        | Drawing Image Number            |                 |                 |
| 1.         | 700-146A        | SERVICE - NT TANK STRAP W/DECAL |                 |                 |
| 2.         | 700-214D        | FUEL LINE 31" NT MODEL          |                 |                 |
| 3.         | 800-007C        | PINCH CLAMP HONDA .32OD HOSE    |                 |                 |
| 4.         | 800-356C        | CLAMP PINCH FOR .50 OD HOSE     |                 |                 |
| 5.         | 802-004C        | HHCS 1/4-20 X 3/4 GR5           |                 |                 |
| 6.         | 803-255C        | NUT HEX NYLOCK 1/4-20           |                 |                 |
| 7.         | 817-593C        | FUEL CAP SHORT                  |                 |                 |
| 8.         | 831-042C        | FUEL FILTER HONDA               |                 |                 |
| 9.         | 839-297C        | GROMMET FOR FUEL GAUGE          |                 |                 |
| 10.        | 839-299C        | FUEL TANK 4 GALLON NT           |                 |                 |
| 11.        | 839-302C        | FUEL GAUGE                      |                 |                 |

## Electrical Wiring NT S/N 464880- ST S/N 464184-

Applies to 4200NT, 4200ST, 4400NT, 4400ST



BATTERY LOCATION SHOWN FOR NT MODEL

***Electrical Wiring NT S/N 464880- ST S/N 464184-*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**


| Ref | Part No.      | Part Description                   | Comments   | Revision                    |
|-----|---------------|------------------------------------|--|-----------------------------|
| 1.  | dwg21265      | Drawing Image Number               |  |                             |
| 1.  | N/A           | HEADLIGHT BULB 37.5 WATT           | 894 - Available through your local auto parts store  |                             |
| 2.  | N/A           | TAILLIGHT BULB 1157                | 1157 - Available through your local auto parts store |                             |
| 3.  | 0-332-209-150 | RELAY BOSCH                        |  |                             |
| 4.  | 710-093D      | STRAP BATTERY HOLD DOWN            |  |                             |
| 5.  | 802-257C      | HFSS 1/4-20 X 3/4 GR5              |  |                             |
| 6.  | 803-255C      | NUT HEX NYLOCK 1/4-20              |  |                             |
| 7.  | 803-293C      | NUT HEX FLNG T-LOCK 1/4-20 PLT     |  |                             |
| 8.  | 833-255C      | HEADLIGHT WITH TRAP LENS 37.5 WATT | Includes bulb<br>(NT Model)                          |                             |
| 9.  | 833-257C      | BATTERY CABLE POSITIVE 28 INCH NT  | (ST Model)   |                             |
| 9.  | 833-256C      | BATTERY CABLE POSITIVE 15 INCH ST  |  |                             |
| 10. | 833-348C      | WIRING HARNESS, MAIN ST            | (S/N 440714+)  | Rev. 3 not compat. w/Rev. 2 |
| 10. | 833-331C      | MAIN WIRING HARNESS ST             | (S/N 418339 to 440713)                               | Rev. 2 not compat. w/Rev. 1 |
| 10. | 833-349C      | WIRING HARNESS, MAIN NT            | (S/N 440714+)  |                             |
| 10. | 833-333C      | MAIN WIRING HARNESS NT             | (S/N 418339 to 440713)                               | Rev. 2 not compat. w/Rev. 1 |
| 10. | 833-260C      | WIRING HARNESS TRUCK               | (S/N 418338-)  |                             |
| 11. | N/A           | BATTERY                            | BCI Group U1/U1R, min. 300CCA.<br>See Note 1         |                             |
| 12. | 833-277C      | TAILLIGHT                          | Includes bulb  |                             |
| 13. | 833-335C      | WIRE HARNESS INSTRUMENT PANEL      | (S/N 418339+)  | Rev. 2 not compat. w/Rev. 1 |
| 13. | 833-296C      | WIRING HARNESS INSTRUMENT PANL     | (S/N 418338-)  |                             |
| 14. | 833-303C      | 20" 6GA NEGATIVE BLACK CABLE       |  |                             |
| 15. | 833-338C      | 30 AMP RESETABLE CIRCUIT BREAKR    |  |                             |
| 16. | 839-288C      | 20 AMP FUSE (5 PACK)               |  |                             |
| 17. | 840-105C      | PUSH RETAINERS 4 NON-THRD SHFT     |  |                             |
|     | *             |                                    |  |                             |
|     | *             |                                    |  |                             |

**NOTES:**

1. Due to extra shipping cost resulting from chemical hazard rating, Land Pride recommends the battery be purchased locally and has provided detailed battery information above.

## Electrical Wiring NT S/N 464881+ ST S/N 464185+

Applies to 4200NT, 4200ST, 4400NT, 4400ST




BATTERY LOCATION SHOWN FOR ST MODEL

***Electrical Wiring NT S/N 464881+ ST S/N 464185+*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No.      | Part Description                | Comments   | Revision |
|-----|---------------|---------------------------------|--|----------|
| 1.  | dwg23889      | Drawing Image Number            |  |          |
| 1.  | N/A           | HEADLIGHT BULB 37.5 WATT        | 894 - Available through your local auto parts store  |          |
| 2.  | N/A           | TAILLIGHT BULB 1157             | 1157 - Available through your local auto parts store |          |
| 3.  | 0-332-209-150 | RELAY BOSCH                     |  |          |
| 4.  | 700-456D      | HOLDOWN, BATTERY ST             |  |          |
| 5.  | 802-257C      | HFSS 1/4-20X3/4 GR5             |  |          |
| 6.  | 802-793C      | SP HOOK 5/16-18X9X3 THREAD      |  |          |
| 7.  | 803-008C      | NUT HEX 5/16-18 PLT             |  |          |
| 8.  | 803-293C      | NUT HEX FLNG T-LOCK 1/4-20 YLW  |  |          |
| 9.  | 804-036C      | WASHER FLAT 5/16 SAE PLT        |  |          |
| 10. | 804-201C      | WASHER LOCK SPRING 5/16 YELLOW  |  |          |
| 11. | 833-255C      | HEADLIGHT W/TRAP LENS 37.5WATT  |  |          |
| 12. | 833-256C      | BATTERY CABLE POSITIVE 15 INCH  |  |          |
| 13. | 833-348C      | WIRING HARNESS, MAIN ST         |  |          |
| 13. | 833-349C      | WIRING HARNESS, MAIN NT         |  |          |
| 14. | N/A           | BATTERY                         | Buy Locally  |          |
| 15. | 833-277C      | TAILLIGHT                       |  |          |
| 16. | 833-296C      | WIRING HARNESS INSTRUMENT PANL  |  |          |
| 17. | 833-303C      | 20" 6GA NEGATIVE BLACK CABLE    |  |          |
| 18. | 833-338C      | 30 AMP RESETABLE CIRCUIT BREAKR |  |          |
| 19. | 839-288C      | 20 AMP FUSE (5 PACK)            |  |          |
| 20. | 840-105C      | PUSH RETAINERS 4 NON-THR'D SHFT |  |          |

## Electrical Wiring Schematic, Main 00 Series NT

Applies to 4200NT, 4400NT




***Electrical Wiring Schematic, Main 00 Series NT*****Applies to 4200NT, 4400NT**

| Ref | Part No.             | Part Description                                | Comments | Revision |
|-----|----------------------|---|----------|----------|
| 1.  | dwg23886<br>833-349C | Drawing Image Number<br>WIRING HARNESS, MAIN NT |          |          |

## Electrical Wiring Schematic, Main 00 Series ST

Applies to 4200ST, 4400ST



## ***Electrical Wiring Schematic, Main 00 Series ST***


---

**Applies to 4200ST, 4400ST**

| <b>Ref</b> | <b>Part No.</b>      | <b>Part Description</b>                         | <b>Comments</b> | <b>Revision</b> |
|------------|----------------------|---|-----------------|-----------------|
| 1.         | dwg23857<br>833-348C | Drawing Image Number<br>WIRING HARNESS, MAIN ST |                 |                 |

## Instrument Panel, 4200 (S/N 418338-)

Applies to 4200NT, 4200ST




***Instrument Panel, 4200 (S/N 418338-)*****Applies to 4200NT, 4200ST**

| Ref | Part No. | Part Description               | Comments | Revision |
|-----|----------|--------------------------------|----------|----------|
|     | dwg21234 | Drawing Image Number           |          |          |
| 1.  | 700-211D | DASH BACKER PLATE              |          |          |
| 2.  | 833-267C | SWITCH MOUNT END               |          |          |
| 3.  | 833-268C | PANEL PLUG                     |          |          |
| 4.  | 833-269C | SWITCH ROCKER SPST             |          |          |
| 5.  | 833-270C | IGNITION SWITCH WITH 2 KEYS    |          |          |
| 6.  | 833-271C | SWITCH ACTUATOR                |          |          |
| 7.  | 833-298C | GAUGE, VOLT METER              |          |          |
| 8.  | 833-299C | GAUGE, HOUR METER              |          |          |
| 9.  | 833-300C | LIGHT, WARNING RED             |          |          |
| 10. | 833-313C | LIGHT, WARNING AMBER           |          |          |
| 11. | 833-325C | KEY IGNITION (RP KEY 833-270C) |          |          |
| 12. | 833-329C | MALE BULLET INSUL.WAYTEK 30561 |          |          |
| 13. | 838-569C | DECAL INSTR. PANEL TRUCK 4X2   |          |          |
| 14. | 840-097C | DASH TRUCK                     |          |          |
| 15. | 840-120C | CHOKE CABLE 78                 |          |          |
| 16. | 840-125C | INSTRUMENT PANEL TRUCK 4X2     |          |          |

## Instrument Panel, 4200 (SN 418339 to 440716)

Applies to 4200NT, 4200ST




***Instrument Panel, 4200 (SN 418339 to 440716)*****Applies to 4200NT, 4200ST**

| Ref | Part No. | Part Description               | Comments                  | Revision |
|-----|----------|--------------------------------|---------------------------|----------|
|     | dwg21386 | Drawing Image Number           |                           |          |
| 1.  | 700-211D | DASH BACKER PLATE              |                           |          |
| 2.  | 804-011C | WASHER FLAT 3/8 USS PLT        | (S/N 434145+)             |          |
| 3.  | 817-527C | TREE RIVET                     |                           |          |
| 4.  | 833-020C | INDICATOR LIGHT STRIP 8-PIN    | Replacement Bulb 833-418c |          |
| 5.  | 833-267C | SWITCH MOUNT END               |                           |          |
| 6.  | 833-268C | PANEL PLUG                     |                           |          |
| 7.  | 833-269C | SWITCH ROCKER SPST             |                           |          |
| 8.  | 833-271C | SWITCH ACTUATOR                |                           |          |
| 9.  | 833-298C | GAUGE, VOLT METER              |                           |          |
| 10. | 833-299C | GAUGE, HOUR METER              |                           |          |
| 11. | 833-336C | IGNITION SWITCH W/2 KEYS(6PIN) |                           |          |
| 12. | 833-342C | KEY W/SHIELD (RP FOR 833-336C) |                           |          |
| 13. | 838-623C | DECAL INSTRUMENT PANEL         |                           |          |
| 14. | 838-668C | DECAL SETTING OF PARK BRAKE    |                           |          |
| 15. | 840-120C | CHOKE CABLE 78                 |                           |          |
| 16. | 840-160C | INSTRUMENT PANEL               |                           |          |
| 17. | 840-161C | DASH TRUCK                     |                           |          |

## Instrument Panel, 4400 (S/N 418338-)

Applies to 4400NT, 4400ST




***Instrument Panel, 4400 (S/N 418338-)*****Applies to 4400NT, 4400ST**

| Ref | Part No. | Part Description               | Comments | Revision |
|-----|----------|--------------------------------|----------|----------|
|     | dwg21228 | Drawing Image Number           |          |          |
| 1.  | 700-211D | DASH BACKER PLATE              |          |          |
| 2.  | 833-267C | SWITCH MOUNT END               |          |          |
| 3.  | 833-268C | PANEL PLUG                     |          |          |
| 4.  | 833-269C | SWITCH ROCKER SPST             |          |          |
| 5.  | 833-270C | IGNITION SWITCH WITH 2 KEYS    |          |          |
| 6.  | 833-271C | SWITCH ACTUATOR                |          |          |
| 7.  | 833-297C | LIGHT, WARNING GREEN           |          |          |
| 8.  | 833-298C | GAUGE, VOLT METER              |          |          |
| 9.  | 833-299C | GAUGE, HOUR METER              |          |          |
| 10. | 833-300C | LIGHT, WARNING RED             |          |          |
| 11. | 833-313C | LIGHT, WARNING AMBER           |          |          |
| 12. | 833-325C | REPLACEMENT KEY, IGNITION      |          |          |
| 13. | 833-329C | MALE BULLET INSUL.WAYTEK 30561 |          |          |
| 14. | 838-541C | DECAL INSTR. PANEL TRUCK 4X4   |          |          |
| 15. | 840-097C | DASH TRUCK                     |          |          |
| 16. | 840-102C | INSTRUMENT PANEL TRUCK 4X4     |          |          |
| 17. | 840-120C | CHOKE CABLE 78                 |          |          |

## Instrument Panel, 4400 (S/N 418339 to 440713)

Applies to 4400NT, 4400ST




***Instrument Panel, 4400 (S/N 418339 to 440713)*****Applies to 4400NT, 4400ST**

| Ref | Part No. | Part Description               | Comments                  | Revision |
|-----|----------|--------------------------------|---------------------------|----------|
|     | dwg21385 | Drawing Image Number           |                           |          |
| 1.  | 700-211D | DASH BACKER PLATE              |                           |          |
| 2.  | 804-011C | WASHER FLAT 3/8 USS PLT        | (S/N 434145+)             |          |
| 3.  | 817-527C | TREE RIVET                     |                           |          |
| 4.  | 833-020C | INDICATOR LIGHT STRIP 8-PIN    | Replacement Bulb 833-418c |          |
| 5.  | 833-267C | SWITCH MOUNT END               |                           |          |
| 6.  | 833-268C | PANEL PLUG                     |                           |          |
| 7.  | 833-269C | SWITCH ROCKER SPST             |                           |          |
| 8.  | 833-271C | SWITCH ACTUATOR                |                           |          |
| 9.  | 833-298C | GAUGE, VOLT METER              |                           |          |
| 10. | 833-299C | GAUGE, HOUR METER              |                           |          |
| 11. | 833-336C | IGNITION SWITCH W/2 KEYS(6PIN) |                           |          |
| 12. | 833-342C | KEY W/SHIELD (RP FOR 833-336C) |                           |          |
| 13. | 838-623C | DECAL INSTRUMENT PANEL         |                           |          |
| 14. | 838-668C | DECAL SETTING OF PARK BRAKE    |                           |          |
| 15. | 840-120C | CHOKE CABLE 78                 |                           |          |
| 16. | 840-160C | INSTRUMENT PANEL               |                           |          |
| 17. | 840-161C | DASH TRUCK                     |                           |          |

## Instrument Panel, 4200 (S/N 440714+)

Applies to 4200NT, 4200ST




***Instrument Panel, 4200 (S/N 440714+)*****Applies to 4200NT, 4200ST**

| Ref | Part No. | Part Description               | Comments                  | Revision |
|-----|----------|--------------------------------|---------------------------|----------|
|     | dwg22414 | Drawing Image Number           |                           |          |
| 1.  | 700-211D | DASH BACKER PLATE              |                           |          |
| 2.  | 800-236C | RIVET, 1/4 REMOVEABLE          | S/N 464837+               |          |
| 2.  | 817-527C | TREE RIVET                     | S/N 464836-               |          |
| 3.  | 833-020C | INDICATOR LIGHT STRIP 8-PIN    | Replacement Bulb 833-418c |          |
| 4.  | 833-267C | SWITCH MOUNT END               |                           |          |
| 5.  | 833-268C | PANEL PLUG                     |                           |          |
| 6.  | 833-269C | SWITCH ROCKER SPST             |                           |          |
| 7.  | 833-271C | SWITCH ACTUATOR                |                           |          |
| 8.  | 833-298C | GAUGE, VOLT METER              |                           |          |
| 9.  | 833-299C | GAUGE, HOUR METER              |                           |          |
| 10. | 833-336C | IGNITION SWITCH W/2 KEYS(6PIN) |                           |          |
| 11. | 833-342C | KEY W/SHIELD (RP FOR 833-336C) |                           |          |
| 12. | 838-623C | DECAL INSTRUMENT PANEL         |                           |          |
| 13. | 838-668C | DECAL SETTING OF PARK BRAKE    |                           |          |
| 14. | 840-160C | INSTRUMENT PANEL               |                           |          |
| 15. | 840-248C | DASH TRUCK                     |                           |          |

## Instrument Panel, 4400 (S/N 440714+)

Applies to 4400NT, 4400ST




***Instrument Panel, 4400 (S/N 440714+)*****Applies to 4400NT, 4400ST**

| Ref | Part No. | Part Description               | Comments                  | Revision |
|-----|----------|--------------------------------|---------------------------|----------|
|     | dwg22417 | Drawing Image Number           |                           |          |
| 1.  | 700-211D | DASH BACKER PLATE              |                           |          |
| 2.  | 800-236C | RIVET, 1/4 REMOVEABLE          | S/N 464837+               |          |
| 2.  | 817-527C | TREE RIVET                     | S/N 464836-               |          |
| 3.  | 833-020C | INDICATOR LIGHT STRIP 8-PIN    | Replacement Bulb 833-418c |          |
| 4.  | 833-267C | SWITCH MOUNT END               |                           |          |
| 5.  | 833-268C | PANEL PLUG                     |                           |          |
| 6.  | 833-269C | SWITCH ROCKER SPST             |                           |          |
| 7.  | 833-271C | SWITCH ACTUATOR                |                           |          |
| 8.  | 833-298C | GAUGE, VOLT METER              |                           |          |
| 9.  | 833-299C | GAUGE, HOUR METER              |                           |          |
| 10. | 833-336C | IGNITION SWITCH W/2 KEYS(6PIN) |                           |          |
| 11. | 833-342C | KEY W/SHIELD (RP FOR 833-336C) |                           |          |
| 12. | 838-633C | DECAL INSTR. PANEL TRUCK 4X4   |                           |          |
| 13. | 838-668C | DECAL SETTING OF PARK BRAKE    |                           |          |
| 14. | 840-160C | INSTRUMENT PANEL               |                           |          |
| 15. | 840-248C | DASH TRUCK                     |                           |          |

## Four Post Accessory Bar

Applies to 4200NT, 4200ST, 4400NT, 4400ST



## **Four Post Accessory Bar**


---

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description               | Comments | Revision |
|-----|----------|--------------------------------|----------|----------|
|     | dwg21258 | Drawing Image Number           |          |          |
| 1.  | 700-036D | ACCESSORY CROSS BAR            |          |          |
| 2.  | 700-067H | ACCESSORY REAR WLDMNT NARROW   | NT       |          |
| 2.  | 700-068H | ACCESSORY REAR WLDMNT WIDE     | ST       |          |
| 3.  | 700-069H | ACCESSORY FRONT WLDMNT NARROW  | NT       |          |
| 3.  | 700-070H | ACCESSORY FRONT WLDMNT WIDE    | ST       |          |
| 4.  | 802-115C | HHCS 5/16-18X2 GR5             |          |          |
| 5.  | 802-735C | HHCS 5/16-18X3/4 GR5 YELLOW DI |          |          |
| 6.  | 803-084C | NUT HEX NYLOCK 5/16-18 PLT     |          |          |

## Seat Components

Applies to 4200NT, 4200ST, 4400NT, 4400ST




21256

***Seat Components*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description                 | Comments                 | Revision |
|-----|----------|----------------------------------|--------------------------|----------|
|     | dwg21256 | Drawing Image Number             |                          |          |
| 1.  | 356-074D | SPCR DELUXE SEAT MNT RAZOR PRO   | S/N 464148+ NT Unit Only |          |
| 2.  | 700-042H | SEAT NARROW WELDMENT             | (NT Model)               |          |
| 2.  | 700-043H | SEAT WIDE WELDMENT               | (ST Model)               |          |
| 3.  | 700-148A | SERV - NT CONSOLE PLT W/DECALS   | (NT Model)               |          |
| 3.  | 700-149A | SERV - ST CONSOLE PLT W/DECALS   | (ST Model)               |          |
| 4.  | 802-735C | HHCS 5/16-18 X 3/4 GR5 YELLOW DI |                          |          |
| 5.  | 802-738C | HHCS 5/16-18X1 GR5 YELLOW DIE    | S/N 464148+              |          |
| 5.  | 802-735C | HHCS 5/16-18 X 3/4 GR5 YELLOW DI | S/N 464147-              |          |
| 6.  | 802-747C | HSHSS 1/2 X 1/2 3/8-16 UNC SS    |                          |          |
| 7.  | 803-078C | NUT LOCK 3/8-16 NYLON INSERT     |                          |          |
| 8.  | 803-230C | NUT HEX FLANGE 1/4-20 PLT        |                          |          |
| 9.  | 804-084C | WASHER FLAT 5/16 HARD ASTM F436  |                          |          |
| 10. | 804-201C | WASHER LOCK SPRING 5/16 YELLOW   |                          |          |
| 11. | 816-496C | RBR STOP 1" OD 7/8" THK W/STUD   | S/N 464148+              |          |
| 11. | 816-425C | RBR STOP 1" OD 3/8" THK W/STUD   | S/N 464147-              |          |
| 12. | 839-300C | BUCKET SEAT ATV BLACK            |                          |          |
| 12. | 839-303C | BUCKET SEAT ATV TAN              |                          |          |

## Panels and Shields, NT S/N (460319-)

Applies to 4200NT, 4400NT




21211

**Panels and Shields, NT S/N (460319-)****Applies to 4200NT, 4400NT**

| Ref | Part No. | Part Description                  | Comments                     | Revision |
|-----|----------|-----------------------------------|------------------------------|----------|
|     | dwg21211 | Drawing Image Number              |                              |          |
| 1.  | 700-140S | FLOOR NT W/NUT ZERTS ASSEMBLY     |                              |          |
| 2.  | 700-150A | SERV - NT FIREWALL W/DECAL        |                              |          |
| 3.  | 700-196D | FRONT FRAME GUARD NT              |                              |          |
| 4.  | 700-202D | SPLASH GUARD NT                   |                              |          |
| 5.  | 801-180C | TPHMS Y 1/4-20X3/4 YELLOW DIE     |                              |          |
| 6.  | 802-735C | HHCS 5/16-18X3/4 GR5 YELLOW DI    |                              |          |
| 7.  | 802-738C | HHCS 5/16-18X1 GR5 YELLOW DIE     |                              |          |
| 8.  | 803-068C | NUT HEX FLANGE 3/8-16 PLT         | S/N 446518+                  |          |
| 9.  | 803-084C | NUT HEX NYLOCK 5/16-18 PLT        |                              |          |
| 10. | 803-293C | NUT HEX FLNG T-LOCK 1/4-20 PLT    |                              |          |
| 11. | 804-084C | WASHER FLAT 5/16 HARD ASTM F436   |                              |          |
| 12. | 804-201C | WASHER LOCK SPRING 5/16 YELLOW    |                              |          |
| 13. | 816-422C | RUBBER STOP 2"OD 3/4THK WITH STUD |                              |          |
| 14. | 990-227R | FOAM RUBBER 3/16X3/4 THK W/PSA    | Sold Per Foot (47" Required) |          |

## Panels and Shields, ST (S/N 460319-)

Applies to 4200ST, 4400ST




21217

**Panels and Shields, ST (S/N 460319-)****Applies to 4200ST, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>           | <b>Comments</b>                 | <b>Revision</b> |
|------------|-----------------|-----------------------------------|---------------------------------|-----------------|
|            | dwg21217        | Drawing Image Number              |                                 |                 |
| 1.         | 700-141S        | FLOOR ST W/NUT ZERTS ASSEMBLY     |                                 |                 |
| 2.         | 700-113H        | FIREWALL WLDMENT WIDE             |                                 |                 |
| 3.         | 700-151A        | SERV - ST SIDE PANEL W/DECAL      |                                 |                 |
| 4.         | 700-197D        | FRONT FRAME GUARD ST              |                                 |                 |
| 5.         | 801-180C        | TPHMS Y 1/4-20X3/4 YELLOW DIE     |                                 |                 |
| 6.         | 802-735C        | HHCS 5/16-18X3/4 GR5 YELLOW DI    |                                 |                 |
| 7.         | 802-738C        | HHCS 5/16-18X1 GR5 YELLOW DIE     |                                 |                 |
| 8.         | 803-068C        | NUT HEX FLANGE 3/8-16 PLT         | S/N 446518+                     |                 |
| 9.         | 803-084C        | NUT HEX NYLOCK 5/16-18 PLT        |                                 |                 |
| 10.        | 803-293C        | NUT HEX FLNG T-LOCK 1/4-20 PLT    |                                 |                 |
| 11.        | 804-084C        | WASHER FLAT 5/16 HARD ASTMF436    |                                 |                 |
| 12.        | 804-201C        | WASHER LOCK SPRING 5/16 YELLOW    |                                 |                 |
| 13.        | 816-422C        | RUBBER STOP 2"OD 3/4THK WITH STUD |                                 |                 |
| 14.        | 990-227R        | FOAM RUBBER 3/16X3/4 THK W/PSA    | Solid Per Foot (52.5" Required) |                 |

## Panels Sheilds & Choke Cable ST(S/N 460320+)

Applies to 4200ST, 4400ST




22413

**Panels Sheilds & Choke Cable ST(S/N 460320+)****Applies to 4200ST, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>        | <b>Comments</b> | <b>Revision</b> |
|------------|-----------------|--------------------------------|-----------------|-----------------|
|            | dwg22413        | Drawing Image Number           |                 |                 |
| 1.         | 700-047H        | FLOOR WIDE WELDMNT             |                 |                 |
| 2.         | 700-145D        | SIDE PANEL, WIDE               |                 |                 |
| 3.         | 700-197D        | FRONT FRAME GUARD ST           |                 |                 |
| 4.         | 700-236H        | KICK PANEL WLDMNT (ST)         |                 |                 |
| 5.         | 801-180C        | TPHMS Y 1/4-20X3/4 YELLOW DIE  |                 |                 |
| 6.         | 802-735C        | HHCS 5/16-18X3/4 GR5 YELLOW DI |                 |                 |
| 7.         | 802-738C        | HHCS 5/16-18X1 GR5 YELLOW DIE  |                 |                 |
| 8.         | 803-068C        | NUT HEX FLANGE 3/8-16 PLT      |                 |                 |
| 9.         | 803-084C        | NUT HEX NYLOCK 5/16-18 PLT     |                 |                 |
| 10.        | 803-293C        | NUT HEX FLNG T-LOCK 1/4-20 PLT |                 |                 |
| 11.        | 804-084C        | WASHER FLAT 5/16 HARD ASTMF436 |                 |                 |
| 12.        | 804-201C        | WASHER LOCK SPRING 5/16 YELLOW |                 |                 |
| 13.        | 816-422C        | RUBBER STOP 2"OD 3/4THK W/STUD |                 |                 |
| 14.        | 840-241C        | CHOKE CABLE 38 (ST)            |                 |                 |
| 15.        | 990-227R        | FOAM RUBBER 3/16X3/4 THK W/PSA |                 |                 |

## Panels Shields & Choke Cable NT S/N (460320+)

Applies to 4200NT, 4400NT




22412

**Panels Shields & Choke Cable NT S/N (460320+)****Applies to 4200NT, 4400NT**

| Ref | Part No. | Part Description               | Comments | Revision |
|-----|----------|--------------------------------|----------|----------|
|     | dwg22412 | Drawing Image Number           |          |          |
| 1.  | 700-046H | FLOOR NARROW WELDMENT          |          |          |
| 2.  | 700-196D | FRONT FRAME GUARD NT           |          |          |
| 3.  | 700-202D | SPLASH GUARD NT                |          |          |
| 4.  | 700-238A | SERV-NT FIREWALL W/DECAL       |          |          |
| 5.  | 801-180C | TPHMS Y 1/4-20X3/4 YELLOW DIE  |          |          |
| 6.  | 802-735C | HHCS 5/16-18X3/4 GR5 YELLOW DI |          |          |
| 7.  | 802-738C | HHCS 5/16-18X1 GR5 YELLOW DIE  |          |          |
| 8.  | 803-068C | NUT HEX FLANGE 3/8-16 PLT      |          |          |
| 9.  | 803-084C | NUT HEX NYLOCK 5/16-18 PLT     |          |          |
| 10. | 803-293C | NUT HEX FLNG T-LOCK 1/4-20 PLT |          |          |
| 11. | 804-084C | WASHER FLAT 5/16 HARD ASTMF436 |          |          |
| 12. | 804-201C | WASHER LOCK SPRING 5/16 YELLOW |          |          |
| 13. | 816-422C | RUBBER STOP 2"OD 3/4THK W/STUD |          |          |
| 14. | 840-261C | CHOKE CABLE 28 (NT)            |          |          |
| 15. | 990-227R | FOAM RUBBER 3/16X3/4 THK W/PSA |          |          |

## Cargo Box Components

Applies to 4200NT, 4200ST, 4400NT, 4400ST




21252

**Cargo Box Components****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>        | <b>Comments</b>               | <b>Revision</b> |
|------------|-----------------|--------------------------------|-------------------------------|-----------------|
|            | dwg21252        | Drawing Image Number           |                               |                 |
| 1.         | 700-154A        | SERV - NT BOX-RED W/DECALS     | Added Lift Handles S/N 440716 |                 |
| 1.         | 700-155A        | SERV - NT BOX-GREEN W/DECALS   |                               |                 |
| 1.         | 700-156A        | SERV - NT BOX-YELLOW W/DECALS  |                               |                 |
| 1.         | 700-157A        | SERV - NT BOX-CAMO W/DECALS    |                               |                 |
| 1.         | 700-158A        | SERV - ST BOX-RED W/DECALS     |                               |                 |
| 1.         | 700-159A        | SERV - ST BOX-GREEN W/DECALS   |                               |                 |
| 1.         | 700-160A        | SERV - ST BOX-YELLOW W/DECALS  |                               |                 |
| 1.         | 700-161A        | SERV - ST BOX-CAMO W/DECALS    |                               |                 |
| 2.         | 700-166A        | SERV - NT 4X2 T-GATE-RED/DECAL | Added Lift Handles S/N 440716 |                 |
| 2.         | 700-167A        | SERV - NT 4X2 T-GATE-GREEN/DCL |                               |                 |
| 2.         | 700-168A        | SERV - NT 4X2 T-GATE YEL/DECAL |                               |                 |
| 2.         | 700-169A        | SERV - NT 4X2 T-GATE CAMO/DCL  |                               |                 |
| 2.         | 700-174A        | SERV - NT 4X4 T-GATE RED/DECAL |                               |                 |
| 2.         | 700-175A        | SERV - NT 4X4 T-GATE GREEN/DCL |                               |                 |
| 2.         | 700-176A        | SERV - NT 4X4 T-GATE YELLW/DCL |                               |                 |
| 2.         | 700-177A        | SERV - NT 4X4 T-GATE CAMO/DCL  |                               |                 |
| 2.         | 700-182A        | SERV - ST 4X2 T-GATE RED/DECAL |                               |                 |
| 2.         | 700-183A        | SERV - ST 4X2 T-GATE GREEN/DCL |                               |                 |
| 2.         | 700-184A        | SERV - ST 4X2 T-GATE YELLW/DCL |                               |                 |
| 2.         | 700-185A        | SERV - ST 4X2 T-GATE CAMO/DCL  |                               |                 |
| 2.         | 700-190A        | SERV - ST 4X4 T-GATE RED/DECAL |                               |                 |
| 2.         | 700-191A        | SERV - ST 4X4 T-GATE GREEN/DCL |                               |                 |
| 2.         | 700-192A        | SERV - ST 4X4 T-GATE YELLW/DCL |                               |                 |
| 2.         | 700-193A        | SERV - ST 4X4 T-GATE CAMO/DCL  |                               |                 |
| 3.         | 700-165D        | TAILGATE LATCH PIN             |                               |                 |
| 4.         | 700-258D        | NT FRONT HEAT SHEILD/BED INSUL | (S/N 416664+)                 |                 |
| 4.         | 700-259D        | ST FRONT HEAT SHEILD/BED INSUL | (S/N 416690+)                 |                 |
| 5.         | 700-260D        | NT REAR HEAT SHEILD/BED INSUL  | (S/N 416664+)                 |                 |
| 5.         | 700-261D        | ST REAR HEAT SHEILD/BED INSUL  | (S/N 416690+)                 |                 |
| 6.         | 700-263D        | ST STIFFENER/ANTI-VIBRATN BAR  | (S/N 421318 to 440715)        |                 |
| 6.         | 700-262D        | NT STIFFENER/ANTI-VIBRATN BAR  | (S/N 421318 to 440715)        |                 |
| 7.         | 800-354C        | E RETAING RING 5/16 EXT.       |                               |                 |
| 8.         | 801-176C        | PAN HD 5/16-18 1LG PHILLPS PLT |                               |                 |
| 9.         | 801-180C        | TPHMS Y 1/4-20X3/4 YELLOW DIE  |                               |                 |
| 10.        | 802-746C        | SHLD BLT 5/16X.75 1/4-20UNC SS | S/N 406208+                   |                 |
| 10.        | 802-776C        | RPBY 802-746C                  | S/N 406207-                   |                 |
| 11.        | 802-753C        | SHLD BLT 5/8X.50SHLD,1/2-13 SS |                               |                 |
| 12.        | 802-797C        | HFS 1/2-13X2 1/4 GR5 PLT       |                               |                 |
| 13.        | 803-019C        | NUT LOCK 1/2-13 PLT            |                               |                 |
| 14.        | 803-036C        | NUT HEX JAM 1/2-13 PLT         |                               |                 |
| 15.        | 803-043C        | NUT HEX WHIZ 5/16-18 PLT       |                               |                 |
| 16.        | 803-255C        | NUT HEX NYLOCK 1/4-20          |                               |                 |
| 17.        | 804-016C        | WASHER FLAT 1/2 SAE PLT        |                               |                 |
| 18.        | 804-046C        | WASHER FLAT #10 SAE PLT        |                               |                 |
| 19.        | 804-117C        | WASHER FLAT 1/4 HARD ASTM F436 |                               |                 |
| 20.        | 804-135C        | WASHER FLAT 5/16 NEOPRENE PLT  |                               |                 |
| 21.        | 807-220C        | SPRING TRUCK TAILGATE LATCH    |                               |                 |
| 22.        | 816-423C        | RUBBER SLEEVE TAILGATE LATCH   |                               |                 |
| 23.        | 817-528C        | CAP RECT TUBE 1X1.5X.083       |                               |                 |
| 24.        | 817-543C        | WASHER NYLATRON1.25ODX.63ID.04 |                               |                 |
| 25.        | 817-559C        | BUSHING 1/2IDX5/8ODX1/2 FLANGE |                               |                 |
| 26.        | 840-122C        | FENDER BLACK UNIVERSAL TRUCK   |                               |                 |
| 27.        | 840-126C        | TRUCK TAILGATE CABLE           |                               |                 |
| 28.        | 990-133R        | 2" FOILED ADHESIVE TAPE        |                               |                 |
| 29.        | 990-235R        | SPONGE RUBBER, 1/4X3/4 W/PSA   | Rev. 2                        |                 |
| 29.        | 990-227R        | FOAM RUBBER 3/16X3/4 THK W/PSA | Rev. 1                        |                 |

## Cargo Box Tilt-Down Latch

Applies to 4200NT, 4200ST, 4400NT, 4400ST



21271

## Cargo Box Tilt Lock-Down Latch


---

Applies to 4200NT, 4200ST, 4400NT, 4400ST

| Ref | Part No. | Part Description        | Comments | Revision |
|-----|----------|-------------------------|----------|----------|
|     | dwg21271 | Drawing Image Number    |          |          |
| 1.  | 700-228D | BOX LATCH BACKING PLATE | Threaded |          |
| 2.  | 802-004C | HHCS 1/4-20 X 3/4 GR5   |          |          |
| 3.  | 803-255C | NUT HEX NYLOCK 1/4-20   |          |          |
| 4.  | 840-133C | BOX LATCH               |          |          |

## Cargo Box Tilt-Up Arm

Applies to 4200NT, 4200ST, 4400NT, 4400ST



21273

## Cargo Box Tilt Lock-Up Arm


---

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description                     | Comments | Revision |
|-----|----------|--------------------------------------|----------|----------|
|     | dwg21273 | Drawing Image Number                 |          |          |
| 1.  | 700-001S | BOX LATCH SUB-ASSY / NT              |          |          |
| 1.  | 700-003S | BOX LATCH SUB-ASSY / ST              |          |          |
| 2.  | 700-071H | BOX TILT LATCH NARROW                | NT       |          |
| 2.  | 700-115H | BOX TILT LATCH WIDE                  | ST       |          |
| 3.  | 700-170D | BOX TILT BAR, NARROW                 | NT       |          |
| 3.  | 700-171D | BOX TILT BAR, WIDE                   | ST       |          |
| 4.  | 700-216D | BOX TILT BRACKET                     |          |          |
| 5.  | 802-551C | HHCS 1/4-20X2 1/4 GR5                |          |          |
| 6.  | 803-255C | NUT HEX NYLOCK 1/4-20                |          |          |
| 7.  | 805-045C | PIN COTTER 5/32 X 1 1/4 LG           |          |          |
| 8.  | 805-303C | PIN CLEVIS 1/2X1 49/64 USABLE        |          |          |
| 9.  | 805-353C | SPRING PIN 1/4 X 7/8                 |          |          |
| 10. | 805-356C | SPRING PIN 1/4 X 1 1/4               |          |          |
| 11. | 807-221C | SPRING TORSION .054 WIRE             |          |          |
| 12. | 807-222C | SPRING COMPRESSION .72OD .072W 4.0LG |          |          |

## Hood Components

Applies to 4200NT, 4200ST, 4400NT, 4400ST



## Hood Components


---

**Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description               | Comments                      | Revision |
|-----|----------|--------------------------------|-------------------------------|----------|
|     | dwg21257 | Drawing Image Number           |                               |          |
| 1.  | 700-233D | BACKING PLATE FOR TRUCK BODY   |                               |          |
| 2.  | 700-254D | BODY MOUNT SPACER .25 THICK    | 4200NT & 4400NT (S/N 409701+) |          |
| 2.  | 700-255D | BODY MOUNT SPACER .375 THICK   | 4200ST & 4400ST (S/N 409701+) |          |
| 3.  | 801-181C | TPHMS Y 1/4-20X1 YELLOW DIE    |                               |          |
| 4.  | 802-010C | HHCS 5/16-18X1 1/4 GR5         |                               |          |
| 5.  | 803-177C | NUT HEX LOCK 5/16-18 FLG.      |                               |          |
| 6.  | 803-293C | NUT HEX FLNG T-LOCK 1/4-20 PLT |                               |          |
| 7.  | 804-011C | WASHER FLAT 3/8 USS PLT        |                               |          |
| 8.  | 816-318C | TRIM, 1/8 RUBBER EDGE(PER FT)  | SOLD PER FOOT (14.25" REQ'D.) |          |
| 9.  | 817-527C | TREE RIVET                     |                               |          |
| 10. | 833-322C | POWER PLUG OUTLET 12V          |                               |          |
| 11. | 700-162A | SERV - NT 4X2 BODY-RED W/DECAL |                               |          |
| 11. | 700-163A | SERV - NT 4X2 BODY-GREEN/DECAL |                               |          |
| 11. | 700-164A | SERV - NT 4X2 BODY-YELLOW/DCL  |                               |          |
| 11. | 700-165A | SERV - NT 4X2 BODY-CAMO/DECALS |                               |          |
| 11. | 700-170A | SERV - NT 4X4 BODY-RED W/DECAL |                               |          |
| 11. | 700-171A | SERV - NT 4X4 BODY-GREEN/DECAL |                               |          |
| 11. | 700-172A | SERV - NT 4X4 BODY-YELLOW/DCL  |                               |          |
| 11. | 700-173A | SERV - NT 4X4 BODY-CAMO/DECALS |                               |          |
| 11. | 700-178A | SERV - ST 4X2 BODY-RED W/DECAL |                               |          |
| 11. | 700-179A | SERV - ST 4X2 BODY-GREEN/DECAL |                               |          |
| 11. | 700-180A | SERV - ST 4X2 BODY-YELLOW/DCL  |                               |          |
| 11. | 700-181A | SERV - ST 4X2 BODY-CAMO/DECALS |                               |          |
| 11. | 700-186A | SERV - ST 4X4 BODY-RED W/DECAL |                               |          |
| 11. | 700-187A | SERV - ST 4X4 BODY-GREEN/DECAL |                               |          |
| 11. | 700-188A | SERV - ST 4X4 BODY-YELLOW/DCL  |                               |          |
| 11. | 700-189A | SERV - ST 4X4 BODY-CAMO/DECALS |                               |          |
| 12. | 700-152A | SERV - NT FOOTWELL W/DECALS    |                               |          |
| 12. | 700-153A | SERV - ST FOOTWELL W/DECALS    |                               |          |
| 13. | 840-106C | STORAGE BOX FOR VEHICLES       |                               |          |

## Front Tires

Applies to 4200NT, 4200ST, 4400NT, 4400ST



21315

## Front Tires


---

Applies to 4200NT, 4200ST, 4400NT, 4400ST

| Ref | Part No. | Part Description                   | Comments | Revision |
|-----|----------|------------------------------------|----------|----------|
|     | dwg21315 | Drawing Image Number               |          |          |
| 1.  | 700-038S | TIRE/RIM FRONT TURF 23-8.5-12      |          |          |
| 2.  | 710-019S | AT TIRE/RIM, GRAY RIGHT FRONT      |          |          |
| 2.  | 700-386S | AT TIRE/RIM, BLACK RIGHT FRONT     |          |          |
| 2.  | 710-036S | AT TIRE/RIM, GRAY LEFT FRONT       |          |          |
| 2.  | 700-388S | AT TIRE/RIM, BLACK LEFT FRONT      |          |          |
| 3.  | 814-214C | RIM, 12X7 4-4 BOLT GRAY            |          |          |
| 3.  | 814-290C | RIM, 12X7 4-4 BOLT BLACK           |          |          |
| 4.  | 814-216C | TIRE 25 X 8 X 12 AT489             |          |          |
| 5.  | 814-242C | TIRE TURF 23-8.5-12                |          |          |
| 6.  | 816-035C | VALVE STEM TR415 X. 625 X 1 1/4 LG |          |          |

## Rear Tires

Applies to 4200NT, 4200ST, 4400NT, 4400ST



21314

## Rear Tires


---

Applies to 4200NT, 4200ST, 4400NT, 4400ST

| Ref | Part No. | Part Description                   | Comments | Revision |
|-----|----------|------------------------------------|----------|----------|
|     | dwg21314 | Drawing Image Number               |          |          |
| 1.  | 700-037S | TIRE/RIM REAR TURF 23-10.5-12      |          |          |
| 2.  | 710-018S | AT TIRE/RIM, GRAY RIGHT REAR       |          |          |
| 2.  | 700-385S | AT TIRE/RIM BLACK RIGHT REAR       |          |          |
| 2.  | 710-035S | AT TIRE/RIM, GRAY LEFT REAR        |          |          |
| 2.  | 700-387S | AT TIRE/RIM BLACK LEFT REAR        |          |          |
| 3.  | 814-215C | RIM 12X8.5 4-4 BOLT GRAY           |          |          |
| 3.  | 814-289C | RIM 12X8.5 4-4 BOLT BLACK          |          |          |
| 4.  | 814-217C | TIRE 25 X 11 X 12 AT489            |          |          |
| 5.  | 814-241C | TIRE TURF 23-10.5-12               |          |          |
| 6.  | 816-035C | VALVE STEM TR415 X. 625 X 1 1/4 LG |          |          |

## Decals

Applies to 4200NT, 4200ST, 4400NT, 4400ST




**Decals****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>               | <b>Comments</b>                    | <b>Revision</b> |
|------------|-----------------|---------------------------------------|------------------------------------|-----------------|
|            | dwg21147        | Drawing Image Number                  |                                    |                 |
| 1.         | 818-045C        | DECAL WARNING PINCH POINT/CRUSH       |                                    |                 |
| 2.         | 818-190C        | DECAL FLAG                            |                                    |                 |
| 3.         | 818-543C        | DECAL DANGER GUARD MISSING            |                                    |                 |
| 4.         | 838-303C        | DECAL DANGER BATTERY                  |                                    |                 |
| 5.         | 838-444C        | DECAL DANGER HOT                      |                                    |                 |
| 6.         | 838-486C        | DECAL WARNING GENERAL UTILITY VEHICLE |                                    |                 |
| 7.         | 838-489C        | DECAL WARNING ROLLOVER HAZARD         |                                    |                 |
| 8.         | 838-490C        | DECAL CAUTION STOP ENGINE             |                                    |                 |
| 9.         | 838-491C        | DECAL WARNING IMPROPER USE            |                                    |                 |
| 10.        | 838-492C        | DECAL CAUTION POWER SOURCE MAX 12V    |                                    |                 |
| 11.        | 838-644C        | DECAL LAND PRIDE GOLD 6.42X1.3        | S/N 421309+                        |                 |
| 11.        | 838-495C        | DECAL HONDA                           | S/N 421308-                        |                 |
| 12.        | 838-507C        | DECAL LP FRONT EMBLEM                 |                                    |                 |
| 13.        | 838-508C        | DECAL WARNING ENGINE COOL B4 GAS      |                                    |                 |
| 14.        | 838-532C        | DECAL WARNING VEHICLE ROLLOVER        |                                    |                 |
| 15.        | 838-542C        | DECAL TREKER LOGO LH BLACK            |                                    |                 |
| 16.        | 838-543C        | DECAL TREKER LOGO RH BLACK            |                                    |                 |
| 17.        | 838-544C        | DECAL 4X2NT BLACK                     | 4200NT RED, YELLOW & CAMO VEHICLES |                 |
| 17.        | 838-545C        | DECAL 4X2NT SANDSTONE                 | 4200NT GREEN VEHICLES              |                 |
| 17.        | 838-546C        | DECAL 4X2ST BLACK                     | 4200ST RED,YELLOW & CAMO VEHICLES  |                 |
| 17.        | 838-547C        | DECAL 4X2ST SANDSTONE                 | 4200ST GREEN VEHICLES              |                 |
| 17.        | 838-548C        | DECAL 4X4NT BLACK                     | 4400NT RED, YELLOW & CAMO VEHICLES |                 |
| 17.        | 838-549C        | DECAL 4X4NT SANDSTONE                 | 4400NT GREEN VEHICLES              |                 |
| 17.        | 838-550C        | DECAL 4X4ST BLACK                     | 4400ST RED, YELLOW & CAMO VEHICLES |                 |
| 17.        | 838-551C        | DECAL 4X4ST SANDSTONE                 | 4400ST GREEN VEHICLES              |                 |
| 18.        | 838-554C        | DECAL LAND PRIDE BLCK W/SNDSTN        |                                    |                 |
| 18.        | 838-552C        | RPBY 838-554C                         | RED & YELLOW (S/N 421308-)         |                 |
| 19.        | 838-581C        | DECAL WARNING (GVW)LOAD 4200NT        |                                    |                 |
| 19.        | 838-662C        | DECAL WARNING (GVW)LOAD 4400NT        |                                    |                 |
| 19.        | 838-570C        | DECAL WARNING (GVW)LOAD 4200ST        |                                    |                 |
| 19.        | 838-663C        | DECAL WARNING (GVW)LOAD 4400ST        |                                    |                 |
| 20.        | 838-579C        | DECAL TRAILER TOWING NT/ST            |                                    |                 |
| 21.        | 838-596C        | DECAL, CONSOLE TRUCK                  |                                    |                 |
| 22.        | 838-668C        | DECAL SETTING OF PARK BRAKE           | S/N 429643+                        |                 |
| 23.        | 838-495C        | DECAL HONDA                           | S/N 421309+                        |                 |
| 24.        | 700-194A        | 4X2NT DECAL PACKAGE RED/YELLOW        | Complete Decal Packages            |                 |
| 24.        | 700-195A        | 4X2NT DECAL PACKAGE GREEN/CAMO        | Complete Decal Packages            |                 |
| 24.        | 700-196A        | 4X2ST DECAL PACKAGE RED/YELLOW        | Complete Decal Packages            |                 |
| 24.        | 700-197A        | 4X2ST DECAL PACKAGE GREEN/CAMO        | Complete Decal Packages            |                 |
| 24.        | 700-198A        | 4X4NT DECAL PACKAGE RED/YELLOW        | Complete Decal Packages            |                 |
| 24.        | 700-199A        | 4X4NT DECAL PACKAGE GREEN/CAMO        | Complete Decal Packages            |                 |
| 24.        | 700-200A        | 4X4ST DECAL PACKAGE RED/YELLOW        | Complete Decal Packages            |                 |
| 24.        | 700-201A        | 4X4ST DECAL PACKAGE GREEN/CAMO        | Complete Decal Packages            |                 |
| 24.        | 700-220A        | 4X2NT DECAL PACKAGE CAMO              | Complete Decal Packages            |                 |
| 24.        | 700-221A        | 4X2ST DECAL PACKAGE CAMO              | Complete Decal Packages            |                 |
| 24.        | 700-222A        | 4X4NT DECAL PACKAGE CAMO              | Complete Decal Packages            |                 |
| 24.        | 700-223A        | 4X4ST DECAL PACKAGE CAMO              | Complete Decal Packages            |                 |
| 25.        | 700-142A        | SAFETY DECAL PACKAGE 4200NT           | Safety Decal Packages              |                 |
| 25.        | 700-143A        | SAFETY DECAL PACKAGE 4200ST           | Safety Decal Packages              |                 |
| 25.        | 700-212A        | SAFETY DECAL PACKAGE 4400NT           | Safety Decal Packages              |                 |
| 25.        | 700-213A        | SAFETY DECAL PACKAGE 4400ST           | Safety Decal Packages              |                 |

## NT ST Camo and Decal Components

Applies to 4200NT, 4200ST, 4400NT, 4400ST



22226



***NT ST Camo and Decal Components*****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| Ref | Part No. | Part Description               | Comments   | Revision |
|-----|----------|--------------------------------|--|----------|
|     | dwg22226 | Drawing Image Number           |  |          |
| 1.  | 838-550C | DECAL 4X4ST BLACK              |  |          |
| 1.  | 838-548C | DECAL 4X4NT BLACK              |  |          |
| 2.  | 838-554C | DECAL LAND PRIDE BLCK W/SNDSTN |  |          |
| 3.  | 838-704C | DECAL, TREKER LOGO 71N. LG     |  |          |
| 4.  | 840-203C | TREKER ST CAMO RH SIDE PANEL   |  |          |
| 4.  | 840-207C | TREKER NT CAMO RH SIDE PANEL   |  |          |
| 5.  | 840-204C | TREKER ST CAMO LH SIDE PANEL   |  |          |
| 5.  | 840-208C | TREKER NT CAMO LH SIDE PANEL   |  |          |
| 6.  | 840-205C | TREKER ST CAMO TAILGATE PANEL  |  |          |
| 6.  | 840-206C | TREKER NT CAMO TAILGATE PANEL  |  |          |
| 7.  | 840-216C | TREKER ST CAMO FRONT PANEL BED |  |          |
| 7.  | 840-217C | TREKER NT CAMO FRONT PANEL BED |  |          |
| 8.  | 990-132R | 3M DOUBLE SIDED TAPE 1X.035    | Front: ST 49.5" & NT 43.5", Rear ST 53.25" & NT 47.25", Sides ST 46" & NT 34", Rear Short ST & NT 3", Sides Short ST & NT 8" |          |

## CVT Enclosure Kit

Applies to 4200NT, 4200ST, 4400NT, 4400ST

FOR CORRECT PULLEY ALIGNMENT  
SHIM SHOULDER OF TRANS-AXLE SHAFT  
TO ENGINE SPACER COLLAR WITH AN  
OFFSET DIMENSION OF 2.3412".  
USE SHIM KIT #700-112A.




**CVT Enclosure Kit****Applies to 4200NT, 4200ST, 4400NT, 4400ST**

| <b>Ref</b> | <b>Part No.</b> | <b>Part Description</b>        | <b>Comments</b>       | <b>Revision</b> |
|------------|-----------------|--------------------------------|-----------------------|-----------------|
|            | dwg23821        | Drawing Image Number           |                       |                 |
| 1.         | 700-215D        | CVT SPACER                     |                       |                 |
| 2.         | 700-228S        | ASSEMBLY, CVT INNER COVER      |                       |                 |
| 3.         | 700-285D        | PLATE, ENGINE SEAL             |                       |                 |
| 4.         | 700-286D        | BRACKET, CVT COVER TO TRANS.   |                       |                 |
| 5.         | 710-097D        | KEY 3/16 X 3                   |                       |                 |
| 6.         | 790-001A        | TREKER ENGINE/TRANS ALIGNMENT  | Optional              |                 |
| 7.         | 800-235C        | SPRING CLAMP 1" OD HOSE        |                       |                 |
| 8.         | 800-259C        | CLAMP WRM DRV#36SS (1.81-2.75) |                       |                 |
| 9.         | 800-350C        | KEY .187 X .247 X 2.5 LG       |                       |                 |
| 10.        | 801-180C        | TPHMS Y 1/4-20X3/4 YELLOW DIE  |                       |                 |
| 11.        | 801-197C        | HSFHCS 5/16-24 X 3/4, BLK      |                       |                 |
| 12.        | 801-199C        | SCR SELF TAP #10 X 3/4         |                       |                 |
| 13.        | 802-005C        | HHCS 1/4-20X1 GR5              |                       |                 |
| 14.        | 802-320C        | HHCS 1/2-20X2 GR5              |                       |                 |
| 15.        | 802-738C        | HHCS 5/16-18X1 GR5 YELLOW DIE  |                       |                 |
| 16.        | 802-770C        | HHCS 3/8-24X3 1/2 GR5 PLT      |                       |                 |
| 17.        | N/A             | INSERT, 1/4-20 ARS4-420-280    | Included with Ref. #2 |                 |
| 18.        | 803-177C        | NUT HEX FLG TOP LK 5/16-18 YLW |                       |                 |
| 19.        | 804-013C        | WASHER LOCK SPRING 3/8 PLT     |                       |                 |
| 20.        | 804-015C        | WASHER LOCK SPRING 1/2 PLT     |                       |                 |
| 21.        | 804-017C        | WASHER FLAT 1/2 USS PLT        |                       |                 |
| 22.        | 804-135C        | WASHER FLAT 5/16 NEOPRENE PLT  |                       |                 |
| 23.        | 816-469C        | SEAL, MAIN TRUCK CVT HOUSING   |                       |                 |
| 24.        | 816-470C        | SEAL, CVT TO ENGINE            |                       |                 |
| 25.        | 816-471C        | SEAL, CVT TO TRANSAKLE         |                       |                 |
| 26.        | 816-512C        | BELT, TRUCK CVT                |                       |                 |
| 27.        | 817-621C        | CAP, DRAIN 7/8 OD PORT         |                       |                 |
| 28.        | 826-444C        | CVT DRIVER                     |                       |                 |
| 29.        | 826-445C        | CVT DRIVEN TRUCK 9 1/2"OD      |                       |                 |
| 30.        | 826-474C        | CVT, 780 DVR WITH FAN          |                       |                 |
| 31.        | 826-475C        | CVT COOLING FAN                |                       |                 |
| 32.        | 826-483C        | RING, LOCKING TAB              |                       |                 |
| 33.        | 840-135C        | ADAPTER CVT DRIVEN             |                       |                 |
| 34.        | 840-218C        | COVER, TRUCK SEALED CVT OUTER  |                       |                 |
| 35.        | N/A             | COVER, TRUCK SEALED CVT INNER  | Included with Ref. #2 |                 |
| 36.        | 840-239C        | DUCT, TRUCK CVT AIR INLET      | ST Unit               |                 |
| 36.        | 840-267C        | DUCT, NT TRUCK CVT AIR INLET   | NT Unit               |                 |
| 37.        | 840-240C        | DUCT, TRUCK CVT AIR OUTLET     |                       |                 |
| 38.        | 840-266C        | SNORKEL AIR INTAKE             |                       |                 |
| 39.        | 840-268C        | FILTER, AIR INTAKE             |                       |                 |
| 40.        | 700-112A        | CVT SHIM KIT                   |                       |                 |
|            | *               |                                |                       |                 |
|            | 701-095A        | ENCLOSURE, CVT ST 440720+      |                       |                 |
|            | 701-096A        | ENCLOSURE, CVT NT 440720+      |                       |                 |
|            | 701-104A        | ENCLOSURE,CVT NT 437154-440719 |                       |                 |
|            | 701-105A        | ENCLOSURE,CVT ST 437154-440719 |                       |                 |
|            | 701-106A        | ENCLOSURE, CVT NT 437153-      |                       |                 |
|            | 701-107A        | ENCLOSURE, CVT ST 437153-      |                       |                 |

## Front Bumpers

Applies to 4200NT, 4200ST, 4400NT, 4400ST



21312

## Front Bumpers

---

Applies to 4200NT, 4200ST, 4400NT, 4400ST

| Ref | Part No. | Part Description                | Comments | Revision |
|-----|----------|---------------------------------|----------|----------|
|     | dwg21312 | Drawing Image Number            |          |          |
| 1.  | 700-105H | FRONT BUMPER NARROW             |          |          |
| 1.  | 700-106H | FRONT BUMPER WIDE               |          |          |
| 2.  | 701-037A | BRUSH GUARD ST                  |          |          |
| 2.  | 701-038A | BRUSH GUARD NT                  |          |          |
| 3.  | 802-282C | RHSNB 5/16-18X1 GR5             |          |          |
| 4.  | 802-735C | HHCS 5/16-18X3/4 GR5 YELLOW DI  |          |          |
| 5.  | 803-084C | NUT HEX NYLOCK 5/16-18 PLT      |          |          |
| 6.  | 804-036C | WASHER FLAT 5/16 SAE PLT        |          |          |
| 7.  | 817-538C | PLUG PLASTIC(1.5OD .083-.035WL) |          |          |



# Part Number Index

The Part Number Index is a numeric index of all part numbers included in this manual. The index shows what page(s) the part is used on.

| Part Number   | Page       | Part Number   | Page     | Part Number | Page     | Part Number | Page                   |
|---------------|------------|---------------|----------|-------------|----------|-------------|------------------------|
| 0-332-209-150 | 77, 79     | 43142100      | 27       | 700-117S    | 9        | 700-191A    | 109                    |
| 012CH289      | 55         | 47002300      | 27       | 700-118S    | 9        | 700-192A    | 109                    |
| 012CH291-1X   | 55         | 5048          | 49, 53   | 700-119H    | 9        | 700-193A    | 109                    |
| 012CH291-2X   | 55         | 5051          | 49, 53   | 700-122S    | 11       | 700-194A    | 121                    |
| 012DA111-X    | 55         | 514A7         | 55       | 700-123S    | 11       | 700-194D    | 67                     |
| 012DA117-X    | 55         | 515A8         | 55       | 700-126H    | 33       | 700-195A    | 121                    |
| 012DA120X     | 55         | 5803          | 55       | 700-127H    | 29       | 700-195D    | 65                     |
| 012GS202-X    | 55         | 585965        | 55       | 700-128S    | 29       | 700-196A    | 121                    |
| 012GS204-X    | 55         | 585971        | 55       | 700-129D    | 29       | 700-196D    | 101, 107               |
| 012GS207-X    | 55         | 585994        | 55       | 700-129S    | 33       | 700-197A    | 121                    |
| 012GS215      | 55         | 620250        | 25       | 700-131A    | 17       | 700-197D    | 103, 105               |
| 012GS216      | 55         | 6203-01-166   | 45       | 700-134D    | 59       | 700-198A    | 121                    |
| 012GS302      | 55         | 6203-12-064-B | 45       | 700-135D    | 51, 53   | 700-198D    | 65                     |
| 012GS307      | 55         | 6203-12-100   | 45       | 700-138D    | 7, 9, 11 | 700-199A    | 121                    |
| 012GS337      | 55         | 6203-13-124-D | 45       | 700-139D    | 7, 9, 11 | 700-200A    | 121                    |
| 012GV164-X    | 55         | 6203-13-165   | 45       | 700-140S    | 101      | 700-201A    | 121                    |
| 012HD111      | 55         | 6203-20-072   | 45       | 700-141S    | 103      | 700-202D    | 101, 107               |
| 012HD129      | 55         | 6203-26-020-A | 45       | 700-142A    | 121      | 700-206D    | 29                     |
| 012HG145      | 55         | 6203-27-017-B | 45       | 700-143A    | 121      | 700-207S    | 43                     |
| 012HH122      | 55         | 6203-29-010-0 | 45       | 700-144A    | 15       | 700-208S    | 43                     |
| 012HH128      | 55         | 6203-35-024-0 | 45       | 700-145A    | 15       | 700-211D    | 85, 87, 89, 91, 93, 95 |
| 012HH137      | 55         | 6203-47-024-B | 45       | 700-145D    | 105      | 700-212A    | 121                    |
| 012HH140      | 55         | 6203-56-001-0 | 45       | 700-146A    | 75       | 700-212D    | 19                     |
| 012HM110-1    | 55         | 6203-59-032-B | 45       | 700-148A    | 99       | 700-213A    | 121                    |
| 012HM129      | 55         | 6203-93-001-0 | 45       | 700-149A    | 99       | 700-213D    | 73                     |
| 012HN120      | 55         | 6203-95-001-0 | 45       | 700-150A    | 101      | 700-214D    | 75                     |
| 012HN138      | 55         | 700-001S      | 113      | 700-151A    | 103      | 700-215D    | 41, 125                |
| 012HN140      | 55         | 700-003S      | 113      | 700-152A    | 115      | 700-216D    | 113                    |
| 012HP120      | 55         | 700-004D      | 7, 9, 11 | 700-153A    | 115      | 700-219D    | 35                     |
| 012HR121      | 55         | 700-004H      | 21       | 700-154A    | 109      | 700-219H    | 39                     |
| 012HR128      | 55         | 700-005H      | 21       | 700-155A    | 109      | 700-220A    | 121                    |
| 012HS120      | 55         | 700-016D      | 59       | 700-156A    | 109      | 700-221A    | 121                    |
| 012HS121      | 55         | 700-017D      | 73       | 700-157A    | 109      | 700-222A    | 121                    |
| 012HS125      | 55         | 700-018D      | 21       | 700-158A    | 109      | 700-223A    | 121                    |
| 012HS126      | 55         | 700-021H      | 37       | 700-159A    | 109      | 700-227D    | 71                     |
| 012LK133      | 55         | 700-036D      | 97       | 700-160A    | 109      | 700-228D    | 111                    |
| 012LK134      | 55         | 700-037S      | 119      | 700-161A    | 109      | 700-228S    | 125                    |
| 012SR129      | 55         | 700-038S      | 117      | 700-162A    | 115      | 700-233D    | 115                    |
| 012SV112-X    | 55         | 700-042H      | 99       | 700-163A    | 115      | 700-236H    | 105                    |
| 012SV118-X    | 55         | 700-043H      | 99       | 700-164A    | 115      | 700-238A    | 107                    |
| 012TA327-X    | 55         | 700-045D      | 21       | 700-165A    | 115      | 700-238D    | 37                     |
| 0180006       | 27         | 700-046H      | 107      | 700-165D    | 109      | 700-245K    | 43                     |
| 026HM107      | 55         | 700-047H      | 105      | 700-166A    | 109      | 700-254D    | 29, 115                |
| 0430-01-002-T | 45         | 700-054H      | 17       | 700-167A    | 109      | 700-255D    | 29, 115                |
| 0518-03-009-T | 45         | 700-055H      | 17       | 700-168A    | 109      | 700-256D    | 7, 35                  |
| 0680002       | 27         | 700-056H      | 33       | 700-169A    | 109      | 700-256S    | 23                     |
| 0909001       | 27         | 700-057H      | 33       | 700-170A    | 115      | 700-257D    | 7, 35                  |
| 1-0170NPL     | 49, 59, 61 | 700-058H      | 29       | 700-170D    | 113      | 700-257S    | 23                     |
| 100050        | 25         | 700-059H      | 43       | 700-171A    | 115      | 700-258D    | 109                    |
| 100301        | 63         | 700-060H      | 25, 27   | 700-171D    | 113      | 700-259D    | 109                    |
| 103125        | 63         | 700-067H      | 97       | 700-172A    | 115      | 700-260D    | 109                    |
| 109843        | 63         | 700-068H      | 97       | 700-173A    | 115      | 700-261D    | 109                    |
| 11000         | 37         | 700-069H      | 97       | 700-174A    | 109      | 700-262D    | 109                    |
| 11001         | 37         | 700-070H      | 97       | 700-175A    | 109      | 700-262H    | 109                    |
| 1215-02-038-T | 45         | 700-071D      | 43       | 700-175D    | 73       | 700-262H    | 23                     |
| 1215-02-141-T | 45         | 700-071H      | 113      | 700-176A    | 109      | 700-263D    | 109                    |
| 1215-02-154-T | 45         | 700-073D      | 51, 53   | 700-177A    | 109      | 700-263H    | 23                     |
| 1242-00-009-T | 45         | 700-074D      | 43       | 700-178A    | 115      | 700-273D    | 25                     |
| 14083         | 25         | 700-075D      | 43       | 700-179A    | 115      | 700-274D    | 43                     |
| 14094         | 25         | 700-076D      | 43       | 700-180A    | 115      | 700-281D    | 39                     |
| 200300        | 63         | 700-078D      | 43       | 700-181A    | 115      | 700-285D    | 125                    |
| 2003PR        | 63         | 700-099D      | 43       | 700-182A    | 109      | 700-286D    | 125                    |
| 2003VB        | 63         | 700-105H      | 127      | 700-183A    | 109      | 700-341S    | 33                     |
| 20061         | 25, 27     | 700-106H      | 127      | 700-184A    | 109      | 700-342H    | 33                     |
| 203293        | 63         | 700-110S      | 7        | 700-185A    | 109      | 700-356D    | 43                     |
| 23035         | 25, 27     | 700-112A      | 41, 125  | 700-186A    | 115      | 700-368S    | 73                     |
| 244610        | 63         | 700-113H      | 103      | 700-187A    | 115      | 700-371H    | 23                     |
| 244643        | 63         | 700-114H      | 7        | 700-188A    | 115      | 700-374D    | 23                     |
| 356-074D      | 99         | 700-115H      | 113      | 700-189A    | 115      | 700-385S    | 119                    |
| 41356         | 55         | 700-116S      | 7        | 700-190A    | 109      | 700-386S    | 117                    |



## Part Number Index (continued)

| Part Number    | Page              | Part Number    | Page               | Part Number    | Page               | Part Number    | Page            |
|----------------|-------------------|----------------|--------------------|----------------|--------------------|----------------|-----------------|
| 700-387S ..... | 119               | 802-314C ..... | 41                 | 803-340C ..... | 7, 25              | 815-196C ..... | 33              |
| 700-388S ..... | 117               | 802-320C ..... | 41, 125            | 803-341C ..... | 9, 11, 13          | 815-210C ..... | 33              |
| 700-408D ..... | 61                | 802-387C ..... | 25, 27             | 804-005C ..... | 53                 | 815-211C ..... | 37              |
| 700-422H ..... | 23                | 802-486C ..... | 13                 | 804-011C ..... | 11, 13, 39, 43,    | 816-035C ..... | 117, 119        |
| 700-447D ..... | 61                | 802-551C ..... | 51, 113            |                | 49, 59, 87, 91,    | 816-318C ..... | 115             |
| 700-448D ..... | 61                | 802-589C ..... | 35                 |                | 115                | 816-413C ..... | 41              |
| 700-456D ..... | 79                | 802-609C ..... | 11, 13             | 804-013C ..... | 39, 41, 49, 59,    | 816-421C ..... | 65, 67          |
| 700-466D ..... | 49                | 802-628C ..... | 25, 27             |                | 61, 125            | 816-422C ..... | 101, 103, 105,  |
| 700-500A ..... | 17                | 802-714C ..... | 25, 27             | 804-015C ..... | 125                |                | 107             |
| 700-517D ..... | 69                | 802-731C ..... | 37                 | 804-016C ..... | 109                | 816-423C ..... | 109             |
| 701-037A ..... | 127               | 802-735C ..... | 29, 37, 59, 61,    | 804-017C ..... | 41, 125            | 816-425C ..... | 99              |
| 701-038A ..... | 127               |                | 69, 71, 97, 99,    | 804-036C ..... | 79, 127            | 816-464C ..... | 41              |
| 701-095A ..... | 125               |                | 101, 103, 105,     | 804-046C ..... | 109                | 816-469C ..... | 125             |
| 701-096A ..... | 125               |                | 107, 127           | 804-084C ..... | 25, 27, 41, 59,    | 816-470C ..... | 125             |
| 701-104A ..... | 125               | 802-738C ..... | 33, 61, 65, 67,    |                | 61, 65, 67, 69,    | 816-471C ..... | 125             |
| 701-105A ..... | 125               |                | 99, 101, 103,      |                | 71, 99, 101, 103,  | 816-496C ..... | 99              |
| 701-106A ..... | 125               |                | 105, 107, 125      |                | 816-496C .....     | 99             |                 |
| 701-107A ..... | 125               | 802-740C ..... | 37                 |                | 105, 107           | 816-512C ..... | 125             |
| 701-193A ..... | 17                | 802-746C ..... | 109                | 804-117C ..... | 109                | 816-522C ..... | 65              |
| 710-018S ..... | 119               | 802-747C ..... | 99                 | 804-135C ..... | 109, 125           | 816-523C ..... | 67              |
| 710-019S ..... | 117               | 802-750C ..... | 59                 | 804-157C ..... | 37                 | 816-524C ..... | 65              |
| 710-035S ..... | 119               | 802-751C ..... | 19                 | 804-162C ..... | 11, 13             | 817-517C ..... | 23              |
| 710-036S ..... | 117               | 802-752C ..... | 65, 67             | 804-201C ..... | 41, 59, 61, 79,    | 817-525C ..... | 25, 27          |
| 710-069D ..... | 37                | 802-753C ..... | 109                |                | 99, 101, 103,      | 817-526C ..... | 33              |
| 710-093D ..... | 77                | 802-758C ..... | 39, 59, 61         |                | 105, 107           | 817-527C ..... | 87, 91, 93, 95, |
| 710-094D ..... | 21                | 802-760C ..... | 25, 27             | 805-045C ..... | 113                |                | 115             |
| 710-097D ..... | 41, 125           | 802-764C ..... | 51, 53             | 805-063C ..... | 9, 11, 13, 27, 33, | 817-528C ..... | 109             |
| 790-001A ..... | 41, 125           | 802-765C ..... | 41                 |                | 37                 | 817-538C ..... | 127             |
| 800-007C ..... | 73, 75            | 802-769C ..... | 51, 53             | 805-066C ..... | 33, 37             | 817-540C ..... | 29              |
| 800-235C ..... | 125               | 802-770C ..... | 41, 125            | 805-303C ..... | 113                | 817-543C ..... | 109             |
| 800-236C ..... | 93, 95            | 802-771C ..... | 17                 | 805-336C ..... | 37                 | 817-559C ..... | 109             |
| 800-259C ..... | 65, 67, 125       | 802-773C ..... | 37                 | 805-342C ..... | 37                 | 817-593C ..... | 75              |
| 800-296C ..... | 39, 59, 61        | 802-774C ..... | 59, 61             | 805-353C ..... | 113                | 817-621C ..... | 125             |
| 800-303C ..... | 49                | 802-776C ..... | 109                | 805-356C ..... | 113                | 818-045C ..... | 121             |
| 800-347C ..... | 33, 37            | 802-793C ..... | 79                 | 807-219C ..... | 69, 71             | 818-190C ..... | 121             |
| 800-350C ..... | 41, 125           | 802-797C ..... | 109                | 807-220C ..... | 109                | 818-543C ..... | 121             |
| 800-351C ..... | 37                | 803-005C ..... | 43                 | 807-221C ..... | 113                | 822-203C ..... | 39, 49          |
| 800-353C ..... | 49                | 803-008C ..... | 79                 | 807-222C ..... | 113                | 826-395C ..... | 53, 55          |
| 800-354C ..... | 109               | 803-019C ..... | 109                | 807-227C ..... | 29                 | 826-396C ..... | 59, 61          |
| 800-355C ..... | 33                | 803-036C ..... | 109                | 807-235C ..... | 51                 | 826-398C ..... | 45, 49          |
| 800-356C ..... | 33, 49, 73, 75    | 803-043C ..... | 109                | 814-214C ..... | 117                | 826-399C ..... | 25, 27          |
| 800-359C ..... | 7                 | 803-068C ..... | 29, 101, 103,      | 814-215C ..... | 119                | 826-400C ..... | 25, 27          |
| 800-360C ..... | 33                |                | 105, 107           | 814-216C ..... | 117                | 826-403C ..... | 49              |
| 800-363C ..... | 9                 | 803-078C ..... | 17, 43, 49, 99     | 814-217C ..... | 119                | 826-404C ..... | 53              |
| 800-366C ..... | 59, 61            | 803-084C ..... | 25, 27, 33, 37,    | 814-241C ..... | 119                | 826-405C ..... | 49              |
| 801-151C ..... | 37                |                | 39, 49, 61, 65,    | 814-242C ..... | 117                | 826-406C ..... | 53              |
| 801-174C ..... | 21, 33, 37        |                | 97, 101, 103,      | 814-289C ..... | 119                | 826-413C ..... | 43              |
| 801-176C ..... | 109               |                | 105, 107, 127      | 814-290C ..... | 117                | 826-415C ..... | 41              |
| 801-180C ..... | 43, 101, 103,     | 803-086C ..... | 29                 | 815-143C ..... | 9, 11, 13, 35      | 826-416C ..... | 41              |
|                | 105, 107, 109,    | 803-154C ..... | 51                 | 815-144C ..... | 9, 11, 13, 35      | 826-417C ..... | 59, 61, 63      |
|                | 125               | 803-177C ..... | 29, 33, 67, 69,    | 815-146C ..... | 31                 | 826-419C ..... | 59, 61          |
| 801-181C ..... | 39, 43, 115       |                | 71, 115, 125       | 815-147C ..... | 35                 | 826-438C ..... | 49              |
| 801-183C ..... | 69                | 803-209C ..... | 39, 43, 59         | 815-150C ..... | 33                 | 826-444C ..... | 41, 125         |
| 801-193C ..... | 69                | 803-211C ..... | 37                 | 815-151C ..... | 33                 | 826-445C ..... | 41, 125         |
| 801-197C ..... | 125               | 803-220C ..... | 69, 71             | 815-152C ..... | 33                 | 826-454C ..... | 53              |
| 801-198C ..... | 43                | 803-229C ..... | 35, 43             | 815-153C ..... | 37                 | 826-455C ..... | 53              |
| 801-199C ..... | 125               | 803-230C ..... | 99                 | 815-154C ..... | 33                 | 826-463C ..... | 39              |
| 802-004C ..... | 73, 75, 111       | 803-255C ..... | 7, 9, 11, 21, 37,  | 815-155C ..... | 33                 | 826-465C ..... | 39              |
| 802-005C ..... | 73, 125           |                | 51, 53, 73, 75,    | 815-156C ..... | 33                 | 826-474C ..... | 125             |
| 802-010C ..... | 29, 115           |                | 77, 109, 111, 113  | 815-157C ..... | 33                 | 826-475C ..... | 125             |
| 802-017C ..... | 7, 9, 11, 39, 49  | 803-278C ..... | 25, 27             | 815-158C ..... | 33                 | 826-483C ..... | 125             |
| 802-023C ..... | 39                | 803-280C ..... | 13, 17, 25, 27, 35 | 815-163C ..... | 33                 | 831-035C ..... | 73              |
| 802-024C ..... | 43                | 803-281C ..... | 13                 | 815-165C ..... | 37                 | 831-042C ..... | 75              |
| 802-079C ..... | 29                | 803-283C ..... | 25, 27             | 815-167C ..... | 33                 | 833-020C ..... | 87, 91, 93, 95  |
| 802-080C ..... | 21                | 803-293C ..... | 39, 43, 51, 77,    | 815-173C ..... | 33                 | 833-255C ..... | 77, 79          |
| 802-113C ..... | 43                |                | 79, 101, 103,      | 815-174C ..... | 33                 | 833-256C ..... | 77              |
| 802-115C ..... | 39, 49, 97        |                | 105, 107, 115      | 815-175C ..... | 33, 37             | 833-260C ..... | 77              |
| 802-143C ..... | 39, 43            | 803-319C ..... | 23                 | 815-178C ..... | 37                 | 833-267C ..... | 85, 87, 89, 91, |
| 802-257C ..... | 7, 9, 11, 21, 77, | 803-329C ..... | 31                 | 815-186C ..... | 33, 37             |                | 93, 95          |
|                | 79                | 803-332C ..... | 35, 49, 53         | 815-187C ..... | 33                 | 833-268C ..... | 85, 87, 89, 91, |
| 802-282C ..... | 127               | 803-334C ..... | 19                 | 815-190C ..... | 33                 |                | 93, 95          |



## Part Number Index (continued)

| Part Number | Page                      | Part Number | Page           | Part Number | Page                       | Part Number     | Page            |
|-------------|---------------------------|-------------|----------------|-------------|----------------------------|-----------------|-----------------|
| 833-269C    | 85, 87, 89, 91,<br>93, 95 | 839-302C    | 73, 75         | 840-261C    | 29, 107                    | dwg23889        | 79              |
| 833-270C    | 85, 89                    | 839-303C    | 99             | 840-266C    | 125                        | dwg23892        | 17              |
| 833-271C    | 85, 87, 89, 91,<br>93, 95 | 839-309C    | 65, 67         | 840-267C    | 125                        | F1004           | 35              |
| 833-277C    | 77, 79                    | 839-311C    | 65, 67         | 840-268C    | 125                        | F136            | 31              |
| 833-296C    | 77, 79                    | 839-322C    | 71             | 840-315C    | 69                         | F137            | 31              |
| 833-297C    | 89                        | 839-323C    | 65, 67         | 840-315C    | 71                         | F175            | 31              |
| 833-298C    | 85, 87, 89, 91,<br>93, 95 | 839-375C    | 65, 67         | 840-321C    | 17                         | F176            | 31              |
| 833-299C    | 85, 87, 89, 91,<br>93, 95 | 839-376C    | 65, 67         | 840-330C    | 17                         | F177            | 31              |
| 833-300C    | 85, 89                    | 839-377C    | 65, 67         | 9175        | 27                         | F178            | 31              |
| 833-303C    | 77, 79                    | 839-383C    | 69, 71         | 990-132R    | 123                        | F179            | 31              |
| 833-313C    | 85, 89                    | 839-401C    | 69             | 990-133R    | 109                        | F181            | 35              |
| 833-322C    | 115                       | 839-402C    | 69             | 990-227R    | 101, 103, 105,<br>107, 109 | F258            | 31              |
| 833-325C    | 85, 89                    | 839-403C    | 69             | 990-235R    | 109                        | F261            | 31              |
| 833-329C    | 85, 89                    | 840-002C    | 29             | D2041       | 35                         | F609            | 31              |
| 833-330C    | 37                        | 840-064C    | 25, 27         | dwg21147    | 121                        | F610            | 31              |
| 833-331C    | 77                        | 840-065C    | 25, 27         | dwg21159    | 31                         | F621            | 31              |
| 833-333C    | 77                        | 840-072C    | 67             | dwg21207    | 15                         | F622            | 31              |
| 833-335C    | 77                        | 840-079C    | 71             | dwg21209    | 21, 23                     | F763            | 35              |
| 833-336C    | 87, 91, 93, 95            | 840-080C    | 39, 43, 59     | dwg21210    | 19                         | F765            | 35              |
| 833-338C    | 77, 79                    | 840-093C    | 27             | dwg21211    | 101                        | F772            | 35              |
| 833-342C    | 87, 91, 93, 95            | 840-094C    | 65             | dwg21217    | 103                        | F773            | 35              |
| 833-348C    | 77, 79, 83                | 840-096C    | 59, 61         | dwg21219    | 33                         | F774            | 35              |
| 833-349C    | 77, 79, 81                | 840-097C    | 85, 89         | dwg21220    | 25                         | F777            | 31              |
| 838-303C    | 121                       | 840-102C    | 89             | dwg21221    | 35                         | F792            | 31              |
| 838-444C    | 121                       | 840-104C    | 33             | dwg21222    | 55                         | F793            | 31              |
| 838-486C    | 121                       | 840-105C    | 77, 79         | dwg21228    | 89                         | F799            | 35              |
| 838-489C    | 121                       | 840-106C    | 115            | dwg21229    | 49                         | F813            | 35              |
| 838-490C    | 121                       | 840-108C    | 39, 43, 59     | dwg21231    | 59                         | F815            | 35              |
| 838-491C    | 121                       | 840-114C    | 51             | dwg21232    | 45                         | F818            | 35              |
| 838-492C    | 121                       | 840-117C    | 37             | dwg21233    | 37                         | F820            | 35              |
| 838-495C    | 121                       | 840-119C    | 37             | dwg21234    | 85                         | F822            | 35              |
| 838-507C    | 121                       | 840-120C    | 85, 87, 89, 91 | dwg21237    | 63                         | F823            | 35              |
| 838-508C    | 121                       | 840-122C    | 109            | dwg21239    | 71                         | F824            | 35              |
| 838-532C    | 121                       | 840-124C    | 7              | dwg21240    | 43                         | F826            | 35              |
| 838-541C    | 89                        | 840-125C    | 85             | dwg21241    | 41                         | F827            | 31, 35          |
| 838-542C    | 121                       | 840-126C    | 109            | dwg21242    | 65                         | F828            | 31, 35          |
| 838-543C    | 121                       | 840-129C    | 25             | dwg21243    | 53                         | F829            | 35              |
| 838-544C    | 121                       | 840-130C    | 25, 27         | dwg21245    | 73                         | F832            | 35              |
| 838-545C    | 121                       | 840-133C    | 111            | dwg21248    | 67                         | F834            | 35              |
| 838-546C    | 121                       | 840-134C    | 29, 33         | dwg21252    | 109                        | F840            | 35              |
| 838-547C    | 121                       | 840-135C    | 41, 125        | dwg21256    | 99                         | F843            | 35              |
| 838-548C    | 121, 123                  | 840-136C    | 9              | dwg21257    | 115                        | F845            | 35              |
| 838-549C    | 121                       | 840-137C    | 11, 13         | dwg21258    | 97                         | F852            | 31              |
| 838-550C    | 121, 123                  | 840-138C    | 11             | dwg21264    | 29                         | F855            | 31              |
| 838-551C    | 121                       | 840-139C    | 11             | dwg21265    | 77                         | F896            | 35              |
| 838-552C    | 121                       | 840-142C    | 43             | dwg21271    | 111                        | F908            | 31              |
| 838-554C    | 121, 123                  | 840-160C    | 87, 91, 93, 95 | dwg21273    | 113                        | F909            | 31, 35          |
| 838-569C    | 85                        | 840-161C    | 87, 91         | dwg21299    | 75                         | IC-3180         | 51              |
| 838-570C    | 121                       | 840-176C    | 71             | dwg21300    | 7                          | IC-3514         | 51              |
| 838-579C    | 121                       | 840-203C    | 123            | dwg21301    | 51                         | IC-3586         | 51              |
| 838-581C    | 121                       | 840-204C    | 123            | dwg21312    | 127                        | N/A             | 71, 77, 79, 125 |
| 838-596C    | 121                       | 840-205C    | 123            | dwg21313    | 9                          | R100-003M-A0427 | 63              |
| 838-623C    | 87, 91, 93                | 840-206C    | 123            | dwg21314    | 119                        | R100-004M-A0428 | 63              |
| 838-633C    | 95                        | 840-207C    | 123            | dwg21315    | 117                        | R100-8B00-A0471 | 63              |
| 838-644C    | 121                       | 840-208C    | 123            | dwg21317    | 11                         | R100-8B00-A0473 | 63              |
| 838-662C    | 121                       | 840-209C    | 51             | dwg21385    | 91                         | RIN10046        | 71              |
| 838-663C    | 121                       | 840-216C    | 123            | dwg21386    | 87                         | RXR10148        | 71              |
| 838-668C    | 87, 91, 93, 95,<br>121    | 840-217C    | 123            | dwg22117    | 27                         | V7-1C17D8-201   | 51              |
| 838-704C    | 123                       | 840-218C    | 125            | dwg22118    | 69                         |                 |                 |
| 839-122C    | 43                        | 840-226C    | 13             | dwg22226    | 123                        |                 |                 |
| 839-288C    | 77, 79                    | 840-227C    | 13             | dwg22231    | 39                         |                 |                 |
| 839-297C    | 73, 75                    | 840-228C    | 13             | dwg22412    | 107                        |                 |                 |
| 839-298C    | 73                        | 840-229C    | 13             | dwg22413    | 105                        |                 |                 |
| 839-299C    | 75                        | 840-239C    | 125            | dwg22414    | 93                         |                 |                 |
| 839-300C    | 99                        | 840-240C    | 125            | dwg22417    | 95                         |                 |                 |
| 839-301C    | 73                        | 840-241C    | 29, 105        | dwg23791    | 13                         |                 |                 |
|             |                           | 840-248C    | 93, 95         | dwg23821    | 125                        |                 |                 |
|             |                           |             |                | dwg23857    | 83                         |                 |                 |
|             |                           |             |                | dwg23885    | 61                         |                 |                 |
|             |                           |             |                | dwg23886    | 81                         |                 |                 |

***This Page Intentionally Left Blank***



Great Plains Manufacturing, Inc.

Corporate Office: P.O. Box 5060  
Salina, Kansas 67402-5060 USA

[www.landpride.com](http://www.landpride.com)

---