

# :JETI 5024 SOLVENT RTR

### :JETI 5024 Solvent Roll To Roll

The :Jeti 5024 with 24 Spectra print heads is unquestionably the fastest 5.1 m (16'6") grand-format printer on the market today. True 600 dpi (1200 apparent) and 6 colors graphics on the :Jeti 5024 puts it in a class of its own, producing quality that competes with conventional large format inkjet printers at far lesser cost.





#### :JETI 5024 Solvent RTR

The :Jeti 5024 also is available with a backlit option enabling printing on both sides with perfect registration, which allows for brilliant warranted backlit signage. The :Jeti 5024 is also available in a 300 dpi 4 color high speed model achieving between 1108 and 1650 sqft/hr (110 and 160 m<sup>2</sup>/hr) depending on quality requirements for extra large images such as building wraps.

At the forefront of the technological enhancements is the software upgrade, which can detect if any individual nozzle may be misfiring. The software will automatically compensate the saturation, safeguarding the image output. This safe-proof technology is the first of its kind in the grand-format arena.

Also included with the automatic head-capping feature (auto caps in 15 minutes if machine sits) is an automated air vacuum system that eliminates manual head wiping.



	Technical specifications
Options (Extra)	Modular Back-Lit Camera Unit, Rewind (Take Up Unit), Retro Heater
Supported Platforms	Microsoft Windows, Apple Machintosh, Linux
Processors	P4 (3.4 GHz)
Network	10/100/1000 Mbit/sec Ethernet
Protocols	Ethertalk and TCP/IP
Monitor	420mm (17 inch) LCD Flat panel Display
Operator Console	Adjustable shelf with keyboard, mouse and monitor
Input Formats	Adobe Postscript Level 3, Pdf, Jpeg, Tiff, Eps, RGB
Rips	All our printers come with a wide choice of Rips depending on your applications and your existing workflow. Your local representative will inform you in detail
Compressed Air	100 PSI minimum - 150 PSI maximum with a 10 gallon (40 liter tank) 15 cfm peak
Inks	Shelf life is 1 year for Solvent inks Solvent inks will last outdoors 1-3 years depending on location Water based clear top coat varnish is available as a separate application to increase the outdoor life and will add or reduce gloss
Environment	Enclosed dust free room with ambient temperatures ranging from 21°C - 25°C (69°F - 77°F) Relative Humidity 40% to 70% to operate at optimum level (Environment is critical for the printer)
Services	Please contact your local dealer to learn about Agfa Graphics' Global Services Support Network



'n

-



## :JETI 5024 Solvent RTR

#### **Technical specifications**

Technology	Spectra High Performance Piezoelectric Jetting Assembly, quantity 24
Print Resolution	Prints high quality at True 600 dpi 6 color (1200 apparent). Also available in 300 dpi
Media Dimensions	Roll max size: 16'8" (5.1 meter) wide. Max diameter is 12" (30.48 cm) on a 3" (7.62 cm) inside core
Media Types	Reinforced vinyl, pressure sensitive vinyl, canvas, fabrics, mesh and paper
Printing Speeds	Up to 1190,25 sqft/hr (110,55 m²/hr)
Weight	7780 lbs (3496 kg) uncrated Add 3020 lbs (1370 kg) for crating
Printer Dimensions	72"h x 51"w x 290"l (182 cm x 130 cm x 736 cm) Crated dims: 88"h x 74"w x 321"l (224 cm x 188 cm x 816 cm)
Power Consumption	25 KVA (100A)
Electrical Requirements	208V / 240V Single phase, 50/60 Hz



Copyright 2009 by Agfa Graphics N.V. All rights reserved. Printed in Belgium. Agfa and the Agfa Rhombus are registered trade marks of Agfa-Gevaert AG. :Anapurna is trademark of Agfa Graphics N.V. All product specifications are subject to change without prior notice.

NGUAU GB 032010