

# Small Workgroup



So much  
from so little.

**e-STUDIO™ 163**



16



Workgroup



Black & White

3 in 1

Copy / Print / Scan

**TOSHIBA**  
Don't copy. Lead.®



# e-STUDIO™ 163 3 in 1 – Digital Copier, Printer, & Scanner

The e-STUDIO163 is the new compact Digital Copier/Printer/Scanner from Toshiba. This multifunction device is designed for small businesses and workgroups, offering exceptional copying, printing, and scanning in a small business environment. It produces an impressive copy image quality at 16 pages per minute. Ledger-size paper capabilities enhance its versatility. And with the first preventive maintenance at 72,000 impressions, it produces reliable, high-quality output — presentation after presentation.

## FEATURES

### Special Features

- Interrupt
- Energy Saver
- APS/AMS (with Optional ADF)
- Auto Job Start
- Auto Cassette Change
- Auto Sleep Mode
- Manual Exposure Control
- Zoom Ratio 25%–200%
- Coin Controller (Harness Option Required)
- eSort (with Optional 64MB Memory and ADF)
- Scan Once/Print Many
- Access Codes - 99 Codes

### Print/Scan Features

- Standard Printing Windows GDI Printing
- Max. Print Speed 16 PPM
- Standard Scanning TWAIN Scanning
- Software Toshiba Viewer
- Interface USB 2.0
- Operating System Support Windows 98, 2000, Me, XP, Server 2003 (except 64 bit)

### Conformance to Standard

- Environmental ENERGY STAR Compliant
- Safety Standard UL, CSA, CDRH
- Emission/Immunity FCC (IC/Part 15 Class A)

## SPECIFICATIONS

<b>Copying Technology</b>	Digital Copier
<b>Type</b>	Desktop
<b>Copying Resolution</b>	2400 dpi x 600 dpi (with smoothing)
<b>Scanning Resolution</b>	600 dpi
<b>Printing Resolution</b>	600 dpi x 600 dpi
<b>Copying Speed (LT/LG/LD)</b>	16/13/11
<b>Maximum Monthly Volume</b>	20,000 Impressions
<b>First Copy Out Time</b>	7.6 Seconds
<b>Warm-Up Time</b>	25 Seconds
<b>Multiple Copying</b>	1–999
<b>Paper Supply</b>	Standard 250-Sheet Cassette Standard 100-Sheet Bypass Tray Optional 250-Sheet Cassette
<b>Acceptable Paper Size</b>	Cassette 1/2: LT–LD (17–20 lbs. Bond) Bypass Tray: ST-R–LD (17–90 lbs. Index)
<b>Reduction/Enlargement</b>	25% - 200%
<b>Image Density Control</b>	Text/Text–Photo/Photo
<b>Dimensions</b>	23.62" x 25.31" x 18.21" (W x D x H)
<b>Weight</b>	70.1 lbs.
<b>PM Cycle</b>	72,000 Impressions
<b>Drum Yield</b>	72,000 Impressions
<b>Developer Yield</b>	72,000 Impressions
<b>Toner Type</b>	Cartridge
<b>Toner Yield</b>	24,000 Impressions (100% Recyclable)
<b>Power Supply</b>	115 Volts/12 Amps

## OPTIONAL FEATURES

Part Number	Description
KA1640PC	Platen Cover
MR2017	100-Sheet Automatic Document Feeder (ST-R – LD/17 – 33.8 lbs. Bond)
MY1027	250-Sheet Cassette (LT – LD/17 – 20 lbs. Bond)
GC1240	64MB Memory for eSort
GQ1130	Coin Controller Harness



**Corporate Office:** 2 Musick, Irvine, California 92618-1631  
**East Coast:** 959 Route 46 East, 5th Floor, Parsippany, New Jersey 07054  
 Tel: 973/316-2700 Fax: 973/263-2393  
**Midwest:** 8770 W. Bryn Mawr Avenue, Suite 700, Chicago, Illinois 60631  
 Tel: 773/380-6000 Fax: 773/380-8077  
**South:** 4855 Peachtree Industrial Blvd., Suite 210, Norcross, Georgia 30092-3024  
 Tel: 770/209-8540 Fax: 770/209-8556  
**West Coast:** 142 Technology, Suite 150, Irvine, California 92618  
 Tel: 949/462-6262 Fax: 949/462-2700  
**Web Site:** www.copiers.toshiba.com or www.fax.toshiba.com  
 © 2006 Toshiba America Business Solutions, Inc., Electronic Imaging Division  
 e-STUDIO163 Specification Sheet/Inv. Code ES1632

Designs and specifications subject to change without notice. Actual specifications based on engine design and may vary according to usage and environment. For best results and reliable performance always use supplies manufactured or designated by Toshiba. Toner yields are estimates, based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability.

AUTHORIZED TOSHIBA DEALER

**TOSHIBA**  
 COPY • FAX • PRINT