
## 英文

### SYSTEM ACCESSORIES

System: Super bass main box	1pc
Satellite speaker ·····	2pc
Audio connecting cable	1рс
User's manual ······	1рс

### CONNECTION



## SYLVANIA

**MODEL NO.:SHTIB8108** 

# 2.1CHANNEL MULTIMEDIA SPEAKER SYSTEM



## **USER'S MANUAL**

Thank you for purchasing the 2.1 channel multimedia subwoofer speaker, please familiarize yourself thoroughly with this User's Manual so that you fully understand the procedure and functions of the product.

### PERFORMANCE FEATURES

- 1. Built-in amplifier, super bass + satellite speaker circuit design, exquisite sound.
- 2. Long-stroke super woofer unit, powerful bass.
- 3. Broad dynamic and low distortion.
- 4. Stable transformer supply power and low wastage, provide efficient transferring and ensure powerful bass.
- 5. Connect directly with PC, VCD, CD, DVD, TV, etc, for all audio needs.
- 6. Anti-magnet design ensures no disturbance to the PC or TV even when placed next to it.
- 7. Conveniently located, volume control for front, woofer and tweeter.
- 8. Modern style, black shining front panel, keep your desktop looking sharp .

### **OPERATION**

- 1. Please connect the audio cable from satellite speaker to the main box terminal (OUTPUT) according on the polarity, and make sure that you press the terminal connection tightly.
- 2. Connect the signal cable (INPUT) to the main box terminal input. (according to the audio input cap)
- 3. To start the unit, first adjust the knob on the front panel for VOLUME, BASS to the lowest. Then, turn on the power which will be indicated by the light on the unit.
- 4. Play the music as you like, and adjust the volume, bass to your preferred sound quality.

### **SPECIFICATIONS**

P.M.P.O	1200W
Power(R.M.S)	6+3x2W(R.M.S.) (12W)
Woofer Speaker Unit	3"+2.25x2
Impendance	Subwoofer:6Ω
	Satellite:4Ω
Frequency Response	Subwoofer20Hz~50Hz
	Satellite:150Hz~20KHz
Control	Power, Volume
S/N	≥54dB
Sensitvity	540mV
Power	DC: 9\/

### CAUTION


- 1. Don't subject this speaker system to high temperature and wet environment, (E.g. rain, etc)
- 2. Don't open the main box and speaker on your own, if any maintenance is needed, please call a professional maintenance
- 3. In case any liquid drops onto the box, please turn off the power immediately, and call for professional maintenance man.
- 4. Please don't adjust the volume to the maximum or high level while connecting an audio signal so as to avoid damage to the speaker
- 5. Remove the power plug when not in use for long time.

## 法文

#### Les accessoires du système

Système: Super bass main box	1рс
Haut-parleur satellite	2pc
Audio cable conecting	1pc
Le manuel de l'utilisateur	1pc

#### Connexion



## SYLVANIA

**MODEL NO.:SHTIB8108** 

## 2.1 Canaux Multimédia haut-parleur systerm



## Le manuel de l'utilisateur

merci d'avoir acheté 2,1 canal subwoofer multimédia s'il vous plaît de vous familiariser soigneusement avec ce manuel de l'utilisateur afin que vous compreniez bien la procédure et les fonctions du produit

## Caractéristiques de performance

- Built un amplificateur, super satellite conception basse+ circuit haut-parleur, le son exquise.
- 2.long temps woofer superbe, des basses puissantes.
- 3.Broad distorsion dynamique et une faible.
- 4. stable alimentation du transformateur et une faible déperdition, fournissent transfert efficace et assurer des basses puissantes.
- 5. relient directement au PC, VCD, CD, DVD, TV, etc, pour tous les besoins audio.
- 6. conception anti-aimant permet pas de perturbation sur le PC ou la télévision, même lorsqu'il est placé à côté de lui.
- 7.conveniently situé, contrôle du volume pour l'avant, woofer et tweeter.
- 8. style moderne, panneau avant noir brillant, gardez votre bureau en regardant pointu.

### Opération

- 1.please connecter le câble du haut-parleur aduio stellite à la borne de la boîte principale (sortie) en fonction de la polarité, et assurez-vous que vous appuyez sur la connexion de borne.
- 2.Raccordez le câble de signal (entrée) à l'entrée de borne de la boîte principale. (Selon le bouchon d'entrée audio).
- 3. pour démarrer l'appareil, d'abord régler le bouton sur le panneau avant pour le volume, basse à la plus basse, puis, allumez l'appareil qui sera indiqué par la lumière de l'appareil.
- 4. jouer la musique que vous aimez, et régler le volume, les basses à votre qualité sonore préférée.

## caractéristiques

Puissance (R.M.S) 6 +3 * 2W (r.m.s) (12W)
Woofer haut-parleurUnité 3 "+2.25 * 2
Impédance Subwoofer: $6\Omega$ Satellite: $4\Omega$
Réponse en fréquence Subwoofer: 20Hz-50Hz
Satellite: 150Hz-20KHz
Contrôle puissance, le volume
S/N≥54dB
SENSIBILITE 540mV
Puissance 9V

## Attention

- 1.Do pas soumettre ce système d'enceintes à haute température et à l'environnement humide, (pluie, etc).
- 2.Do ne pas ouvrir la boîte principale et haut-parleur de votre propre chef, si aucun entretien n'est nécessaire, veuillez communiquer avec un préposé à l'entretien professionnel.
- 4. S'il vous plaît ne pas régler le volume au niveau maxumum ou élevé lors de la connexion d'un signal audio de façon à éviter d'endommager le haut-parleur.
- Retirer le cordon d'alimentation lorsqu'il n'est pas utilisé pendant longtemps.