


JUMP KING®

OUTDOOR PRODUCTS



Model JT714, JT612, JT510 Rectangle Trampoline User's Manual

**ASSEMBLY, SAFETY, CARE AND MAINTENANCE, PLACEMENT,
USE, AND INSTRUCTIONAL MATERIALS ENCLOSED.**
READ THIS MANUAL AND ALL MATERIALS FURNISHED WITH THE TRAMPOLINE
THOROUGHLY BEFORE ASSEMBLING OR ALLOWING ANY PERSON TO USE THE
TRAMPOLINE. RETAIN THIS MANUAL FOR FUTURE REFERENCE.



WARNING



Do not land on head or neck.

Paralysis or death can result,
even if you land in the middle
of the trampoline mat (bed).

To reduce the chance of
landing on your head or neck,
do not do somersaults (flips).



Only one person at a time on
the trampoline.

Multiple jumpers increase the
chances of loss of control,
collision, and falling
off.

This can result in broken
head, neck, back, or leg.

Table of Contents

Content	Page
Warranty Information	3
Before You Begin	4
Trampoline Safety Information	5
Accident Classification	5
Methods of Accident Prevention	5
Trampoline Safety Instructions	6
Use and Instructional Material	7
Overview of Trampoline Use	7
Instruction Program - Model Lessons	8
Basic Trampoline Skills	9
Placement and Assembly Instructions	13
Special Considerations - Moving, Wind	16
Care and Maintenance	17
Ordering Replacement Parts	17
Exploded Drawing and Parts List	18
Order Form	19

READ THIS MANUAL

All Jumpking trampolines come equipped with important information regarding proper assembly, usage and safety procedures. This information must be read by all supervisors and trampoline users before allowing any person to jump on a trampoline.

WARRANTY INFORMATION

Jumpking, Inc. Limited Trampoline Warranty

Jumpking, Inc. (Jumpking) warrants its trampoline products to be free from defects in material and workmanship under normal use and service conditions. The various component parts of the trampoline are warranted against defects and workmanship as follows:

- A. Steel frame - ten (10) years;
- B. Sewing on stitched jumping mat (bed) - two (2) years;
- C. Stitched or stitchless jumping mat (bed) is warranted one hundred percent (100%) the first year, fifty percent (50%) for the second year, thirty-five percent (35%) for the third year, twenty percent (20%) for the fourth year, and ten percent (10%) during the fifth year;
- D. Frame pads and springs - six (6) months.

All warranty coverage extends only to the original retail purchaser from the date of purchase. Jumpking's obligation under this Warranty is limited to replacing or repairing, at Jumpking's option, the product at one of its authorized service centers. All products for which a warranty claim is made must be received by Jumpking at one of its authorized service centers, freight prepaid, and accompanied by sufficient proof of purchase. All returns must be preauthorized by Jumpking. Preauthorization may be obtained by calling Jumpking's Customer Service Department at 800/322-2211, or 972/271-5867. This Warranty does not extend to any product or damage to a product caused by or attributable to freight damage, abuse, misuse, improper or abnormal usage, or repairs not provided by a Jumpking authorized service center or for products used for commercial or rental purposes. No other Warranty beyond that specifically set forth above is authorized by Jumpking.

JUMPKING IS NOT RESPONSIBLE OR LIABLE FOR INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE PRODUCT OR OTHER DAMAGES WITH RESPECT TO ANY ECONOMIC LOSS, LOSS OF PROPERTY, LOSS OF REVENUE OR PROFITS, LOSS OF ENJOYMENT OR USE, COST OF REMOVAL, INSTALLATION OR OTHER CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. ACCORDINGLY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

THE WARRANTY EXTENDED HEREUNDER IS IN LIEU OF ALL OTHER WARRANTIES AND ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED IN ITS SCOPE AND DURATION TO THE TERMS SET FORTH HEREIN. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS. ACCORDINGLY, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

This warranty gives you specific legal rights. You may also have other rights which vary from state to state.




Copyright © 4/95 Jumpking, Inc.

BEFORE YOU BEGIN

Thank you for selecting a Jumping Trampoline.
The Jumping Trampoline is designed and crafted to provide you and your family with many years of fun and fitness.

For your benefit and safety, read this manual carefully before using this trampoline. Refer to page 18 for a description and assembly location of trampoline parts and accessories that are described in this manual. If you have additional questions, please call our Customer Service Department, toll-free, at 1-800-322-2211, Monday through Friday, 8 a.m. until 5 p.m. Central Time (excluding holidays).

Read the warning information on this page and fill out the attached warranty card. Mail the card to JUMPKING. No postage is required.

 WARNING	
	<p>Do not land on head or neck.</p> <p>Paralysis or death can result, even if you land in the middle of the trampoline mat (bed).</p> <p>To reduce the chance of landing on your head or neck, do not do somersaults (flips).</p>
	<p>Only one person at a time on the trampoline.</p> <p>Multiple jumpers increase the chances of loss of control, collision, and falling off.</p> <p>This can result in broken head, neck, back, or leg.</p>

Misuse and abuse of this trampoline is dangerous and can cause serious injuries.

Trampolines are **rebounding** devices which **propel** the performer to **unaccustomed** heights, and into a variety of body movements. Rebounding off of the trampoline, striking the frame or springs, or improperly landing on the trampoline mat (bed) may cause injury.

Read all instructions thoroughly before using this trampoline, or allowing its use by any person.

Inspect the trampoline before each use, and replace any worn, defective or missing parts.

All purchasers and all persons using the trampoline must become **familiar** with the manufacturer's recommendations for the proper assembly, use and care of the trampoline. Each user must also be alert to his or her own limitations in the execution of trampoline skills. Assembly instructions, selected precautions, recommended instructional techniques and progressions, and suggestions for the care and maintenance of the trampoline are included in this user's manual to promote safe, enjoyable use of this equipment.

It is the **responsibility** of the owner or trampoline supervisor to **insure** that all users of this trampoline are adequately informed of all warnings and safety instructions.

TRAMPOLINE SAFETY INFORMATION

Need for Trampoline Safety

In trampoline use, as with all active recreational sports, participants can be injured. There are steps you can take to reduce the risk of injury. In this section (continued on the next page), the primary accident patterns have been identified and the responsibilities of the supervisors and the jumpers in accident prevention are described.

Accident Classification

Somersaults (flips): Landing on your head or neck, even in the middle of a trampoline mat (bed), increases the risk of a broken back or neck, which can result in paralysis or death. Such events can occur when a jumper makes an error trying to perform a forward or backward somersault (flip). Do not do somersaults (flips) on this backyard trampoline.

Multiple Jumpers: More than one jumper on the trampoline increases the chance of someone becoming injured by losing control of their jump. Jumpers may collide with one another, fall off the trampoline, fall on or through the springs, or land incorrectly on the mat (bed). The lightest weight jumper is the most likely to be injured.

Mounting and Dismounting: The trampoline mat (bed) is several feet from ground level. Jumping off the trampoline to the ground or any other surface may result in injury. Jumping onto the trampoline from a roof, deck, or other object also represents a risk of injury. Smaller children may need assistance getting up on or down from the trampoline. Climb carefully on and off the trampoline. Do not step onto the springs or the frame pad. Do not grasp the frame pad to pull yourself onto the trampoline.

Striking Frame or Springs: Injury may result from encountering the frame or falling through the springs while jumping or getting on or off the trampoline. Stay in the center of the trampoline mat (bed) when jumping. Be sure to keep the frame pad in place to cover the frame. The frame pad is not designed nor intended to support the weight of the trampoline user. Do not step or jump directly onto the frame pad.

Loss of Control: Jumpers who lose control of their jump may land on the mat (bed) incorrectly, land on the frame or springs, or fall off the trampoline. A controlled jump is one where the landing is in the same spot as the take off. Before learning a more difficult maneuver, the preceding one should be performed consistently under control. Attempting a maneuver beyond present skill levels increases the chance of loss of control. To regain control and stop your jump, bend your knees sharply when you land.

Alcohol or Drug Use: The chance of injury increases when a jumper has consumed alcohol or taken drugs. These substances impair a person's reaction time, judgment, and physical coordination.

Encountering Objects: Use of a trampoline while other people, pets, or objects are underneath it will increase the chance of injury. Jumping while holding or having an object on the trampoline, particularly one that is sharp or breakable, will increase the chance of injury. Placing a trampoline too close to overhead electrical wires, tree limbs, or other obstructions can increase the chance of injury.

Poor Maintenance of Trampoline: Jumpers may be injured if a trampoline is used when it is in poor condition. A torn mat (bed), bent frame, broken spring, or a missing frame pad, for example should be replaced before anyone is allowed to jump. Inspect the trampoline before each use.

Weather Conditions: A wet trampoline mat (bed) is too slippery for safe jumping. Gusty or severe winds can cause jumpers to lose control. To reduce the chance of injury, use the trampoline only under appropriate weather conditions.

Limiting Access: To prevent access to the trampoline by unsupervised small children the access ladder should always be removed and stored in a secure location when the trampoline is not in use.

Methods of Accident Prevention


Jumper's Role in Preventing Accidents: Education on the part of the user is a must for safety. Users must first learn a, low controlled bounce and then learn the basic landing positions and combinations before proceeding to intermediate skills. Jumpers must understand why they have to master "control" before they can start thinking about other moves. Understanding the proper progression of skills in jumping on a trampoline must be the first lesson. Review the user's manual to learn about the basic techniques for using the trampoline. Follow the rules on the placard that presents Trampoline Safety Instructions. For further information or additional instructional materials, contact a certified trampoline instructor.

Supervisor's Role in Preventing Accidents: It is the responsibility of the supervisors of trampoline users to provide knowledgeable and mature supervision. They need to know and enforce all the rules and warnings set forth in this manual in order to minimize the likelihood of accidents and injuries and to inform users of these rules. During periods of time when supervision is unavailable or inadequate, this may require that the trampoline be disassembled, placed in a secure area, or otherwise secured against unauthorized use. Another option which may be considered is covering the trampoline with a heavy tarp, which can be secured with locks and chains. It is the responsibility of the supervisor to be sure that the placard with the Trampoline Safety Instructions is kept posted on the trampoline and that jumpers are informed about these instructions.

TRAMPOLINE SAFETY INSTRUCTIONS



WARNING



Do not land on head or neck.

Paralysis or death can result, even if you land in the middle of the trampoline mat (bed).

To reduce the chance of landing on your head or neck, do not do somersaults (flips).



Only one person at a time on the trampoline.

Multiple jumpers increase the chances of loss of control, collision, and falling off.

This can result in broken head, neck, back, or leg.

For the Supervisor

Enforce all of the safety rules and be familiar with the information in the User's Manual to help new users learn basic jumps and all users to follow trampoline safety.

All trampoline users must have someone watch them, regardless of the skill or age of the jumper.

This trampoline is not recommended for use by children under 6 years of age.

Use only when the trampoline mat (bed) is clean and dry. A worn or damaged mat (bed) should be replaced immediately.

Keep objects away that could interfere with the jumper.

Secure the trampoline against unauthorized and unsupervised use.

For the Jumper

Do not use the trampoline when under the influence of drugs or alcohol.

Jumping

Learn fundamental jumps and body positions thoroughly before trying more advanced skills. Review the User's Manual to learn about how to do basic jumps.

Stop your bounce by flexing your knees as your feet come in contact with the trampoline mat (bed).

Avoid jumping too high or for too long. Always control your jump. A controlled jump is one where the take off and landing spots are the same.

Focus your eyes on the trampoline mat (bed). Failure to do so may result in a loss of balance and control.

Take turns jumping one at a time, and always have someone watch you.

Getting on and off

Climb on and off the trampoline. Do not jump on or off. Do not use the trampoline as a springboard to other objects.

For further information or additional instructional materials, contact a certified trampoline instructor.

Use and Instructional Material

Overview of Trampoline Use

The first periods of trampoline use should focus on learning **fundamental body positions** and practicing the **eight basic bounces** that are described in this manual.

During this learning period, jumpers should **practice these basic techniques and perfect them**. **Braking, or checking the bounce**, should be taught first and stressed as a safety measure. Jumpers should brake their jump whenever they start to lose balance or control. This is done by simply **flexing the knees sharply** upon landing and absorbing the upward thrust of the mat (bed). This enables the jumper to stop suddenly and avoid losing control.

In trampoline use, the **take-off point and landing point of a good, controlled jump is on the same spot**. An exercise is considered learned only when a jumper is able to perform it consistently. Jumpers should never proceed to any advanced step until they can perform all previous techniques consistently.

Allow each jumper a **brief turn on the trampoline**. Extended bouncing exposes an over tired user to an increased risk of injury. Longer turns tend to lessen the interest of others waiting to jump.

Wearing apparel should consist of T-shirt, shorts and regulation gymnastic shoes, heavy socks, or jumpers may be barefoot. **Beginning jumpers** may wish to wear loose fitting protective clothing such as a **long sleeve shirt and pants** until correct landings are mastered. This will reduce the chance of mat (bed) burns from improper landings on elbows and knees. No hard sole shoes should be worn as they cause excessive wear on the trampoline mat (bed).

Mounting and dismounting properly should be a strict rule from the very beginning. Users climb onto the trampoline by placing their hands on the frame and stepping or rolling up onto the frame, across the springs, and onto the mat (bed). Do not step directly on the frame pad or grasp the frame pad when mounting or dismounting the trampoline. Users should always place their hands on the frame while mounting or dismounting. To dismount, jumpers should walk to the side of the mat (bed), bend over and place one hand on the frame, then step from the mat to the ground. If you have installed the optional ladder, then its rungs can be used to mount or dismount. Always face the ladder and always place your hands on the frame. Make sure your foot has secure contact with the ladder rung when using it.

Reckless bouncing should not be permitted. All skills should be learned at **moderate heights**. Control rather than height, should be emphasized. Jumpers should be **forbidden to practice alone** and unsupervised.

Instruction Program - Model Lessons

The following lessons are suggested as examples of instructional procedure. They should follow a complete discussion and demonstration of body mechanics between the supervisor and the student(s).

LESSON No. 1

1. Mounting and dismounting.
Demonstration and practice of proper techniques.
2. Fundamental bouncing.
Demonstration and practice.
3. Braking (checking bounce).
Demonstration and practice, braking on command.
4. Hands and knees.
Demonstration and practice, stressing four-point landing and alignment.

LESSON No. 2

1. Review and practice of techniques.
2. Knee bounce.
Half twist to right, to left, to feet, to knees.
3. Seat-drop.
Repeat in swing.
Half twist to feet.
Seat-drop, knees, hands and knees; repeat.

LESSON No. 3

1. Review and practice of skills previously learned.
2. Front-drop.
To save time and avoid mat burns, all members of the class should be requested to assume the front-drop position on the floor while the instructor checks for faults. Suggested progression: From hands and knees bounce, the body is extended for the landing in front drop position, and the rebound is made to feet.
3. Practice routine; hands and knees, front-drop, feet, seat-drop, half twist to feet.

LESSON NO. 4

1. Review and practice of learned skills.
2. Back-drop.
Demonstration, accenting the forward thrust of the hips by arching body as one leg is brought forward from standing (not bouncing) position, and the drop to the back is made with chin held forward to chest, eyes forward on trampoline frame. Spotting this skill is most important. Demonstration of back-drop with low bounce and practice on both techniques.

LESSON NO. 5

1. Review of all skills learned, encouraging original routines based upon them.
2. Half turntable.
Start from front drop position and push left or right with hands.
Turn head and shoulders in same direction. Keep back parallel to mat and head up. After completing 1/2 turn land in front drop position.

LESSON NO. 6

1. Swivel-hips.
Suggested progression:
Seat-drop, feet, half twist; repeat.
Seat-drop, half twist to feet; repeat.
Seat drop, half twist to seat drop.
2. Half turntable.

LESSON NO. 7

The student should now be encouraged to design and organize routines with emphasis on good form. The instructor may judge or grade the students and arrange groupings for further instruction accordingly.


To stimulate interest in competition, the game of "Trampoline Horse" may be introduced. It is played in the following manner: The students number off and No. 1 performs a stunt. No. 2 mounts the trampoline and performs the same stunt and adds another one. No. 3 mounts and does stunts 1 and 2 and adds another one himself. Thus, it becomes a continually lengthening series of stunts in routine. The first person who misses a stunt in the series assumes the letter "H," and starts the series over again with the first stunt. If a person misses again, he accumulates "O" and the first one to accumulate H-O-R-S-E is eliminated from the game. The last remaining contestant is the winner.

Lesson planning from this point should be facilitated by contacting a certified trampoline instructor.

BASIC TRAMPOLINE SKILLS


FUNDAMENTAL BOUNCE

1. Start from standing position with head erect and eyes on mat.
2. Swing arms forward and up in a circular motion.
3. Bring feet together and point toes downward while in the air.
4. Keep feet about 15 inches apart when landing on mat.





HAND AND KNEE DROP

1. Start from erect position keeping eyes on mat.
2. Land on mat on hands and knees.
3. Push with hands and come back up to erect position.




KNEE DROP

1. Start from low bounce.
2. Land on knees keeping back straight and body erect.
3. Come back up to erect position.



SEAT DROP

1. Land in a flat sitting position.
2. Place hands on mat beside hips.
3. Push with hands when returning to erect position.




FRONT DROP

1. Start from low bounce and land on mat in prone position.
2. Keep head up and arms extended forward on mat.
3. Push with arms to return to standing position.

BACK DROP

1. Start with low bounce and land on back.
2. Keep chin forward on chest during landing.
3. Kick forward and up with legs when returning to erect position.




HALF TURNTABLE

1. Start from front drop position and push left or right with hands.
2. Keep head and shoulders in same direction.
3. Keep back parallel to mat and head up.
4. After completing 1/2 turn, land in front drop position.



SWIVEL HIPS

1. Start with seat drop.
2. Turn head and throw arms up and to left or right.
3. Hips turn in same direction completing twist.
4. Land in seat drop position.



TRAMPOLINE PLACEMENT

A minimum of 24 feet (7.3 meters) of **overhead clearance** is required. Adequate **horizontal clearance** must be maintained from objects and possible hazards including electric power wiring, tree limbs, recreational structures (swing-sets, swimming pools), and fences.

The trampoline must be placed on a **level surface** before use.

The trampoline must always be used in a **well-lighted area**.

There must be **no obstructions** beneath the trampoline.

Do not place the trampoline near any other **recreational devices or structures** such as a swimming pool or swing-set.

ASSEMBLY INSTRUCTIONS

This trampoline does not require any tools to assemble. It can easily be disassembled for compact and convenient storage during periods of nonuse. Read the assembly instructions before beginning assembling the trampoline.

Before assembling:

The assembly instructions reference parts by name and by part number. Please refer to Page 18 for part descriptions and numbers.

Make sure that all parts listed in the parts list are included.

Refer to page 17 for instructions on how to obtain missing parts.

Use **gloves to protect your hands** from pinch points during assembly and disassembly.

ASSEMBLY STEPS

Read through all assembly steps carefully before beginning the assembly process. Refer to drawings for clarification.

Step 1:

No additional tools are required for assembly. Use gloves during the assembly procedure.

Lay out all frame sections in a rectangle (See Fig. 1).

The frame consists of 3 main components (4 components for the JT714):

Please refer to page 18 for parts numbers.




FIGURE 1

Step 2:

2A - Slide the leg base ends into the sockets on the side rails.

2B - Then slide the end rails onto the side rails.

For model JT714 only:

2C - Attach leg/end braces into the sockets on the top rail and leg brace (at C figure 2).

2D - You will need four (4) springs for this assembly phase. At each leg brace attach a spring to the spring retainer on the leg brace and to a retainer (hook point) on the end rail. The tension spring must be tight, not loose (at D figure 2).

This is now called the **FRAME ASSEMBLY**




FIGURE 2

Step 3:

Lay out the trampoline mat (bed) on the ground in the center of the frame assembly.

The springs attach to the "V" bar(s) on the mat (bed) and the spring retainer(s) that are welded to the inside of the upper frame (see Fig. 3A).

When attaching springs from the mat (bed) to the frame, use a spring as a pull tool. This is done by hooking the pull tool onto the hook of the spring you are attaching to the frame and pulling the spring to the frame (see Fig. 3B).

Initially attach 2 springs at each corner. Attach one to the side rail and one to the end rail (see Fig. 3C).




FIGURE 3

Step 4:

Attach the rest of the springs by using the following sequence:

Attach 2 springs at the center of each side.

Then add several springs to each side of these - moving around the perimeter of the trampoline. When attaching springs you should attach the same number of springs on the ends and sides; alternating to keep an even tension on the springs. You should be installing from the center to the corners (see Fig 4).




FIGURE 4

Step 5:

Attach the frame pads to the frame by hooking the clip under the the spring retainer on the frame and then pressing the tubular clip down (firmly) over the top tubing portion of the frame (see Fig. 5).

CAUTION: Use of this trampoline is not recommended without the frame pad, which is designed to reduce the likelihood of injury to the user from coming into contact with the frame of the trampoline. **If you do not have a frame pad,** contact your Jumpking dealer or Jumpking.




FIGURE 5

Step 6:

Now attach the safety instruction placard using the enclosed tie wrap. Place it at the point where you will normally mount the trampoline. The tie wrap should go around a vertical frame joint and a top rail to keep it from moving laterally (See Figure 6).

Step 7:

Access ladder (optional part) - Hook the ladder over a side rail at mid-trampoline. This should be the normal access point. Do not access the trampoline from the end. When the trampoline is not in use, remove the ladder and store in a secure location (See Figure 6).




FIGURE 6

Step 8:

Weather Cover (optional part) - This cover should be placed over the bed and frame pad. Use the attached tie-down straps to secure the cover to the frame.

ASSEMBLY IS NOW COMPLETE.

Make sure that all parts are securely assembled. Familiarize yourself and all users of the trampoline with the care and maintenance instructions, use and instructional materials, and warranty and safety precautions contained in this manual before using the trampoline.

DISASSEMBLY

To disassemble, follow the assembly steps in reverse order. Do not attempt to disassemble any frame components before the mat (bed) and springs have been removed.

MOVING the TRAMPOLINE

If you need to periodically move your trampoline it should be moved by at least two people, kept horizontal, and lifted slightly. Disassemble the trampoline for any other type movement.

**Jumpking has an accessory Tie Down Kit -
see page 18 and 17 for model number and how to order**

SPECIAL CONSIDERATIONS WIND

It is possible for the trampoline to be blown about by a high wind. If you anticipate high winds, the trampoline should be moved to a sheltered location, disassembled, or the round outside portion (top frame) should be tied to the ground using rope and stakes. At least **four tie-downs** should be used (at each corner). Do not simply secure the legs to the ground, as they can pull out of the frame sockets.

CARE AND MAINTENANCE

CARE

Do not allow family **pets** on the trampoline, as claws may snag and pull the mat (bed) material or damage the frame pad.

The trampoline is intended to be used by **one person at a time**. The user should be either barefoot, in socks, or wearing gymnastic shoes. Street shoes or tennis shoes should not be worn on the trampoline. The user should remove all sharp objects from their person which may cause injury or damage to the trampoline mat (bed). Heavy, sharp or pointed hard objects should not contact the mat (bed) surface.

MAINTENANCE

Your trampoline is manufactured using quality materials and is finely crafted to provide you and your family with many years of enjoyment and exercise. Proper maintenance and care will help to prolong the life of the trampoline and reduce the possibility of injury. The following guidelines should always be observed.

Inspect the trampoline before each use, and replace any worn, defective or missing parts. If any rust is seen on the frame - it should be removed and repainted with a good quality rust preventing paint. The following conditions present potential hazards and increase the danger of personal injury:

- a. Punctures, holes or tears in the trampoline mat (bed).
- b. Deterioration in any stitching of the mat (bed).
- c. Bent or broken frame or legs.
- d. Broken or missing springs.
- e. Missing or insecurely attached frame pad.
- f. Sagging jumping mat (bed).
- g. Sharp protrusions on the frame or suspension system.


IF ANY OF THESE CONDITIONS EXIST, THE TRAMPOLINE SHOULD BE DISASSEMBLED OR OTHERWISE PROTECTED AGAINST USE UNTIL THE CONDITION IS REMEDIED.

ORDERING REPLACEMENT PARTS

Replacement parts can be ordered by calling our Customer Service Department, toll-free, at 800/322-2211, or 972/271-5867 Monday through Friday, 8 a.m. until 5 p.m. Central Time (excluding holidays). An order form is provided on page 19. When ordering parts, please be prepared to give the following information:

1. The **NAME** and **MODEL NUMBER** OF THE PRODUCT (Jumping trampoline).
2. The **PART NUMBER** (from page 18).
3. The **DESCRIPTION** of the part (from page 18).
4. **Quantity** needed.

Exploded Drawing for Model JT714, JT612, JT510 Trampolines



Part Description	Trampoline Model - Part Number/(Number Required)			Drawing Number
	JT714	JT612	JT510	
Frame side rail	JT714SR/(2)	JT612SR/(2)	JT510SR/(2)	1
Frame end rail	JT714E/(2)	JT612E/(2)	JT510E/(2)	2
Frame leg base	JT714L/(2)	JT612L/(2)	JT510L/(2)	3
Frame leg/erd brace	JT714LB/(4)			4
8 1/2" painted springs	JT714S/(104)	JT612S/(88)	JT510S/(68)	5
Single 8 1/2" painted spring	JS1	JS1	JS1	5
7'x14" stitched bed 6'x12" stitched bed 5'x10" stitched bed	JT714B	JT612B	JT510B	6 6 6
Standard frame pad Wide frame pad	JT714P JT714PW	JT612P JT612PW	JT510P JT510PW	not shown not shown
Weather cover	JT714WC	JT612WC	JT510WC	not shown
Ladder - 3 step	JTL3	JTL3	JTL3	see page 16
Tie down kit	JKTRTD	JKTRTD	JKTRTD	not shown

ORDER FORM

Name _____

Street _____

City _____ State _____ Zip _____

Home Phone # () _____

Business Phone # () _____

Ship To: (If different from above) Physical address: We cannot ship to P.O. Box

Name _____

Street _____

City _____ State _____ Zip _____

Home Phone # () _____

FOR ANY PART WE MUST HAVE THE FOLLOWING:

Physical Frame Diameter of Trampoline

Physical Total Spring Count of Trampoline

QUANTITY	MODEL	DESCRIPTION	UNIT COST	COST
Total From Above				\$
Tax (Texas Only - 8.25%)				
Add Handling Charge				\$5.00
UPS Freight Charge				
TOTAL				

Mail To: **Jumpking, Inc.**
 901 W. Miller Road.
 Garland, TX 75041

OR

Fax Order With Credit Card Number
TO: (972) 494-2726

Method of Payment:(No C.O.D.'s)

Master Card/Visa # _____ Expiration Date _____

DISCOVER # _____ Expiration Date _____

Cashier's Check or Money Order (Driver's License # _____)

Upon Processing Your Order We Will Send an Acknowledgement. If You Have Not Received Your Merchandise Within 30 Days Feel Free To call Us at 800/322-2211 EXT 7272.



Jumpking, Inc.
901 W. Miller Road
Dallas/Garland, Texas 75041
800/322-2211, 972/271-5867

As a manufacturer, we are committed to providing you complete customer satisfaction. If you have questions about this product, or find there are missing or damaged parts, we guarantee you complete satisfaction through direct assistance from our factory. TO AVOID UNNECESSARY DELAYS, PLEASE CALL DIRECT TO OUR TOLL-FREE CUSTOMER "HOT LINE". Let the trained technicians on our Customer "Hot Line" provide immediate assistance, free of charge to you. Customer "Hot Line": 800/322-2211, or 972/271-5867 Monday-Friday, 8 a.m. - 5 p.m. CST (excluding holidays).