

APM CO., LTD



Product Overview

AQ-500h is an all-in-one product specially designed for Hotspot and SMB (small & medium business) environment. It integrates "access control" and "traffic control" into one system to fulfill the needs in Hotspot. AQ-500h incorporates "convenience", "efficiency", "friendly" and other useful characteristics for services. No matter to deploy it in a restaurant, airport VIP lounge or coffee shop, business service center, conference room environment, AQ-500h can immediately achieve compatibility with the current network configurations, making it the ideal choice .

Software Specifications

Networking

- 1. PPPoE, DHCP, Fixed IP mode support for WAN interface
- 2. DHCP, Fixed IP support for LAN clients
- 3. NAT and Transparent mode for all interfaces
- 4. Unrestricted number of clients (Full range of IPv4)
- 5. Fully configurable IP ranges: DHCP (Fixed by MAC or Dynamic), PPPoE
- 6. Dynamic DNS Support
- 7. DHCP RELAY

Firewall Security

- 1. Packet filtering
- 2. Denial of service (DoS) protection
- 3. Virtual server management
- 4. TCP and UDP session control
- 5. Quality of service
- 6. Traffic control
- 7. Highly configurable connection based security policy
- 8. Real time alerting and logging of malicious attacks and scans
- 9. Web URL Filter
- 10. Web Content Filter
- 11. Application Filter (Bit Torrent, MSN Messenger, etc.)
- 12. Detailed log analysis via GUI



APM CO., LTD

AAA RADIUS Control

- 1. Authentication, Authorization, Accounting control
- 2. Supports up to 500 concurrent users
- 3. Supports up to 2500 local accounts
- 4. Supports 2000 on-demand accounts
- Simultaneous support for multiple authentication methods (Local and on-demand accounts, RADIUS)
- 6. Role-based and policy-based access control (per-role assignments based on Firewall Policies, Routing, Login Schedule, Bandwidth, Quota, and Session time)
- 7. User Session Management:
- (1) SSL protected login portal page
- (2) Supports multiple logins with one single account
- (3) Session idle timer
- (4) Session/account expiration control
- (5) Friendly notification email to provide a quick hyperlink to login portal page
- (6) Windows domain single sign on
- (7) Configurable login time frame

Accounting and Billing

- 1. Provides built-in billing profiles for on-demand accounts
- 2. Enable session expiration control for on-demand accounts by time and data volume
- 3. Provides billing report on screen for on-demand accounts
- 4. Detailed per-user traffic history based on time and data volume for both local and on-demand accounts
- 5. Provides traffic history report in an automatic email to administrator

Management

- 1. Friendly Web Based GUI
- 2. Automatic Time Synchronization
- 3. Online firmware update
- 4. Remote logging
- 5. Searchable Logs
- 6. Customizable Logging System (Firewall, DoS, Login)




APM CO., LTD

High Availability

- 1. Dual WAN auto failover
- 2. Dual WAN load balance

Application Diagram



Hardware Specifications

Ports (10/100Mbps RJ45)	WAN: 2 ports, LAN: 8 ports
Console Ports	1 port
Storage	8 MB
Memory	128 MB
Power	110 – 220V AC Power
LEDs	Power/Status, WAN1 , WAN2 , LAN1 – LAN 8
Dimension (mm)	243(W)x150(D)x45.5(H)