

Philips  
DVI cable

5 m

SWV6367



## Enjoy the ultimate viewing experience

with this premium video cable

Take your components to optimum performance. This top of the line cable offers the best connection for transferring video signals between components.

### Enjoy better picture quality

- 24 carat gold-plated connectors optimize signal
- 99.97% Oxygen-Free Copper (OFC)
- High-bandwidth Digital Content Protection

### Protects against signal loss

- 100% aluminum shielding
- Oxygen-free copper conductor for ideal signal transfer
- Copper braided shielding
- Foam Polyethylene (FPE) Dielectric

### Easy installation

- Plug and play for easy use

### Enjoy extended durability

- Super pliable jackets for outstanding flexibility

**PHILIPS**  
sense and simplicity

DVI cable  
5 m

## Specifications

### Packaging Data

- Quantity: 1
- EAN/UPC/GTIN: 87 10895 95431 0
- Gross weight: .69 kg
- Tare weight: .13 kg
- Net weight: .56 kg
- Length: 285 mm
- Width: 200 mm
- Height: 90 mm

### Inner Carton

- EAN/UPC/GTIN: 87 10895 97693 0
- Quantity: 2
- Gross weight: 1.72 kg
- Tare weight: .6 kg

- Net weight: 1.12 kg
- Length: 315 mm
- Width: 150 mm
- Height: 210 mm

### Outer Carton

- EAN/UPC/GTIN: 87 10895 97694 7
- Quantity: 4
- Gross weight: 4.08 kg
- Tare weight: 1.84 kg
- Net weight: 2.24 kg
- Length: 330 mm
- Width: 325 mm
- Height: 235 mm

SWV6367/93

## Product highlights

### 24 carat gold-plated connector

24 carat gold-plated connectors ensure the best signal quality for your components.

### 100% aluminum shielding

This protective layer of aluminum guards against electromagnetic interference for improved signal quality.

### Copper braided shielding

This protective layer of copper blocks radio frequency interference for improved signal quality.

### 99.97% OFC solid conductor

99.97% Oxygen-free copper (OFC) cable core provides optimum signal quality.

### HDCP Compliant

High-bandwidth Digital Content Protection (HDCP) allows you to play protected content media such as movies and concerts. It checks the signal to prevent piracy, allowing only legal copies of content to display.

### FPE Dielectric

Foam Polyethylene (FPE) dielectric is a superior insulation material that protects against signal loss.

### Super pliable jackets

Super pliable PVC jackets are abrasion-resistant for outstanding flexibility and protection against everyday wear and tear.

### Plug and play

Plug and play offers easy installation of components without time-consuming installations.



Issue date 2008-09-11

Version: 4.0.7

12 NC: 9082 100 07603  
EAN: 87 10895 95431 0

© 2008 Koninklijke Philips Electronics N.V.  
All Rights reserved.

Specifications are subject to change without notice.  
Trademarks are the property of Koninklijke Philips  
Electronics N.V. or their respective owners.

[www.philips.com](http://www.philips.com)