



STAPLE GUN WITH 5/16" LONG STAPLES

Model 95718

ASSEMBLY AND OPERATION INSTRUCTIONS



Due to continuing improvements, actual product may differ slightly from the product described herein.



3491 Mission Oaks Blvd., Camarillo, CA 93011

Visit our website at: <http://www.harborfreight.com>

**TO PREVENT SERIOUS INJURY, READ AND UNDERSTAND
ALL WARNINGS AND INSTRUCTIONS BEFORE USE.**

Copyright© 2007 by Harbor Freight Tools®. All rights reserved. No portion of this manual or any artwork contained herein may be reproduced in any shape or form without the express written consent of Harbor Freight Tools.

For technical questions or replacement parts, please call 1-800-444-3353.

SPECIFICATIONS

Construction/Material	Black injection molded housing, thermoplastic handle, steel casing
Dimensions	7-1/8" L, 1-5/8" W, 5-13/16" H
Activation type	Squeeze lever
Staples accepted	Up to 80 T 50 staples, 3/8 crown width; from 1/4" to 5/8" long
Dimensions	4-3/16" L, 9/16" W, 5/8" H

Save This Manual

You will need this manual for the safety warnings and precautions, assembly, operating, inspection, maintenance and cleaning procedures, parts list and assembly diagram. Keep your invoice with this manual. Write the invoice number on the inside of the front cover. Write the product's serial number in the back of the manual near the assembly diagram, or write month and year of purchase if product has no number. Keep this manual and invoice in a safe and dry place for future reference.

GENERAL SAFETY RULES

 **WARNING!**

READ AND UNDERSTAND ALL INSTRUCTIONS
Failure to follow all instructions listed below may result in electric shock, fire, and/or serious injury.
SAVE THESE INSTRUCTIONS

1. **Keep your work area clean and well lit.** Cluttered benches and dark areas invite accidents.
2. **Keep bystanders, children, and visitors away while using this product.** Distractions can cause you to lose control. Protect others in the work area from debris such as staples. Provide barriers or shields as needed. Keep children out of the work area.
3. **Stay alert. Watch what you are doing, and use common sense when operating the Staple Gun. Do not use this product while tired or under the influence of drugs, alcohol, or medication.** A moment of inattention while operating this product may result in serious personal injury.
4. **Dress properly. Do not wear loose clothing or jewelry. Contain long hair. Keep your hair, clothing, and gloves out of the way of the jaws.** Loose clothes, jewelry, or long hair can be caught in moving parts.

5. **Do not overreach. Keep proper footing and balance at all times.** Proper footing and balance enables better control of this product in unexpected situations.
6. **Use safety equipment. Always wear eye protection.** Always wear ANSI-approved safety goggles when working with this tool.
7. **Use clamps (not included) or other practical ways to secure and support the workpiece to a stable platform.** Holding the work by hand or against your body is unstable and may lead to loss of control.
8. **Do not force the product. Use the correct product for your application.** The correct product will do the job better and safer at the rate for which it is designed. Do not force the product and do not use the product for a purpose for which it is not intended.
9. **Store idle products out of reach of children and other untrained persons.** This product is dangerous in the hands of untrained users.
10. **Never aim the Staple Gun at any person, child or animal.**
11. **Maintain this product with care.** Do not use a damaged product. Tag damaged products “Do not use” until repaired.
12. **Check for misalignment or binding of moving parts, breakage of parts, and any other condition that may affect the product’s operation. If damaged, have the product serviced before using.** Many accidents are caused by poorly maintained products.
13. **Use only accessories that are recommended by the manufacturer for your model.** Accessories that may be suitable for one product may become hazardous when used on another product.
14. **When servicing a product, use only identical replacement parts. Follow instructions in the “*Inspection, Maintenance, And Cleaning*” section of this manual.** Use of unauthorized parts or failure to follow maintenance instructions may create a risk of electric shock or injury.

SPECIFIC SAFETY RULES

1. **Maintain labels and nameplates on the product.** These carry important information. If unreadable or missing, contact Harbor Freight Tools for a replacement.
2. **Maintain a safe working environment.** Make sure there is adequate surrounding workspace. Do not use this product in a damp or wet location.
3. **Always keep hands away from workpiece.** This Staple Gun has enough power to force a staple through skin causing serious injury.

UNPACKING

When unpacking, check to make sure that the item is intact and undamaged. If any parts are missing or broken, please call Harbor Freight Tools at the number shown on the cover of this manual as soon as possible.

ASSEMBLY INSTRUCTIONS

Note: For additional information regarding the parts listed in the following pages, refer to the Assembly Diagram near the end of this manual.

Loading the Staples

1. Pinch the clip located on the end of the Magazine Unit (2). Pull out the Magazine Unit (2)-see Figure 1.
2. Insert a full strip of staples into the Staple Channel (3). Insert the staples into the Staple Channel (3) with the sharp staple tips facing up in the Staple Channel-see Figure 2.
3. Push the Magazine Unit (2) back into the Staple Gun Body (1). Make certain that the Magazine Unit (2) is pushed all the way back into place before operating the Staple Gun.



Figure 1




Figure 2

OPERATING THE STAPLE GUN

1. Determine whether or not the object being stapled will necessitate extra force from the Staple Gun. This will depend primarily on the thickness of the item being stapled. For instance, a large pad of papers will need more force than one or two sheets being stapled together.
2. Set the Force Selection Lever (4) to either "Normal" or "Max"-see Figure 3.




Figure 3

3. Place the item that you desire to staple below the Driver located on the front of the Staple Gun.
4. Grasp the Staple Gun with your fingers inserted into the opening in the middle of the Staple Gun (1) and your palm resting on the Release Lever (5). Squeeze and pull down on the Release Lever (5) to fire a staple.

INSPECTION, MAINTENANCE, AND CLEANING

1. **BEFORE EACH USE**, inspect the general condition of the product. Check for misalignment or binding of moving parts, cracked or broken parts and any other condition that may affect its safe operation. **Do not use damaged equipment.**

2. Remove dirt and debris from the Staple Gun using a clean, soft cloth. Do not use flammable corrosive or abrasive solvents to clean the Staple Gun.


TROUBLESHOOTING

Problem	Possible Causes	Probable Solutions
Staple Gun does not staple	<ol style="list-style-type: none"> 1. Staples not loaded correctly. 2. Magazine Unit not fully and properly inserted into Staple Gun. 3. Lever not pulled completely up and then fully pressed down. 	<ol style="list-style-type: none"> 1. Verify that staples are loaded into the Magazine Unit flat and with prongs facing upward. 2. Check that Magazine Unit is fully inserted.
Stapler jams during operation	<ol style="list-style-type: none"> 1. Staples jammed in channel. 	<ol style="list-style-type: none"> 1. Pinch the clip located on the end of the Magazine Unit (2). Pull out the Magazine Unit (2)- see Figure 1. 2. Remove jammed staples from the channel. You may need to use long-nosed pliers (not included). 3. Make certain that you are using correct size staples. 4. Close Magazine Unit.

PARTS LIST

Part	Description	Q'ty	Part	Description	Q'ty
1	Staple Gun Body	1	4	Force Selection Lever	1
2	Magazine Unit	1	5	Box of Staples-200 7/16" crown, 5/16" long	2
3	Staple Channel	1			

PARTS DIAGRAM



Staples (5) not shown

WARRANTY

 **Pittsburgh**® **LIMITED LIFETIME WARRANTY**

Harbor Freight Tools Co. makes every effort to assure that its products meet high quality and durability standards, and warrants to the original purchaser that this product is free from defects in materials and workmanship for the life of the product. This warranty does not apply to damage due directly or indirectly to misuse, abuse, negligence or accidents; repairs or alterations outside our facilities; or to lack of maintenance. We shall in no event be liable for death, injuries to persons or property or for incidental, contingent, special or consequential damages arising from the use of our product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. **THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS.**

To take advantage of this warranty, the product or part must be returned to us with transportation charges prepaid. Proof of purchase date, and an explanation of the complaint must accompany the merchandise. If our inspection verifies the defect, we will either repair, or replace the product at our election or we may elect to refund the purchase price if we cannot readily and quickly provide you with a replacement. We will return repaired products at our expense, but if we determine there is no defect, or that the defect resulted from causes not within the scope of our warranty, then you must bear the cost of storing, and returning the product.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

3491 Mission Oaks Blvd. • PO Box 6009 • Camarillo, CA 93011 • (800) 444-3353