

EPSON STYLUS PHOTO PX800FW

EPSON STYLUS PHOTO PX800FW

The feature-rich Epson Stylus Photo PX800FW is a Hi-Definition 4-in-1 with fax, automatic document feeder and Wi-Fi. Its stylish good looks and touch panel viewer won't fail to impress. And your photos will look better than the lab.

The new Epson Stylus Photo PX800FW 4-in-1 with automatic document feeder and fax can print photos in just 10 seconds*. Its intelligent 7.8" (19.8cm) touch panel viewer makes it a pleasure to use, and it can print directly onto suitable CDs and DVDs.

When connected to your wireless network it prints and scans from wherever you want. Not only will your prints last a long time – up to 200 years in an album or 98 years in a photo frame*² – but they will be economical too. With individual inks you only replace the colour you use.

- Hi-Definition 4-in-1
- Stylish and contemporary design
- Fax and automatic document feeder
- Intuitive touch panel viewer
- Integrated Wi-Fi and Ethernet
- Prints onto suitable CDs and DVDs
- Save money with individual inks



EPSON®
EXCEED YOUR VISION

PRODUCT DIMENSIONS AND SPECIFICATIONS

| | |
|---|---|
| PRINTING TECHNOLOGY | |
| Printing method Nozzle configuration Droplet size Ink system | 6-colour inkjet printer, Epson Micro Piezo™ print head 180 nozzles black / 180 nozzles each colour (cyan, magenta, yellow, light cyan, light magenta) 1.5 pl (minimum) with Advanced Variable-sized Droplet Technology Epson Claria™ Photographic Ink |
| PRINT RESOLUTION | Up to 5760 x 1440 optimised dpi on suitable media using RPM (Resolution Performance Management) |
| PRINT SPEED | |
| Black text Colour text Photo 10x15 cm | Up to 40 ppm*2 Up to 40 ppm*2 Approx. 10 secs*2 |
| SCANNING | |
| Resolution Technology Sensor type Speed | 4800x4800 dpi A4 Flatbed colour image scanner CIS Black A4: 1200 dpi 8.8 msec/line Colour A4: 1200 dpi 25.4 msec/line |
| STANDALONE FUNCTIONS | |
| LCD screen Supported memory cards Bluetooth® | 19.8 cm touch screen with integral 8.9 cm LCD viewer Compact Flash (Memory card only), MicroDrive, Memory Stick, Memory Stick Duo*, MagicGate Memory Stick, MagicGate Memory Stick Duo*, Memory Stick PRO, Memory Stick PRO Duo*, SD, SDHC, MiniSD*, MiniSDHC*, MicroSD*, MicroSDHC*, Multi Media Card, MMCplus, MMCmobile*, MMCmicro*, xD-Picture card, xD-Picture card Type-M, xD-Picture card Type-H Optional (Bluetooth adapter C12C824383) |
| PHOTO EDITING OPTIONS | |
| PhotoEnhance Red-eye removal | Yes Yes |
| ADF FUNCTIONS | |
| Maximum document size Paper type Paper thickness Maximum number of pages | A4 Plain paper only 60-95 g/m² 30 (based on Xerox-P 64 g/m²) |
| FAX FUNCTIONS | |
| Type of Fax Fax speed Fax speed dials (max) Fax resolution Error correction mode Page memory Fax transmission speed | Black-and-white and colour fax capability Up to 33.6 kbps 60 names and numbers Standard (200 x 100), Fine (200 x 200), Photo (200x200 with error diffusion) CCITT/ITU Group3 fax with Error Correction Mode Up to 180 pages (ITU-T No.1 chart) Approx. 3 secs per page |
| INTERFACE | |
| USB Wireless Ethernet | Hi-Speed USB – compatible with the USB 2.0 specification PictBridge Wireless LAN IEEE 802.11b/g – compatible with 802.11n*4 Wired LAN IEEE 802.3 (100 Base-TX, 10 Base-T) |
| WIRELESS SECURITY | WEP – 64bit WEP – 128bit WPA – PSK (TKIP) – compliant with WPA2 WPA – PSK (AES) – compliant with WPA2 |

EPSON STYLUS PHOTO PX800FW

RECOMMENDED INKS*1

Epson Claria™ Photographic Ink

Epson Claria Photographic Ink is a Hi-Definition, dye-based ink that gives better-than-lab-quality photos. And it comes with individual ink cartridges so you only replace the colour you use.

- T0801
- T0802
- T0803
- T0804
- T0805
- T0806
- T0807 Multipack



RECOMMENDED MEDIA

There is a range of photo paper to suit your needs for every occasion, available in 10x15 cm, 13x18 cm and A4 sizes.



GLOSSY PHOTO PAPER



PREMIUM GLOSSY PHOTO PAPER

WHAT'S IN THE BOX

- Epson Stylus Photo PX800FW printer
- 6 individual ink cartridges
- Epson media pack
- Software CD
- Basic operation guide
- 'Start Here' guide
- Network set-up guide
- Fax guide
- Control panel icon sticker
- Warranty document
- Ethernet cable
- Power cable

EPSON®

PRODUCT DIMENSIONS AND SPECIFICATIONS

EPSON STYLUS PHOTO PX800FW

| | | | | | | | |
|--|--|-----------------------------------|--------------------------------------|-------------------------------------|--|---|------------------------------------|
| PAPER HANDLING | | | | | | | |
| Paper trays Capacity Media size Print margin Double-sided printing Printable CD/DVD | 2 Main paper tray: 120 sheets A4 plain paper (64 g/m ²) Photo paper tray: 20 sheets Epson Premium Glossy Photo Paper A4, Letter, Legal, 9x13 cm, 10x15 cm, 13x18 cm, 13x20 cm, 20x25 cm, A6, A5, B5, Envelopes: No10, DL, C6, User Defined 0 mm top, left, right, bottom via custom settings in printer driver ^{*5} Optional (Auto Duplexer C12C802523) 8 cm, 12 cm | | | | | | |
| INK CARTRIDGES | 6 individual ink cartridges | | | | | | |
| Recommended ink cartridges¹ Also available | Black T0801 T0791 | Cyan T0802 T0792 | Magenta T0803 T0793 | Yellow T0804 T0794 | Light Cyan T0805 T0795 | Light Magenta T0806 T0796 | Multipack T0807 – |
| ELECTRICAL SPECIFICATION | | | | | | | |
| Power consumption Voltage | Approx. 26 W (Standalone copying, ISO10561 Letter Pattern) Approx. 5.5 W (sleep mode) ENERGY STAR® qualified printer AC 220-240V | | | | | | |
| OPERATING SYSTEMS | Windows 2000 / XP / XP-x64 / Vista, Mac OS 10.3.9 or later with USB | | | | | | |
| WARRANTY | 1 year standard warranty Optional extension to 3 years subject to availability | | | | | | |
| GENERAL | | | | | | | |
| Dimensions (WxDxH) Weight Noise level | 446x385x198 mm 10.8 kg (excluding ink cartridges and power cable) 4.8 B(A), 34.6 dB(A) (according to ISO7770 pattern with Epson Premium Glossy Photo Paper/Photo RPM mode) | | | | | | |
| SOFTWARE | Epson Event Manager Epson Web-To-Page Epson Easy Photo Print Epson Print CD Epson Net EasyInstall ABBYY FineReader® 6.0 Sprint Plus (PC) ABBYY FineReader® 5.0 Sprint Plus (Mac) | | | | | | |

*1 Recommended ink cartridges. For full ink cartridge compatibility refer to the user documentation or visit www.epson.co.uk

*2 For more information please visit www.epson.co.uk

*3 Adaptor required (not supplied in the box)

*4 Transmission rate will be limited to 802.11g and will operate in the 2.4GHz frequency band

*5 Otherwise 3 mm top, left, right, bottom



For more information please contact

Telephone: 0871 222 6702 (UK)
1800 409132 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Chat: etalk.epson-europe.com
Fax: 0871 222 6740

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

EPSON®