

# bizhub 40P/40PX









# FASTER PRINTS. MORE DOCUMENTS. TOTAL PRODUCTIVITY.


When speed is critical and productivity a top priority, the bizhub<sup>™</sup> 40P/40PX is ready for action. This workgroup laser printer is super fast, printing at 45 ppm—with a first page out in as fast as 9.5 seconds—to keep business running at top speed. It's powered by a 500 MHz processor and Konica Minolta's own Emperon<sup>™</sup> printer architecture for total efficiency. More than fast, this printer has an 1,800-sheet maximum input capacity and huge printing potential of up to 200,000 pages per month. That's a lot of letters, invoices, flyers, reports and other documents critical to a successful operation. A smart Gigabit Ethernet interface and PageScope<sup>™</sup> management tools are included for easy network integration. The bizhub 40P/40PX. Faster prints. More documents per day. Greater productivity for all.

# The essentials of imaging

# bizhub 40P/40PX

- ▶ 45 PPM FOR FAST NETWORK PRINTING
- ▶ EMPERON<sup>™</sup> PRINT SYSTEM ENSURES VERSATILITY AND HIGH PERFORMANCE
- ▶ 128 MB RAM\*, OPTIONAL 40 GB HARD DRIVE FOR ADDED FUNCTIONALITY
- ▶ POSTSCRIPT 3 AND PCL 6 EMULATIONS, MULTI-PLATFORM COMPATIBLE
- ► DIRECT PRINT PDF, XPS, JPEG & TIFF FILES
- ▶ NATIVE XPS INTERPRETER FOR WINDOWS VISTA, INCLUDING WSD SUPPORT
- ▶ 1200 X 1200 DPI FOR CRISP TEXT, FINE LINES, AND DETAILED GRAPHICS
- ▶ GIGABIT ETHERNET, USB 2.0, AND PARALLEL INTERFACES
- ▶ PAGESCOPE SOFTWARE SUITE SIMPLIFIES NETWORK MANAGEMENT
- ▶ POSTCARD TO LEGAL PAGE SIZES, PLUS BANNER PRINTING
- ► HIGH-CAPACITY PAPER OPTIONS FOR WORKGROUP REQUIREMENTS
- ▶ INFOLINE-STYLE FEATURE PROVIDES AT-A-GLANCE PRINTER STATUS
- ▶ ROBUST 200,000 PAGE-PER-MONTH MAXIMUM DUTY CYCLE

\*256 MB RAM standard on 40PX



**DO BUSINESS\_BETTER** 





bizhub

# **HIGH PERFORMANCE**

**Engineered for productivity.** With a first page out in as fast as 9.5 seconds and following pages at 45 ppm, the bizhub 40P/40PX is designed for workteam demands. Its Emperon printer architecture and advanced 500 MHz processor keep print jobs moving efficiently. Advanced functions, such as direct print and secure print services, are supported by an optional 40 GB hard drive.

# **NETWORK PLAYER**

Smart interface juggles mixed network traffic. The bizhub 40P/40PX's Gigabit Ethernet interface opens a direct line of network communication to PCs, Macs and Linux workstations, alike. Its multi-protocol support includes TCP/IP v6, IPsec and SSL for the latest in network and security standards.

Seamless printing. Support for widely-used emulations, including PostScript 3, PCL 6, PDF and XPS, means printing without a hitch. The bizhub 40P/40PX's comprehensive set of printer drivers empower users to direct document delivery, while PageScope<sup>™</sup> utilities simplify setup and management easily from the desktop.

# DEPENDABLE RESOURCE

Well-outfitted for high demand. Reliability is the core of the bizhub 40P/40PX's design. This well-constructed printer offers an immense duty cycle of 200,000 prints per month to serve the most demanding print environments. And it uses proven laser technology that delivers long-lasting printed documents and dependable service for years of office challenges.

# DOCUMENT HANDLING VERSATILITY

Your pick of paper handling. The bizhub 40P/40PX's 700-sheet paper input can be maximized to a hefty 1,800 sheets, to save time restocking during large print runs. The printer features a 500-sheet output tray and a 70-sheet face-up output tray that's perfect for thick stocks and special print runs. A 500-sheet stacker/sorter unit is also available to keep multiple documents in neat order. For paper conservation, use the optional duplex unit (standard on 40PX) and cut paper use in half.

# FEATURES, OPTIONS & BENEFITS

Office-friendly features. The printer's keypad is easy to read and clearly communicates helpful messages. Its innovative InfoLine-style display clearly shows printer readiness at a glance. The bizhub 40P/40PX also has modest proportions and quiet operation to fit nicely into any professional environment.

Handles assortment of business media. Office documents come in all sizes. Postcards to legal-size paper can be used in the printer, and even banner paper up to 35.4". Try other media, too—labels, envelopes, cardstock, transparencies and other approved paper types. Load different medias in each tray for versatile document production.

**Professional quality.** 1200 x 1200 dpi resolution brings crisp black text, fine lines, and clear details to your documents. Graphics are rendered in rich shades, from the lightest gray to the deepest black.

Direct print files. The bizhub 40P/40PX has a USB 1.1 Host Port for direct printing PDF, XPS, JPEG, and TIFF\* files from a USB flash drive. No computer or additional software required. Or drag and drop files for print using your desktop PageScope Direct Print utility.

\*With the exception of XPS, Direct Print requires your choice of a hard drive or compact flash card. XPS requires a hard drive.

Advanced print duties. The printer's powerful 40 GB hard disk (optional) initiates advanced features including fonts and forms storage, secure printing, job collation, and direct print functionality. An optional Compact Flash Card also supports many of these advanced functions.

Easy setup and maintenance. For most, setup takes only a few minutes. Helpful administrative software is provided to support more complex network installations. There's just one user-replaceable consumable to install and maintain—a single all-in-one toner cartridge that slides in conveniently from the top.

Free US-based technical support. The bizhub 40P/40PX is a printer you can rely on, with its 1-year on-site warranty (3-year on-site for 40PX) and toll-free, US-based support free for five years.

STATUS AT A GLANCE. THE FRONT PANEL LCD DISPLAYS TONER LEVELS, PRINT JOB STATUS, AND OFFLINE CONDITIONS. THE INFOLINE-STYLE DISPLAY PROVIDES A VISUAL INDICA-TION OF PRINTER STATUS UP CLOSE OR ACROSS THE ROOM.

	t
-	t

## MAXIMIZE INPUT.

ADD UP TO 1,800 SHEETS—OF DIFFERENT SIZES AND TYPES—FOR FLEXIBLE OFFICE PRINTING. LOAD A CASSETTE WITH ENVELOPES, ANOTHER WITH LETTERHEAD, AND ANOTHER WITH PLAIN PAPER FOR ALL PURPOSE PRODUCTION.



POWERFUL PAGESCOPE" SOFTWARE. PAGESCOPE WEB CONNECTION FOR WEB-BASED DEVICE MAN-AGEMENT, PAGESCOPE NET CARE FOR REMOTE CON-FIGURATION OF MIB-COMPLIANT PRINTERS, DESKTOP STATUS MONITOR FOR PRINT STATUS REVIEW AND ERROR ALERTS.

FLASH DRIVE, PAGESCOPE WEB CONNECTION OR PAGESCOPE DIRECT PRINT UTILITY. ITS FAST AND CONVENIENT.

DIRECT PRINT QUICK.

SEND PDF, XPS, JPEG AND TIFF FILES DIRECTLY TO

THE PRINTER USING A USB



# **VERSATILE\_OPTIONS**

- 150-sheet multipurpose cassette supports media up to 8.5" x 35.4".
- 2 550-sheet cassette eliminates frequent paper replenishing.
- 3 70-sheet face-up output tray for thick stocks and special projects.
- S50-sheet cassettes (optional) add up to two for 1,800-sheet max paper input.
- 500-sheet stacker/sorter (optional) keeps multi-page collated documents in order.

Also Available

 Automatic duplexer (standard on 40PX) for convenient, two-sided printing.












### 懂 PAGESCOPE





### © 2008 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Konica Minolta and The essentials of imaging are trademarks of KONICA MINOLTA HOLDINGS, INC. bizhub and PageScope are trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. All other brands and

product names are registered trademarks or trademarks of their respective owners. Design and specifications are subject to change

without notice.



KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive Ramsey, NJ 07446 www.kmbs.konicaminolta.us www.kmbs.konicaminolta.us/solutions

## bizhub 40P/40PX GENERAL SPECIFICATIONS

PRINTING PROCESS

PRINT METHOD: Electrophotographic Laser

PRINT SPEED\*: 45.6 ppm \*Exact print speed differs depending on system configuration, software application, driver, and document complexity.

WARM-UP TIME: <20 seconds

FIRST-PAGE OUTPUT TIME: 9.5 seconds

RESOLUTION: 1200 x 1200 dpi 600 x 600 dpi

MAXIMUM MONTHLY DUTY CYCLE: 200.000 prints

#### HARDWARE AND SOFTWARE CAPABILITIES PROCESSOR: 500 MHz

#### **MEMORY\*:** 40P: 128 MB

40PX: 256 MB (consists of two 128 MB DIMMs) Upgradeable to 384 MB \*Ontional memory of 128 MB or 256 MB available as an upgrade for the 40P. When upgrading the 40PX, the 256 MB option is required (one of the 128 MB DIMMs needs to be removed from the 40PX to accommodate the 256 MB DIMM).

### HARD DISK DRIVE (optional)\*:

40 GB \*For downloaded fonts, forms or profile storage; electronic collation; job accounting; direct XPS, PDF, JPEG and TIFF printing; proof then print, secured job, print and hold, and stored job functions.

### COMPACT FLASH CARD (optional)\*:

256 MB, 512 MB, 1 GB, 2 GB, 4 GB For downloaded fonts, forms or profile storage; electronic collation; job accounting; direct PDF, JPEG and TIFF printing. Requires Compact Flash Card adapter. Cannot be installed at the same time as Hard Drive option. Compact flash cards available via 3rd-party suppliers

#### **OPERATING SYSTEM COMPATIBILITY:**

Windows Vista Windows Vista x64 Windows Server 2003 Windows Server 2003 x64 Windows XP Windows XP x64 Windows 2000 Macintosh OS X (v10.2+) Macintosh OSX (Intel 10.4+) Linux Red Hat 9 Linux SuSE 8.2

#### PRINTER EMULATIONS: PostScript 3

PCL 6 XPS Direct Print\* PDF 1.6 Direct Print\*\* JPEG/TIFF Direct Print\*\* \*Requires optional Hard Drive Requires optional Hard Drive or Compact Flash Card

### PRINTER MANAGEMENT:

PageScope Net Care PageScope Web Connection PageScope Network Setup PageScope Peer-to-Peer Printing Tool PageScope EMS Plug-ins: Tivoli NetView (2.0) CA Unicenter 2.0 HP OpenView Microsoft Management Console (MMC) HP Web JetAdmin Plug-in PageScope Plug and Print PageScope NDPS Gateway

PageScope Direct Print PageScope Data Administrator Print Monitor Status Monitor Download Manager

#### INTERFACE SUPPORT

Gigabit Ethernet (10/100/1000BaseTX) IEEE 1284 Parallel USB 2.0 USB 1.1. Host Port

#### ETHERNET PROTOCOLS:

TCP/IP (IPv4/IPv6, IPsec, SSL, IEEE802.1x) AppleTalk / EtherTalk IPX/SPX (Netware 4/5/6), NDS Bindery, NDPS ARP, Ping Bonjour DHCP, AutoIP, BOOTP FTP HTTP, HTTPS IPP1 1 LPR/LPD NetBEUI, SMB RAW Socket SMTP SNMP (v1/2/3) SNTP SLP UDP WSD

#### PAPER HANDI ING STANDARD PAPER INPUT:

150-sheet multipurpose cassette 550-sheet cassette

OPTIONAL PAPER INPUT: 550-sheet cassettes (add up to 2)

STANDARD PAPER OUTPUT: 500-sheet face-down output tray 70-sheet face-up output tray

**OPTIONAL PAPER OUTPUT:** 500-sheet stacker/sorter

**OPTIONAL AUTOMATIC DUPLEXER\*:** For two-sided printing (plain paper only) Standard on 40PX

#### PAPER SIZES SUPPORTED:

Letter Legal Executive Folio Govt. Letter Govt. Legal Statement A4, A5, A6 B5, B6 Envelopes:\* Monarch, Com 10, DL, B5 (ISO), C6 \*Envelopes not supported through duplexer

#### Custom sizes:

Multipurpose cassette\*: (W) 3"-8.5" to (L) 5"-35.4" (W) 76.2-215.9 mm to (L) 127-900 mm \*Banners in tray 1 only

All other cassettes: (W) 3.87"-8.5" to (L) 5.83"-14" (W) 98.4-215.9 mm to (L) 148-355.6 mm

#### PRINTABLE AREA:

0.17" (4.2 mm) from all edges 35.1" maximum print length

#### PAPER WEIGHTS:

Plain paper: 20-28 lb. Bond (68-105 g/m2)\* Thick Stock: Up to 80 lb. Cover (106-216 g/m<sup>2</sup>)\* \*Simplex and duplex printing

### PRINT MEDIA:

Plain Paper Recycled Paper I etterhead Thick Stock Transparencies Laser Quality Labels Envelopes Postcards See KMBS Media Guide for more information

### PHYSICAL

TYPE: Laser printer with Emperon Print System

DIMENSIONS (WXDXH): 16.6" x 18.3" x 15.9 (421.8 x 465.4 x 404.3 mm)

#### WFIGHT:

51.6 lbs. (23 kg) - w/ consumables 47.9 lbs. (22 kg) - w/o consumables 60.1 lbs. (27.3 kg) - as shipped

# ELECTRICAL POWER REQUIREMENTS:

120 VAC, 50/60 Hz 220-240 VAC, 50/60 Hz

POWER CONSUMPTION: Operating: 910W or less, 1,240W Max. Standby: 140W or less

ENERGY STAR COMPLIANT\*: 15Wh or less \*bizhub 40PX only. The addition of some options, in some combinations, may cause the product to become non-compliant.

#### ENVIRONMENTAL

**TEMPERATURE REQUIREMENTS:** Operating: 50° to 90° F (10° to 32° C) Non-Operating: 32° to 95° F (0° to 35° C)

HUMIDITY: Operating: 15% to 85% RH Non-operating: 15% to 80% RH

NOISE LEVELS: Operating:  $\leq$ 56.1 dB(A) Standby:  $\leq$ 28 dB(A)

#### **REGULATORY/SAFETY CONFORMITY:**

UL cUI CDRH CSA DOC FCC-B

### CONSUMABLE\*:

In-box Toner: Black (vields 19,000 prints @ 5% coverage; declared yield value in accordance with ISO/IEC 19752)

\*The stated life expectancy of each consumable is based on printing under specific operating conditions such as page coverage for a particular page size (5% coverage of letter/A4). The actual consumable's life will vary depending on the use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature, and humidity.

#### TYPEFACES:

137 resident PostScript fonts 93 PCL fonts 10 line printer fonts

WARRANTY: 40P: 1-year on-site 40PX: 3-year on-site