

Avenview



YPbPr to VGA Converter/ Switch


Part #:C-COMP-VGA

Description

Avenview C-COMP-VGA YPbPr to VGA Converter/Switch enables you to switch between two YPbPr inputs with Audio sources and displays one of them on a VGA monitor, TV or projector in high resolution. C-COMP-VGA has both VGA and YPbPr inputs and it converts YPbPr input into VGA output. Switching between two adapters is as easy as a push of switch button. This is an ideal solution to view PS3, Wii, XBOX, XBOX 360, DVD Player on a single monitor, TV with VGA only input.

Features

- Automatic conversation between YPbPr and VGA
- Supports VGA resolution of up to UXGA (1600x1200)
- YPbPr supports 480p, 576p, and 720p
- Buffered VGA output for 60m (200 feet) long range transmission
- Supports VGA and Stereo Audio
- Easily switch between two input sources by switch button.
- Compact Size



Package Content

C-COMP-VGA

- YPbPr to VGA Switch x1
- 5V 2A Power Adapter x 1
- User Manual

Specifications

Description	YPbPr to VGA Converter/Switch
Video Bandwidth	400MHz for VGA 70MHz for YPbPr
Input Connectors	1 x VGA, 1 x YPbPr, 2 x Stereo Audio
Output Connectors	1 x VGA, 1 x Audio Out
Maximum Supported Resolution	1600x1200@75Hz
Power Supply	5VDC, 2Amp Adapter
Dimensions (L x W x H)	5" x 3.7" x 1"



Copyright 2008, Avenview® Inc. All rights reserved.
Features, availability and specifications are subject to change without notice.

The logo for Avenview Inc. features the word "Avenview" in a bold, dark blue, sans-serif font. Above the letter "v" is a small red square icon containing a white crosshair or grid pattern. The entire logo is set against a white rectangular background that has a folded corner effect on the right side.

Avenview

Avenview Inc.
info@avenview.com
www.avenview.com
1-866-508-0269