

MULTIMEDIA




KD-AVX44J  
 KD-AVX44J  
 \$529.95


[> more products](#)  
[> register your product](#)

**FIND A DEALER**

Locate your nearest JVC Dealer.  
[Find a Dealer!](#)

**DOWNLOAD MANUAL**

[Instruction Manual](#)   
 (English, French and Spanish)  
 9.31 MB

[Installation Manual](#)   
 (English, French and Spanish)  
 457.38 KB

**FIT GUIDE**

Is this the perfect model for your car? [Find out here!](#)

**SPECIFICATIONS**

AV Systems	KD-AVX44J
DVD Player	NTSC
Video Format	Yes
DivX(R) Compatible	Yes
DVD-R/-RW, +R/+RW Compatible	108MHz/12-bit DAC
Video DAC	5.1ch DTS/5.1ch Dolby Digital/MPEG Audio
DTS/Dolby Digital/MPEG Audio	Yes
Dolby Pro Logic II	Yes
GIGA MP3 MULTI	Yes
AAC Compatible [1]	Yes
JPEG/MPEG 1/2 Compatible	Yes
Dual-Zone Function	Yes
Pause/Step/Slow	Pause/Slow (Remote Only)
Direct Chapter Access	Yes (Remote Only)
Video CD Playback	Yes
Frequency Response	16 - 22,000Hz (DVD fs=48kHz), 16 - 44,000Hz (DVD fs=96kHz), 16 - 20,000Hz (CD)
Dynamic Range	93dB (fs=48kHz)
Signal-to-Noise Ratio	94dB (fs=48kHz)
Channel Separation	85dB (at 1 kHz, fs=48kHz)
Wow & Flutter	Less than measurable limit
VCD Player	KD-AVX44J
Video Format	NTSC
Video DAC	108MHz/12-bit DAC
Video CD Playback Control	Yes
Direct Track Access	Yes (Remote Only)
CD Player	KD-AVX44J
MP3/WMA Compatible with ID3 Tag/WMA Tag	Yes
WAV Compatible with WAV Tag	Yes
AAC Compatible [1]	Yes
JPEG/MPEG 1/2 Compatible	Yes
DivX(R) Compatible	Yes
CD-R/RW Compatible	Yes
CD Text	Yes
Direct Track Access	Yes (Remote Only)
Random/Repeat Play	Yes
CD Changer Control	KD-AVX44J
MP3 Control	Yes (with CH-X1500)
CD Text	Yes (with CH-X1500)
Random/Repeat Play	Yes
Bluetooth Control	KD-AVX44J
Bluetooth Control	Built-in
Hands Free Call	Yes

Audio Streaming	Yes
SMS (Short Message Service) Display	Yes (Receipt notification only)
Phonebook Transfer	Manual
Voice Recognition Dialing (voice recognition compatible cell phone required)	Yse
Mic Unit	Yes (Built-in)
iPod/iPhone Control	KD-AVX44J
iPod Control	Yes (USB/KS-PD100)
Play / Pause / Skip / Search	Yes
Random/Repeat Play	Yes
Text	Yes
Battery Charge	Yes (USB/KS-PD100)
iPod nano 1st	Yes (USB/KS-PD100)
iPod nano 2nd	Yes (USB)
iPod mini	Yes (KS-PD100 Required)
iPod 3rd	Yes (KS-PD100 Required)
iPod with Click Wheel	Yes (KS-PD100 Required)
iPod with Color Display	Yes (KS-PD100 Required)
iPod with Video	Yes (USB/KS-PD100)
iPod Video File Playback	Yes (KS-U20 required. compatibility depends on iPod)
USB	KD-AVX44J
Position	Rear (Cable)
MP3/WMA Compatible with ID3 Tag/WMA Tag	Yes
WAV Compatible with WAV Tag	Yes
AAC Compatible [1]	Yes
JPEG/MPEG 1/2 Compatible	Yes
DivX(R) Compatible [2]	Yes
Direct Folder Select (1-12)	Yes (Remote Only)
Random/Repeat Play	Yes
Portable HDD Compatible [3]	Yes
iPod Video File Playback	Yes (KS-U20 required. compatibility depends on iPod)
iPod Audio File Playback	Yes
Radio Tuner	KD-AVX44J
Tuner Type	HS
Preset Stations	18 FM + 6 AM
Station Name Registration	Yes
SSM (for FM)	Yes
AFNS/PNC	Yes
Seek (Up/Down)	Yes
Stereo/Mono Switch (for FM)	Yes
Auto Antenna	Yes
European Switchable Tuner	Yes
FM	
Frequency Range	87.5 - 107.9MHz
Usable Sensitivity	11.3dBf (1.0uV/75 ohms)
50dB Quieting Sensitivity	16.3dBf (1.8uV/75 ohms)
Stereo Separation	35dB
AM	
Frequency Range	530 - 1,710kHz
Sensitivity	20uV
Selectivity	35dB
Amplifier	KD-AVX44J
Maximum Power Output	50W x 4
Continuous Power Output (RMS)	20W x 4
MOS-FET Amplifier	Yes
Audio DAC	192kHz/24bit
Source-Specific Volume Control	Yes
Volume Attenuator	Yes
Balance/Fader Control	Yes
Equalizer	
7-Band iEQ	Yes
Headphone Surround	Yes

Max. Amp Gain Switcher	Yes
Amp Defeat Switch	Yes
AV Input Terminals (Video + L/R)	Yes (Gold-Plated)
Line Output Terminals (pair)	3 Pairs (Gold-Plated)
Centre Channel Output	Yes (Gold-Plated)
Second Audio Output Terminals	Yes (Gold-Plated)
Subwoofer Output with Level/Frequency Control	Yes (Gold-Plated)
Composite Video Output	Yes (Gold-Plated)
Frequency Response	40 - 20,000Hz
Load Impedance	4 ohms (4 - 8 ohms allowable)
Pre-output Level/Impedance	5.0Vrms/1k ohms
Pre-output level/impedance	5V
Video Output Level/Impedance	1.0Vp-p/75 ohms
Audio Output Level/Impedance	5V
Second Audio Output	2.5Vrms/1k ohms
Video Input Level/Impedance	1.0Vp-p/75 ohms
Audio Input Level/Impedance	1.5Vrms/20k ohms
Monitor	KD-AVX44J
Screen Size	3.5-inch
Proximity Sensor	Yes
Touch Pad	Yes
Screen Resolution	211,200
LCD Type	TFT Active Matrix LCD
Color System	PAL/NTSC
Display	KD-AVX44J
Contrast Control	Yes
Switchable Dimmer	Yes
General	KD-AVX44J
Face Type	
Motorized Slide-Out Face	Yes
Detachable Face Plate with Carrying Case	Yes
Steering Remote Control Ready	Yes
Wireless Remote Control Type	Easy-Grip
Beep Tone Support	Yes
COMPU PLAY	Yes
Tel. Muting	Yes
Power-Off Mode Eject	Yes
Mic Unit	Yes (Built-in)
Dimensions (W x D x H)	
Installation Size	7-3/16" x 2-1/16" x 6-5/16" (182 x 52 x 160 mm)
Panel Size	7-7/16" x 2-5/16" x 1/2" (169 x 58 x 20 mm)
Detachable Face Plate Size	6-11/16" x 2-5/16" x 13/16" (169 x 58 x 20 mm)
Weight	2.2 kg (4.9 lbs.)