

# OWNER'S MANUAL

PLD-189



FOLD DOWN DETACHABLE PANEL
CAR DVD/ VCD/ CD/ WMA/ MP3 PLAYER/ RECEIVER

www.pyleaudio.com

# **Contents**

# Thank you for buying this product.

Please read through these operation instruments so you will know how to operate your model properly. After reading please keep this booklet in safe place for future reference.

# Before You Start

Important Safeguards & About this manual & Precautions & Maintenance & Location & function of the controls & Specifications & Maintenance & Mainte

# 2 Installation

Wiring Connections 12
Installation 13
Install & Detach the Unit 15
Cleaning the Connector 11

# General Operations

Reset the Unit 1
Turning the Unit On/Off 1
Volume Control 1
Setting the Sound Characteristics 1
EQ Setting 1
Turning Loudness On/Off/My Best Position 1
Mute Function 1
Display & Adjust Time 1
Mode Selector 1
Sensor 1
AUX In (optional) 1

# A DVD

Basic Operation of DVD 1 Selecting Tracks Fast 1 Repeat Playing Number Buttons Stop the Playback Pause the Playback 19 Skip backward/forward/F.F/F.REW the Playback 1 System Button Slow Motion Playback 2 Increase Picture Size 28 On Screen Display 2 DVD Playback Setting 28 Changing the Viewing Angle 21 Changing Audio Language Changing the Subtitle Language 2 Selecting Menu 1 Set Up Menu 21

# **6** MP3/CD

# **Contents**

# 6 VCD

Basic Operation of VCD/CD 28 Selecting Tracks Fast 20 Repeat Playing 2 Playing Tracks in Random Order 2 Number Buttons Stop the Playback 28 Pause the Playback 78 Skip backward/forward/F.F/F.REW the Playback 28 System Button Slow Motion Playback 38 Increase Picture Size 38 On Screen Display 3 Setting Playback Time 38 Selecting Channel 3 Title Selector Program Playing 31

# 7 Tuner

Band Selector 2
Manual/Automatic Tuning 2
DX/LOC Selector 2
MO/ST Selector 2
Scanning/Memorizing Stations
Automatically 3
Number Buttons 2

# Additional Information

Simple Troubleshooting Guide 34

# IMPORTANT SAFEGUARDS About this manual

- Be sure to connect the color coded leads according to the diagram.
   Incorrect connections may cause the unit to malfunction or damage the vehicle's electrical system.
- Be sure to connect the speaker (-) leads to the speaker (-) terminal.
   Never connect the left and right channel speaker cables each other or to the vehicle body.
- Make sure all the connections are completely correct before turning on your unit.
- When replacing the fuse(s), the replacement must be of the same amperage as shown on the fuse holder.
- Do not block vents or radiator panels. Blocking them will cause heat to build up inside and may result in fire.
- After completing the installation and beginning to play the unit(including replacing the battery), please remove the front panel at first, and then press RESET button on the base with pointed object (such as ball-point pen) to set the unit to initial status.

This unit features a number of sophisticated functions ensuring superior operation. All the functions have been designed for the easiest possible use, but many are not self-explanatory. This manual will help you understand the functions and operations of the unit. This manual main explains remote control operation. However, in addition to those functions related with DVD/VCD/CD/MP3 operation that can only be operated by the remote control, there are also functions can be operated by the buttons provided for the main unit.

# **PRECAUTIONS**


This unit can play the following discs only:


Type of disc	Label on the disc	Recorded material	Size of disc
DVD	DVD VIBTO	Sound and moving pictures	12cm
VCD	VIDEO CD DOCTEAL VENE	Sound and moving pictures	12cm
CD	DISTR	Sound only	12cm
мрз	DIGITAL ADDIO	Sound only	12cm

NOTE: The unit is compatible with VCD1.0/2.0/3.0 version and DVCD disc.

- Do not attempt to modify the unit, modifying the unit may cause an accident.
- Stop the vehicle before carrying out any operation that could interfere with your driving.
- Do not work in extremely high or low temperature. Be sure the temperature inside the vehicle is between +60° C and -10° C before turning on your unit.
- To enjoy optimum sound and images while playing, handle the discs as follows:

——Handle the disc by its edge to keep the disc clean, and do not touch the surface.







Clean the discs with an optional cleaning cloth. Wipe each disc from the center out. (Shown as the picture)

# Maintenance

### Replacing the Fuse

Make sure the amperage matches the specified value when replacing the fuses. If the fuse is blown, check the power connection and replace with a new one. If the same problem occurs, it would be subjected to the malfunction. In such cases, please consult to the nearest service dealer.

# **▲**Warning

Never use the fuse with the rated amperage more than that supplied to your unit, otherwise it will damage the unit.


# Replacing the Battery

When the range of the operation of the card remote control becomes short or no functions while operating. Replace the lithium battery with a new button cell (CR2025). Make sure the battery polarity before replace.


Gently pull out the Battery Holder while pressing the Stopper.



Put the button-type battery with mark(+) upward into the Battery Holder.



Insert the Battery Holder into the Remote Control.



# Precautions on Using Lithium Battery

Always keep the lithium battery beyond children's reach. In case swallowed, see a doctor immediately.

Cleaning the battery with a dry cloth, to ensure its perfect connected.

Make sure the proper polarity when loading with the battery.


To prevent short circuit, do not use metal tweezer to clip the battery.

### **▲** Warning!


Improper handle with the battery may lead to explosion.

It cannot be charged, disassembled or thrown into a fire.

# **Location of the Controls**




### Base



- POWER button

  Press PWR button to turn on the unit,
  press it again to turn off the unit.
- OPEN button
   Press this button to release the front panel.
- 3 Infrared Sensor
- ④ EJECT button Press to eject the disc.
- S RESET button Press to set the unit to initial status.
- 6 Disc Loading Slot
- ① LCD (LIQUID CRYSTAL DISPLAY) To display the current status.

# Card Remote Control



Tips: For more information as to replacing battery, please refer to **Replacing the Battery** on page  $\underline{6}$ .

MUTE

Press to shut off the sound output, press it again to resume previous sound level.

- PWR Press to turn on or off the unit.
- Press to select the corresponding preset modes to adjust the sound quality.
- SEEK+/SEEK-Press to do manual seek tuning and track search controls.
- O =/)
  Press to stop the playback.
- (0-10+) Number Buttons Press to select track, chapter, preset stations.

PBC Press to display menus.

# [▲][▼][◆][ENTER]

During DVD mode, press to move cursor upward, downward, leftward or rightward, and then press [ENTER] to execute the enteringor the selected item in the system setting menu.

### SETUP

During playback mode, press to display system setting picture, the user can select some relative constant parameters.

CO OSD

Press to display title, chapter, the elapsed time, remain time.

C ZOOM

Press to increase or decrease the picture in size.

- DSP Press to display current time.
- SOURCE Press to select your desired modes.

#### LOUD LOUD

Briefly press to activate LOUD function.

Press and hold this button for 3 seconds to activate MBP function.

BAND/ (P/N)

During radio mode, press to select bands.

During DVD, VCD status, press to select PAL or NTSC system.

C VOL+/VOL-

Press to increase or decrease volume level.

#### LOC/RDM

During radio status, press to select local station or distance station; During VCD, CD status, press to play tracks at random order. C SEL

Repeatedly press to select modes.

■ ST/PROG

During radio status, press to select stereo or mono reception; During playback status, press to set the program order to play.

20 ▶

Press to switch sequentially between playback and pause play.

AMS/RPT

During radio status, press to scan and store station; During playback status, press to replay.

2 TITLE

During DVD mode, repeatedly press to select different titles.

During MP3 mode, press this button to turn the ID3 on or off.

AUDIO

During DVD mode, press to change the audio language.

During VCD mode, press to change the audio channel.

**GOTO** 

press to set the playback time.

3 SUBTITLE

press to change the subtitle language during DVD playback.

SLOW

press to slow forward or slow reward.

ANGLE

Press to change the viewing angle during DVD playback.

MENU

Press to return to the root menu of the disc during DVD playback.

# **Specifications**

### General

Power Requirement 14.4V DC

(11-16V allowable)

Load Impedance  $4\Omega$ 

Max.Power Output 60W x 4

Tone Controls ±10dB

Bass 100Hz Treble 10KHz

Dimensions Approx.192 x 178 x 50

mm (d/w/h)

Mounting Approx.169 x 182x53

Dimensions mm (d/w/h)

Weight Approx.1.75kg

### **FM Section**

Tuning Range 87,5-108(MHz)

(Optional) (Europe)

87.5-107.9(MHz)

(U.S.A.) 65-74(MHz) (Russia)

IF Range 10.7MHz

Usable Sensitivity 10dBuV

(-30dB)

Signal-to-noise Ratio 60dB

Stereo Separation 30dB (1KHz)

Frequency Response 30-15000Hz

### **AM Tuner Section**

Frequency Range 522-1620(KHz)

(Optional) (Europe/Russia)

530-1710(KHz)

(U.S.A.)

IF Range 450KHz

Usable Sensitivity 28dBuV

(-20dB)

### **CD Player Section**

VCD Signal System PAL/NTSC

Signal-to-noise Ratio 65dB

Separation 60dB(1KHz)

Distortion 0.1%

### **DVD Player Section**

Number of channel 2 channels

Frequency Response 5Hz to 20,000Hz

Dynamic Range 98dB

Signal-to-Noise Ratio 73dB

Wow and Flutter Less than


measurable limit

Note:

Due to continuous product improvement, specifications and design are subject to change without prior notice.

# Installation

# **Wiring Connection**





- Antenna Receptacle
- Front RCA
- Rear RCA
- Video Out Receptacle


- Output Plug (Male)
- Output Socket (Female)
- Screw Holes
- AUX In (optional)


# **Install the Front Panel**


Put notch (Shown as picture) onto shaft (B). And then slightly press into the right side.


















## ■ Note:

· Never put any objects into the front panel.

# Installation

# Installation Method (): DIN Front-Mount




# 

Installation using the screw holes at the sides of the unit.

- Remove the hooks on both sides.
- Select a position where the screw holes
  of the mounting bracket supplied with
  the car and the screw holes of the main
  unit become aligned (are fitted), and
  tighten the screws (see 4) at 2 places
  on each side. And then fasten them to
  the car.

#### NOTE:


 Outer Trim Frame S Hook 9 and Mounting Sleeve 1 are not used for installation method 2




# Detach the Unit


Detach the front panel before disassembling the unit. For more details regarding this section, refer to "Detach the Front Panel".

 Take out the Outer Trim Frame after detaching the front panel.



2.Insert the keys supplied to the unit at both sides of the unit (shown as illustrated) until they click. Pulling the keys makes it possible to remove the unit from the dashboard.






# Installation

# Cleaning the Connector

If the connector between the main unit and the front panel is dirty, it may result in unit's abnormal working condition. To avoid such problems happening, please detach the front panel, and clean the connector with an alcohol swab. Gently clean and avoid damaging the connector.



The backside of the front panel

### ■ Notes:

- For safekeeping, always shut down the generator and take out the key from the ignition before cleaning.
  - Never keep your finger or any metal device touch the connector directly.

# General Operations

### Reset the Unit

Operating the unit for the first time or after replacing the car battery, you must reset the unit.

Remove the front panel at first, and then
Press 5 RESET button on the base with
a pointed object, (such as a ballpoint pen)
to set the unit to initial status.

### Notes:

- When some errors occur on the display, you can also press RESET button to resume to normal, and it will erase the clock setting and some memorized functions.
- This function can only be operated by the head unit.

## Turning the Unit On/Off

Press **PWR** button to turn on the unit, press it again, the unit is still in the waiting status. When insert a disc, the unit will automatically start playing. Keep pressing it to turn off the unit completely.

### Notes:

- \* After the unit is off, the volume level is memorized during the area between 6 and 30. If the volume level is set less than 6, it will resume to 6; if it is higher than 30, it will resume to 30; if it is between 6 and 30, it still stores in the status which you set.
- Pressing PWR button on the head unit also performs the same operation.

### **Volume Control**


Press **CVOL+** button to increase the sound level and press **CVOL-** button to decrease the sound level.

### ■ Note:

 This function is operated by pressing the remote control only.

## **Setting the Sound Characteristics**

Repeatedly press **(B) SEL** button to select the desired mode in the following order:



- 1 After selecting the desired mode, you can adjust the current level by pressing OVOL buttons.
- 2 If you don't adjust VOL buttons within 5 seconds after selecting the desired mode, the unit will automatically return to the current mode being displayed.
- 3 when EQ mode is activated, press
  SEL button to select modes, BAS/
  TRE are invalid. (Shown as below)

### ■ Note:

 This function is operated by pressing the remote control only.

### **EQ Setting**

While listening to the popular music, classic music or rock music, you can select the corresponding preset modes to adjust the sound quality perfectly by using **3** EQ button.

Repeatedly pressing **SEQ** button to choose the following modes in turn:

### ■ Notes:

- \* Bass mode and Treble mode return to initial settings when EQ system is on, "Bass" and "Treble" disappear.
- This function is operated by pressing the remote control only.

# General Operations

### Turning Loudness On/Off /My Best Position(MBP)

- 1 Briefly press LOUD button on the remote control to activate loud function. You can press this button to increase the low frequency, which can improve sensitivity for your cars. And "LOUD" appears. Press it again to shut down "LOUD" function.
- 2 Press and hold this button for more than 3 seconds to activate MBP function. If no passenger in the car, you can perform MBP function and enjoy optimum sound.

T CD	F Speaker		R Speaker	
LCD	L	R	L	R
MBP-A	0	-4dB	-4dB	-8dB
MBP-B	-4dB	0	-8dB	-4dB
MBP-OFF	0	0	0	0

Each time when you press and hold **LO-UD** button for 3 seconds, it will select the position as desired in the following order:



The corresponding mode will appear on the

display.
If accurately adjusting the volume level needed, please use SEL button.(Refer to "Setting the Sound Characteristics" for more
details)

### ■ Notes:

- \* When activate BAL and FAD ( "Setting the Sound Characteristics" ), MBP mode will be turned off.
- This function is operated by pressing the remote control only.

### **Mute Function**

Press MUTE button to shut off the sound output. And "MUTE" appears on the LCD. Press it again to resume to previous volume level.

### ■ Note:

 This function is operated by pressing the remote control only.

### **Displaying and Adjusting Time**

Displaying Time: Press DSP button and the current time is shown on the LCD, it will return to original status after 3 seconds.

Adjusting Time: Press and hold DSP button until the two points in the middle of the clock stop blinking, and the "Hour" blinks, you can press VOL+ or VOL-buttons to adjust hours; and then press SEL button, and the "Minute" blinks, you can press VOL+ or VOL- buttons to adjust the minutes.

### Note:

 This function is operated by pressing the remote control only.

### **Mode Selector**

Press SOURCE button to select radio mode or playback mode.

### ■ Note:

 This function is operated by pressing the remote control only.

### Infrared Sensor:

Receptor Ton the head unit for the card remote commander.

# **AUX In (optional)**

You can input the audio frequency into the main unit to increase the volume through AUX.

# *DVD*

### Basic operation of DVD

Insert a DVD disc into the slot, the unit will automatically switch on, if a DVD disc is loaded, press SOURCE on the remote control to start the playback.

- Note:
- Pressing (4) button on the head unit to eject a DVD disc.


## Selecting Tracks Fast

During DVD playback, firstly press (4) (14) to play the tracks from the current one, press (4) within 3 seconds to play the previous track, press (4) to play the next one.

- Note:
- This function is operated by pressing the remote control only.

# Repeat Playing

During DVD playback, repeatedly press 
AMS/RPT to replay the tracks.



- Notes:
- The default setting is DISC REPEAT.
- This function is operated by pressing the remote control only.

## **Number Buttons**

Press one of **6** Number Buttons(0~9) to select a track, it will be played automatically.

- Note:
- \* The function is only valid on remote control.

# Stop the playback

- Note:
- This function is only operated by using remote control.

# **Pause the Playback**

During DVD playback, press to switch between play and stop; During stop mode, press this button to resume playback mode.

- Note:
- This function is only operated by using remote control.

### Skip backward/forward/F.F /F.REW the playback


Hold and Press ( ( or ) on remote control to perform fast reward or fast forward. Each pressing will change as follow:

$$\longrightarrow 2X \longrightarrow 4X \longrightarrow 8X \longrightarrow 16X \longrightarrow$$

- Note:
- This function is only operated by using remote control.

### **System Button**

During DVD mode, Press BAND/(P/N) to select the TV system as follow:



- Note:
- This function is also can be operated by DVD SETUP MENU.



# Slow motion playback

Press SLOW to slow forward or slow backward. There are speeds as follow:

### Note:

This function is only operated by using remote control.

### Increase the size of the picture

During DVD mode, Press **① ZOOM** to increase the picture in size. There are sizes as follow, Each pressing increases the size until the maximum size is reached.

### ■ Note:

\* The function is only valid on remote control.

# **On Screen Display**

During **DVD** status, brief press **(1) OSD** button the display shows:

keep pressing **(OSD** button to display the current setting.

### ■ Note:

The function is only valid on remote control.

# **DVD Playback Setting**

During DVD mode, press ② GOTO button to set the playing time, when the TFT display: title/chapter/sound/captions/angle /title time/chapter time/repeat playing /time option. Press ② [▲] [▼] to select the options, press ENTER to set the status. Then press NUMBER BUTTONS or ③ [▶] [◄] to set the current status.

#### ■ Note:

 This function is operated by using the remote control.

# Changing the viewing angle (Multi-angle)

With DVDs featuring multi-angle (scenes shot from multiple angles) recordings, you can press **ANGLE** to switch among viewing angles during playback.

Selection options switch as follows:

### Notes:

- This function is operated by using the remote control.
- This function only operates with DVDs featuring multi-angle recordings.
- \* The "and mark on a DVD's package indicates it features multi-angle scenes. The number in the "and mark indicates the number of angles from which scenes were shot.
- If you press ANGLE during fast forward/fast reverse or pause, fast forward/fast reverse or pause is cancelled and normal playback resumes but the viewing angle does not change.

# DVD

### Changing audio language (Multi-audio)

DVDs can provide audio playback with different language. With DVDs featuring multi-audio recordings, you can press AUDIO to switch between language and audio systems during playback.

Selection options switch as follows:

#### AUDIO 1 — AUDIO 2 — AUDIO 3

### Notes:

- This function is operated by using the remote control.
- This function only operates with DVDs featuring multi-audio recordings.
- The number in the "@" mark on a DVD's package indicates the number of recorded languages/audio systems.
- During VCD mode, you can press AUDIO to select left channel, right channel or stereo channel.

# Changing the subtitle language (Multi-subtitle)

With DVDs featuring multi-subtitle recordings. You can press SUB-T to switch between subtitle languages during playback. Selection options switch as follows:

Subtities 1 — Subtities 2 — Subtities OFF

#### Notes:

- This function is operated by using the remote control.
- This function only operates with DVDs featuring multi-subtitle recordings.
- The number in the "a" mark on a DVD's package indicates the number of recorded subtitle languages.

### Selecting MENU

- 1 Selecting Menu: During DVD status, press MENU to return to the root menu, all of the chapters will appear on monitor. You can press 3 or 6 button to select your desired chapter.
- 2 Selecting Title: During DVD status, press TITLE to return the title menu, all of the titles will appear on monitor. You also can press 3 or 5 button to select your desired chapter.

### Note:

The function is only valid on remote control.

### **SET UP MENU**


During DVD playback, press **② SET UP**, the screen will display system setting picture, the user can select some relative constant parameters. The user also can set it as needed by moving the cursor and using ③ [▲][▼][◀][▶] buttons, and then press ③ ENTER to execute the selecting or entering item.


#### ■ Notes:


- This function is operated by using the remote control.
- \* The selections are the preferred options that will be chosen if they are available on a disc. If the disc that is inserted does not have the preferred option then the discs own preference will be used.
- Regarding SETUP MENU, please refer to the following pages for more details.
- Some functions varies depending on the types of models or formats of the disc.



### -- General Setup Page--









DVD


### --General Setup Page--









### -- Dolby Digital Setup--









### --- Preference page---












### ---Preferences page--








DVD



### --- Preferences page--





### Playing a Mp3 Disc

Insert a MP3 disc into the slot, the unit will automatically switch on, if a MP3 disc is loaded, press SOURCE to start the playback. During MP3 playback, the moving playing information displays on LCD. When playing a disc included PIC file, first press ■/), then press [▲][▼] to select the option.

### Note:

### Selecting Tracks Fast

During Mp3 playback, press to play the backward track, Press to play next track.

### Note:

 This function is operated by using the remote control.

### Repeat Playing

During Mp3 playback, press ② RPT to replay the current track, press it again to cancel this function.

### ■ Note:

- This function is operated by using the remote control.
- \* The default setting is Disc Repeat.

### **Number Buttons**

Press one of **6** Number Buttons(0~9) to select a track to play automatically.

### ■ Note:

 This function is operated by using the remote control.

# Stop Playing

During Mp3 playback, Press **⑤** ■/) to stop the playback.

### ■ Note:

 This function is operated by using the remote control.

# Selecting the MP3 Track

During Mp3 mode, firstly press GOTO and the TFT shows:---. Then press NUMBER BUTTONS to input the Mp3 track's Number to play it,; secondly press GOTO button, and the TFT shows:--:-, now input the desired Number to play the current track at this point.

#### Note:

 This function is operated by using the remote control.

### Pause the Playback

### Note:

 This function is operated by using the remote control.

### Skip backward/forward/F.F /F.REW the playback

Hold and Press ( (M or M) on remote control to perform fast reward or fast forward. Each pressing will change as follow:

$$\longrightarrow 2X \longrightarrow 4X \longrightarrow 8X \longrightarrow 16X \longrightarrow$$

#### Note:

 This function is operated by using the remote control.

### On Screen Display

keep pressing and hold @ OSD button to display the current status.

# VCD/CD

## Basic operation of VCD/CD

Insert a VCD/CD disc into the slot, the unit will automatically switch on, if a VCD disc is loaded, press SOURCE on the remote control to start the playback.

### ■ Note:

Pressing 
 button on the head unit to eject a VCD/CD disc.

## Selecting Tracks Fast

During VCD/CD playback, firstly press

(M) to play the tracks from the
current one, press M within 3 seconds
to play the previous track, press M to
play the next one.

### Note:

 This function is operated by using the remote control.

## Repeat Playing

During VCD/CD playback, repeatedly press
AMS/RPT to replay the single track.
Press it again to cancel this function.

#### Notes:

- The default setting is DISC REPEAT.
- This function is operated by using the remote control.

# **Playing Tracks in Random Order**

During VCD/CD status, when pressing **(b) LOC/RDM** button, the unit plays any track at random. Press it again to return to normal playing.

### ■ Note:

 This function is operated by using the remote control.

### **Number Buttons**

Press one of **6** Number Buttons(0~9) to select a track, it will be played automatically.

### Note:

The function is only valid on remote control.

## Stop the playback

During VCD/CD playback, firstly press 

// to pause the playing, press 
// twice to stop the playback, press 
// twice to stop the playback, press 
// to start playing from the first track of the disc.

### ■ Note:

 This function is only operated by using remote control.

### Pause the Playback

During VCD/CD playback, press to switch between play and stop; During stop mode, press this button to resume playback mode.

#### Note:

 This function is operated by using the remote control.

### Skip backward/forward/F.F /F.REW the playback

Hold and Press ( ( or ) on remote control to perform fast reward or fast forward. Each pressing will change as follow:

$$\longrightarrow 2X \longrightarrow 4X \longrightarrow 8X \longrightarrow 16X \longrightarrow$$


### ■ Note:

 This function is operated by using the remote control.



# System Button

During VCD/CD mode, Press BAND/
(P/N) to select the TV system as follow:



- Note:
- This function is also can be operated by *DVD SETUP MENU*.


# Increase the size of the picture

During VCD/CD mode, Press **① ZOOM** to increase the picture in size. There are sizes as follow, Each pressing increases the size until the maximum size is reached.

- Note:
- The function is only valid on remote control.

# Slow motion playback


During VCD playback, press SLOW to slow forward. There are speeds as follow:



- Note:
- This function is only operated by using remote control.

### On Screen Display

During VCD/CD status, brief press **OSD** button the display shows:



keep pressing **(C) OSD** button to display the current setting.

- Note:
- The function is only valid on remote control.

# Setting the Playback Time

During CD playback, firstly press **②** GOTO, and TFT shows: disc playback time:—;—, press your desired time of the playback by using number buttons.

Secondly press GOTO button, the tracks time appears on TFT, also input your desired numbers to play the current time of your selection.

During VCD mode, press ② GOTO button to set the playing time, when the TFT display: title/chapter/sound/captions/angle /title time/chapter time/repeat playing /time option. Press ③ [ ▲ ][ ▼ ] to select the options, press ENTER to set the status. Then press ⑤ NUMBER BUTTONS or ⑤ [ ▶ ][ ◀ ] to set the current status.


- Note:
- This function is operated by using the remote control.

# VCD/CD

### **Selecting Channel**

During VCD/CD status, repeatedly press

AUDIO button to select the following channel:



Selecting the corresponding channel to set the different sound characters.

- Note:
- . The function is only valid on remote control.

### **Title Selector**

During VCD status, Press 7 TITLE button to return the root menu of the disc, the TFT displays all the tracks of the disc. You can also press 6 button to choose the desired tracks.

- Note:
- \* The function is only valid on remote control.

### **Program Playing**

During VCD/CD mode, press PROG, the TFT displays the program menu. Pressing NUMBER BUTTONS to select the track Number and then press to move the cursor to START, press ENTER to start program playing; move the cursor to EXIT and press ENTER to exit the program playing. Move the cursor to and press ENTER to the last page; move the cursor to and press ENTER to the last page; move the cursor to and press TENTER to the next page.

During this process, press During this process.

- Note:
- \* The function is only valid on remote control.

# Tuner

### **Band Selector**

During radio status, repeatedly press BAND/(P/N) button to select bands in the following order:

### ■ Note:

- This function is operated by using the remote control.
- Hold and press BAND button to change the FM between USA and Europe.

### Manual/Automatic Tuning

Manual Tuning: Press ② (⋈ or ⋈)button on the remote control continuously to select a station downward or upward respectively.

Automatic Tuning: Press and hold () or () button for more than 3 seconds, the radio automatically searches a station downward or upward respectively and plays when it finds a station.

### ■ Note:

 This function is operated by using the remote control.

### DX/LOC Selector

During radio status, press **(b)** LOC/RDM button on the remote control to select strong or weak station reception.

- It is set to LOC mode when LOC/RDM button is first pressed. "LOC" appears on the display and only local station is available.
- 2 It is switched to DX mode when **\*\* LOC/** RDM is pressed again. Both distance and local stations can be received.

### Notes:

- The initial mode is DX mode.
- LOC mode is functional only in selecting & memorizing stations.
- This function is only operated by using remote control.

# MO/ST Selector

During radio status, you can press **PROG** button on the remote control to select **Mono** mode or **Stereo** mode.

- Stereo reception is charged when "ST" and "ST" appear.
- 2 It is switched to MONO mode when "ST" and "GD" disappear.

### ■ Note:

This function is only operated by using remote control.

# Tuner

### Scanning/Memorizing Stations Automatically

During radio mode, you can press **②** AMS /RPT button to scan each stored station 5 seconds respectively which stored in **③** (1-6) Number Buttons. You can press the corresponding number buttons or AMS button when your desired station is charged. And it starts playing that station.

When press and hold AMS/RPT button for more than 3 seconds, it will activate automatically memory storing function. The radio automatically selects a station and has it stored in any one of the Number Buttons from 1 to 6.

### Notes:

- The unit can be stored up to 6 stations for each band.
- Regarding the function of Number Buttons, refer to Number Buttons for more information.
- This function is only operated by using remote control.

### **Number Buttons**

During radio mode, Number Buttons from 1 to 6 (3) can help you store your favorite station. You can follow the steps as below:

When receiving a station, press and hold any one of the Number Buttons until "CH" appears in the LCD, which indicates that station is already stored in the corresponding number button.

You can store up to 18 FM stations (6 each for FM1,FM2,FM3),up to 12AM stations (6 each for AM1/MW and AM2/LW).

#### Note:

 This function is only operated by using remote control.

# Additional Information

# Simple Troubleshooting Guide

The following checklist might help to solve the problems which you meet when using the unit. Please double check and make sure if the connection and the procedure of the operation is properly before using the checklist below.

Problem	Cause/Solution		
No power.	<ul> <li>Check and make sure whether the fuse is blown, replace with the proper value if necessary.</li> </ul>		
Some errors occur in the LCD or no function when pressing the button.	Press RESET button.		
Unable to receive stations.	<ul> <li>Check and make sure whether the antenna is inserted or the antenna is properly connected, in not, insert the antenna or connect it properly.</li> </ul>		
Poor effect on receiving a station.	<ul> <li>Antenna may not be the proper length. Make sure the antenna is fully extended; if broken, replace the antenna with a new one.</li> </ul>		
	<ul> <li>The antenna is poorly grounded, check and make sure the antenna is properly grounded at its mounting location.</li> </ul>		
CDs cannot be loaded.	A CD is loaded in the mechanism.		
Sound skips.	The CD is dirty or damaged.		
No images.	<ul> <li>The Video line from main unit to the TV is not connected properly.</li> </ul>		
Images skip.	<ul> <li>Improper setting of the color system. Set the color system to "PAL" or "NTSC" according to the connected television.</li> </ul>		

#### Note:

If any of the problem persist after check list had been made, consult your nearest service dealer. Never attempt to disassemble your unit by yourself.

Due to continuous product improvement, the operations are subject to run the model.