

PTH 50 Series

The durabil leader.

Superior durability and serviceability keep the PTH 50 Series in the hands of users longer, proving its

Easy handling makes the PTH 50 Series an ideal solution in retail environment providing unmatched versat

exceptional value.

The PTH 50 Series may be the smallest truck in the Crown product family, but it gets the same attention to performance and value that sets Crown apart. That includes everything from engineering and design to manufacturing and production testing.

Compare the PTH 50 Series with all the others. The differences between Crown

quality and a throw-away design are clear. Crown hand pallet trucks feature solid construction and generous amounts of steel, especially at critical stress points. You'll also appreciate the exceptional ease-of-use and serviceability features.

You can expect more from Crown, because we respect your need for superior performance at the lowest cost of ownership.

Take advantage of the productivityenhancing features of the PTH 50 Series.

How does the pump design ensure quality and reduce costs?

- Pump valve tested to over one million cycles
- Valve design minimizes contamination
- Simplified service and parts replacement

CROWN

Steer and load wheels are engineered with high-quality compounds and bearings for:

- Low rolling resistance
- Easy maneuvering of loads up to 5000 pounds
- Smooth, quiet operation for long-lasting performance

The ergonomic handle reduces fatigue, improves productivity:

- Easy pump action
- Easy maneuvering neutral lever position releases tension on handle
- Automatic return-tovertical position when released (safe and efficient)

provides easy entry for multiple pallet types: ■ 2.95-inch fork clearance

maneuverability define the PTH 50 Series meeting the toughest challenges in trailers and across docks.

articulated wheels,

designed to maintain

optimal contact with

the floor, help users

across dock plates, in

and out of trailers and

over uneven floors.

easily maneuver

Low fork clearance

Hands

Application flexibility, including non-standard

Crown's innovative durability features include:

- Reinforced lower handle
- Forks with C-channel formed steel
- Cross braces and steel forgings on lift link arms
- Box-style push rods
- Yellow chromate pins and shafts (corrosion protection)
- Hard chrome pistons to minimize rust

Service simplicity and lower costs result from:

down.

- Easily replaceable pump valve cartridge
- Snap rings to connect push rods to lift linkage assembly
- Bolt and lock nut used for steer axle mounting
- Crown Integrity Parts®, readily available from vour Crown dealer




and faster due to metal ramps on the fork tips and optimally positioned rollers.

Pump it up.

Get unbeatable performance and long-term durability

with the PTH 50 Series.



Model	Width	(A) Fork Length	(B) Load Wheel Lowered	(C) Load Wheel Raised	Weight (lb)
PTH 50 16-36	15.8"	36"	29.5"	23.5"	132
PTH 50 18-42 PTH 50 18-48	17.7 17.7	42 48	35.5 41.5	29.5 35.5	141 148
PTH 50 20-36 PTH 50 20-42 PTH 50 20-48	20.5 20.5 20.5	36 42 48	29.5 35.5 41.5	23.5 29.5 35.5	137 143 150
PTH 50 27-36 PTH 50 27-42 PTH 50 27-48 PTH 50 27-54 PTH 50 27-60 PTH 50 27-72	27.0 27.0 27.0 27.0 27.0 27.0 27.0	36 42 48 54 60 72	29.5 35.5 41.5 47.5 53.5 65.5	23.5 29.5 35.5 41.5 47.5 59.5	143 150 159 174 187 209

Polyurethane wheels

Steer wheels \emptyset 7" x 2" wide Load wheels \emptyset 2.95" x 4" wide



Constructed of 5/16" steel, backrests are available in 48" and 60" sizes. Bolt-on installation simplifies field retrofits.



Skid Adapter

Increases lowered height to 5.5" to permit skid handling. Raised height increases to 10.5". Adapter latches in vertical position for pallet-handling tasks.



You can count on Crown to build lift trucks designed for safe operation, but that's only part of the safety equation. Crown encourages safe operating practices through ongoing operator training, safety-focused supervision, maintenance and a safe working environment. Go to crown.com and view our safety section to learn more.

Crown Equipment Corporation

New Bremen, Ohio 45869 USA **Tel** 419-629-2311 **Fax** 419-629-3796

crown.com

Because Crown is continually improving its products, specifications are subject to change without notice.

Crown, the Crown logo, the color beige, the Momentum Mark and Crown Integrity Parts are trademarks of Crown Equipment Corporation.

Copyright 2007 Crown Equipment Corporation SF14847 10/07 Printed in U.S.A.