



Mini 3 Diving Light System

Introduction

Thank you for choosing the Hollis Mini 3 Light System. To help ensure its high performance and reliability, please take the time to review and understand this manual.

This User's Guide describes the unique functions and features of the Hollis Mini 3 Light System. The more acquainted that you become with your new light, the more you will enjoy your diving experience. By following the instructions in this guide, you will understand how your light works allowing the best use of its features. It is very important to first read the entire contents of this manual before attempting to use your new light.

All Hollis products are tested for function and water integrity before leaving the factory. Hollis products are constructed with the highest quality materials and utilize the latest computer aided design and manufacturing techniques to ensure their highest performance and reliability.



Technical Specifications

The Mini 3 light system offers the reliability, durability and efficiency of LED technology in a small compact package.

<u>Power Source</u>	<u>3 Watt LED</u>
<u>Weight</u>	<u>.5 lbs (batteries installed)</u>
<u>Beam Degree</u>	<u>8 Degree – PMMA Reflector</u>
<u>Burn Time</u>	<u>Approx. 4 hours</u>
<u>Output</u>	<u>210 Lumens</u>
<u>Bulb Life</u>	<u>50,000 hour life</u>
<u>Material</u>	<u>T6061-T6 Anodized Aluminum</u>
<u>Battery</u>	<u>3 “AAA” Alkaline</u>
<u>Maximum Operating Depth</u>	<u>600 Feet / 152 Meters</u>
<u>Dimensions</u>	<u>40mm (Diameter) / 123mm (Length)</u>

Instruction for Use

The Mini 3 light system has a simple operating procedure. Once the batteries are installed into the supplied battery carrier, slide the pack into the housing and secure the battery cap by turning the cap clockwise until it stops – at this point the light is in the “OFF” position. (The light will activate shortly before reaching the “OFF” position) To activate light: Turn the cap counterclockwise one full turn ONLY.

CAUTION:

- * While underwater, do not turn the cap counterclockwise more than one and half full turns as this will flood the light
- * Mini 3 light system is not to be used out of water

MANUFACTURER WARRANTY – 1 Year Limited (USA/Canada only)

Conditions may vary with your area, region, territory or country. For details, refer to the Product Warranty section on the Hollis web site, or contact your local distributor.

www.HollisGear.com

SERVICE – Please refer to the following address for all service related issues with your Hollis Mini 3 light system; or for immediate assistance call 510-729-5110:

**Hollis Customer Service
2002 Davis Street
San Leandro, Ca 94577**

COPYRIGHT NOTICE

This user's guide is copyrighted, all rights are reserved. It may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable format without prior consent in writing from Hollis.

Mini 3 LED Light System, Doc. No. 12-4061

©2010 Hollis

2002 Davis Street

San Leandro, CA USA 94577

TRADEMARK NOTICE

Hollis and the Hollis logo are registered or unregistered trademarks of Hollis. All rights are reserved.

