



Product environmental attributes - THE ECO DECLARATION

Brand *	Toshiba	Logo
Company name *	Toshiba Europe GmbH	
Contact information *	Toshiba Europe GmbH Environmental Affairs and Product Conformity Recycling-information@toshiba-teg.com	TOSHIBA Leading Innovation >>>
Internet site *	http://www.toshiba-europe.com/computers/environ	<u>ment</u>
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Portable PC			
Commercial name *	Portégé R500			
Model number *	PPR50E			
Issue date *	September 9, 2008			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	ontrol Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Portégé R500 (PPR50E)		
Issue date *	September 9, 2008	Logo	TOSHIBA Leading Innovation 709

Product 6	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (<i>EC</i>) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals</i> 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)	\boxtimes		
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\boxtimes
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	Portégé R500 (PPR50E)		
Issue date *	September 9, 2008	Logo	TOSHIBA Leading Innovation >>>

Product	t environmental a	attributes - Market req Requirem	uirements - Environmental conscious design nent met				
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re	ecycling					
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic materials	in covers/housing hav	e no surface coating.			\boxtimes	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.						
P7.4*	Plastic parts >25	ig have material codes	according to ISO 11469 referring ISO 1043.				
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available	tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product lifetime)					
P7.7*	Upgrading can b	e done e.g. with proces	ssor, memory, cards or drives				
P7.8*	Upgrading can b	e done using common	ly available tools				
P7.9.	Spare parts are	available after end of p	roduction for: 5 years				
P7.10	Service is availa	ble after end of produc	tion for: See P14 years				
		bstance requirements	s				
P7.11*		ousing material type:	Matarial type:				
P7.12*	Material type: My		Material type: Material type: ower cables are halogen free (including PVC)		\boxtimes		
P7.13*			gnal cables are halogen free (including PVC)		\square	+	
P7.14		g plastic parts >25g are				∺	
P7.15			onents) >25g are halogen free		∺	+	
P7.16			ants in cover / housing plastic parts >25g according ISO 1043	-4:	╫	+	
P7.17	FR(40)						
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(40)						
P7.18 P7.19	Weight of recycled material in plastic parts is 3.7g Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,						
	R50/51/53 and R60/61 (67/548/EEC)						
P7.20	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg						
P8	Batteries						
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC						
P8.2*	Battery chemical composition: Li-Ion, NiMH Batteries meet the requirements of the following voluntary program/s:					<u> </u>	
P8.3			following voluntary program/s:				
P9 9.1	Energy consum	•	els or energy consumptions have been measured:				
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Reference/ Standard		n.a.	
On-max	W		*	*			
On- normal	* 19.5 W	600s to On-idle	* Idle state + LCD On	*			
On-idle	12.3 W	300s to Save1	* Idle State	*ENERGY ST	AR	П	
Save 1	* 1.47 W	to	* Sleep Mode with WOL	*ENERGY ST	AR	П	
Save 2	1.02 W	to	* Sleep Mode	*ENERGY ST	AR	Ħ	
Off 1	* 1.37 W	to	* Off Mode with WOL	*ENERGY ST	AR	Ħ	
Off 2	0.54 W	to	* Off Mode	*ENERGY ST	AR	Ħ	
No load	* 0.40 W		External power supplies/charger plugged in but disconnected from the product	*ENERGY ST	AR		
TEC	* kWh/y	ı Typical Energy Consun		*			
P9.2*	Information about the energy save function is provided with the product.						
P9.3		ets the energy requirem	nents of the following voluntary program/s:				

Model number *	Portégé R500 (PPR50E)		
Issue date *	September 9, 2008	Logo	TOSHIBA Leading Innovation ???

		tributes - Market requirements (continued			Voc. N	lo	20
P10	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No r Emissions						n.a.
	Noise emission	Declared according to ISO 9296					
P10.1	Mode	Mode description	Declared	Declared A-weight			
			A-weighted	sound pressure level L			
			sound power level L _{WAd} (B)	Operator position Bysta	inder position	ons	i
			w/u ()	Desktop (only if	product is	not	
					ator attend		ı
	Idle	* ISO7779 Idle	* 2.90B				
	Operation	* ISO7779 Operation-HDD	* 3.05B				
	Other mode	ISO7779 ODD (when ODD operates)	5.00B				
	Measured accor	ding to: X ISO 7779 ECMA-74					
			d by ECMA-74 wit	h L _{pAm} measurement distance	m)		
P10.2		ets the acoustic noise requirements of the fo	llowing voluntary	program/s: Less than 43dB			
		nder normal office use					
P10.3*		sions from printing products according to ECMA-328 standard, other	specify:			_	\square
	The test covers:			e TVOC			
P10.4		ets the chemical emission requirements of the				_	
	Electromagneti	<u> </u>	gg	aary programijo.			
P10.5		y meets the requirement for low frequency of	electromagnetic fie	elds of the following voluntary		\overline{A}	\Box
	program/s:	<u> </u>					
P11 P11.1*	Consumable materials for printing products A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required						
1 11.1	(see P4.3).						
P11.2*		g recycled fibres that meets the requirement	s of EN12281 car	be used.			\boxtimes
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.				\boxtimes
P12		r computing products					
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.						
P12.2*		board meets the requirements of ISO 9995					
P12.3*	The computer in	put device meets the requirements of ISO 9	241-9.				\boxtimes
P13	Packaging and documentation						
P13.1*	Product packagi	ng material type(s): Corrugated cardboard ng material type(s): Plastics	weight (kg): (weight (kg): (
P13.2*		packaging is halogen free (including PVC)					
P13.3*	•	ct documentation do not contain chlorine ble	ached paper				
P13.4*	•	ct documentation contain recycled paper			\boxtimes		
P14	Additional infor						
P7.10 P7.14/		depends on service agreement. are made from magnesium. The product	has no cover/ho	using plastic parts >25g			
P7.16	Cover,modeling	are made nom magnesiami me product	1140 110 00 101/110	uonig placae parte > 20gi			
P7.15/ P7.17	The product ha	s no printed circuit board (without comp	onents) >25g. Th	e main circuit board is halog	en free.		
P9		ncy information published on The Eco De guration meeting ENERGY STAR specific					,
	changes the en	nergy efficiency data listed above.					
P10	Acoustic noise information published on The Eco Declaration represents the characteristics of a model with standar					rd	
		Characteristics of models with different on the control of the con			. Toshiha	prov	ides
	this information	n without warranties of any kind neither e	expressed nor im	plied including but not limite	d to warra	ntie	s for
		rpose. Toshiba does not warrant that the					
	information.	best of Toshiba's knowledge at the time	or completion, a	เกน TOSNIDA NAS NO ODII GATIOI	i io upaate	e suc	an .