



USER MANUAL
ZimFon Andriod Dialer



Contents

Table of Contents

ZimFon at a Glance	4
Main screen.....	4
Adding Account	5
Step 1:	5
Step 2:	6
Step 3:	7
Step 4:	8
Step 5:	9
Step 6:	10
Step 7:	11
Step 8:	12
Step 9:	13
Step 10:	14
Making a call	15
Step 1:	15
Step 2:	16
Step 3:	17
Call Logs	18
Call logs	18
Step 1:	18
Step 2:	19
Settings.....	20
Configuration Settings	20
Step 1:	21
Step 2:	22
Step 3:	23

Step 4: 24

Step 5: 25

Step 6: 26

Step 7: 27

Step 8: 28

Step 9: 29

Step 10: 30

Step 11: 31

Step 12: 32

Step 13: 33

ZimFon at a Glance

Main screen

Following screen appears after installing the android dialer.




Figure 1

Adding Account

2

Step 1:

In order to add your SIP Account Settings, click on the ZimFon Dialer Icon, a new Window appears. Click on **“Add account”** button to enter the User Login information.




Figure 2

Step 2:

After clicking on the **Add account**, a **New Account Wizard** screen will appear. Click on **ZimFon** button to add the account.




Figure 3

Step 3:

After Clicking on “ZimFon”, A new screen with “Activated Number, Username and Password” will appear, Click the options one by one and add your number, username and password information for your ZimFon SIP account.




Figure 4

Step 4:

Click on **“Activated Number”** to enter the activated number information. If you have entered wrong number or you want to change it just click on **“Cancel”**, and again enter the number. After adding it, click **“OK”**.




Figure 5

Step 5:

Click on **“Username”** to enter the Username information. If you have entered wrong username or you want to change it just click on **“Cancel”**, and again enter your username. After adding username, click **“OK”**.




Figure 6

Step 6:

Then Click on “**Password**” button to enter the Password. Click “**OK**” to save the password. You can use the check box option of “**Show password**” in order to show or hide your password information.




Figure 7

Step 7:

Add all of the user login information, and click **“Save”**. After adding an android account, your account will be registered automatically.




Figure 8

Step 8:

When your account will be successfully registered, following screen will appear.




Figure 9

Step 9:

Now you have added an android account. You can Activate or Inactivate your account from your accounts settings.




Figure 10

Step 10:

This ZimFon Dialer has backup and restore options. If you have deactivated your account from ZimFon dialer and now you want to use it again. Then by using **“Backup/Restore”** button you can restore your previous account settings.




Figure 11

3

Making a call

Step 1:

To make a call, you have to dial the number. Press the call green button to make a call.




Figure 12

Step 2:

To make a call, you have the option to use mobile or a dialer. You can use the option of ZimFon Dialer.




Figure 13

Step 3:

Press the Disconnect button to end the call.




Figure 14

Call Logs

Call logs

Step 1:

A Call log window will appear when you press the call log button.




Figure 15

Step 2:

In order to make a call, just click on the “**phone icon**” in front of the number, your call will be directed to that number. In order to end the call, click on “**End icon**”.

Available features:

Add Call
End Call
DTMF
Bluetooth
Mute Speak




Figure 16

Settings

5

Configuration Settings

Click on the Settings button, as shown in the figure.




Figure 17

Step 1:

Following is the Settings menu, as shown in the figure settings allow the selection.

Available settings

- Easy configuration
- Network
- Media
- User interface
- Calls options
- Filters




Figure 18

Step 2:

By clicking on the first available settings i.e the easy configuration screen, you can set the

“Availability profile” as:

Always Available

Available on WiFi

Only for outgoing calls




Figure 19

Step 3:

Click the back button to approach the settings menu. By clicking on the **“network”** button, you have the following settings of **“Transport”**:

WiFi keep alive
Mobile keep alive
Resolve DNS SRV
Use compact SIP
Secure transport




Figure 20

Step 4:

By clicking on the “**Media**” button, you have the following settings:

Echo Cancellation
Voice audio detection
Clock rates
Codec priority list
Codecs




Figure 21

Step 5:

Click the back button to approach the settings menu. By clicking on the **“User Interface”** button, you have the following settings:




Figure 22

Step 6:

Click the back button to approach the settings menu. By clicking on the “call options” button, you have the following settings:




Figure 23

Step 7:

Click the back button from your mobile to approach the settings menu. By clicking on the **“Filters”** button, you have the following settings:




Figure 24

Step 8:

By clicking on the specified user account, a window will appear that has the option of **adding/rewriting filter**.




Figure 25

Step 9:

By clicking on the “add filter/rewrite rule” button, you have two options, “can’t call” and “start with”.




Figure 26

Step 10:

By clicking on the **“can’t call”** button, a window will appear that has the following options:

Can’t call

Rewrite

Stop processing

Directly call

Auto answer




Figure 27

Step 11:

By clicking on the “**start with**” button, a window will appear that has the following options:

Start with

End with

Contains

All

Has exactly N digits

Has more than N digits

Is exactly




Figure 28

Step 12:

Active / Inactive ZimFon Account

In order to inactive your account, click of ZimFon logo, your account will be marked as inactive then you cannot make calls via ZimFon Dialer.




Figure 29

Step 13:

After using the dialer, you can disconnect the dialer using the **“Disconnect”** option.




Figure 30