

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo		
Company name *	Hewlett-Packard Company			
Contact information *	Hans Wendschlag			
	http://www.hp.com/hpinfo/globalcitizenship/envir			
	onment/contactemail.html			
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environ	p://www.hp.com/hpinfo/globalcitizenship/environment/		
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	P Integrity 2U Rackmount Unix Server				
Commercial name *	HP Integrity rx2800 i4 Server				
Model number *	rx2800 i4				
Issue date * December 1, 2012					
Intended market *	☑ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	rx2800 i4		
Issue date *	Dec. 1, 2012	Logo	

Product	duct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).				
P1.9*	Comment: Legal reference has no maximum concentration values.				
P1.9	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	\boxtimes	
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): www.hp.com/go/reach				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*					
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		П	$\overline{\Box}$	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ħ	\dashv	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	rx2800 i4		
Issue date *	Dec. 1, 2012	Logo	

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design, Disassembly, Recycling			
P7.1*	Parts that have to be treated separately are easily separable.	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		T	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\overline{\boxtimes}$	$\overline{\sqcap}$	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$	$\overline{\sqcap}$	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools		Ħ	
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			$\overline{\Box}$
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS Material type: PC Material type: ABS			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free.		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\overline{\boxtimes}$	$\overline{\sqcap}$	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: FR(16)			
D7.40	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: C6200-GY2A547 2. Chemical name: CAS #: Polycarbonate (CAS: 25037-45-0)/ ABS (CAS: 9003-56-9) CAS #: CAS #: CAS #:			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is %.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries			
P8.1*	Battery chemical composition: Button Cell: MnO2, Li, C4H6O3, C4H10O2, LiCIO4			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	rx2800 i4		
Issue date *	Dec. 1, 2012	Logo	

Product environmental at	ttributes - Market re	quirements (con	tinued)		Requirement	
Item					Yes No	n.a.
P9 Energy consump						
9.1 For the product the following power levels or energy consumptions are reported:						
				g the HP Power Advisor at		
http://h18004.www	/1.hp.com/products/solu	<u>utions/power/index.h</u>	tml?jumpid=reg_f	R1002_USEN		
Fnormy mode *	Dower lovel of	Dower level of	Dower Javal	at Deference / Ctander	d for onerous	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at Reference / Standard modes and test method		
	W	W	W	medee dina teet metilea		
	W	W	W			
	W	W	W			
	W	W	W			\boxtimes
	W	W	W			\boxtimes
	W	W	W			
EPS No-load	W	W	W			
(External power supply /						
charger plugged in the wall						
outlet but disconnected from the product.)						
PTEC *	W	W	W			
Typical Energy Consumption	**		"			
TEC *	kWh/week	kWh/week	kWh/wee	ek		
Typical Energy Consumption						
ETEC *	kWh/year	kWh/year	kWh/yea	r		
Annual Energy Consumption	in in its and	KVVIII y Gai	RVVII, y Gal	•		
Display resolution* : M	legapixels					\boxtimes
Print Speed * : In	nages per minute					
Default time to enter energy sa						
P9.2* Information about	the energy save functio	n is provided with th	e product.			
P9.3* The product meets	s the energy requiremen	nts of the following v	oluntary program/	/s:		
ENERGY STAR®		Product catego				
Others specify:						\boxtimes
P10 Emissions	- Declared according to	150 0306				
Noise emission -	- Declared according to	150 9296				
P10.1 Mode	Mode description	1	Declared	Declared A-weigh	to d	1
F 10.1 Wode	widde description		A-weighted	sound pressure level L		
			sound power			
			level $L_{W\!Ad}$ (B)	Operator position Byst	ander positions	
				Desktop (only	if product is not	
					erator attended)	
	* Fans on, HDD spini	• •	* 7.0 for DC,	42.4 (OFS)		
	applicable)	!	5.9 for OFS			
Operation	*Fana an UDD - 1	a in a	* 7 0 for DO	40.4 (050)		-
Operation	* Fans on, HDD spinr		* 7.0 for DC, 5.9 for OFS	42.4 (OFS)		Ш
		'	0.9 IOI OF 3			
Other mode						1
Measured accordi	ng to: 🔀 ISO7779 🔀	ECMA-74	1			
	Other	(only if not covered		L _{pAm} measurement distance	m)	
P10.2 The product meets	s the acoustic noise req	uirements of the foll	owing voluntary p	rogram/s:		\boxtimes

Model nui		FX2800 I4				
Issue date	Ssue date * Dec. 1, 2012		Logo			
	environn	nental attributes - Market requirements (continued)	F	Requiren		met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4	Typical e	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	are met for :				\boxtimes
		Oust Ozone Styrene Benzene	TVOC			
		nagnetic emissions				
P10.6	program/		lowing voluntary		Ш	
P11		able materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	,			\boxtimes
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets to 1.	ne requirements of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					\boxtimes
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13		ng and documentation				
P13.1*						
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*						
P13.4*						
P13.5*	User and	d product documentation do not contain chlorine bleached paper		\boxtimes		
P14		nal information (See Note B4)				
P9	Energy of http://h18	consumption for specific system configurations can be determined by using 3004.www1.hp.com/products/solutions/power/index.html?jumpid=reg_R1002_USE	the HP Power Adv N	isor at		
	No industry-wide test standard currently exists, which may result in product comparison uncertainty.					
			-			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19