

Screen Size		50"
Aspect Ratio		16:9
Resolution		1920 x 1080
<b>Contrast Ratio</b>	)	30000:1
Viewing Angle		Over 175° (H/V)
<b>DNIe</b> <sup>TM</sup>		DNIe Pro
<b>Digital Noise Reduction</b>		Yes
Brightness		$1300cd / m^2$
FilterBright		Ultra FilterBright
Number of colors(expressed)		Natural True Color (18bit)
Grey Level(Gradation)		262144
<b>Cinema Progressive (Film mode)</b>		Yes
<b>Digital Comb Filter</b>		3D
Low Noise Amplifier		Yes
<b>Movie Plus</b>		Yes
Silhouette Editor		Yes
		AUDIO
Speaker	Down Firing	
Sound output	10W x 2	
Sound Effect System	SRS TruSurrou XT	ind
	711	Cabinet
Swivel (left/right)	Yes	
		Feature
<b>Picture-in-Picture</b>	Yes	
Sleep Timer	Yes (Max 180Min)	
Clock & On/Off timer	Yes	
<b>Still Picture</b>	No	
Auto Power Off	Yes (15Min after No Signal)	

OSD language	22 Languaga	
Anymot+ (HDMI CFC)	Language	
Anynet+ (HDMI-CEC) Anti Burn-in Technology	Yes Yes (APS, All white, Signal pattern, Side Gray)	
Power Saving (Hot key)	Yes (Off / High / Middle / Low)	
Caption	No	
V-Chip	No	
Blue Screen On/Off	No	
Melody On-Off	Yes	
Plug & Play	Yes	
<b>Absent Power Off</b>	Yes	
Favorite Channel List	Yes	
Teletext (TTXT)	Level 2.5	
Tuners	NTSC 4.43, PAL- B / G, D/K, I, I / I', SECAM- B / G, D / K, L / L`, AV Multi	System
	1240 x	Dimension
Set size(WXHXD) with stand	833.5 x 320mm	
Set size(WXHXD) without stand	1240 x 765.5 x 96mm	
Package(WXHXD)	1364 x 957 x 428mm	
	42 51	Weight
Set weight with stand	43.5kg	
Set weight without stand	39.2kg	
Package weight	51.5kg	
-		Accessory
Power Cable Remote Control	Yes TM98A	

RF CableNoUser ManualYesBattery2EA (AAA)StandYesInput & Output (side)Composite (AV)1(ver. 1.3)S-Video1BatteryWISELINK (USB 2.0) JPEG)Readphone(Earphon)2RF output10RF outputNoComposite (AV)NoS-VideoNoComposite (AV)NoS-VideoNoComposite (AV)NoS-VideoNoComposite (AV)NoS-VideoNoS-VideoNoComposite (AV)NoS-VideoNoS-VideoNoS-VideoNoComposite (AV)NoS-VideoNoS-VideoNoS-VideoNoS-VideoNoServideoNoS		(TBD)	
Battery2EA (2AA)StandYesInput & Output (side)fomposite (AV)14(ver. 1.3)S-Video1S-Video1WISELINK (USB 2.0) (DEG)USB 2.0) (DEG)fuendemetersInput & Output (back)fuendemetersNofuendemetersSifuendemetersN	<b>RF</b> Cable	No	
Battery(AAA)StandYesInput & Output (side)Composite (AV)1HDMI1 (ver. 1.3)S-Video1WISELINK(USB 2.0) JPEG)MUSELINK (USB)1Rf input1RF outputNoS-VideoNoS-VideoNoS-VideoNoS-VideoNoS-VideoNoS-VideoNoGomponent (Y/Pb/P)1PC input (D-sub)3HDMI(ver. 1.3)RS-232CNoNo1Staduó (Coazia)NoJogital Audio (Coazia)NoSower Supply220~ 240V (S0 / S0/R)Power Supply550WStand-By PowerSingManuel Life Time100000	<b>User Manual</b>	Yes	
StandYesInput & Output (side)Composite (AV)1HDM11 (ver. 1.3)S-Video1WISELINKWISELINKWISELINKUSB 2.0 JPEG)Hadphone(Earphone)1Rf input1Rf outputNoS-VideoNoS-VideoNoS-VideoNoS-VideoNoPC input (D-sub)1PC input (D-sub)11.3NoRF 304NoS-VideoNoS-VideoNoS-VideoNoS-VideoNoManage3HDM1(ver. 1.3)NoNoSecondNoSecondNoSecondNoSecondNoSecondNoSecondSecondSecondNoSecondNoSecondNoSecondNoSecondNoSecondSecondSecondNoSecondSeco	Battery		
Lingut & Output (side)Composite (AV)1HDMI1 (ver. 1.3)S-VideoIS-VideoINISELINK (USB 2.0) JPEG)Headphone(Earphone)1Ref input1RF outputNoComposite (AV)NoS-VideoNoS-VideoNoS-VideoNoGomponent (Y/Pb/P)1PC input (D-sub)1BADMI(ver. 1.3)RS-232CNoVideo Monitor OutNoJogital Audio (Coasia)NoDigital Audio (Coasia)NoPower Supply220~ 240√ (S0/ 	Stand	· · · · ·	
Composite (AV)1HDMI1 (ver. 1.3)S-Video1WISELINK (USB)WISELINK (USB 2.0 JPEG)Headphone(Earphone)1RF input1RF outputNoComposite (AV)NoS-VideoNoS-VideoNoComponent (Y/Pb/Pr)1PC input (D-sub)1HDMI(ver. 1.3)RS-232CNoVideo Monitor OutNoJogital Audio (Coaxia)NoDigital Audio (Optica)1Euro Scart2Power Supply220~ 240V (50 / 60Hz)Operation Power Consumption250WStand-By Power ConsumptionUnder 100000	Stund	100	Input & Output (side)
HDMI1 (ver. 1.3)S-Video1WISELINK (USB 2.0 JPEG)WISELINK (USB 2.0 JPEG)Headphone(Earphone)1Headphone(Earphone)1RF input1RF outputNoComposite (AV)NoS-VideoNoS-VideoNoComponent (Y/Pb/Pr)1PC input (D-sub)3HDMI(ver. 1.3)RS-232CNoVideo Monitor OutNoJoigital Audio (Coaxia)NoDigital Audio (Optica)220 ~Power Supply220 ~220 ~240V (50 / 60Hz)Operation Power Consumption250WStand-By Power ConsumptionUnder 100000	Composite (AV)	1	
S-VideoIWISELINK (USB )PEG)Headphone(Earphone)IIteadphone(Earphone)IRF input1RF outputNoComposite (AV)NoS-VideoNoS-VideoNoComponent (Y/Pb/Pr)1PC input (D-sub)3HDMI(ver. 1.3)RS-232CNoVideo Monitor OutNoJogital Audio (Coaxia)NoDigital Audio (Optica)1Euro Scart220 ~Operation Power Consumption550WStand-By Power ConsumptionUnder 100000		1 (ver. 1.3)	
WISELINK (USB)(USB 2.0 JPEG)Headphone(Earphone)1Input & Output (back)RF input1RF outputNoSourposite (AV)NoS-VideoNoS-Video1PC input (D-sub)1PC input (D-sub)1B(ver. 1.3)RS-232CNoVideo Monitor OutNoJuitel Audio (Coaxia)NoDigital Audio (Optica)1Power Supply220~ 240° (50 / 60Hz)Operation Power Consumption550WStand-By Power ConsumptionUnder 100000	S-Video	(	
WISELINK (USB)(USB 2.0 JPEG)Headphone(Earphone)1Input & Output (back)RF input1RF outputNoSourposite (AV)NoS-VideoNoS-Video1PC input (D-sub)1PC input (D-sub)1B(ver. 1.3)RS-232CNoVideo Monitor OutNoJuitel Audio (Coaxia)NoDigital Audio (Optica)1Power Supply220~ 240° (50 / 60Hz)Operation Power Consumption550WStand-By Power ConsumptionUnder 100000		WISELINK	
RF input1RF outputNoComposite (AV)NoS-VideoNoS-VideoNoComponent (Y/Pb/Pr)1PC input (D-sub)1B3HDMI(ver. 1.3)RS-232CNoVideo Monitor Out1Digital Audio (Coaxial)NoDigital Audio (Optical)1Euro Scart2Power Supply $220 \sim$ 240V (50 / 60Hz)Operation Power Consumption550WStand-By Power ConsumptionUnder 1WPanel Life Time100000	WISELINK (USB)	(USB 2.0	
RF input   1     RF output   No     Composite (AV)   No     S-Video   No     Component (Y/Pb/Pr)   1     PC input (D-sub)   1     B   3     HDMI   (ver.     1.3)   RS-232C     No   No     Yideo Monitor Out   No     Audio Monitor Out   1     Digital Audio (Coaxial)   No     Digital Audio (Optical)   1     Euro Scart   2     Power Supply   220 ~     240V   (50 /     60Hz)   60Hz)     Operation Power   550W     Stand-By Power   Under     1W   Panel Life Time	Headphone(Earphone)	1	
RF outputNoRF outputNoComposite (AV)NoS-VideoNoS-VideoNoComponent (Y/Pb/Pr)1PC input (D-sub)1Bread (Ver.3HDMI(ver.1.3)RS-232CNoNoVideo Monitor Out1Digital Audio (Coaxial)NoDigital Audio (Optical)1Euro Scart2Power Supply220 ~Operation Power Consumption220 ~Stand-By Power ConsumptionUnder 1WPanel Life TimePower Life Time	· - /		Input & Output (back)
Composite (AV)NoS-VideoNoS-VideoNoComponent (Y/Pb/Pr)1PC input (D-sub)1B3HDMI(ver. 1.3)RS-232CNoVideo Monitor Out1Audio Monitor Out1Digital Audio (Coaxia)NoDigital Audio (Optica)1Euro Scart2Power Supply220 ~ 240V (50 / 60Hz)Operation Power Consumption550WStand-By Power ConsumptionUnder 1WPanel Life Time	<b>RF</b> input	1	
S-Video     No       Component (Y/Pb/Pr)     1       PC input (D-sub)     1       3     3       HDMI     (ver. 1.3)       RS-232C     No       Video Monitor Out     No       Audio Monitor Out     1       Digital Audio (Coaxia)     No       Digital Audio (Optica)     1       Euro Scart     2       Power Supply     220 ~       240V     (50 /       (50 /     60Hz)       Operation Power     550W       Stand-By Power     Under       1W     Panel Life Time	<b>RF</b> output	No	
Component (Y/Pb/Pr)1PC input (D-sub)1BC input (D-sub)1BADMI(ver. 1.3)RS-232CNoVideo Monitor OutNoAudio Monitor Out1Digital Audio (Coaxia)NoDigital Audio (Optical)1Euro Scart2Power Supply220 ~ 240V (50 / 	Composite (AV)	No	
PC input (D-sub)   1     3   3     HDMI   (ver.     1.3)   RS-232C     No   No     Yideo Monitor Out   No     Audio Monitor Out   1     Digital Audio (Coaxial)   No     Digital Audio (Optical)   1     Euro Scart   2     Power Supply   220 ~     240V   (50 /     (50 /   60Hz)     Operation Power   550W     Stand-By Power   Under     1W   Panel Life Time	S-Video	No	
HDMI (ver. 1.3) RS-232C No Video Monitor Out No Audio Monitor Out 1 Digital Audio (Coaxial) No Digital Audio (Optical) 1 Euro Scart 2 Power Supply 220 ~ 240V (50 / 60Hz) Operation Power Consumption 550W Stand-By Power Under 1W Panel Life Time 100000	Component (Y/Pb/Pr)	1	
HDMI (ver. 1.3) RS-232C No Video Monitor Out No Audio Monitor Out 1 Digital Audio (Coaxial) No Digital Audio (Optical) 1 Euro Scart 2 Power Supply 220 ~ 240V (50 / 60Hz) Operation Power Consumption 550W Stand-By Power Under 1W Panel Life Time 100000	PC input (D-sub)	1	
1.3) RS-232C No Video Monitor Out No Audio Monitor Out 1 Digital Audio (Coaxial) No Digital Audio (Optical) 1 Euro Scart 2 Power Supply 220 ~ 240V (50 / 60Hz) Operation Power Consumption 550W Stand-By Power Under 1W Panel Life Time 100000		3	
RS-232CNoVideo Monitor OutNoAudio Monitor Out1Digital Audio (Coaxia)NoDigital Audio (Optica)1Euro Scart2Power Supply220 ~Your Supply200 ~Stand-By Power550WUnder 1WPanel Life Time100000	HDMI	(ver.	
Video Monitor OutNoAudio Monitor Out1Digital Audio (Coaxia)NoDigital Audio (Optica)1Euro Scart2Power Supply220 ~ 240V (50 / 60Hz)Operation Power Consumption550WStand-By Power (Duder 1WUnder 1WPanel Life Time		1.3)	
Audio Monitor Out1Digital Audio (Coaxia)NoDigital Audio (Optica)1Euro Scart2Power Supply220 ~ 240V (50 / 60Hz)Operation Power Consumption550WStand-By Power ConsumptionUnder 1WPanel Life Time	<b>RS-232C</b>	No	
Digital Audio (Coaxial)NoDigital Audio (Optical)1Euro Scart2Power Supply220 ~ 240V (50 / 60Hz)Operation Power Consumption550WStand-By Power ConsumptionUnder 1WPanel Life Time100000	Video Monitor Out	No	
Digital Audio (Optical)1Euro Scart2PowerPowerPower Supply220 ~ 240V (50 / 60Hz)Operation Power Consumption550WStand-By Power ConsumptionUnder 1WPanel Life Time100000	Audio Monitor Out	1	
Euro Scart2PowerPower220 ~Power240V (50 / 60Hz)PowerOperation Power Consumption550WStand-By Power ConsumptionUnder 1WPanel Life Time100000	Digital Audio (Coaxial)	No	
Power Supply   220 ~ 240V (50 / 60Hz)     Operation Power Consumption   550W     Stand-By Power Consumption   Under 1W     Panel Life Time   100000	Digital Audio (Optical)	1	
Power Supply220 ~ 240V (50 / 60Hz)Operation Power Consumption550WStand-By Power ConsumptionUnder 1WPanel Life TimePanel Life Time100000	<b>Euro Scart</b>	2	
Power Supply 240V (50 / 60Hz)   Operation Power Consumption 550W   Stand-By Power Consumption Under 1W   Panel Life Time 100000			Power
Power Supply (50 / 60Hz)   Operation Power Consumption 550W   Stand-By Power Consumption Under 1W   Panel Life Time 100000			
Operation Power Consumption 550W   Stand-By Power Consumption Under 1W   Panel Life Time 100000	<b>Power Supply</b>		
Operation Power Consumption550WStand-By Power ConsumptionUnder 1WPanel Life Time100000		·	
Stand-By PowerUnderConsumption1WPanel Life Time100000	-	,	
Consumption 1W Panel Life Time 100000	-	Under	
Panel Life Time 100000			
Panel Life Lime	1		Panel Life Time
hrs	Donal I ifa Tima	100000	
	ranei Lite I line	hrs	

Features and specifications are subject to change without prior notification.





## Wedgwood AV Ltd

## Specialise in the supply of audio visual equipment to UK medical, MOD, education and businesses Tel: 01754 769967 / 0800 018 9967

FREE Repeat Signage Standalone digital signage software for Windows with every order over £500+VAT purchased from Wedgwood AV Ltd in 2015

## Full product list FREE AV guides

Wedgwood are giving away Repeat Signage Standalone Edition worth £145+VAT with any products with a total order value of over £500+VAT

sales@wedgwood-group.com (Order value £1,000 +VAT will receive

**Repeat Signage helps you get your message across**, to promote your products or services. You can display still and moving images, scrolling text

messages, RSS feeds (such as the BBC weather or your local news), show

webcam or web browser, add audio, PowerPoint scheduler, Flash clocks, and

purchased during 2015 from Wedgwood AV Ltd.

two software licences; £1,500+VAT three licences).



LCD monitors



even display pictures which text. <u>See 2 minute video</u>. <u>Trial download</u> Contact us - how to order

For a quotation or to place your official purchase order and receive your FREE Repeat Signage digital signage software please telephone 01754 769967 or fax 01754 768036 Email sales@wedgwood-group.com <u>Special offers</u>

Wedgwood AV Ltd - 01754 769967 www.wedgwood-group.com



Mount solutions



Digital signage

Touch screens

888

Medical monitors



Projectors



Lecterns



**Projector** lamps



Audio

**Projector lenses** 



Whiteboards



**Projector screens** 

Wedgwood AV Ltd. Tel: 01754 769967 Order fax line: 01754 768036 UK sales: sales@wedgwood-group.com www.wedgwood-group.com