

● ROPE LIGHT

1 - 16



● MODULAR LIGHTING CONNECTION SYSTEM 230V

17 - 24



● CORD LIGHT PROFESSIONAL

25 - 34



● TREE LIGHT 24V & 230V RETAIL SETS

35 - 36



● PEAK LIGHT RETAIL SETS

37 - 40



● CORD LIGHT RETAIL SETS

41 - 44



● CORD LIGHT MODULAR 24V

45 - 47



● CASCADE LIGHT RETAIL SETS

48 - 49



● WEB LIGHT RETAIL SETS

50 - 51




● ROUND NET LIGHT RETAIL SETS

52



Contents

● SNOW BAR & SNOW CLUSTER RETAIL SETS	53
● CHASY LIGHT RETAIL SETS	54 - 55
● CLUSTER LIGHT RETAIL SETS	56
● BASIC LINE RETAIL SETS	57 - 60
● MOTIFS	61 - 63
● FLAT CABLE & BELT LIGHT	64 - 65
● LAMPS (FOR BELT LIGHT)	66 - 71



Tronix uses different connector types:



Striped wire



Schuko grounded
CEE 7/7



Schuko ungrounded
CEE 7/17



Euro plug
CEE 7/16



UK plug
BS 1363



Swiss plug
SEV 1011



LED ROPE LIGHT 12V WHITE

15 meter roll

Ordercode:
TRO L-DL-2W-15M-12V-W
Color: White
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPE LIGHT 12V WARM WHITE

15 meter roll

Ordercode:
TRO L-DL-2W-15M-12V-WW
Color: Warm White
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPE LIGHT 12V BLUE

15 meter roll

Ordercode:
TRO L-DL-2W-15M-12V-B
Color: Blue
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5




LED ROPE LIGHT 12V GREEN

15 meter roll

Ordercode:
TRO L-DL-2W-15M-12V-G
Color: Green
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5



LED ROPE LIGHT 12V RED

15 meter roll

Ordercode:
TRO L-DL-2W-15M-12V-R
Color: Red
Input: 12V DC
Power: 1,7 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 14cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5



LED ROPE LIGHT 12V YELLOW

15 meter roll

Ordercode:
TRO L-DL-2W-15M-12V-Y
Color: Yellow
Input: 12V DC
Power: 1,7 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 14cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 5



LED ROPE LIGHT 24V WHITE

30 meter roll

Ordercode:
TRO L-DL-2W-30M-24V-W
Color: White
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1




LED ROPE LIGHT 24V WARM WHITE

30 meter roll

Ordercode:
TRO L-DL-2W-30M-24V-WW
Color: Warm White
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1




LED ROPE LIGHT 24V BLUE

30 meter roll

Ordercode:
TRO L-DL-2W-30M-24V-B
Color: Blue
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1




LED ROPE LIGHT 24V GREEN

30 meter roll

Ordercode:
TRO L-DL-2W-30M-24V-G
Color: Green
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 24V RED

30 meter roll

Ordercode:
TRO L-DL-2W-30M-24V-R
Color: Red
Input: 24V DC
Power: 1,7 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 28cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 24V YELLOW

30 meter roll

Ordercode:
TRO L-DL-2W-30M-24V-Y
Color: Yellow
Input: 24V DC
Power: 1,7 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 28cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V WHITE - 10MM

51 meter roll

Ordercode:
TRO L-ML-2W-51M-230-W
Color: White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 10mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V WARM WHITE - 10MM

51 meter roll

Ordercode:
TRO L-ML-2W-51M-230-WW
Color: Warm White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 10mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V WHITE

51 meter roll

Ordercode:
TRO L-DL-2W-51M-230V-W
Color: White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1




LED ROPE LIGHT 230V WARM WHITE

51 meter roll

Ordercode:
TRO L-DL-2W-51M-230V-WW
Color: Warm White
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1




LED ROPE LIGHT 230V BLUE

51 meter roll

Ordercode:
TRO L-DL-2W-51M-230V-B
Color: Blue
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1




LED ROPE LIGHT 230V GREEN

51 meter roll

Ordercode:
TRO L-DL-2W-51M-230V-G
Color: Green
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V RED

50 meter roll

Ordercode:
TRO L-DL-2W-51M-230V-R
Color: Red
Input: 230V
Power: 2,4 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V YELLOW

50 meter roll

Ordercode:
TRO L-DL-2W-51M-230V-Y
Color: Yellow
Input: 230V
Power: 2,4 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V MULTI COLOR

50 meter roll

Ordercode:
TRO L-DL-2W-51M-230V-MC
Color: Multi Color
Input: 230V
Power: 2,4 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V WHITE - 72 LED P/METER

45 meter roll

Ordercode:
TRO L-DL-2W-4572-230V-W
Color: White
Input: 230V
Power: 6 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 72
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 120V WHITE

51 meter roll

Ordercode:
TRO L-DL-2W-51M-120V-W
Color: White
Input: 120V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 75cm

LED p/meter: 36
Cable type: UK Plug
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 120V WARM WHITE

51 meter roll

Ordercode:
TRO L-DL-2W-51M-120V-WW
Color: White
Input: 120V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 75cm

LED p/meter: 36
Cable type: UK Plug
IP Rate: IP44
Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V WHITE


99 meter roll

Ordercode:
TRO L-DL-3W-99M-230V-W
Color: White
Input: 230V
Power: 3,2 Watt/meter

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light




LED 3 WIRE ROPE LIGHT 230V BLUE

99 meter roll

Ordercode:
TRO L-DL-3W-99M-230V-B
Color: Blue
Input: 230V
Power: 3,2 Watt/meter

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1




LED 3 WIRE ROPE LIGHT 230V GREEN

99 meter roll

Ordercode:
TRO L-DL-3W-99M-230V-G
Color: Green
Input: 230V
Power: 3,2 Watt/meter

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V RED

99 meter roll

Ordercode:
TRO L-DL-3W-99M-230V-R
Color: Red
Input: 230V
Power: 2,4 Watt/meter

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V YELLOW

99 meter roll

Ordercode:
TRO L-DL-3W-99M-230V-Y
Color: Yellow
Input: 230V
Power: 2,4 Watt/meter

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 12V CLEAR

45 meter roll

Ordercode:
TRO DL-2W-45M12VCL
Color: Clear
Input: 12V
Power: 7,63 Watt/meter

Length: 45 meter
Max. length: 10 meter
Diameter: 13mm
Cutting length: 11cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 24V CLEAR

45 meter roll

Ordercode:
TRO DL-2W-45M24VCL
Color: Clear
Input: 24V
Power: 7,63 Watt/meter

Length: 45 meter
Max. length: 20 meter
Diameter: 13mm
Cutting length: 22cm

LED p/meter: 36
Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

9 meter roll

Retail pack

Ordercode:
TRO DL-2W-9M-230V-CL
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 9 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

15 meter roll

Retail pack

Ordercode:
TRO DL-2W-15M-230V-CL
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 15 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

45 meter roll

Ordercode:
TRO DL-2W-45M-230VCL
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V BLUE

45 meter roll

Ordercode:
TRO DL-2W-45M-230VBL
Color: Blue
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light



CONVENTIONAL ROPE LIGHT (BULB) 230V GREEN

45 meter roll

Ordercode:
TRO DL-2W-45M-230VGR
Color: Green
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V RED

45 meter roll

Ordercode:
TRO DL-2W-45M-230VRD
Color: Red
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V YELLOW

45 meter roll

Ordercode:
TRO DL-2W-45M-230VYE
Color: Yellow
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V ORANGE

45 meter roll

Ordercode:
TRO DL-2W-45M-230VOR
Color: Orange
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V MILKY WHITE

45 meter roll

Ordercode:
TRO DL-2W-45M-230VMW
Color: Milky White
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



RECOMMENDATION

Always check the added user manual carefully before installation. The user manual for (LED) rope light is available at www.tronix.nl/downloads



Accessories for 13mm Rope Light



LED POWER CABLE 13MM OUTDOOR WITH PLUG AND END CAP for 230V LED Rope Light

Ordercode:
TRO L-DLG-2W-1-6-3.5

Length: 150cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 50

With UK plug: 065-006
With Swiss plug: 065-007

EAN: 8714984901155
EAN: 8714984051713



LED & CONVENTIONAL POWER CABLE 13MM OUTDOOR WITHOUT CONVERTER WITH STRIPED WIRE AND END CAP for 12V & 24V LED and conventional Rope Light

Ordercode:
TRO L-DLG-2W-12/24V

Length: 150cm

Cable type: Striped Wire
IP Rate: IP44
Carton Quantity: 50



CONVENTIONAL POWER CABLE 13MM OUTDOOR WITH END CAP AND GLUE - RETAIL PACK WITH TOPCARD for conventional Rope Light 13mm

Ordercode:
TRO DLG-2W-1-6'-3.5 GLUE

Length: 150cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 50



CONVENTIONAL POWER CABLE 13MM OUTDOOR WITH END CAP BULK PACKAGING for conventional Rope Light 13mm

Ordercode:
TRO DLG-2W-1-6-3.5 BULK

Length: 150cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 50

With UK plug: 485-030
With Swiss plug: 485-031

EAN: 8714984001466
EAN: 8714984910058



POWER CABLE 13MM OUTDOOR WITH END CAP 5 METER BULK PACKAGING for conventional Rope Light 13mm

Ordercode:
TRO DLG-2W-1-15'-3.5

Length: 500cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 30

Accessories for 13mm Rope Light



POWER CABLE 13MM INDOOR WITH END CAP - RETAIL PACK WITH TOPCARD

for conventional Rope Light 13mm

Ordercode:
TRO DL-2W-1-6'-3.5

Length: 150cm

Plug type: Euro
IP Rate: IP20
Carton Quantity: 60



2 SPLICE CONNECTORS WITH GLUE - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode:
DL-2W-CON-2

IP Rate: IP44
Box Quantity: 50x 2pcs




GLUE BOTTLE - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-GLBT

Bag Quantity: 1



CROCODILE CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-8-25

Box Quantity: 50x 25pcs



CROCODILE CLIP 13MM 100 PCS BULK PACKAGING

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-8-100

Box Quantity: 25x 100pcs

Accessories for 13mm Rope Light



MOUNTING CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-5-25

Box Quantity: 100x 25pcs



INVISIBLE SPLICE CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-7-H

Bag Quantity: 100



MALE PIN CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-4M

Bag Quantity: 100



END CAP

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-6

Bag Quantity: 100



T CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-TCE

IP Rate: IP44
Bag Quantity: 1

Accessories for 13mm Rope Light



X CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-XCE

IP Rate: IP44
Bag Quantity: 1



HEAT SHRINKABLE TUBE Ø20MM 8CM WITH GLUE 10PCS

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-HSTGL-20x4
Color: Clear

Box Quantity: 100x 10pcs



HEAT SHRINKABLE TUBE Ø20MM 8CM WITH INSIDE GLUE 10PCS

for conventional and LED Rope Light 13mm

Ordercode:
TRO DL-2W-HSTGL-20x4B
Color: Black

Box Quantity: 100x 10pcs



CONTROLLER 2 WIRES 1 CIRCUIT FLASHING

for conventional Rope Light 13mm

Ordercode:
TRO SL-2DL-212A

IP Rate: IP44
Carton Quantity: 1



LED CONTROLLER 3 WIRES 230 VOLT WITH 8 FUNCTIONS

for 3 wire LED Rope Light 13mm

Ordercode:
TRO L-CNTR-DL-3W 8

IP Rate: IP44
Carton Quantity: 1

Accessories for 13mm Rope Light



POWER/EXTENSION CABLE 3 METER 2X FEMALE

for 3 wire conventional and LED Rope Light 13mm - Can also be used as a power cable between 3 wire ropel. and controller (cut into 2 pieces). Use together with power screw con 495-010

Ordercode:
TRO DLG-3W-1-3M-FF

IP Rate: IP44
Carton Quantity: 30



POWER SCREW CONNECTOR

for 3 wire conventional and LED Rope Light 13mm

Ordercode:
TRO DL-3W-4

IP Rate: IP44
Bag Quantity: 1



MALE PIN CONNECTOR

for 3 wire conventional and LED Rope Light 13mm

Ordercode:
TRO DL-3W-4M

IP Rate: IP44
Bag Quantity: 10



INVISIBLE SPLICE CONNECTOR

for 3 wire conventional and LED Rope Light 13mm

Ordercode:
TRO DL-3W-7

IP Rate: IP44
Bag Quantity: 10



PVC CHANNEL FOR 13MM ROPE LIGHT

2 meter length

Ordercode:
TRO DL-2W-CH-PVC

Length: 200cm

Bunch Quantity: 50

Accessories for 13mm Rope Light



PET CHANNEL FOR 13MM ROPE LIGHT

2 meter length

Pet is resistant against UV, chlorine and salt water, and impact resistance.

Ordercode:
TRO DL-2W-CH-PET

Length: 200cm

Bunch Quantity: 50



ALUMINIUM CHANNEL FOR 13MM ROPE LIGHT

2 meter length

Always keep 4mm space between each 2M channel. Channel will extend when getting warm.

Ordercode:
TRO DL-2W-CH-ALU

Length: 200cm

Bunch Quantity: 25

Accessories for 10mm Rope Light



LED POWER CABLE 10MM OUTDOOR WITH PLUG AND END CAP

for LED Rope Light 10mm

Ordercode:
TRO L-MLG-2W-1-6-2.5

Length: 150cm

Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 50



CONVENTIONAL POWER CABLE 10MM OUTDOOR

for conventional Rope Light 10mm

Ordercode:
TRO MLG-2W-1-6'-2.5

Length: 150cm

Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



ENDCAP 10MM

for conventional and LED Rope Light 10mm

Ordercode:
TRO ML-2W-6

Bag Quantity: 100

Accessories for 10mm Rope Light



CROCODILE CLIP 10MM

for conventional and LED Rope Light 10mm

Ordercode:
TRO ML-2W-8

Bag Quantity: 1

GENERAL INSTRUCTIONS FOR USING ROPE LIGHT

1. Make sure the power is switched off during installation. Never connect the mains voltage while the light tube is still on the reel; the heat development can cause fire. Never cover the light tube while lit.
2. Check whether the mains voltage of the Rope Light corresponds with the mains voltage of the power supply.
3. For LED Rope Light 230V and low voltage connected to a transformer, always use a power cable with converter, otherwise the LEDs will flicker. For low voltage it is best to use a stabilized DC power supply in which case you don't need a converter.
4. Only cut the Rope Light at the identification mark, otherwise part of the tube will be permanently useless. Make absolutely sure that the mains voltage is not connected. Use a pair of sharp cutting pliers and make sure the edge is smooth and at the right angles.
5. Mains supply cable and connectors.
6. Always seal the end of a (cutted) cable with an end cap, which must be glued on with pvc or silicon glue.

7. Assembly

Assemble the Rope Light in such a way that there is sufficient ventilation and the heat can flow off. Do not assemble on surfaces that can vibrate or rattle violently due to severe wind. Decorations that are spanned over the road or are applied at shopping centers must be allowed some movement with the wind. Assemble the tube face front (the part producing the most light) and only cut the rope light per complete unit and at the identification marks such as shown in the following diagram.

8. Installation

Depending on the specific circumstances different fixing material are available. Use tie-wraps along a steel wire or preshaped frame; for outdoor usage take the UV-durable quality. An aluminium channel is available for straight lines such as PVC, PET. Crocodile clips and mounting clips can be used for both straight and bent lines. Affixation distance: the recommended distance for clips and bundling straps; horizontal 20 cm and vertical 30 cm. Make sure the Rope Light is not twisted.

9. Expansion


Aluminium channels have a coefficient of expansion, meaning that the difference in length per 2 meter can increase with several millimeters. Make sure to keep about 4mm of space between two channels.

10. Preheating and use

It is important to preheat Rope Light (especially at low outside temperatures) before starting to use the material. You can do this by connecting the required length to the mains supply, allowing the Rope Light to burn for a couple of minutes until it is flexible. Especially when making bends it is very important to preheat the rope. Disconnect the mains supply before starting the assembly. Always unwind Rope Light from the reel, this prevents loops or swaying which could damage the internal wiring.

11. Bending

It is very important to bend Rope Light perpendicular - straight up or down - at the wires. Make absolutely sure to bend rope light in the right direction, up or down, making sure that the two internal wires make the same curve. Avoid at all times that one of the two wires (the inner side one) needs to make a very sharp curve because of wrong bending. Bending rope light incorrectly can cause damage to the internal wiring. Please see drawing below for illustration.



12. Please always read the user manual carefully before installation. A User Manual for Rope Light is supplied with delivery or can be downloaded on our website www.tronix.nl

Modular Lighting Connection System 230V


MODULAR LIGHTING CONNECTION SYSTEM 230 VOLT LIGHTS UP TO YOUR OWN IMAGINATION

proSYSTEM
LED 230V


Modular Lighting Connection System 230 Volt

The new Modular Lighting Connection System 230V is a unique concept developed by Tronix. Instead of being restricted to using standard components only, this system presents an impressive range of lighting products that are all interconnectable allowing you to create your own customized end product. It allows using strings for many different applications such as Cord light, Cascade light and Peak light. All products share the same connection type which makes it possible to link them in any desired way. Light up your imagination with Tronix Modular Lighting Connection System 230V: the possibilities are all up to you.


Cascade Light possibilities:



Cord Light possibilities:




Peak Light possibilities:



Accessories:

Tronix offers a wide range of accessories like power cables, extension cables, connectors etc.




One plug for power,
other plugs for hang up
only (no contact/power)

0,8 METER STRING (NOT CONNECTABLE)

Input: 230V	LED Quantity: 8 per string	Length: 4 x 0,8 meter	IP Rate: IP44
Power: 2,4 Watt	No. of strings: 4	Power Cable: not included	Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
TRO STR0.8M-E-W WW	Warm White	White
TRO STR0.8M-E-B W W	Warm White	Black




One plug for power,
other plug for hang up
only (no contact/power)

1,5 METER STRING (NOT CONNECTABLE)

Input: 230V	LED Quantity: 15 per string	Length: 2 x 1,5 meter	IP Rate: IP44
Power: 2,4 Watt	No. of strings: 2	Power Cable: not included	Carton Quantity: 6


ORDERCODE:	LED COLOR:	WIRE COLOR:
TRO STR1.5M-E-W WW	Warm White	White
TRO STR1.5M-E-B W W	Warm White	Black



3,0 METER STRING (NOT CONNECTABLE)

Input: 230V	LED Quantity: 30 per string	Length: 3 meter	IP Rate: IP44
Power: 2,4 Watt	No. of strings: 1	Power Cable: not included	Carton Quantity: 6


ORDERCODE:	EAN CODE:	LED COLOR:	WIRE COLOR:
010-111	8714984905979	White	Black
010-118	8714984905986	Warm White	Black
010-121	8714984905993	White	White
010-123	8714984908222	White (27) & White Twinkle (3)	White
010-128	8714984906006	Warm White	White
010-129	8714984906013	Warm White (27) & Warm White Twinkle (3)	White



5,0 METER STRING (CONNECTABLE)

Input: 230V	LED Quantity: 50 per string	Length: 5 meter	IP Rate: IP44
Power: 4 Watt	No. of strings: 1	Power Cable: not included	Carton Quantity: 6


ORDERCODE:	EAN CODE:	LED COLOR:	WIRE COLOR:
010-131	8714984906020	White	Black
010-138	8714984906037	Warm White	Black
010-141	8714984906044	White	White
010-148	8714984906051	Warm White	White
010-149	8714984906068	Warm White (45) & Warm White Twinkle (5)	White



6,0 METER STRING (CONNECTABLE)

Input: 230V	LED Quantity: 60 per string	Length: 6 meter	IP Rate: IP44
Power: 4,8 Watt	No. of strings: 1	Power Cable: not included	Carton Quantity: 6


ORDERCODE:	EAN CODE:	LED COLOR:	WIRE COLOR:
010-211	8714984910843	White	Black
010-218	8714984910850	Warm White	Black
010-212	8714984910867	Blue	Black
010-213	8714984910874	Green	Black
010-214	8714984910881	Red	Black
010-215	8714984910898	Yellow	Black
010-219	8714984910904	White & Blue	Black
010-221	8714984910911	White	White
010-228	8714984910928	Warm White	White
010-229	8714984910935	White & Blue	White
010-230	8714984910942	Warm White (54) & Warm White Twinkle (6)	White



10,0 METER STRING (CONNECTABLE)

Input: 230V	LED Quantity: 100 per string	Length: 10 meter	IP Rate: IP44
Power: 7,5 Watt	No. of strings: 1	Power Cable: not included	Carton Quantity: 6

ORDERCODE:	EAN CODE:	LED COLOR:	WIRE COLOR:
010-151	8714984906075	White	Black
010-158	8714984906082	Warm White	Black
010-161	8714984906099	White	White
010-168	8714984906105	Warm White	White
010-169	8714984905931	Warm White (90) & Warm White Twinkle (10)	White
010-152	8714984910959	Blue	Black
010-154	8714984910966	Red	Black
010-166	8714984910973	White & Blue	White
010-167	8714984910980	White & Blue	Black
010-165	8714984910997	Warm White	Black



SNOWFALL STRING (NOT CONNECTABLE)

Input: 230V

LED Color: White

Wire Color: White

IP Rate: IP44


No. of strings: 2

Power Cable: not included

Carton Quantity: 1

ORDERCODE:	EAN CODE:	LENGTH:	LED QUANTITY:	POWER:
010-180	8714984907829	60cm	60	3,9 Watt
010-181	8714984907836	90cm	90	5,8 Watt
010-182	8714984907843	120cm	120	9,6 Watt

Endstring



WATERFALL STRING (NOT CONNECTABLE)

Input: 230V

LED Color: White

Wire Color: Transparent


IP Rate: IP44

Power Cable: not included

Carton Quantity: 1

ORDERCODE:	EAN CODE:	LENGTH:	LED QUANTITY:	POWER:	NO. STRINGS:
010-190	8714984907850	3m	60	3,9 Watt	2
010-191	8714984907867	5m	100	7,7 Watt	1

Modular Lighting Connection System 230V Peak Light




Total 20 Strings - 76 LED

PEAK LIGHT 2 METER X 0,4 METER (CONNECTABLE)

Input: 230V	LED Quantity: 76 per set	Length: 2 meter x 0,4 meter	IP Rate: IP44
Power: 6 Watt	No. of strings: 20	Power Cable: not included	Carton Quantity: 6

ORDERCODE:	EAN CODE:	LED COLOR:	WIRE COLOR:
006-008	8714984911024	Warm White	Black
006-018	8714984911109	Warm White	White
006-140	8714984911031	White	White
006-028	8714984911048	White (72) + White Twinkle (4)	White
006-112	8714984911147	White & Blue	White



Total 20 Strings - 152 LED

PEAK LIGHT 2 METER X 0,8 METER (CONNECTABLE)

Input: 230V	LED Quantity: 152 per set	Length: 2 meter x 0,8 meter	IP Rate: IP44
Power: 12 Watt	No. of strings: 20	Power Cable: not included	Carton Quantity: 6

ORDERCODE:	EAN CODE:	LED COLOR:	WIRE COLOR:
006-048	8714984911055	Warm White	Black
006-058	8714984911062	Warm White	White
006-041	8714984911079	White & Blue	White
006-132	8714984911086	White (144) + White Twinkle (8)	White

Modular Lighting Connection System 230V accessories



EU plug



UK plug



Swiss plug

POWER CABLES

Input: 230V

Length: 1,5 meter

IP Rate: IP44

Carton Quantity: 5

ORDERCODE:	EAN CODE:	WIRE COLOR:	DESCRIPTION:
010-012	8714984906471	White	EU PLUG 2 AMPERE (6.000 LED)
010-013	8714984906488	Black	EU PLUG 2 AMPERE (6.000 LED)
010-020	8714984910676	White	EU PLUG 5 AMPERE (15.000 LED)
010-019	8714984910683	Black	EU PLUG 5 AMPERE (15.000 LED)
010-014	8714984906495	White	UK PLUG 2 AMPERE (6.000 LED)
010-015	8714984906501	Black	UK PLUG 2 AMPERE (6.000 LED)
010-016	8714984901131	White	SWISS PLUG 2 AMPERE (6.000 LED)
010-017	8714984901148	Black	SWISS PLUG 2 AMPERE (6.000 LED)

male

connector



female

connector



EXTENSION CABLES

IP Rate: IP44

Carton Quantity: 5

ORDERCODE:	EAN CODE:	LENGTH:	WIRE COLOR:
010-200	8714984910690	0,5 Meter	White
010-201	8714984910706	0,5 Meter	Black
010-202	8714984910713	1 Meter	White
010-203	8714984910720	1 Meter	Black
010-204	8714984910737	2 Meter	White
010-205	8714984910744	2 Meter	Black
010-206	8714984910751	3 Meter	White
010-207	8714984910768	3 Meter	Black
010-208	8714984910775	5 Meter	White
010-209	8714984910782	5 Meter	Black

Modular Lighting Connection System 230V accessories



CONNECTORS

IP Rate: IP44

ORDERCODE:	EAN CODE:	DESCRIPTION:	COLOR:	CARTON QTY:
010-022	8714984910829	T connector 25cm	White	5
010-023	8714984910836	T connector 25cm	Black	5
010-005	8714984903401	T connector 2pcs retail pack	White	1
010-004	8714984903395	T connector 2pcs retail pack	Black	1
010-007	8714984903425	5 way connector string 1 meter	White	5
010-006	8714984903418	5 way connector string 1 meter	Black	5
010-188	8714984911123	Ring Connector 5 way	White	5
010-189	8714984911130	Ring Connector 5 way	Black	5




CASCADE MAIN CABLES

Input: 230V

IP Rate: IP44

ORDERCODE:	EAN CODE:	DESCRIPTION:	COLOR:	CARTON QTY:
010-115	8714984911093	Main Cable 5 meter with 5 sockets	Black	5
010-113	8714984910805	Main Cable 60cm with 6 sockets	White	5
010-114	8714984910812	Main Cable 60cm with 6 sockets	Black	5
010-105	8714984905931	Main Cable 120cm with 12 sockets	White	4
010-106	8714984905948	Main Cable 120cm with 12 sockets	Black	4
010-107	8714984905955	Main Cable 240cm with 24 sockets	White	2
010-108	8714984905962	Main Cable 240cm with 24 sockets	Black	2



Ropelight convertor connector



Cone Light connector string

SPECIAL ACCESSORIES


Input: 230V

IP Rate: IP44

ORDERCODE:	EAN CODE:	DESCRIPTION:	COLOR:	CARTON QTY:
010-197	8714984909717	Ropelight Convertor - to connect 13mm ropelight, 15cm lenght, including shrinking tube.	Black	5
010-109	8714984909694	Cone Light CON string with 10 connector strings, each string 30cm lenght,	Black	3

CORD LIGHT PROFESSIONAL LED & TRADITIONAL

Four types of Cord Light Professional:




1. CORD LIGHT REGULAR

Cord Light Regular with 30mm side branch is available in 12 & 24 Volt. The long length makes it perfect for decorating bigger trees. Available for indoor and outdoor use.



2. CORD LIGHT IN-LINE

Cord Light in-line with 5mm LED is available in 12 & 24 Volt. The in-line LED's are perfect to follow branches. Available for indoor and outdoor use.



3. GARLAND CORD LIGHT

Garland Cord Light with 70mm side branch is available for in- and outdoor applications. The extensive length and long side branches are ideal for decorating (bigger) garlandes. Available for indoor and outdoor use.



4. CLIP LIGHT

Clip Light is available in both LED and traditional* lighting. The LED/Bulb design makes Clip Light the perfect solution to decorate and customize bigger trees by following the branches.



*Traditional Clip Light can be cut at every bulb, LED Clip Light 24V can be cut every 6 LED.



Note:

Never wind the wire in this way around the branch, the branch will grow and break the wire. Better lead the wire in line with the branch and use a rubber tie tube to keep the wire in place. Never use tie-wrap, as this will kill the tree.




CORD LIGHT 12 VOLT FOR THE PERFECTIONIST:

Available in 30m roll's in different colors, led distance in 5 and 10cm. It can be cut every 3 LED's. That's why perfectionists love it.

Cordlight Professional Regular

30mm branches



12V CORD LIGHT 30 METER WITH 300 WARM WHITE LEDs - INDOOR USE


LEDs on 30mm side branch - indoor use

Green Wire

Ordercode:
TRO L-PL-30-100-30-12V WWG
Input: 12 Volt
Power: 18 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 300

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

30mm branches



12V CORD LIGHT 30 METER WITH 300 WARM WHITE LEDs - OUTDOOR USE


LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode:
TRO L-PL-30-100-12V WWG
Input: 12 Volt
Power: 18 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 300

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

30mm branches



12V CORD LIGHT 30 METER WITH 300 BLUE LEDs - OUTDOOR USE



LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode:
TRO L-PL-30-100-12V WWG
Input: 12 Volt
Power: 18 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 300

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

30mm branches



12V CORD LIGHT 30 METER WITH 300 RED LEDs - OUTDOOR USE


LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode:
TRO L-PL-30-100-12V RG
Input: 12 Volt
Power: 18 Watt
LED/Bulb Color: Red
LED/Bulb Quantity: 300

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 420 WHITE LEDs - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire


Ordercode:
TRO L-PL-63-150-30-24V WG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

Cordlight Professional Regular

24V CORD LIGHT 63 METER IS POPULAR
FOR LARGE TREE DECORATION

30mm branches



24V CORD LIGHT 63 METER WITH 420 WARM WHITE LEDs - OUTDOOR USE


LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode:
TRO L-PL-63-150-30-24V WWG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 420 WHITE & BLUE LEDs - OUTDOOR USE


LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode:
TRO L-PL-63-150-30-WBG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: White and Blue
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 348 WARM WHITE AND 62 TWINKLE WW LEDs - OUTDOOR

LEDs on 30mm side branch - outdoor use

Green Wire


Ordercode:
TRO L-PLT-63-150-30-24V WWG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



Accessories for 13mm Rope Light

In line



12V CORD LIGHT 30 METER WITH 600 WHITE LED - INDOOR USE


LEDs placed in line - indoor use

Transparent Wire

Ordercode:
TRO L-PL-30-50-12V WT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 5CM
Cutting Distance: 15CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 30 METER WITH 600 BLUE LED - INDOOR USE


LEDs placed in line - indoor use

Transparent Wire

Ordercode:
TRO L-PL-30-50-12V BT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 5CM
Cutting Distance: 15CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 60 METER WITH 600 WHITE LED - INDOOR USE


LEDs placed in line - indoor use

Transparent Wire

Ordercode:
TRO L-PL-60-100-12V-WT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 60 METER WITH 600 BLUE LED - INDOOR USE

LEDs placed in line - indoor use

Transparent Wire

Ordercode:
TRO L-PL-60-100-12V BT
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600


LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5



TREE DECORATED WITH CORD LIGHT PROFESSIONAL IN-LINE OUTDOOR (SEE NEXT PAGE). PERFECT TO FOLLOW BRANCHES.

Accessories for 13mm Rope Light

In line



24V CORD LIGHT 63 METER WITH 420 WHITE LEDS - OUTDOOR USE


LEDs placed in line - outdoor use

Green Wire

Ordercode:
TRO L-PL-63-150-24V WG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

In line



24V CORD LIGHT 63 METER WITH 420 WARM WHITE LEDS - OUTDOOR USE

LEDs placed in line - outdoor use


Green Wire

Ordercode:
TRO L-PL-63-150-24V WWG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

Cordlight Professional Garland Indoor

70mm branches



24V CORD LIGHT 60 METER WITH 600 WHITE LEDS - INDOOR USE


LEDs on 70mm side branch - indoor use

Green Wire

Ordercode:
TRO L-PL-60-100-70-24V WGI
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

70mm branches



24V CORD LIGHT 60 METER WITH 600 BLUE LEDS - INDOOR USE


LEDs on 70mm side branch - indoor use

Green Wire

Ordercode:
TRO L-PL-60-100-70-24V BGI
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

70mm branches



24V CORD LIGHT 60 METER WITH 600 AMBER LEDS - INDOOR USE

LEDs on 70mm side branch - indoor use


Green Wire

Ordercode:
TRO L-PL-60-100-70-24V AGI
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Amber
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

Accessories for 10mm Rope Light

70mm branches



24V CORD LIGHT 60 METER WITH 600 WHITE LEDs - OUTDOOR USE


LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode:
TRO L-PL-60-100-70-24V WG
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

70mm branches



24V CORD LIGHT 60 METER WITH 600 BLUE LEDs - OUTDOOR USE


LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode:
TRO L-PL-60-100-70-24V BG
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

70mm branches



24V CORD LIGHT 60 METER WITH 600 AMBER LEDs - OUTDOOR USE


LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode:
TRO L-PL-60-100-70-24V AG
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Amber
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

Cordlight Professional Clip Light




24V LED CLIP LIGHT 63 METER WITH 420 WARM WHITE LEDs - OUTDOOR USE

Based on Clip Light - outdoor use

Green Wire

Ordercode:
TRO L-CL63-150-24V WWG
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



24V CONVENTIONAL CLIP LIGHT 105 METER WITH 700 CLEAR BULBS - OUTDOOR USE

Based on Clip Light - outdoor use

Green Wire

Ordercode:
TRO LP-105-150-24V
Input: 24 Volt
Power: 600 Watt
LED/Bulb Color: Clear Bulb
LED/Bulb Quantity: 700

Bulb Distance: 15CM
Cutting Distance: 15CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 4

Cord Light Professional Accessories



DIVIDER 2 WAY, 1 MALE TO 2 FEMALE

5 pieces in bag, price pro 5 pieces

Ordercode: TRO CDL-2W

IP Rate: IP44

Carton Quantity: 1



DIVIDER 5 WAY, 1 MALE TO 5 FEMALE

2 pieces in bag, price pro 2 pieces

Ordercode: TRO CDL-5W

IP Rate: IP44

Carton Quantity: 1



EXTENSION CABLE 4 METER, BETWEEN POWER SUPPLY AND DIVIDER

2 pieces in bag, price pro 2 pieces

Ordercode: TRO EXT-4M

IP Rate: IP44

Carton Quantity: 1



MALE CONNECTOR 4MM RED

100 pieces in a bag, price pro 100 pieces

Ordercode:
TRO AMP-M-4MM R

IP Rate: IP44

Carton Quantity: 1



MALE CONNECTOR 4MM BLACK

100 pieces in a bag, price pro 100 pieces

Ordercode:
TRO AMP-M-4MM B

IP Rate: IP44

Carton Quantity: 1

Cord Light Professional Accessories



AMP CONNECTOR 2.3MM

to fix max. 4 cordlight together
100 pieces in a bag, price pro 100 pieces

Ordercode:
TRO AMP-CON-2.3MM

IP Rate: IP44
Carton Quantity: 1



AMP CONNECTOR 4.2MM

to fix max. 8 cordlight together
25 pieces in a bag, price pro 25 pieces

Ordercode:
TRO AMP-CON-4.2MM

IP Rate: IP44
Carton Quantity: 1



ELASTIC TIE TUBE 50 METER TO PROTECT THE TREE BRANCHES

Ordercode: TRO TT.50M

IP Rate: IP44
Carton Quantity: 1



POWER SUPPLY 12V DC - 30W

Block Type - Outdoor - Schuko grounded

Ordercode: TRO SPS-30-30W
Input: 230V
Power: 30 Watt
Length: 102mm
Width: 50mm

Height: 27mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 12V DC - 60W

Block Type - Outdoor - Schuko grounded

Ordercode: TRO SPS-12-60W
Input: 230V
Power: 60 Watt
Length: 175mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10

Cord Light Professional Accessories



POWER SUPPLY 12V DC - 100W

Block Type - Outdoor - Schuko grounded

Ordercode: TRO 215-312

Input: 230V

Power: 100 Watt

Length: 240mm

Width: 66mm

Height: 55mm

Wire Length in: 110cm

Wire Length out: 20cm

Connection Type: DC Screw and AMP

IP Rate: IP67

Carton Quantity: 10



POWER SUPPLY 12V DC - 200W

Block Type - Outdoor - Schuko grounded

Ordercode: TRO SPS-12-200W

Input: 230V

Power: 200 Watt

Length: 230mm

Width: 130mm

Height: 60mm

Wire Length in: 110cm

Wire Length out: 20cm

Connection Type: 2 x DC Screw and 2 x AMP

IP Rate: IP67

Carton Quantity: 5



POWER SUPPLY 24V DC - 30W

Block Type - Outdoor - Schuko grounded

Ordercode: TRO SPS-24-30W

Input: 230V

Power: 30 Watt

Length: 102mm

Width: 50mm

Height: 27mm

Wire Length in: 110cm

Wire Length out: 20cm

Connection Type: DC Screw

IP Rate: IP67

Carton Quantity: 10



POWER SUPPLY 24V DC - 60W

Block Type - Outdoor - Schuko grounded

Ordercode: TRO SPS-24-60W

Input: 230V

Power: 60 Watt

Length: 175mm

Width: 66mm

Height: 55mm

Wire Length in: 110cm

Wire Length out: 20cm

Connection Type: DC Screw

IP Rate: IP67

Carton Quantity: 10



POWER SUPPLY 24V DC - 100W

Block Type - Outdoor - Schuko grounded

Ordercode: TRO SPS-24-100W

Input: 230V

Power: 100 Watt

Length: 240mm

Width: 66mm

Height: 55mm

Wire Length in: 110cm

Wire Length out: 20cm

Connection Type: DC Screw and AMP

IP Rate: IP67

Carton Quantity: 10

Cord Light Professional Accessories



POWER SUPPLY 24V DC - 200W

Block Type - Outdoor - Schuko grounded

Ordercode: TRO SPS-24-200W

Input: 230V

Power: 200 Watt

Length: 230mm

Width: 130mm

Height: 60mm

Wire Length in: 110cm

Wire Length out: 20cm


Connection Type: 2 x DC Screw
and 2 x AMP

IP Rate: IP67

Carton Quantity: 5



LED Tree Light 24V & 230V Retail Sets



TREE LIGHT SET WITH 4 STRINGS OF 7.5 METER - EACH STRING 50 WARM WHITE LEDS

Green Rubber - Extension cable (5m) included

For trees up to 4 Meter high

Ordercode:

TRO L-LP-200-24V WWG

Input: 24V (Transf. Included)

Power: 15,4 Watt

LED Color: Warm White



LED Quantity: 200 LED in total

LED Distance: 15CM

Wire Color: Green

IP Rate: IP44

Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 25 CAPSULES OF 3 LED EACH

Black Rubber - Warm White LED

Connectable up to 10 sets

Ordercode:

TRO L-LP-200-24V WWG

Input: 230V

Power: 9,2 Watt

LED Color: Warm White

LED Quantity: 25 Capsules with 3 LED each



LED Distance: 40CM

Max. to connect: 20 Sets

Wire Color: Black

IP Rate: IP44

Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 50 CAPSULES OF 5 LED EACH

Black Rubber - Warm White LED

Connectable up to 10 sets

Ordercode:

TRO LP-50-5-10M-230V WW

Input: 230V

Power: 31 Watt

LED Color: Warm White

LED Quantity: 50 Capsules with 5 LED each



LED Distance: 25CM

Max. to connect: 10 Sets

Wire Color: Black

IP Rate: IP44

Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 50 CAPSULES OF 5 LED EACH

Black Rubber - White LED

Connectable up to 10 sets

Ordercode:

TRO LP-50-5-10M-230V W

Input: 230V

Power: 31 Watt

LED Color: White

LED Quantity: 50 Capsules with 5 LED each



LED Distance: 25CM

Max. to connect: 10 Sets

Wire Color: Black

IP Rate: IP44

Carton Quantity: 4



TREE LIGHT SET 63 METER ROLL WITH 420 WHITE LED (LP-420 SET)

Green Rubber - White LED

All accesiores included

Ordercode:

TRO L-LP-420-24V WG

Input: 24V (Transf. Included)

Power: 25 Watt

LED Color: White

LED Quantity: 420 LED

LED Distance: 15CM


Max. to connect: 1 Set

Wire Color: Green

IP Rate: IP44

Carton Quantity: 1

LED Tree Light 24V & 230V Retail Sets



TREE LIGHT SET 63 METER ROLL WITH 420 WARM WHITE LED (LP-420 SET)

Green Rubber - Warm White LED

All accessoires included

Ordercode:

TRO L-LP-420-24V WWG

Input: 24V (Transf. Included)

Power: 25 Watt

LED Color: Warm White

LED Quantity: 420 LED


LED Distance: 15CM

Max. Power to connect: 1 Set

Wire Color: Green

IP Rate: IP44

Carton Quantity: 1



TREE LIGHT SET 2 X 63 METER ROLL WITH 840 WHITE LED (LP-840 SET)

Green Rubber - White LED

All accessoires included

Ordercode:

TRO L-LP-840-24V WG

Input: 24V (Transf. Included)

Power: 50 Watt

LED Color: White

LED Quantity: 840 LED


LED Distance: 15CM

Max. Power to connect: 1 Set

Wire Color: Green

IP Rate: IP44

Carton Quantity: 1



TREE LIGHT SET 2 X 63 METER ROLL WITH 840 WARM WHITE LED (LP-840 SET)

Green Rubber - Warm White LED

All accessoires included

Ordercode:

TRO L-LP-840-24V WWG

Input: 24V (Transf. Included)

Power: 50 Watt

LED Color: Warm White

LED Quantity: 840 LED

LED Distance: 15CM

Max. Power to connect: 1 Set


Wire Color: Green

IP Rate: IP44


Carton Quantity: 1




PEAK LIGHT RETAIL SETS LED & TRADITIONAL



Peak Light offers endless decorating possibilities. It was developed and marketed by Tronix in 2000 and has proved to be a very successful product worldwide. Peak Light is available in different models, such as with pvc and rubber cable, for indoor and outdoor use and can be obtained in various colors. The different sets can be interconnected, so the possibilities are numerous.



Connectable Schuko EU power cable included with each set).
Available in 3 sizes:



Accessories for outdoor Peak Light Retail:

T-connector



TRO L-T-CON-RUB W White
TRO L-T-CON-RUB B Black


Extension cable 3m




TRO L-EXTCB-3M W White
TRO L-EXTCB-3M B Black

Power cable 1,5m (Schuko EU
included with each set)

TRO L-PC-1.5M-UK W UK White
TRO L-PC-1.5M-UK B UK Black
TRO L-PC-1.5M-SW W Swiss White
TRO L-PC-1.5M-SW B Swiss Black



LED Peak Light outdoor




Total 20 Strings - 76 LED

2M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 76	Max. sets to connect: 30	IP Rate: IP44
Power: 6 Watt	No. of strings: 20	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
TRO L-IPLR-20-76-B WW	Warm White	Black
TRO L-IPLR-20-76-W WW	Warm White	White
TRO L-IPLR-20-76-WBW	White & Blue	White
TRO L-IPLR-20-76-W W T	White & White Twinkle	White




Total 40 Strings - 152 LED

4M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 152	Max. sets to connect: 20	IP Rate: IP44
Power: 12 Watt	No. of strings: 40	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
TRO L-IPLR-40-152-B WW	Warm White	Black
TRO L-IPLR-40-152-W WW	Warm White	White
TRO L-IPLR-40-152-W BW	White & Blue	White


LED Peak Light outdoor




2M X 80CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 152	Max. sets to connect: 20	IP Rate: IP44
Power: 12 Watt	No. of strings: 20	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
TRO L-IPLR-20-152-B WW	Warm White	Black
TRO L-IPLR-20-152-W WW	Warm White	White
TRO L-IPLR-20-152-WBW	White & Blue	White
TRO L-IPLR-20-152-W W T	White & White Twinkle	White




Peak Light Conventional in- and out-



4M X 40CM INDOOR GENERAL SPECIFICATIONS

Input: 230V	Bulb Quantity: 152	Max. sets to connect: 10	IP Rate: IP20
Power: 68 Watt	No. of strings: 40	Power Cable: 1,80M (included)	Carton Quantity: 12

ORDERCODE:	BULB COLOR:	WIRE COLOR:
TRO IPL-38-40-152W	Clear	White



4M X 40CM OUTDOOR GENERAL SPECIFICATIONS


Input: 230V	Bulb Quantity: 152	Max. sets to connect: 10	IP Rate: IP44
Power: 68 Watt	No. of strings: 40	Power Cable: 1,80M (included)	Carton Quantity: 6

ORDERCODE:	BULB COLOR:	WIRE COLOR:
TRO IPLR-38-40-152B	Clear	Black




Cord Light Retail Sets Introduction

CORD LIGHT RETAIL SETS LED & TRADITIONAL



(LED) Cord Light in retail box.




Connectable (Schuko EU power cable included with each set).
Different sizes for indoor and outdoor available.

ACCESSORIES FOR OUTDOOR CORD LIGHT RETAIL SETS:

Power cable 1,5m (Schuko EU included with each set)

TRO L-PC-1.5M-UK W UK White
TRO L-PC-1.5M-UK B Black
TRO L-PC-1.5M-SW W Swiss White
TRO L-PC-1.5M-SW B Swiss Black



T-connector



TRO L-T-CON-RUB W White
TRO L-T-CON-RUB B Black

Extension cable 3m




TRO L-EXTCB-3M W White
TRO L-EXTCB-3M B Black

5-Way connector



TRO L-5-WAY-CON W White
TRO L-5-WAY-CON-B Black

LED Cord Light Retail Sets



Total 60 LED

6M **INDOOR** GENERAL SPECIFICATIONS

Input: 230V

LED Quantity: 60

Max. sets to connect: 20

IP Rate: IP20

Power: 5,3 Watt

LED Spacing: 10cm


Power Cable: 1,50M (included)

Carton Quantity: 10

ORDERCODE:	LED COLOR:	WIRE COLOR:
TRO L-PL-60-6M-230V-WW	Warm White	Green
TRO L-PL-60-6M-230V-W WW	Warm White	White
TRO L-PL-60-6M-230V-W	White	White
TRO L-PL-60-6M-230V-B	Blue	Green
TRO L-PL-60-6M-230V-G	Green	Green
TRO L-PL-60-6M-230V-R	Red	Green
TRO L-PL-60-6M-230V-Y	Yellow	Green




LED Cord Light Retail Sets



6M **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 60	Max. sets to connect: 20	IP Rate: IP44
Power: 5,3 Watt	LED Spacing: 10cm	Power Cable: 1,50M (included)	Carton Quantity: 10

ORDERCODE:	LED COLOR:	WIRE COLOR:
TRO L-PLR-60-6M-230V-WW	Warm White	Green
TRO L-PLR-60-6M-230V-W-WW	Warm White	White
TRO L-PLR-60-6M-230V-W	White	Green
TRO L-PLR-60-6M-230V-B	Blue	Green
TRO L-PLR-60-6M-230V-G	Green	Green
TRO L-PLR-60-6M-230V-R	Red	Green
TRO L-PLR-60-6M-230V-Y	Yellow	Green




10M **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	LED Quantity: 100	Max. sets to connect: 10	IP Rate: IP44
Power: 8 Watt	LED Spacing: 10cm	Power Cable: 1,50M (included)	Carton Quantity: 10

ORDERCODE:	LED COLOR:	WIRE COLOR:
TRO L-PLR-100-10M-230V-W	White	Green
TRO L-PLR-100-10M-230V-WW	Warm White	Green
TRO L-PLR-100-10M-230V-B	Blue	Green
TRO L-PLR-100-10M-230V-WB	White & Blue	White
TRO L-PLR-100-10M-230V-G-WB	White & Blue	Green
TRO L-PLR-100-10M-230V-R	Red	Green
TRO L-PLRT-100-230V-WW	Warm White (90) & Warm White Twinkle (10)	Green

Cord Light Conventional



3M OUTDOOR

Input: 230V

Bulb Quantity: 38

Power Cable: 1,50M (included)

IP Rate: IP44


Power: 19 Watt

Bulb Spacing: 8cm

Connectable: No

Carton Quantity: 1

ORDERCODE:	BULB COLOR:	WIRE COLOR:
TRO PLR-3MNC	Clear	Green



5M OUTDOOR

Input: 230V

Bulb Quantity: 53

Power Cable: 1,50M (included)

IP Rate: IP44


Power: 27 Watt

Bulb Spacing: 9,5cm

Connectable: No

Carton Quantity: 1

ORDERCODE:	BULB COLOR:	WIRE COLOR:
TRO PLR-5MNC	Clear	Green



7M OUTDOOR

Input: 230V

Bulb Quantity: 63

Power Cable: 1,50M (included)

IP Rate: IP44

Power: 32 Watt

Bulb Spacing: 11cm


Connectable: No

Carton Quantity: 1

ORDERCODE:	BULB COLOR:	WIRE COLOR:
TRO PLR-7MNC	Clear	Green

LED Cord Light Modular 24V Introduction

LED CORD LIGHT MODULAR LOW VOLTAGE CORD LIGHT SET



FOR OUTDOOR USE

- Easy to use, plug & play system
- Very safe, low voltage 24V
- Connectable at two sides (in and out)
- Create your own light string by choosing length and color



Perfect for use in daycare centers, nurseries and public places where safety is a must. No need to hire an expensive craftsman to do the mounting. The low voltage and easy screw connection make it an easy DIY job.



LED Cord Light 24V Modular



CORDLIGHT 6 METER WITH WARM WHITE LED - GREEN WIRE

with male and female connector - connectable

Ordercode:

TRO L-PLM-60-6M-24V-WW

Input: 24 Volt**Power:** 4,8 Watt**LED Quantity:** 60**LED Space:** 10CM**IP Rate:** IP44**Carton Quantity:** 20

CORDLIGHT 6 METER WITH BLUE LED - GREEN WIRE

with male and female connector - connectable

Ordercode:

TRO L-PLM-60-6M-24V-B

Input: 24 Volt**Power:** 4,8 Watt**LED Quantity:** 60**LED Space:** 10CM**IP Rate:** IP44**Carton Quantity:** 20

CORDLIGHT 6 METER WITH GREEN LED - GREEN WIRE

with male and female connector - connectable

Ordercode:

TRO L-PLM-60-6M-24V-G

Input: 24 Volt**Power:** 4,8 Watt**LED Quantity:** 60**LED Space:** 10CM**IP Rate:** IP44**Carton Quantity:** 20

CORDLIGHT 6 METER WITH RED LED - GREEN WIRE

with male and female connector - connectable

Ordercode:

TRO L-PLM-60-6M-24V-R

Input: 24 Volt**Power:** 3 Watt**LED Quantity:** 60**LED Space:** 10CM**IP Rate:** IP44**Carton Quantity:** 20

CORDLIGHT 6 METER WITH AMBER LED - GREEN WIRE

with male and female connector - connectable

Ordercode:

TRO L-PLM-60-6M-24V-A

Input: 24 Volt**Power:** 3 Watt**LED Quantity:** 60**LED Space:** 10CM**IP Rate:** IP44**Carton Quantity:** 20

LED Cord Light 24V Modular



CORDLIGHT 10 METER WITH WARM WHITE LED - GREEN WIRE

with male and female connector - connectable

Ordercode:
TRO L-PLM-100-10M-24V-WW
Input: 24 Volt
Power: 8 Watt

LED Quantity: 100
LED Space: 10CM
IP Rate: IP44
Carton Quantity: 20




EXTENSION CABLE 5 METER

with male and female connector - connectable

Ordercode:
TRO L-PLM-EXT-5M

IP Rate: IP44
Carton Quantity: 50



2 & 4 WAY DIVIDER

with male and female connector - connectable

2-way:
Ordercode:
TRO L-PLM-DIV-2W

IP Rate: IP44
Carton Quantity: 50

4-way:
Ordercode:
TRO L-PLM-DIV-4W



CONE LIGHT CONNECTOR

10 connector strings, each string 30cm lenght

Ordercode:
TRO L-PLM-CONE10

IP Rate: IP44
Carton Quantity: 20




POWER SUPPLY 24V

Block Type - Outdoor - Schuko grounded

ORDERCODE:	VOLTAGE:	POWER:
TRO SPS-24-30W	24V	30W
TRO SPS-24-60W	24V	60W
TRO SPS-24-100W	24V	100W

LED Cascade Light Single Sets




LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE LED - BLACK WIRE

Connectable
for outdoor use

Ordercode:
TRO L-PLR-26-150-B WW
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: Black
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3




LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE LED - WHITE WIRE

Connectable
for outdoor use

Ordercode:
TRO L-PLR-26-150-W WW
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: White
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3




LED CASCADE LIGHT 2,6 X 1,5 METER WHITE & BLUE LED - WHITE WIRE

Connectable
for outdoor use

Ordercode:
TRO L-PLR-26-150-W WB
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: White
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3




LED CASCADE LIGHT 2,6 X 3 METER WHITE & BLUE LED - WHITE WIRE

Connectable
for outdoor use

Ordercode:
TRO L-PLR-25-300-W WB
Input: 230V
Power: 76 Watt
No. of strings: 25
Bulbs p/string: 38

LED Quantity: 950
Max. sets to connect: 5
Wire Color: White
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 2

Cascade Light Single Sets Conventional




CASCADE LIGHT 2,5 X 1.5 METER CLEAR BULB - BLACK WIRE

connectable
for outdoor use

Ordercode:
TRO PLR-3813B
Input: 230V
Power: 226 Watt
No. of strings: 26
Bulbs p/string: 19

Bulb Quantity: 494
Max. sets to connect: 6
Wire Color: Black
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 1




CASCADE LIGHT 2,5 X 3 METER CLEAR BULB - BLACK WIRE

connectable
for outdoor use

Ordercode:
TRO PLR-3825B
Input: 230V
Power: 432 Watt
No. of strings: 25
Bulbs p/string: 38

Bulb Quantity: 950
Max. sets to connect: 4
Wire Color: Black
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 2



CASCADE LIGHT 2,5 X 7 METER CLEAR BULB - BLACK WIRE


connectable
for outdoor use

Ordercode:
TRO PLR-6325B-7M
Input: 230V
Power: 762 Watt
No. of strings: 25
Bulbs p/string: 53

Bulb Quantity: 1325
Max. sets to connect: 2
Wire Color: Black
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 1



LED Web Light




LED WEB LIGHT 200 X 150CM WITH WARM WHITE LED AND GREEN PVC WIRE

Connectable
for in- / outdoor use

Ordercode:
TRO L-SNL-156-24V-SGWW
Input: 24V (transformer included)
Power: 17 Watt
LED Quantity: 156

Max. sets to connect: 8
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 8




LED WEB LIGHT 219 X 60CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode:
TRO L-SNLR-176-B
Input: 230V
Power: 18 Watt
LED Quantity: 176

Max. sets to connect: 20
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 4




LED WEB LIGHT 250 X 120CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode:
TRO L-SNLR-406-B
Input: 230V
Power: 40 Watt
LED Quantity: 406

Max. sets to connect: 12
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 4




LED WEB LIGHT 400 X 200CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode:
TRO L-SNLR-648-B
Input: 230V
Power: 65 Watt
LED Quantity: 648

Max. sets to connect: 8
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 2




LED WEB LIGHT 300 X 300CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable
for in- / outdoor use

Ordercode:
TRO L-SNLR-750-B
Input: 230V
Power: 75 Watt
LED Quantity: 750

Max. sets to connect: 6
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 1

LED Web Light




WEB LIGHT 35 X 270 X 180CM WITH CLEAR BULBS AND CONTROLLER WITH 8 PROG.

Connectable
for indoor use

Ordercode:
TRO SNL-288-CW
Input: 230V
Power: 181 Watt
Bulb Quantity: 288

Power Cable: 1,80 Meter
(included)
IP Rate: IP20
Carton Quantity: 1



WEB LIGHT 400 X 200CM WITH CLEAR BULBS


Connectable
for in / outdoor use

Ordercode:
TRO SNLR-648-SB
Input: 230V
Power: 419 Watt
Bulb Quantity: 648

Max. sets to connect: 3
Power Cable: 1,80 Meter
(included)
IP Rate: IP44
Carton Quantity: 2



LED Round Net Light




ROUND NET LIGHT Ø40~50CM - 24V

for buxus of Ø40~50cm
24V Adaptor included

Ordercode:
TRO L-BRN-45-24V WW
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Color: Warm White

LED Quantity: 48
Power Cable / Adapter:
Included
IP Rate: IP44
Carton Quantity: 10




ROUND NET LIGHT Ø50~60CM - 24V

for buxus of Ø50~60cm
24V Adaptor included

Ordercode:
TRO L-BRN-55-24V WW
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Color: Warm White

LED Quantity: 48
Power Cable / Adapter:
Included
IP Rate: IP44
Carton Quantity: 10



ROUND NET LIGHT Ø60~75CM - 24V


for buxus of Ø60~75cm
24V Adaptor included

Ordercode:
TRO L-BRN-65-24V WW
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Color: Warm White

LED Quantity: 48
Power Cable / Adapter:
Included
IP Rate: IP44
Carton Quantity: 10



LED Snow Bar & Snow Cluster Sets




SNOWBAR SET 5 X 50CM TUBE

64 LED pro tube - fixed program
Adaptor included

Ordercode:
TRO SB-50-5-12V
Input: 230V (adaptor included)
Power: 10,5 Watt
LED Quantity: 64 p/tube
LED Color: White

No. of Tubes: 5
Power Cable: 5 meter
IP Rate: IP44
Carton Quantity: 4




SNOWBAR SET 5 X 100CM TUBE

128 LED pro tube - fixed program
Adaptor included

Ordercode:
TRO SB-100-5-12V
Input: 230V (adaptor included)
Power: 21 Watt
LED Quantity: 128 p/tube
LED Color: White

No. of Tubes: 5
Power Cable: 5 meter
IP Rate: IP44
Carton Quantity: 10



SNOWCLUSTER SET 5 X 100CM STRING

128 LED pro cluster - fixed program
Adaptor included


Ordercode:
TRO SC-100-5-12V
Input: 230V (adaptor included)
Power: 25 Watt
LED Quantity: 128 p/cluster
LED Color: White

No. of Tubes: 5
Power Cable: 5 meter
IP Rate: IP44
Carton Quantity: 10

It is possible to connect several Snow Bar or Cluster sets, but you then need a bigger 12V power supply.



LED Chasy Light



LED CHASY LIGHT 5 METER WHITE TRANSPARENT WIRE

For indoor use

Ordercode:

TRO L-TW-120-24V-W

Input: 24V (adaptor included)

Power: 9,6 Watt

LED Quantity: 120


No. of programs: 8

Power Cable / Adaptor:

Included

IP Rate: IP44

Carton Quantity: 10



LED CHASY LIGHT 5 METER BLUE TRANSPARENT WIRE

For indoor use

Ordercode:

TRO L-TW-120-24V-B

Input: 24V (adaptor included)

Power: 9,6 Watt

LED Quantity: 120


No. of programs: 8

Power Cable / Adaptor:

Included

IP Rate: IP44

Carton Quantity: 10



LED CHASY LIGHT 5 METER GREEN TRANSPARENT WIRE

For indoor use

Ordercode:

TRO L-TW-120-24V-G

Input: 24V (adaptor included)

Power: 9,6 Watt

LED Quantity: 120


No. of programs: 8

Power Cable / Adaptor:

Included

IP Rate: IP44

Carton Quantity: 10



LED CHASY LIGHT 5 METER RED TRANSPARENT WIRE

For indoor use

Ordercode:

TRO L-TW-120-24V-R

Input: 24V (adaptor included)

Power: 4,8 Watt

LED Quantity: 120


No. of programs: 8

Power Cable / Adaptor:

Included

IP Rate: IP44

Carton Quantity: 10



LED CHASY LIGHT 5 METER YELLOW TRANSPARENT WIRE

For indoor use

Ordercode:

TRO L-TW-120-24V-Y

Input: 24V (adaptor included)

Power: 4,8 Watt

LED Quantity: 120

No. of programs: 8


Power Cable / Adaptor:

Included

IP Rate: IP44

Carton Quantity: 10

LED Chasy Light



LED CHASY LIGHT 10 METER WHITE BLACK WIRE

For outdoor use

Ordercode:

TRO L-TWR-100-10M-W

Input: 230V

Power: 8,5 Watt

LED Quantity: 100

No. of programs: 8

Power Cable / Adaptor:


Included

IP Rate: IP44

Carton Quantity: 10



LED Cluster Light




LED CLUSTER LIGHT CHAIN 1,5 METER - BLACK WIRE, WARM WHITE LED

Incl. 8 function controller with memory
for indoor/outdoor use

Ordercode:
TRO CLU-192-WW-C
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 192
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16




LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, WARM WHITE LED

No controller, steady string
for indoor/outdoor use

Ordercode:
TRO CLU-288-WW
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16




LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, WARM WHITE LED

Incl. 8 function controller with memory
for indoor/outdoor use

Ordercode:
TRO CLU-288-WW-C
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16



LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, PINK LED

Incl. 8 function controller with memory
for indoor/outdoor use

Ordercode:
TRO CLU-288-P-C
Input: 24V (adaptor included)
Power: 5 Watt
Color: Pink

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16



Basic Line

230 VOLT WITH REPLACEABLE PICELLO BULBS POPULAR INDOOR CHRISTMAS TREE DECORATION



TRADITIONAL LIGHT CHAIN 2,85 METER WITH 10 CLEAR BULBS

with green wire
for indoor use

Ordercode:
TRO MLC-10-230V-CL
Input: 230V
Power: 11,5 Watt
Color: Clear

Bulb Quantity: 10
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 100



TRADITIONAL LIGHT CHAIN 4,35 METER WITH 20 CLEAR BULBS

with green wire
for indoor use

Ordercode:
TRO MLC-20-230V-CL
Input: 230V
Power: 20 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 60



TRADITIONAL LIGHT CHAIN 4,35 METER WITH 20 CLEAR BULBS

with white wire
for indoor use

Ordercode:
TRO MLC-20-230V-CLW
Input: 230V
Power: 20 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 60



TRADITIONAL LIGHT CHAIN 8,85 METER WITH 50 CLEAR BULBS

with green wire
for indoor use

Ordercode:
TRO MLC-50-230V-CL
Input: 230V
Power: 30 Watt
Color: Clear

Bulb Quantity: 50
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 40



TRADITIONAL LIGHT CHAIN 16,35 METER WITH 100 CLEAR BULBS

with green wire
for indoor use

Ordercode:
TRO MLC-100-230V-CL
Input: 230V
Power: 32 Watt
Color: Clear

Bulb Quantity: 100
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 20



TRADITIONAL LIGHT CHAIN 16,35 METER WITH 100 MULTI COLOR BULBS

with green wire
for indoor use

Ordercode:
TRO MLC-100-230V-MC
Input: 230V
Power: 32 Watt
Color: Clear

Bulb Quantity: 100
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 20



TRADITIONAL LIGHT CHAIN 16,85 METER WITH 80 CLEAR BULBS AND 230V TO 24V ADAPTOR

with green wire
for outdoor use

Ordercode:
TRO MLC-80-24V-IP44-CL
Input: 24V (adaptor included)
Power: 10,8 Watt
Color: Clear

Bulb Quantity: 80
Bulb Space: 15cm
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 12



TRADITIONAL LIGHT CHAIN 22,85 METER WITH 120 CLEAR BULBS AND 230V TO 24V ADAPTOR

with green wire
for outdoor use

Ordercode:
TRO MLC-120-24V-IP44-CL
Input: 24V (adaptor included)
Power: 11,8 Watt
Color: Clear

Bulb Quantity: 120
Bulb Space: 15cm
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 12



CANDLE LIGHT CHAIN 7,2 METER WITH 20 CLEAR BULBS

with 20 clear bulbs
for indoor use

Ordercode:
TRO CDL-20-230V-IP20
Input: 230V
Power: 60 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 30cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 12



CANDLE LIGHT CHAIN 5,3 METER WITH 20 CLEAR BULBS

with 20 clear bulbs
for outdoor use

Ordercode:
TRO CDL-20-230V-IP44
Input: 230V
Power: 60 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 20cm
Power Cable: 1,50 Meter
IP Rate: IP44
Carton Quantity: 12

Accessories for 13mm Rope Light



5 SPARE BULB FOR MINI LIGHT 10PCS

Ordercode:
TRO SPB-24V-48MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 20PCS

Ordercode:
TRO SPB-12V-83MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 35PCS

Ordercode:
TRO SPB-7V-93MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 50PCS

Ordercode:
TRO SPB-5V-120MA

Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 100PCS

Ordercode: 765-001
TRO SPB-2.5V-128MA

Carton Quantity: 400

Accessories for 13mm Rope Light



5 SPARE BULB FOR WEB LIGHT 160PCS

Ordercode:
TRO SPB-2.4V-52.5MA

Carton Quantity: 400



3 SPARE BULB FOR CANDLE LIGHT 20PCS IN-DOOR

Ordercode:
TRO SPB-12V-3W-E10

Carton Quantity: 400




3 SPARE BULB FOR CANDLE LIGHT 20PCS OUT-DOOR

Ordercode:
TRO SPB-12V-3W-E10-O

Carton Quantity: 400

LED CORD LIGHT 15 METER WARM WHITE IS A PERFECT SET FOR DECORATING A LARGE(R) CHRISTMAS TREE IN HOUSE WITH WARM WHITE LED. EXTRA SAFE WITH LOW VOLTAGE (24 VOLT TRANSFORMER INCLUDED).



LED CORD LIGHT 15 METER WARM WHITE-GREEN WIRE

Connectable
for indoor use

Ordercode:
TRO PL-150-15M-24V WW
Input: 230V
Power: 15 Watt
LED Quantity: 150

LED spacing: 10cm
Max. sets to connect: n.a.
Power Cable: 1,5M (included)
IP Rate: IP44
Carton Quantity: 10



SMALL COMET 85 X 45CM WITH WARM WHITE LED

Steel frame

Ordercode:
TRO L-MT-010 W
Input: 230V
Color: Warm White LED

Dimension: 85 x 45cm
Power Cable: 1,50 Meter
(included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 53CM WITH WHITE LED

Steel frame

Ordercode:
TRO L-MT-020 W
Input: 230V
Color: White LED

Dimension: 53cm
Power Cable: 1,50 Meter
(included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 80CM WITH WHITE LED

Steel frame

Ordercode:
TRO L-MT-021 W
Input: 230V
Color: White LED

Dimension: 80cm
Power Cable: 1,50 Meter
(included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 37CM WITH WHITE LED

Steel frame

Ordercode:
TRO L-MT-030 W
Input: 230V
Color: White LED

Dimension: 37cm
Power Cable: 1,50 Meter
(included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 53CM WITH WHITE LED

Steel frame

Ordercode:
TRO L-MT-031 W
Input: 230V
Color: White LED

Dimension: 53cm
Power Cable: 1,50 Meter
(included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 53CM WITH BLUE LED

Steel frame

Ordercode:
TRO L-MT-031 B
Input: 230V
Color: Blue LED

Dimension: 53cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 66CM WITH WHITE LED

Steel frame

Ordercode:
TRO L-MT-032 W
Input: 230V
Color: White LED

Dimension: 66cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



LED TOWER 90CM INDOOR BLUE

Blue:
Ordercode:
TRO L-MT-XT-T-90-B

Input: 230V
Dimension: 90cm
Power Cable: 1,50 Meter (included)
IP Rate: IP20
Carton Quantity: 2



LED TOWER 120CM OUTDOOR WHITE OR BLUE

White:
Ordercode:
TRO L-MT-XT-T-120-W

Blue:
Ordercode:
TRO L-MT-XT-T-120-B

Input: 230V
Dimension: 120cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 2



LED TOWER 150CM OUTDOOR WHITE OR BLUE

White:
Ordercode:
TRO L-MT-XT-T-150-W

Blue:
Ordercode:
TRO L-MT-XT-T-150-B

Input: 230V
Dimension: 150cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 2



LED TOWER 250CM OUTDOOR BLUE

Ordercode:
TRO L-MT-XT-T-250-B
Input: 230V
Color: Blue

Dimension: 200cm
Power Cable: 1,50 Meter
(included)
IP Rate: IP44
Carton Quantity: 2

Professional Motifs With Aluminium Frame



BIG COMET 140 X 105CM WITH WARM WHITE LED

Aluminium frame

Ordercode:
TRO L-MT-011
Input: 230V
Color: Warm White LED

Dimension: 140 x 105cm
Power Cable: 1,50 Meter
(included)
IP Rate: IP44
Carton Quantity: 5




5 POINT STAR 80CM WITH WARM WHITE LED

Aluminium frame

Ordercode:
TRO L-MT-025
Input: 230V
Color: Warm White LED

Dimension: 80cm
Power Cable: 1,50 Meter
(included)
IP Rate: IP44
Carton Quantity: 5




8 POINT STAR 80CM WITH WARM WHITE LED

Aluminium frame

Ordercode:
TRO L-MT-027
Input: 230V
Color: Warm White LED

Dimension: 80cm
Power Cable: 1,50 Meter
(included)
IP Rate: IP44
Carton Quantity: 5



8 POINT STAR 120CM WITH WARM WHITE LED

Aluminium frame

Ordercode:
TRO L-MT-028
Input: 230V
Color: Warm White LED

Dimension: 120cm
Power Cable: 1,50 Meter
(included)
IP Rate: IP44
Carton Quantity: 5

Flat Cable & Belt Light



BELT LIGHT RETAIL SET 10 METER WITH 10 SOCKETS

10 Multi Color LED lamps included

Ordercode:
TRO BLRL-10M-10-E27MC

Length: 10 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 5



BELT LIGHT PROFI SET 20 METER WITH 20 MOULDED SOCKETS

Round rubber cable

Professional set (high quality mounted sockets) to decorate big trees

Because of the high quality of this Belt Light set, this set is the perfect solution to decorate big trees on public places like city centre squares, standing there for many years.

Ordercode:
TRO FLC-BL-10-10PL

Length: 20 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 4



FLATCABLE 10 METER INCLUDING 10 SOCKETS E27

Including plug and end cap

Max. to connect 100 meter / Max. load 1.500 Watt

Ordercode:
TRO FLC-BL-10-10PL

Length: 10 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 5



FLATCABLE 20 METER INCLUDING 19 SOCKETS E27

Including plug and end cap

Ordercode: TRO FLC-BL-20-19PL **Length:** 20 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 5



FLATCABLE 100 METER INCLUDING 100 SOCKETS E27

Including plug and end cap

Ordercode:
TRO FLC-BL-100-100PL **Length:** 100 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 1

Flat Cable & Belt Light



FLATCABLE 25 METER

Including plug and end cap

Ordercode:
TRO FLC-BL-25PL

Length: 25 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 4



FLATCABLE 100 METER

Including plug and end cap

Ordercode:
TRO FLC-BL-100

Length: 100 meter
Cable: 2x1.5mm

IP Rate: IP44
Carton Quantity: 1



FLATCABLE LAMP HOLDER E27

20 pieces holder and rubber rings

Ordercode:
TRO FLC-LH-E27-20

IP Rate: IP44
Carton Quantity: 5



FLATCABLE LAMP HOLDER E27

100 pieces holder and rubber rings

Ordercode:
TRO FLC-LH-E27-100

IP Rate: IP44
Carton Quantity: 1



FLATCABLE LAMP HOLDER E27 WITH MOUTING HOLES

20 pieces holder and rubber rings

Ordercode:
TRO FLC-LH-E27E-20

IP Rate: IP44
Carton Quantity: 5

Lamps (for Belt Light)

FOR OUR COMPLETE RANGE OF (LED) LAMPS,
PLEASE CHECK OUR COMMERCIAL LIGHTING BROCHURE



P45 CLEAR - 10 PACK

15 Watt bulb with transparent glass

Ordercode:
TRO LMP-10-P45-E27 C
Color: Clear
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 BLUE - 10 PACK

15 Watt bulb with transparent glass

Ordercode:
TRO LMP-10-P45-E27 B
Color: Blue
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 GREEN - 10 PACK

15 Watt bulb with transparent glass

Ordercode:
TRO LMP-10-P45-E27 G
Color: Green
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 RED - 10 PACK

15 Watt bulb with transparent glass

Ordercode:
TRO LMP-10-P45-E27 R
Color: Red
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 YELLOW - 10 PACK

15 Watt bulb with transparent glass

Ordercode:
TRO LMP-10-P45-E27 Y
Color: Yellow
Power: 15 Watt
Beam: 190°
LED Quantity:

Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40

Lamps (for Belt Light)



P45 1 WATT CLEAR

With E-27 socket

Ordercode:
TRO L-P45-6L-E27-CL
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1,7 WATT CLEAR

With E-27 socket

Ordercode:
TRO L-P45-10L-E27-CLEAR
Color: Warm White
Power: 1,7 Watt
Beam: 190°
LED Quantity: 10

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WHITE

With E-27 socket

Ordercode:
TRO L-P45-6L-E27-W
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT BLUE

With E-27 socket

Ordercode:
TRO L-P45-6L-E27-B
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT GREEN

With E-27 socket

Ordercode:
TRO L-P45-6L-E27-G
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

Lamps (for Belt Light)



P45 1 WATT RED

With E-27 socket

Ordercode:
TRO L-P45-6L-E27-R
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT YELLOW

With E-27 socket

Ordercode:
TRO L-P45-6L-E27-Y
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WARM WHITE

With E-27 socket

Ordercode:
TRO L-P45-6L-E27-WW
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT CLEAR

With B-22 socket

Ordercode:
TRO L-P45-6L-B22-CL
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WHITE

With B-22 socket

Ordercode:
TRO L-P45-6L-B22-W
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

Lamps (for Belt Light)



P45 1 WATT BLUE

With B-22 socket

Ordercode:
TRO L-P45-6L-B22-B
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT GREEN

With B-22 socket

Ordercode:
TRO L-P45-6L-B22-G
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT RED

With B-22 socket

Ordercode:
TRO L-P45-6L-B22-R
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT YELLOW

With B-22 socket

Ordercode:
TRO L-P45-6L-B22-Y
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WARM WHITE

With B-22 socket

Ordercode:
TRO L-P45-6L-B22-WW
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

Lamps (for Belt Light)



P50 1 WATT WHITE - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode:
TRO P50-10L-E27 W
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT BLUE - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode:
TRO P50-10L-E27 B
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT GREEN - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode:
TRO P50-10L-E27 G
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT RED - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode:
TRO P50-10L-E27 R
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P50 1 WATT YELLOW - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode:
TRO P50-10L-E27 Y
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

Lamps (for Belt Light)



P50 1 WATT WARM WHITE - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode:
TRO P50-10L-E27 WW
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



A60 1 WATT RGB - 7 COLOUR CHANGING

Fixed color changing program

Ordercode:
TRO L-A60-12L-E27-MC
Color: RGB
Power: 1 Watt
Beam: 120°
LED Quantity: 12

Length: 104 mm
Diameter: 60 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

