



KRAMER ELECTRONICS LTD.

USER MANUAL

MODEL:

VM-4DP

1:4 DisplayPort Distributor

P/N: 2900-000732 Rev 2




VP-4DP Quick Start Guide

This guide helps you install and use your product for the first time. For more detailed information, go to http://www.kramerelectronics.com/support/product_downloads.asp to download the latest manual or scan the QR code on the left.

Step 1: Check what's in the box

- VP-4DP** 1:4 DisplayPort
- Distributor
- 1 Power cord
- 1 Set of rack "ears"
- 4 Rubber feet
- 1 Quick Start sheet




Save the original box and packaging materials in case you need to return your **VP-4DP** for service.

Step 2: Install the VP-4DP

Mount the **VP-4DP** in a rack (using the included rack "ears") or attach the rubber feet and place on a table.

Step 3: Connect the inputs and outputs

Always switch off the power on each device before connecting it to your **VP-4DP**.



Always use Kramer high-performance cables for connecting AV equipment to the **VP-4DP**.

Step 4: Connect the power

Connect the power cord to the **VP-4DP** and plug it into the mains electricity.




Step 5: Acquire an EDID

To acquire the default EDID:

Select a disconnected output by pressing EDID SELECT and press EDID READ.

To acquire the EDID from a selected device:

Press EDID SELECT until the desired output is lit and press EDID READ.



Contents

1	Introduction	1
2	Getting Started	2
2.1	Achieving the Best Performance	2
2.2	Safety Instructions	3
2.3	Recycling Kramer Products	3
3	Overview	4
3.1	Defining the VM-4DP 1:4 DisplayPort Distributor	4
4	Installing in a Rack	7
5	Connecting the VM-4DP	8
6	Acquiring an EDID	9
6.1	Acquiring the Default EDID	9
6.2	Acquiring the EDID from a Connected Output	9
7	Upgrading the Firmware	10
8	Technical Specifications	11

Figures

Figure 1: VM-4DP 1:4 DisplayPort Distributor Front Panel	5
Figure 2: VM-4DP 1:4 DisplayPort Distributor Rear Panel	6
Figure 3: Connecting the VM-4DP 1:4 DisplayPort Distributor	8

1 Introduction

Welcome to Kramer Electronics! Since 1981, Kramer Electronics has been providing a world of unique, creative, and affordable solutions to the vast range of problems that confront video, audio, presentation, and broadcasting professionals on a daily basis. In recent years, we have redesigned and upgraded most of our line, making the best even better!

Our 1,000-plus different models now appear in 11 groups that are clearly defined by function: GROUP 1: Distribution Amplifiers; GROUP 2: Switchers and Routers; GROUP 3: Control Systems; GROUP 4: Format/Standards Converters; GROUP 5: Range Extenders and Repeaters; GROUP 6: Specialty AV Products; GROUP 7: Scan Converters and Scalers; GROUP 8: Cables and Connectors; GROUP 9: Room Connectivity; GROUP 10: Accessories and Rack Adapters and GROUP 11: Sierra Products.

Congratulations on purchasing your Kramer **VM-4DP 1:4 DisplayPort Distributor**, which is ideal for the following typical applications:

- Multimedia applications
- PC showrooms

2 Getting Started

We recommend that you:

- Unpack the equipment carefully and save the original box and packaging materials for possible future shipment
- Review the contents of this user manual



Go to http://www.kramerelectronics.com/support/product_downloads.asp to check for up-to-date user manuals, application programs, and to check if firmware upgrades are available (where appropriate).

2.1 Achieving the Best Performance

To achieve the best performance:

- Use only good quality connection cables (we recommend Kramer high-performance, high-resolution cables) to avoid interference, deterioration in signal quality due to poor matching, and elevated noise levels (often associated with low quality cables)
- Do not secure the cables in tight bundles or roll the slack into tight coils
- Avoid interference from neighboring electrical appliances that may adversely influence signal quality
- Position your Kramer **VM-4DP** away from moisture, excessive sunlight and dust



This equipment is to be used only inside a building. It may only be connected to other equipment that is installed inside a building.

2.2 Safety Instructions



Caution: There are no operator serviceable parts inside the unit

Warning: Use only the power cord that is supplied with the unit

Warning: Do not open the unit. High voltages can cause electrical shock! Servicing by qualified personnel only

Warning: Disconnect the power and unplug the unit from the wall before installing

2.3 Recycling Kramer Products

The Waste Electrical and Electronic Equipment (WEEE) Directive 2002/96/EC aims to reduce the amount of WEEE sent for disposal to landfill or incineration by requiring it to be collected and recycled. To comply with the WEEE Directive, Kramer Electronics has made arrangements with the European Advanced Recycling Network (EARN) and will cover any costs of treatment, recycling and recovery of waste Kramer Electronics branded equipment on arrival at the EARN facility. For details of Kramer's recycling arrangements in your particular country go to our recycling pages at <http://www.kramerelectronics.com/support/recycling/>.

3 Overview

The **VM-4DP** is a high-quality *1:4 DisplayPort Distributor* that accepts a DisplayPort (DP) input, equalizes and reclocks the data, and distributes the signal to four DisplayPort outputs.

The **VM-4DP** features:

- One DisplayPort input, four DisplayPort outputs, four output status LEDs, an active input status LED, as well as EDID read and select buttons
- Maximum data rate of 10.8Gps (2.7Gbps per lane)
- A maximum resolution of 2560x1600 pixels
- Kramer re-Klocking™ and Equalization Technology, which rebuilds the digital signal to travel longer distances
- HDCP compliance
- High-resolution and rich colors and transports audio and multiple video streams
- A worldwide power supply – 100-240V AC
- A standard 19" rack-mount size - 1U. Rack "ears" are included

3.1 Defining the VM-4DP 1:4 DisplayPort Distributor

This section defines the **VM-4DP**.




Figure 1: VM-4DP 1:4 DisplayPort Distributor Front Panel

#	Feature	Function
1	<i>POWER</i> LED	Illuminates when receiving power
2	<i>ACTIVE</i> LED	Illuminates when the input is active
3	<i>READ</i> Button	Press to read the EDID of the selected display
4	<i>SELECT</i> Button	Select the desired output from which to acquire the EDID information
5	<i>OUTPUT</i> LEDs	LEDs light when an output(s) is connected and active; LEDs flash when selecting EDID (see Section 6)




Figure 2: VM-4DP 1:4 DisplayPort Distributor Rear Panel

#	Feature	Function
6	<i>INPUT</i> DisplayPort Connector	Connects to the DisplayPort source
7	<i>OUTPUT</i> DisplayPort Connectors	Connect to the DP acceptors (from 1 to 4)
8	<i>PROGRAM</i> 9-pin D-sub port	Use to program the unit
9	Power Connector with Fuse	AC connector enabling power supply to the unit
10	<i>POWER</i> Switch	Illuminated switch for turning the unit ON or OFF

4 Installing in a Rack

This section provides instructions for rack mounting the unit.

Before installing in a rack, be sure that the environment is within the recommended range:

OPERATING TEMPERATURE:	0° to +40°C (32° to 104°F)
STORAGE TEMPERATURE:	-40° to +70°C (-40° to 158°F)
HUMIDITY:	10% to 90%, RHL non-condensing




CAUTION!

When installing on a 19" rack, avoid hazards by taking care that:

1. It is located within the recommended environmental conditions, as the operating ambient temperature of a closed or multi unit rack assembly may exceed the room ambient temperature.
2. Once rack mounted, enough air will still flow around the machine.
3. The machine is placed straight in the correct horizontal position.
4. You do not overload the circuit(s). When connecting the machine to the supply circuit, overloading the circuits might have a detrimental effect on overcurrent protection and supply wiring. Refer to the appropriate nameplate ratings for information. For example, for fuse replacement, see the value printed on the product label.
5. The machine is earthed (grounded) in a reliable way and is connected only to an electricity socket with grounding. Pay particular attention to situations where electricity is supplied indirectly (when the power cord is not plugged directly into the socket in the wall), for example, when using an extension cable or a power strip, and that you use only the power cord that is supplied with the machine.

To rack-mount a machine:

1. Attach both ear brackets to the machine. To do so, remove the screws from each side of the machine (3 on each side), and replace those screws through the ear brackets.



2. Place the ears of the machine against the rack rails, and insert the proper screws (not provided) through each of the four holes in the rack ears.

Note:

- In some models, the front panel may feature built-in rack ears
- Detachable rack ears can be removed for desktop use
- Always mount the machine in the rack before you attach any cables or connect the machine to the power
- If you are using a Kramer rack adapter kit (for a machine that is not 19"), see the Rack Adapters user manual for installation instructions available from our Web site

5 Connecting the VM-4DP



Always switch off the power to each device before connecting it to your **VM-4DP**. After connecting your **VM-4DP**, connect its power and then switch on the power to each device.

To connect the **VM-4DP** as illustrated in the example in [Figure 3](#):

1. Connect a DP source (for example, a computer graphics source) to the DP INPUT connector.
2. Connect the DP output connectors (not all the outputs need to be connected), to up to four DP acceptors (for example, displays).
3. Connect the power cord to the mains electricity (not shown in [Figure 3](#)).
4. Turn ON the POWER on the rear panel.
5. Acquire the EDID, see [Section 6](#).




Figure 3: Connecting the VM-4DP 1:4 DisplayPort Distributor

6 Acquiring an EDID

The **VM-4DP** initially operates with the default EDID. This means that you can turn ON the power before connecting any of the acceptors or the source.

You can acquire the EDID from:

- The default EDID, see [Section 6.1](#)
- A connected output, see [Section 6.2](#)

6.1 Acquiring the Default EDID

To acquire the default EDID, do the following:

1. Press the SELECT button, as required, to reach a disconnected output.
The selected output LED flashes.
2. Press the READ button.
The READ button flashes.
The new EDID of the selected output is stored in the non-volatile memory and passed to the input when the READ button no longer flashes.

6.2 Acquiring the EDID from a Connected Output

To acquire the EDID, from a selected output, do the following:

1. Press the SELECT button, as required, to reach the desired connected output from which you want to acquire the EDID.
The selected output LED flashes.
2. Press the READ button.
The READ button flashes.
The new EDID of the selected output is stored in the non-volatile memory and passed to the input when the READ button no longer flashes.

7 Upgrading the Firmware

For instructions on upgrading the firmware see “*Upgrading the VM-4DP Firmware Using the STC Software*”.

8 Technical Specifications

INPUT:	1 DisplayPort connector
OUTPUTS:	4 DisplayPort connectors
MAX. DATA RATE:	10.8Gps (2.7Gbps bandwidth per lane)
COMPLIANCE WITH STANDARDS:	Supports DisplayPort 1.1 and HDCP 1.3
CONTROLS:	SELECT and READ buttons for selecting and storing EDID information
INDICATOR LEDs:	OUTPUTS 1 to 4, ACTIVE LED and POWER LED
POWER CONSUMPTION:	100-240V AC, 23VA
OPERATING TEMPERATURE:	0° to +40°C (32° to 104°F)
STORAGE TEMPERATURE:	-40° to +70°C (-40° to 158°F)
HUMIDITY:	10% to 90%, RHL non-condensing
DIMENSIONS:	19" x 7" x 1U W, D, H rack mountable
WEIGHT:	2.5kg (5.5lbs) approx.
ACCESSORIES:	Power cord, rack "ears"
Specifications are subject to change without notice at http://www.kramerelectronics.com	

LIMITED WARRANTY

The warranty obligations of Kramer Electronics for this product are limited to the terms set forth below:

What is Covered

This limited warranty covers defects in materials and workmanship in this product.

What is Not Covered

This limited warranty does not cover any damage, deterioration or malfunction resulting from any alteration, modification, improper or unreasonable use or maintenance, misuse, abuse, accident, neglect, exposure to excess moisture, fire, improper packing and shipping (such claims must be presented to the carrier), lightning, power surges, or other acts of nature. This limited warranty does not cover any damage, deterioration or malfunction resulting from the installation or removal of this product from any installation, any unauthorized tampering with this product, any repairs attempted by anyone unauthorized by Kramer Electronics to make such repairs, or any other cause which does not relate directly to a defect in materials and/or workmanship of this product. This limited warranty does not cover cartons, equipment enclosures, cables or accessories used in conjunction with this product.

Without limiting any other exclusion herein, Kramer Electronics does not warrant that the product covered hereby, including, without limitation, the technology and/or integrated circuit(s) included in the product, will not become obsolete or that such items are or will remain compatible with any other product or technology with which the product may be used.

How Long Does this Coverage Last

Seven years as of this printing; please check our Web site for the most current and accurate warranty information.

Who is Covered

Only the original purchaser of this product is covered under this limited warranty. This limited warranty is not transferable to subsequent purchasers or owners of this product.

What Kramer Electronics will do

Kramer Electronics will, at its sole option, provide one of the following three remedies to whatever extent it shall deem necessary to satisfy a proper claim under this limited warranty:

1. Elect to repair or facilitate the repair of any defective parts within a reasonable period of time, free of any charge for the necessary parts and labor to complete the repair and restore this product to its proper operating condition. Kramer Electronics will also pay the shipping costs necessary to return this product once the repair is complete.
2. Replace this product with a direct replacement or with a similar product deemed by Kramer Electronics to perform substantially the same function as the original product.
3. Issue a refund of the original purchase price less depreciation to be determined based on the age of the product at the time remedy is sought under this limited warranty.

What Kramer Electronics will not do Under This Limited Warranty

If this product is returned to Kramer Electronics or the authorized dealer from which it was purchased or any other party authorized to repair Kramer Electronics products, this product must be insured during shipment, with the insurance and shipping charges prepaid by you. If this product is returned uninsured, you assume all risks of loss or damage during shipment. Kramer Electronics will not be responsible for any costs related to the removal or re-installation of this product from or into any installation. Kramer Electronics will not be responsible for any costs related to any setting up this product, any adjustment of user controls or any programming required for a specific installation of this product.

How to Obtain a Remedy under this Limited Warranty

To obtain a remedy under this limited warranty, you must contact either the authorized Kramer Electronics reseller from whom you purchased this product or the Kramer Electronics office nearest you. For a list of authorized Kramer Electronics resellers and/or Kramer Electronics authorized service providers, please visit our web site at www.kramerelectronics.com or contact the Kramer Electronics office nearest you.

In order to pursue any remedy under this limited warranty, you must possess an original, dated receipt as proof of purchase from an authorized Kramer Electronics reseller. If this product is returned under this limited warranty, a return authorization number, obtained from Kramer Electronics, will be required. You may also be directed to an authorized reseller or a person authorized by Kramer Electronics to repair the product.

If it is decided that this product should be returned directly to Kramer Electronics, this product should be properly packed, preferably in the original carton, for shipping. Cartons not bearing a return authorization number will be refused.

Limitation on Liability

THE MAXIMUM LIABILITY OF KRAMER ELECTRONICS UNDER THIS LIMITED WARRANTY SHALL NOT EXCEED THE ACTUAL PURCHASE PRICE PAID FOR THE PRODUCT. TO THE MAXIMUM EXTENT PERMITTED BY LAW, KRAMER ELECTRONICS IS NOT RESPONSIBLE FOR DIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY BREACH OF WARRANTY OR CONDITION, OR UNDER ANY OTHER LEGAL THEORY. Some countries, districts or states do not allow the exclusion or limitation of relief, special, incidental, consequential or indirect damages, or the limitation of liability to specified amounts, so the above limitations or exclusions may not apply to you.

Exclusive Remedy

TO THE MAXIMUM EXTENT PERMITTED BY LAW, THIS LIMITED WARRANTY AND THE REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED. TO THE MAXIMUM EXTENT PERMITTED BY LAW, KRAMER ELECTRONICS SPECIFICALLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IF KRAMER ELECTRONICS CANNOT LAWFULLY DISCLAIM OR EXCLUDE IMPLIED WARRANTIES UNDER APPLICABLE LAW, THEN ALL IMPLIED WARRANTIES COVERING THIS PRODUCT, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, SHALL APPLY TO THIS PRODUCT AS PROVIDED UNDER APPLICABLE LAW.

IF ANY PRODUCT TO WHICH THIS LIMITED WARRANTY APPLIES IS A "CONSUMER PRODUCT" UNDER THE MAGNUSON-MOSS WARRANTY ACT (15 U.S.C.A. §2301, ET SEQ.) OR OTHER APPLICABLE LAW, THE FOREGOING DISCLAIMER OF IMPLIED WARRANTIES SHALL NOT APPLY TO YOU, AND ALL IMPLIED WARRANTIES ON THIS PRODUCT, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR THE PARTICULAR PURPOSE, SHALL APPLY AS PROVIDED UNDER APPLICABLE LAW.

Other Conditions

This limited warranty gives you specific legal rights, and you may have other rights which vary from country to country or state to state.

This limited warranty is void if (i) the label bearing the serial number of this product has been removed or defaced, (ii) the product is not distributed by Kramer Electronics or (iii) this product is not purchased from an authorized Kramer Electronics reseller. If you are unsure whether a reseller is an authorized Kramer Electronics reseller, please visit our Web site at www.kramerelectronics.com or contact a Kramer Electronics office from the list at the end of this document.

Your rights under this limited warranty are not diminished if you do not complete and return the product registration form or complete and submit the online product registration form. Kramer Electronics thanks you for purchasing a Kramer Electronics product. We hope it will give you years of satisfaction.



For the latest information on our products and a list of Kramer distributors, visit our Web site where updates to this user manual may be found.

We welcome your questions, comments, and feedback.

Web site: www.kramerelectronics.com

E-mail: info@kramere.com



SAFETY WARNING

Disconnect the unit from the power supply before opening and servicing

P/N: 2900-000732



Rev: 2

