



PRODUCT CATALOGUE

JSG Equipment Supplies
quality industry solutions

JSG EQUIPMENT SUPPLIES



In 1921, the foundation of the John Sample Group of companies commenced as the automotive aftermarket supplier to the emerging Australian automotive manufacturing industry.

Through those early days, the John Sample Group became involved in many different products and delivering brands such as:

- Mann Piston Rings
- Federal Mogul Bearing
- Blackhawk Hand Tools and Hydraulic Equipment
- Porto-Power Hydraulic Equipment
- Hoyts Dashboard Ammeters Instruments
- Van Cleef Bros Automotive Chemicals
- Fitzgerald Gaskets

The following decades saw the emergence of products manufactured by the John Sample Group. Brands such as:

- Gee Jay Works products
- Vane Electrical Instruments
- Auto Lab Test Instruments

They also represented Bradbury Hoists.

Today, JSG Equipment Supplies is proud to be associated with quality commodity products to assist in making the Industrial Maintenance and Automotive Workshop Operations clean, efficient and safe.

All the products listed are stocked locally, supplied locally and supported locally via our national sales network.

CONTENTS

GREASE	4
Grease Nipples / Trico Spectrum Grease Identification	4
Grease Guns / Grease Gun Fittings & Accessories	5
OIL	6
Industrial Fast Funnel / Manual Oil Pumps	6
Trico Spectrum Oil Containers & Nozzle Lids	7
Trico Spectrum Accessories	8
FUEL	9
Diesel Pump Layout / Electric Diesel Pumps Kits	9
Fuel Meters	10
Fuel Filters / Fuel Nozzles	11
Hand Fuel Pumps	12
MITYVAC	13
Cooling System Testing & Diagnostic Equipment	13
Engine Diagnostic Equipment	14
Specialty Tools & Equipment / Fluid Evacuation & Dispensing Equipment	16
Brake & Clutch Bleeding Equipment	17
Hand Vacuum Pumps	19
Accessories	21

GREASE

Grease Nipples

Popular grease nipples supplied in convenient packs of 10. Manufactured from Cad plated steel.

PART NUMBER	HEAD TYPE	THREAD SIZE	THREAD TYPE	ORIENTATION
04-12LA165	Grease Nipple	6mm	Metric	90°
04-12L161	Grease Nipple	6mm	Metric	Straight
04-12LA169	Grease Nipple	8mm	Metric	90°
04-12L162	Grease Nipple	8mm	Metric	Straight
04-12LA204	Grease Nipple	10mm	Metric	90°
04-12L200	Grease Nipple	10mm	Metric	Straight
04-12L028	Grease Nipple	1/8"	NPT	Straight
04-12LA043	Grease Nipple	1/8"	NPT	90°
04-12L029	Grease Nipple	1/8"	BSP	Straight
04-12LA044	Grease Nipple	1/8"	BSP	90°
04-12LA060	Grease Nipple	1/4"	BSP	90°
04-12L048	Grease Nipple	1/4"	BSP	Straight
04-12LA059	Grease Nipple	1/4"	NPT	90°
04-12L047	Grease Nipple	1/4"	NPT	Straight
04-12LT046	Button Head	1/8"	BSP	Straight
04-12LT326	Button Head	1/4"	NPT	Straight
04-12LT52	Button Head	1/4"	BSP	Straight



Grease Nipples - Pack of 10

Trico Spectrum Grease Identification

Avoid grease cross contamination and misapplication with spectrum grease nipple identification caps and grease gun identification bands. Trico grease fitting caps available in packs of 10.

Trico Grease Fitting Caps

YELLOW	GREEN	RED	BLUE	PURPLE	ORANGE
07-37024	07-37025	07-37026	07-37027	07-37041	07-37058



Trico Grease Fitting Caps

Trico Grease Gun Bands

YELLOW	GREEN	RED	BLUE	PURPLE	ORANGE
07-37036	07-37037	07-37038	07-37039	07-37044	07-37056



Trico Grease Gun Bands

Grease Guns

The choice of mechanics and industrial maintenance professionals everywhere. Lincoln grease guns are designed for rough treatment on the job.

PART NUMBER	CARTRIDGE SIZE	PRODUCT	DESCRIPTION
01-G120	400g	Lincoln Guardian Single Shot Air Grease Gun	Max. 4800 psi delivery pressure
01-001162	400g	Lincoln Air Operated Grease Gun	Max. 6000 psi delivery pressure, ergonomic handle
01-001142AUS	450g	Lincoln Heavy Duty Lever Grease Gun	Rigid nozzle, bulk fill or grease cartridge
01-001142	400g		
01-001133AUS	450g	Lincoln Heavy Duty Pistol Grip Grease Gun	One hand operation, 18" whip hose and coupler
01-001133	400g		
01-G121AUS	450g	Lincoln Guardian 12 VDC NiCad Grease Gun, single battery	With single battery, charger and carry case
01-G121A400	400g		
01-001442AUS	450g	Lincoln Powerluber 14.4 VDC NiCad Grease Gun, single battery	With single battery, charger and carry case
01-001442E-400	400g		
01-001842AUS	450g	Lincoln Powerluber 18 VDC NiCad Grease Gun, single battery	With single battery, charger and carry case
01-001842E-400	400g		
01-001862AUS	450g	Lincoln Powerluber 18 VDC Li-ion Grease Gun, single battery	Quick recharge with single battery, level gauge, charger and carry case
01-001862E-400	400g		
01-001864AUS	450g	Lincoln Powerluber 18 VDC Li-ion Grease Gun, dual battery	Quick recharge with dual battery, level gauge, charger and carry case
01-001864E-400	400g		



Lincoln Guardian 14.4 VDC Grease Gun



Lincoln Guardian 12 VDC Grease Gun



Lincoln Heavy Duty Lever Grease Gun

Lincoln Guardian Single Shot Air Grease Gun



Lincoln Air Operated Grease Gun

Lincoln Heavy Duty Pistol Grip Grease Gun



Lincoln Guardian Li-ion 18 VDC Grease Gun



Lincoln Guardian 18 VDC Grease Gun



Guardian 18" x 1/8" NPT Hose Extension with Guard



Guardian Heavy Duty Grease Coupler 1/8"

Grease Gun Fittings & Accessories

High quality grease gun accessories to meet all of your requirements.

PART NUMBER	PRODUCT	DESCRIPTION
01-G212	Guardian 12" x 1/8" NPT Hose Extension	Working pressure 3500 psi, burst pressure 14000 psi
01-G218	Guardian 18" x 1/8" NPT Hose Extension	Working pressure 3500 psi, burst pressure 14000 psi
01-G218S	Guardian 18" x 1/8" NPT Hose Extension with Guard	Working pressure 3500 psi, burst pressure 14000 psi
01-G907	Guardian Grease Filler Nipple 1/8" NPT	Bulk fill grease guns
01-G300	Guardian 1/8" Standard Grease Coupler	Suitable for most grease guns, 1/8" NPT, knurled body for ease of handling
01-G310	Guardian Heavy Duty Grease Coupler 1/8" NPT	Knurled body for ease of handling

OIL

Industrial Fast Funnel

Trico's Industrial Fast Funnels® are the simple, convenient and clean way to pour fluids into containers and equipment. Intended for one-time use, each funnel remains clean and compact until separated from the header and opened. Made of coated, heavy grade paper stock, they can be used with most lubricants and liquids and are designed to fit a wide variety of orifices as small as 3/4" in diameter.



Industrial Fast Funnel

PART NUMBER	PRODUCT	QUANTITY	TOTAL NO. OF FUNNELS
07-36990	Industrial Fast Funnel – Standard	12 x 3 pack	36
07-36991	Industrial Fast Funnel – Large	12 x 3 pack	36

Manual Oil Pumps

Ideal for applications requiring portability and economy, manual oil pumps dispense lubricants from most bulk containers.

PART NUMBER	PRODUCT	DESCRIPTION
16-152650	Maspel Low Volume Rotary Pump	60/205L drums, 330ml/revolution
01-G150	Guardian 8oz Suction Pump	12" hose, needs no priming, filling and draining differentials and clutches
16-152751	Maspel High Volume Rotary Pump	60/205L drums, 1L/revolution
16-012934	Maspel Lever Barrel Pump	Fits 20 - 200L drums, 296ml/stroke, petrol based fluids only
16-112930	Maspel 20L Hand Oil Pump	Light to medium grade oils



Suction Pump



20L Hand Oil Pump



Lever Barrel Pump



High Volume Rotary Pump



Low Volume Rotary Pump

Trico Spectrum Oil Containers & Nozzle Lids

The Spectrum® oil containers promote a fully integrated visual lubrication management system that improves productivity and efficiency. The system enables operators to identify lubricants, while ensuring accurate and consistent delivery. The Spectrum oil container lids are available in 10 colors.

8 LITRE	11 LITRE	15 LITRE
07-34460	07-34461	07-34462



Trico Oil Containers

1" Nozzle Lid

Ideal for topping-off engines, cranks, and other areas where higher flow is required.

YELLOW	RED	BLUE	GREEN	BLACK	ORANGE	PURPLE	GREY	TAN	DARK GREEN
07-34420	07-34421	07-34422	07-34423	07-34424	07-34425	07-34426	07-34427	07-34428	07-34429



1" Nozzle Lid

½" Nozzle Lid

Ideal for use with oils having viscosities up to ISO 460 or where precise pouring is required.

YELLOW	RED	BLUE	GREEN	BLACK	ORANGE	PURPLE	GREY	TAN	DARK GREEN
07-34410	07-34411	07-34412	07-34413	07-34414	07-34415	07-34416	07-34417	07-34418	07-34419



½" Nozzle Lid

¼" Nozzle Lid

Ideal for controlled pouring into small reservoirs or filler holes.

YELLOW	RED	BLUE	GREEN	BLACK	ORANGE	PURPLE	GREY	TAN	DARK GREEN
07-34400	07-34401	07-34402	07-34403	07-34404	07-34405	07-34406	07-34407	07-34408	07-34409



¼" Nozzle Lid

Trico Spectrum Accessories

Pump Storage Lid

This multi-purpose lid allows rapid pouring of oils, making it ideal for topping off machinery such as crankcases or large engine blocks.

YELLOW	RED	BLUE	GREEN	BLACK	ORANGE	PURPLE	GREY	TAN	DARK GREEN
07-34430	07-34431	07-34432	07-34433	07-34434	07-34435	07-34436	07-34437	07-34438	07-34439



Pump Storage Lid

Identification Tags

Avoid lubricant cross contamination and misapplication with spectrum tags. The spectrum tags provide a simple and fast solution for identifying lubricants from storage to point of use.

YELLOW	RED	BLUE	GREEN	BLACK	ORANGE	PURPLE	GREY	TAN	DARK GREEN
07-37077	07-37075	07-37079	07-37078	07-37084	07-37076	07-37080	07-37083	07-37082	07-37081



Trico Spectrum Tag

Hand Pump

Fits directly in to Trico Spectrum lids. Ideal for awkward or hard to reach oil top-off applications such as gearboxes, lathes, and milling machines. Supplied with outlet hose and anti-drip nozzle. P/N 07-34463



Hand Pump

FUEL

Diesel Pump Layout

Typical Setup – Diesel dispensing using Electric Pump



Electric Diesel Pumps Kits*

GPI Diesel kits are complete with power supply cable (12/24 VDC), delivery hose, nozzle and tank pick up tube to suit 205L drums and bulk tanks.

PART NUMBER	PRODUCT	NOZZLE	VOLTAGE	DESIGN TYPE	FLOW RATE	POWER CORD	HOSE	DESCRIPTION
52-110000-104	M-150S-ML(CE)	Manual	12 VDC	Aluminum Gear	57 lpm	5.5m	¾" x 3.7m	Overload Protected Motor
52-110000-105	M-150S-AU(CE)	Automatic	12 VDC	Aluminum Gear	57 lpm	5.5m	¾" x 3.7m	Overload Protected Motor
52-133240-1	M3025-ML	Manual	12 VDC	Electric Vane	95 lpm	4.6m	1" x 3.7m	Motor is UL Listed to U.S. and Canadian safety standards.
52-133240-2	M3025-ML	Automatic	12 VDC	Electric Vane	95 lpm	4.6m	1" x 3.7m	Motor is UL Listed to U.S. and Canadian safety standards.
52-133260-01	M3425-ML	Manual	24 VDC	Electric Vane	95 lpm	4.6m	1" x 3.7m	Motor is UL Listed to U.S. and Canadian safety standards.
52-133260-02	M3425-AD	Automatic	24 VDC	Electric Vane	95 lpm	4.6m	1" x 3.7m	Motor is UL Listed to U.S. and Canadian safety standards.
52-133210-01	M-3260-ML	Manual	230 VAC	Heavy Duty Vane	64 lpm @ 50 Hz	None	1" x 3.7m	Motor is UL Listed to U.S. and Canadian safety standards.

Note: For other specifications refer to JSG sales personnel.



M150S shown with Manual Nozzle



M3425 and M3025 shown with Auto Nozzle



M3260 shown with Manual Nozzle

Note: *Electric pumps suitable for diesel and Kerosene. U.L approval only for pumping Gasoline in U.S.A.

Fuel Meters

GPI fuel meters provide a economical solution for tracking fuel inventory and fuel dispensing. Available in electronic and mechanical versions, GPI meters provide accurate and repeatable measurements.

PART NUMBER	SERIES	PRODUCT	DESIGN TYPE	FLOW RANGE	ACCURACY OF READING	INLET/ OUTLET SIZE	DESCRIPTION
52-111200-19	FM-100	FM-100-L6N Fuel Meter	Mechanical	15 - 76 lpm	+/- 2%	¾" NPT	Suitable for gasoline, E10, diesel. Calibrated for litres. Built in filter
52-111200-21	FM-200	FM-200-L6N Fuel Meter	Mechanical	15 - 76 lpm	+/- 2%	¾" NPT	Suitable for gasoline, E10, diesel. Calibrated for litres
52-126300-02	MR 5-30	MR 5-30-L6N Fuel Meter	Mechanical	19 - 114 lpm	+/- 2%	¾" NPT	Suitable for gasoline, E10, diesel. Calibrated for litres. Changeable flow direction
52-111200-10	FM-100	FM-100-L6N Fuel Meter	Mechanical	15 - 76 lpm	+/- 2%	1" NPT	Suitable for gasoline, E10, diesel. Calibrated for litres. Built in filter
52-111200-13	FM-200	FM-200-L6N Fuel Meter	Mechanical	15 - 76 lpm	+/- 2%	1" NPT	Suitable for gasoline, E10, diesel. Calibrated for litres
52-113255-2	01	01A31LM Fuel Meter	Electronic Turbine	10 - 100 lpm	+/-5%	1" NPT	Suitable for gasoline, E10, diesel. Calibrated for litres. Powered by two AAA batteries, field replaceable
52-113900-9501	03	03A31GM Fuel Meter	Electronic Turbine	11 - 100 lpm	+/-1.5%	1" NPT	Suitable for gasoline, E10, diesel. Calibrated for litres. Powered by two AAA batteries, field replaceable
52-113900-9502	03	03A32GM Fuel Meter	Electronic Turbine	114 - 1135 lpm	+/-1.5%	2" NPT	Suitable for gasoline, E10, diesel. Calibrated for litres. Powered by two AAA batteries, field replaceable
Note: For other specifications refer to JSG sales personnel.							



FM-100 Series Mechanical Meter with Filter



FM-200 Series Mechanical Meter



MR 5-30 Series Mechanical Meter for high flow



01 Series Economy Electronic meter



03 Series High Accuracy Electronic Meter

Fuel Filters

Filter kit add on and Replacement filter cartridges for GPI Diesel dispensing and metering.

PART NUMBER	PRODUCT	DESCRIPTION
52-111010-1	GPI Filter Element	Replacement filter element for FM-100 series meters
52-133527-01	GPI Fuel Filter Kit	Includes ¾" NPT cast iron adapter, 10 micron filter and ¾" x 4" nipple
52-133537-01	GPI Fuel Filter Kit	Includes 1" NPT, 30 micron particulate filter, adapter, 2 pipe nipples and 2 elbow fittings



GPI FM-100 Series Filter Element



GPI Fuel Filter Kit –
52-133537-01



GPI Fuel Filter Kit –
52-133527-01

Fuel Nozzles

Automatic and manual nozzles for Diesel handling. Options for leaded and unleaded also available.

PART NUMBER	PRODUCT	FITTING	DESCRIPTION
52-110376-01	Automatic Diesel Nozzle	1" NPT	For use with diesel fuel only. Designed for pumps with a minimum flow rate of 76 lpm. Black protection boot. No Swivel
52-110121-8	Automatic Unleaded Nozzle	¾" NPT	Straight spout for M-150S, M-180S, M-240S and M-1115S Series. Blue protection boot. No Swivel



52-110376-01 Automatic Diesel Nozzle



52-110121-8 Automatic Diesel Nozzle

Hand Fuel Pumps


PART NUMBER	PRODUCT	DESCRIPTION
16-112930	Maspel Hand Plunger Pump	20L drums. Suits diesel and gasoline.
16-112965	Maspel Hand Plunger Pump	60L drums. Suits diesel and gasoline.
52-129003-1	GPI RP-5 Hand Rotary Pump	205L drums. Suits diesel, gasoline, light weight and hydraulic oils. U.L Listed. 30L/90 revolution.
52-114000-10	GPI HP-100-NUL High Flow Hand Diaphragm pump	Adjustable 60 - 205L drums. Suits diesel, gasoline, medium weight and hydraulic oils. U.L Listed. 1.9L/ stroke.




GPI 205L – 60L High Flow Hand Pump



Maspel 60L Hand Pump



GPI 205L Rotary Hand Pump



Maspel 20L Hand Pump

MITYVAC – AUTOMOTIVE & VACUUM RELATED TOOLS & EQUIPMENT

Mityvac brand of hand vacuum pumps and kits, fluid evacuators, brake and clutch bleeding kits, engine diagnostic equipment, cooling system testers and other specialty tools and accessories.

Cooling System Testing & Diagnostic Equipment

PART NUMBER	PRODUCT	DESCRIPTION
12-MV4506	Universal Cooling System Adaptor	Includes universal cooling system adapter and user's manual
12-MV4510	Motorcycle Cooling Test Kit	Includes Mityvac Selectline hand pressure pump with Ø50mm gauge; low-profile Bayonet test adapter; Bayonet cap test adapter; connection hose; compression nut and user manual
12-MV4525	Cooling System Test and Refill Kit	Includes pressure pump; Ø64mm diaphragm style compound gauge with hanging hook; Venturi vacuum; valve coupler; temperature probe; (2x) 760mm extension hose; 1.5m refill hose; 1.5m drain hose; cap wrench; hose clip; MVA100 cooling system adapter (US and foreign cars); MVA101 cooling system adapter (Asian cars); MVA102 cooling system adapter (Asian cars); MVA103 cooling system adapter (US and foreign cars); custom molded case; user manual and adapter selection guide
12-MV4530	Cooling System Pressure Test Kit	Includes hand pressure pump with 610mm long hose and push-button pressure relief valve; MVA100 cooling system adapter (US and foreign cars); MVA101 cooling system adapter (Asian cars); MVA102 cooling system adapter (Asian cars); MVA103 cooling system adapter (US and foreign cars); cap wrench; custom molded case; user manual and adapter selection guide
12-MV4535	Cooling System Air Evacuation Kit	Includes Ø64mm diaphragm style vacuum gauge with hanging hook; Venturi vacuum; valve coupler; universal cooling system adapter; (2x) 760mm extension hose; 1.5m refill hose; custom molded case and user manual
12-MV4560	Cooling System Pressure Test Kit	Includes Mityvac Selectline hand pressure pump with Ø50mm gauge; small Bayonet test adapter – deep; small Bayonet test adapter – shallow; large Bayonet test adapter; GM/Ford test adapter; small Bayonet cap test adapter; large Bayonet/GM/Ford cap test adapter; connection hose; compression nut and user manual



Universal Cooling System Adaptor



Motorcycle Cooling Test Kit



Cooling System Pressure Test Kit



Cooling System Test and Refill Kit



Cooling System Pressure Test Kit



Cooling System Air Evacuation Kit

Engine Diagnostic Equipment

PART NUMBER	PRODUCT	DESCRIPTION
12-MV5511	Vacuum Pressure Test Gauge and Fuel Pump Tester	Includes 90mm compound gauge (readings indicated in psi, kg/cm ² , in. Mercury (Hg), and cm Mercury (Hg)) with barb fitting; 24" (610mm) oil-resistant hose; universal fuel line adapter; tapered adapter; tee adapter and user manual
12-MV5515	Fuel Injector Pressure Test Kit	Includes Ø70mm Bourdon tube gauge (readings indicated in psi and kPa) with manual pressure release, 380mm braided hose and GM/Chrysler adapter; Ford adapter; 1.8m fuel drain hose and user manual
12-MV5520	Compression Tester	Includes Ø70mm Bourdon tube gauge (readings indicated in four (4) scales of measure (bar, psi, kPa, and kg/cm ²) with pressure release and quick-change coupler; 14mm and 18mm short-thread adapter with 380mm hose; 14mm long-thread adapter and user manual
12-MV5525	Compression Tester	Includes Ø70mm Bourdon tube gauge (readings indicated in psi and kPa) with manual pressure release, 380mm braided hose and GM/Chrysler adapter; Ford adapter and 1.8m fuel drain hose
12-MV5530	Pro Compression Test Kit	Includes Ø70mm gauge with high impact lens, rubber boot, and four (4) scales of measure (psi, kg/cm ² , bar, kPa), attached to 250mm hose and quick release coupler; 14mm short-thread adapter with 165mm and 305mm hoses; 14mm long-thread adapter with 305mm hose; 18mm short-thread adapter with 305mm hose; 14mm short-thread x 18mm long-thread adapter; 10mm thread small engine adapter; 12mm thread small engine adapter; quick-release air hold adapter; custom blow-molded case; field service kit and user manual
12-MV5532	Digital Compression Test Kit	Includes digital compression tester comprising of test gauge with rubber boot, 250mm high-pressure hose and female quick-change coupler; 14mm standard reach thread x 165mm hose adapter; 14mm standard reach thread x 305mm hose adapter; 14mm reach thread x 305mm hose adapter; 18mm standard reach thread x 305mm hose adapter; 18mm reach male thread x 14mm standard reach female thread plug adapter; 16mm male thread x 14mm standard reach female thread plug adapter; 10mm male thread x 14mm standard reach female thread plug adapter; 12mm male thread x 14mm standard reach female thread plug adapter; air hold adapter; field service kit; custom-molded case and user manual
12-MV5534	Analog Compression Test Kit	Includes compression tester comprising of glycerin-filled test gauge with rubber boot, 380mm long high pressure hose and quick-change coupler; custom-molded case and user manual



Vacuum Pressure Test Gauge
and Fuel Pump Tester



Compression Tester



Fuel Injector Pressure Test Kit



Pro Compression Test Kit



Digital Compression Test Kit



Analog Compression Test Kit

Engine Diagnostic Equipment (cont.)

PART NUMBER	PRODUCT	DESCRIPTION
12-MV5535	Digital Diesel Compression Test Kit	Includes digital compression tester comprising of test gauge with rubber boot, 380mm long, high-pressure hose, quick-change coupler; adapters MVA5601, MVA5602, MVA5603, MVA5604, MVA5605, MVA5606, MVA5607; injector adapter (Dodge 24 V 5.9L Cummins (1999-2003), 5.9L Cummins ISB and ISBE); injector adapter (Case/Cummins Series "B" 2.9L, 3.9L, 5.9L through 1998); glow plug adapter (GM 4.3L, 5.7L (1978-1985), Navistar 6.9L, 7.3L through 1994); glow plug adapter (GM 6.2L, 6.5L V8); glow plug adapter (Ford/Navistar 7.3L Power Stroke (1994-2003)); glow plug adapter (Volkswagen 1.9L TDI); right-angle adapter; field service kit; custom-molded case; user manual
12-MV5545	Fuel System Test Kit	Includes 90mm high pressure gauge with rubber boot, push-button relief valve, and hanging hook; flow meter with borosilicate glass flow tube, patented flow-control valve, and 1 gallon/min maximum flow capability; (2x) 1.2m long flow meter hose; clear bypass and pressure relief hoses; (2x) fuel hose clamp; adapters for connecting to U.S., European, and Asian manufactured cars and light trucks; flow meter faceplates with gallons/minute and liters/minute units of measure; custom molded case; operator manual
12-MVA5552	Pressure Test Accessory Kit	Includes 1.2m long fuel pressure test hose; right angle adapter for Schrader style fuel rail test ports with 7/16 x 20 thread; right angle adapter for Schrader style fuel rail test ports with 0.308 x 32 thread; inline adapter for Schrader style fuel rail test ports with 7/16 x 20 thread; inline adapter for Schrader style fuel rail test ports with 0.308 x 32 thread; operator manual
12-MVA5612	Glow Plug Adaptor	Includes Mityvac adaptor model 12-MVA5612 (thread size M10 x 1.25) fits the below make and model vehicles; Ford Escort, Lynx, Tempo, Topaz (1984-85); Ford/Mazda 2.0L and 2.2L Ford products including Ranger; Lincoln Mark VII, Continental with Volvo engines; Mitsubishi 2 and 3 cylinder engines, some Fuso; Nissan 2.2L and Medium UD truck; Toyota 2.2L
12-MVA510	GM Test Port Adaptor	Fits GM and some Chrysler vehicles with 7/16 x 20 thread test port on fuel rail
12-MVA511	Ford Test Port Adaptor	For Ford and some Chrysler vehicles with 0.308 x 32 thread test port on fuel rail



Digital Diesel Compression Test Kit



Pressure Test Accessory Kit



Glow Plug Adaptor



Fuel System Test Kit



GM Test Port Adaptor



Ford Test Port Adaptor

Specialty Tools & Equipment

PART NUMBER	PRODUCT	DESCRIPTION
12-MV5565	Fuel Injection Cleaning Kit	Includes fuel injection cleaner assembly with pressure regulator, gauge, valves, fittings, and 950ml canister; 1.2m long connection hose; wall mount bracket and user manual
12-MV5567	Fuel Injection Cleaning Kit	Includes fuel injection cleaner assembly with pressure regulator, gauge, valves, fittings, and 950ml canister; 1.2m long connection hose; 16 fuel injection system connectors in custom-molded case (12-MVA565); wall mount bracket and user manual
12-MV5570	Fuel Injection Cleaning Kit	Includes fuel injection cleaner assembly with pressure regulator, gauge, valves, fittings, and 950ml canister; wall mount bracket and user manual
12-MV7241	Fluid Transfer Pump	Includes hand pump with intake and discharge ports; 2 intake/discharge hoses; 2 intake/discharge hose connectors; inline reducer; air-pressure hose; dipstick hose; instruction manual



Fuel Injection Cleaning Kit

Fluid Evacuation & Dispensing Equipment

PART NUMBER	PRODUCT	DESCRIPTION
12-MV6410	ATF Refill System	Includes 5L fluid reservoir; reservoir lid with integrated manual pump, pressure gauge, and pressure relief valve; 1.5m fluid dispensing hose with flow control and auto-shutoff valves; 12-MVA5800 ATF refill adapter kit (includes ten adapters, part No's. 12-MVA580 – 12-MVA589); fluid dispensing wand; hanging hook and user manual
12-MV7201	Fluid Evacuator Plus	Includes 5L fluid reservoir; reservoir lid with integrated manual pump, pressure gauge, and pressure relief valve; 1.5m fluid dispensing hose with flow control and auto-shutoff valves; 12-MVA5800 ATF refill adapter kit (includes ten adapters, part No's. 12-MVA580 – 12-MVA589); fluid dispensing wand; hanging hook and user manual
12-MV7400	7.3L Fluid Evacuator	Includes fluid evacuator; 5.7mm O.D. x 1.5m long dipstick tube; 6.6mm O.D. x 1.5m long dipstick tube; 10mm O.D. x 1.5m long main evacuation tube; tube adapters and user manual



Fluid Transfer Pump



ATF Refill System



ATF Refill System



7.3L Fluid Evacuator

Brake & Clutch Bleeding Equipment

PART NUMBER	PRODUCT	DESCRIPTION
12-MV6830	Airbrake Bleeder and Evacuator	Includes brake bleeder; 1.8m bleed hose assembly; 1.2m fluid evacuation hose; molded base with screws for bench mounting; automatic fluid refill kit (12-MVA6825); hanging hook; 3 universal bleed screw adapters and user manual
12-MV6835	Premium Vacuum Brake Bleed Kit	Includes brake bleeder; 1.8m bleed hose assembly; 1.2m fluid evacuation hose; molded base with screws for bench mounting; clamp-on style automatic fluid refill kit (12-MVA6832); hanging hook; 3 Universal bleed screw adapters and user manual
12-MV6838	Master Vacuum Bleed Kit	Includes brake bleeder; 1.8m bleed hose assembly; 1.2m fluid evacuation hose; molded base with screws for bench mounting; master automatic fluid refill kit (12-MVA6832 plus 12-MVA6834); hanging hook; 3 universal bleed screw adapters and user manual
12-MV6840	Pressure Bleed System	Includes 5L fluid reservoir; reservoir lid with integrated manual pump, pressure gauge, and pressure relief valve; 1.5m fluid dispensing hose with flow control and auto-shutoff valves; 12-MVA6850 pressure bleed adapter kit (includes seven master cylinder adapters); fluid dispensing wand; hanging hook and user manual
12-MV8020	Selectline Automotive Brake Bleed Kit	Includes Selectline hand vacuum pump (Model No. 12-MV8030); 135ml fluid reservoir bottle with fluid transfer and storage lids; 2 tapered bleed screw adapters; 2 universal bleed screw adapters; 6.4mm I.D. x 40mm long connection tube; 6.4mm I.D. x 610mm long connection tube and user manual
12-MV7605	Hose Clamp	This tool works great for clamping flexible coolant, fuel, vacuum and brake lines or hoses up to 1/2" (13mm) in diameter



Airbrake Bleeder and Evacuator



Premium Vacuum Brake Bleed Kit



Master Vacuum Bleed Kit



Pressure Bleed System



Selectline Automotive Brake Bleed Kit



Hose Clamp

Brake & Clutch Bleeding Equipment (cont.)

PART NUMBER	PRODUCT	DESCRIPTION
12-MVA6181	Vacuum Gauge Kit	Durable, high-quality vacuum gauge with accurate diaphragm movement, the special stem design allows convenient 360° rotation of gauge and easy pin-release removal. This gauge replaces the original gauge on Mityvac Selectline 12-MV8010 hand pumps or additional option for pumps purchased without gauge. Indicates 0 - 30" of Mercury (0 - 100 kPa) vacuum
12-MVA6836	Master Auto-Refill Kit	Includes clamp-on, gravity feed refill kit 12-MVA6832; 1.2L fluid reservoir with transfer and storage lid; base with screw clamp; transfer tube with valve; level adjustment spring; 355ml and 946ml bottle adapters plate-style auto-refill upgrade kit 12-MVA6834; rectangular dual chamber refill plate; round refill plate; adjustable length rubber cords; fluid transfer tubes with connectors; reservoir hanging hook and user manual
12-MVA809	Universal Bleed Adaptor	Features universal round cone secured with chain. The 12-MVA809 adaptor is used for varying universal applications and offer a unique adjustable clamping design that applies pressure to the center of the adaptor for a more uniform seal
12-MVA810	Universal Bleed Adaptor	Features universal round cone secured with chain. The 12-MVA809 adaptor is used for varying universal applications and offer a unique adjustable clamping design that applies pressure to the center of the adaptor for a more uniform seal
12-MVA812	Universal Bleed Adaptor	Features universal round cone secured with chain. The 12-MVA809 adaptor is used for varying universal applications and offer a unique adjustable clamping design that applies pressure to the center of the adaptor for a more uniform seal



Vacuum Gauge Kit



Master Auto-Refill Kit



Pressure Bleed System – 12-MVA809



Pressure Bleed System – 12-MVA810



Pressure Bleed System – 12-MVA812

Hand Vacuum Pumps

PART NUMBER	PRODUCT	DESCRIPTION
12-MVA7210	Transmission Refill Kit	Includes shut-off valve and quick connect coupler
12-MV8000	Automotive Test and Bleed Kit	Includes Selectline hand vacuum pump (Model No. MV8010) with 50mm gauge; 135ml fluid reservoir bottle with fluid transfer and storage lids; 4 tapered adapters for connecting to tubing from 2.3mm to 13mm I.D.; 2 tapered manifold plugs; 2 tapered bleed screw adapters; 2 universal bleed screw adapters; vacuum line T-adapter; 4mm I.D. x 6.4mm I.D. tubing adapter; rubber cupped adapter; (2) 6.4mm I.D. x 610mm long connection tubes; 6.4mm I.D. x 40mm long connection tube; 6.4mm I.D. x 90mm long fluid pick-up tubes; 4mm I.D. x 75mm long vacuum test tube and user manual
12-MV8010	Selectline Pump with Gauge	Includes pinned connection allows 360° gauge rotation for improved visibility and pivoting lever action handle maximizes output with minimal operator effort
12-MV8255	Selectline Pump with Gauge	Includes 50mm gauge and pivoting lever action handle maximizes the high output with minimal operator effort
12-MV8500	Silverline Elite Hand Pump Kit	Includes Silverline Elite hand vacuum/pressure pump (Model No. 12-MV8510) with Ø50mm compound gauge and rubber boot; 135m fluid reservoir bottle with fluid transfer and storage lids; 4 tapered adapters for connecting to tubing from 2.3mm to 13mm I.D.; 2 tapered manifold plugs; 2 tapered bleed screw adapters; 2 universal bleed screw adapters; 12 vacuum cap plugs; vacuum line T-adapter; 4mm I.D. x 6.4mm I.D. tubing adapter; rubber cupped adapter; (2) 6.4mm I.D. x 610mm long connection tubes; 6.4mm I.D. x 40mm long connection tube; 6.4mm I.D. x 90mm long fluid pick-up tubes; 4mm I.D. x 75mm long vacuum test tube; master cylinder refill kit (Model no. 12-MVA6825); custom molded case and user manual
12-MV8510	Silverline Elite Hand Pump	Includes gauge and dual converter
12-MV8121	Selectline Superpump without Gauge	Includes pivoting lever action handle maximizes the high output with minimal operator effort



Transmission Refill Kit



Selectline Superpump with Gauge



Silverline Elite Hand Pump



Silverline Elite Hand Pump Kit



Automotive Test and Bleed Kit



Selectline Superpump without Gauge

Hand Vacuum Pumps (cont.)

PART NUMBER	PRODUCT	DESCRIPTION
12-MVM8900	MV8510 Pump Rebuild Kit	Service kit for Silverline hand pump, model 12-MVM8510
12-MVM8903	MV8255 Maintenance Kit	Service kit for Selectline hand pump, models 12-MV8255 and 12-MV8257
12-MVM9002	MV7201 Retrofit Kit	Includes lid gasket and valve-to-reservoir tube with pressure relief valve
12-MVM4100	Silverline Maintenance Kit	Service kit for discontinued hand pump, models 12-04010 and 12-04555
12-MVM5100	Superpump Maintenance Kit	Service kit for discontinued hand pump, models 12-MV6212, 12-MV6210 and 12-MV6265
12-MVM6100	Pump Maintenance Kit	Service kit for discontinued hand pump, models 12-MV6206, 12-MV6203 and 12-MV6255.
12-MVA6170	Compound Gauge	Compound pressure gauge max. pressure 200 kPa
12-MVA6176	Compound Gauge	Durable, high-quality 2" diameter compound vacuum/pressure gauge with accurate gearless diaphragm movement and protective rubber boot. Special stem design allows convenient 360° rotation and easy pin-release and removal



Compound Gauge



Compound Gauge



MV8510 Pump Rebuild Kit



MV8255 Maintenance Kit



MV7201 Retrofit Kit



Silverline Maintenance Kit



Superpump Maintenance Kit



Pump Maintenance Kit

Accessories

PART NUMBER	PRODUCT	DESCRIPTION
12-MVA6000	Complete Auto Accessory Kit	Includes (4) tapered adapters for connecting to tubing from 2.3mm to 12.7mm I.D.; (2) tapered manifold plugs; (12) color-coded vacuum line plugs; (2) universal bleed screw adapters for connecting to hydraulic bleed screws; automatic master cylinder refill kit; 4.5oz reservoir bottle with fluid transfer and storage lid; (2) 6.4mm I.D. x 610mm long connection hoses and user manual (English/French)
12-MVA6001	Fluid Transfer Kit	Includes 135ml capacity reservoir bottle with fluid transfer and storage lids; 6.4mm I.D. x 40mm long connection tube; 4mm I.D. x 75mm long connection tube; (2) 6.4mm I.D. x 90mm long fluid pick-up and connection tubes; rubber cupped adapter; 4mm I.D. x 6.4mm I.D. tubing adapter; (4) tapered adapters for connecting to tubing from (2.3mm I.D. to 12.7mm I.D.); (2) tapered manifold plugs; Ø70mm mason jar lid; Ø84mm wide-mouth mason jar lid; 6.4mm I.D. x 1220mm long connection tube; adapters for tubing sizes 3.2mm - 13mm O.D. (1/8" - 1/2" O.D.) and 6.4mm - 9.5mm I.D. (1/4" - 3/8" I.D.) and 9.5mm I.D. x 1220mm long connection tube
12-MVA6006	Extended Tube Kit	Includes 5.7mm O.D. x 2.4m long dipstick tube with connector; 6.6mm O.D. x 2.4m long dipstick tube with connector; 10mm O.D. x 2.4m long main evacuation tube with connector
12-MVA6007	Dual Adaptor Bleed Kit	Includes clear 6.4mm I.D. hoses and two universal bleed adapters
12-MVA6910	4oz Reservoir Kit	Includes 135ml capacity reservoir bottle; Fluid transfer lid; Fluid storage lid and 6.4mm I.D. x 90mm long fluid pick-up tube
12-MVA660	Power Steering Adaptor	For use with Mityvac hand vacuum pumps to reduce bleed time following power steering repairs. Universal cone-shaped design fits snugly into the neck of many power steering reservoirs, to form an air-tight seal when vacuum is applied



Extended Tube Kit



Dual Adaptor Bleed Kit



Power Steering Adaptor



Complete Auto Accessory Kit



Fluid Transfer Kit



4oz Reservoir Kit

HEAD OFFICE

Unit 1, 21 Amour St Revesby NSW 2212

PO Box 333 Milperra NSW 2214

Ph: (02) 9914 8720

Fax: (02) 9914 8798

Email: info@jsgequipmentsupplies.com.au

www.jsgequipmentsupplies.com.au

Every effort has been made to ensure all information and photographs contained in this publication were correct and accurate at time of printing, however no warranty is given in respect of this publication and JSG Equipment Supplies Pty Ltd (JSG) shall not be liable for any error therein. Technical information, specifications and products shown may be subject to change without prior notice. Pictures shown are for illustration purposes only. **WARNING:** For sale and proper use consult instructions, the supplier or JSG. Contact your nearest JSG Distributor for latest information.

© 2015 JSG Equipment Supplies Pty Ltd., All rights reserved.

