VANTEC

USB to Parallel Adapter

(CB-USB20PL)
Quick Installation Guide

Setting Up the Printer Device

Follow the steps below to configure your printer to the USB to Parallel Bi-Directional Cable for communication with your computer.

For an Installed Printer

1. If you have already installed a printer device before, click **Start > Settings > Printers (and Faxes).** Right-click the printer that is connected using your parallel cable and click on **Properties.** The **Properties** dialog box of the installed printer will appear on your screen.

2. Click the **Ports** or **Details** tab and change the printer port to **LPT2: (USB to Parallel Port)** or **USB001 (Virtual Printer port for USB).**

For a New Printer

1. If you do not have a printer installed yet, click on **Start > Settings > Printers (and Faxes) > Add a printer**. The **Add Printer Wizard** will start and assist you in installing a new printer device. Follow the on-screen prompts to proceed.

2. When prompted which port the printer will use, click LPT2: (USB to Parallel Port) or USB001 (Virtual Printer port for USB).

Click the port you want to use with this printer, and then click Next.

Available ports:

COM1:	Communications Port
COM4:	Infrared Serial (COM) Port
FILE:	Creates a file on disk
LPT1:	Printer Port
LPT2:	USB to Parallel Port
LPT3:	Infrared Printing (LPT) Port

Configure Port...

< Back   Next >   Cancel

3. Follow the succeeding instructions to complete the installation and also run **Print Test Page** to see if it can print without problem.

USB to Parallel Adapter

Model #: CB-USB20PL

www.vantecusa.com