



Product environmental attributes - THE ECO DECLARATION

Brand *	ThinkPad	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Portable PC		
Commercial name *	ThinkPad X200		
Model number *	M/T: 7454/7455/7457/7458/7459/2023/2024		
Issue date *	2008, Jul 23		
Intended market *	☑ Global Europe Japan U.S. Other		
Additional information	ENERGY STAR® 4.0 Qualified; EPEAT Silver Rating		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	ontrol Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkPad X200 M/T:		
	7454/7455/7457/7458/7459/2023/2024		
Issue date *	2008, Jul 23	Logo	lenovo

Product environmental attributes - Legal requirements Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>						
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)						
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes					
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002						
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)						
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU 76/769/EEC, amendment 2003/3/EC</i>			\boxtimes			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			\boxtimes			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC						
P2	Batteries						
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)						
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC						
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\boxtimes			
P3	Electrical safety, EMC and connection to the telephone network						
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes					
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007						
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)						
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes					
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.						
P5	Product packaging						
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).						
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes					
P5.3*	The product packaging material is free from CFC/HCFC.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes					

	ThinkPad X200 M/T:		
	7454/7455/7457/7458/7459/2023/2024		
Issue date *	2008, Jul 23	Logo	lenovo

Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to f		tion regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re	ecycling				
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials	in covers/housing have	e no surface coating.	\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily	separable. (This requi	rement does not apply to safety/regulatory labels).			
	Product lifetime)				
P7.7*	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be	e done using commonly	y available tools	\boxtimes		
P7.9.	Spare parts are a	available after end of pr	oduction for: 5 years			
P7.10	Service is availab	ole after end of product	ion for: 5 years			
		bstance requirements		*	•	
P7.11*		ousing material type:				
D7 40*		sert material name	Material type: Insert material name Material type: Insert m	aterial na	_	
P7.12*			wer cables are halogen free (including PVC)			
P7.13*			gnal cables are halogen free (including PVC)			
P7.14		plastic parts >25g are	-			Ц.
P7.15			onents) >25g are halogen free		\boxtimes	
P7.16	ISO FR(nn):		ants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	ISO 1043-4: Bro	minated Epoxy Resin				
P7.18		ed material in plastic pa				
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)					
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 3 mg					
P8	Batteries		1 1 2 4 04/457/550			
P8.1*			ed as hazardous according to 91/157/EEC	\boxtimes	Ш	
P8.2*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide					
P8.3			ollowing voluntary program/s:			
P9	Energy consum		de or energy consumptions have been massured.			
9.1 Mode	Power level at	Time (s) to <mode></mode>	els or energy consumptions have been measured: Mode description	Referen	re/	n.a.
Wiodo	* 230 Volts	Time (a) to smodes	Wood description	Standard		m.a.
On-max	65 W		* Full load	*See P1	4	
On- normal	* 25.2 W	to	* Desktop Screen	*		
On-idle	W	to	* Idle State (Category A or B, Specify either) for Energy Star V4	*See P1	4	
Save 1	* 2.24 W	to	* Sleep w/ WOL Enable for Energy Star V4	*See P1	4	
Save 2	1.84 W	to	* Sleep w/ WOL Disable for Energy Star V4	*See P1	4	
Off 1	* 1.63 W	to	* Standby (Off Mode) w/ WOL Enable for Energy Star V4	*See P1	4	
Off 2	W	to	*	*		
No load	* 0.4 W		External power supplies/charger plugged in but disconnected from the product	*See P1	4	
TEC	* kWh/y	Typical Energy Consum		*		
P9.2*	•	,, 0,	tion is provided with the product.	\square		
P9.3	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® MOU Version 4.0 dated July 20, 2007 Others specify: EU Energy Efficiency of External Power Supplies, max 0.5W at no load					

Model number *	ThinkPad X200 M/T: 7454/7455/7457/7458/7459/2023/2024		
Issue date *	2008, Jul 23	Logo	lenovo

Product	environmental att	ributes - Market requirements (continue	d) Requirement n	net		
Item		ill in. Additional information regarding each			Yes No	n.a.
P10	Emissions					
	Noise emission	- Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared	Declared A-weig	hted	
	A-weighted sound pressure level L _{pAm} (dB)					
			sound power		tander positions	
			level L _{WAd} (B)			
					if product is not	
				or Deskside	erator attended)	
	Idle	* HDD:Idle, Fan: Optimize Speed	* 4.3	34		
	Operation	* HDD:Operating, Fan: Optimize	* 4.0	37		
	Otherwards	Speed				-
	Other mode					
	Measured accord	ding to: X ISO 7779 ECMA-74	L			
			d by ECMA-74 witl	n L _{pAm} measurement distance	e m)	
P10.2	The product mee	ets the acoustic noise requirements of the fo	llowing voluntary	orogram/s:		
	Chemical emiss	sions from printing products				
P10.3*	Test performed a	according to ECMA-328 standard 🔲, other	specify:			\boxtimes
	The test covers:	Dust Ozone Styrene	Benzene	TVOC		
P10.4	The product mee	ets the chemical emission requirements of the	ne following volunt	ary program/s:		X
	Electromagnetic emissions					
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary					
P11	program/s: MPR-II Consumable materials for printing products					
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required					
P11.2*	(see P4.3). Paper containing recycled fibres that meets the requirements of EN12281 can be used.					
P11.3*				be useu.	_ 	\boxtimes
P12	2-sided (duplex) printing/copying is an integrated product function.					
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays					
	and EN-ISO1340	06-2 for flat panel displays. See P14		o for orth dioplays		
P12.2*	The product keyl	poard meets the requirements of ISO 9995	and EN 29241-4.			
P12.3*	The computer in	out device meets the requirements of ISO 9	241-9.			
P13	Packaging and					
P13.1*		ng material type(s): Corrugated cardboard		_		
		ng material type(s): Polystyrene	weight (Kg): 0.0			
P13.2*		ng material type(s): Polyethylene	weight (Kg): 0.00	3 Ng		$\overline{}$
P13.3*	Product plastic packaging is halogen free (including PVC)					\vdash
P13.4*	User and product documentation do not contain chlorine bleached paper					+
P14	User and product documentation contain recycled paper Additional information					
1 14		er makes no representations, guarantees, a	ssurances or warra	anties whether express or imp	plied, regarding t	he
	information conta	ained in this document. All information provi	ded by supplier in	this document is provided ba	ised on supplier's	5
		able at the time of completion, and supplier				
	provided here is information.	approximate and provided for informational	purposes only. Se	ee a ∟enovo Account Represe	entative for more	
P7.17		ot contain free TBBPA in printed circuit	boards(without c	omponents)>25g.		
P9.1	Lenovo Internal	Standard				
P12 1	Product is dosi	aned to meet the subject ISO Standard 1	3406-2 but is not	confirmed through formal	tost mothods	_

NOTE
Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.