



US008341683B2

(12) **United States Patent**
Mohan et al.

(10) **Patent No.:** **US 8,341,683 B2**
(45) **Date of Patent:** ***Dec. 25, 2012**

(54) **CONVERGENCE-ENABLED DVD AND WEB SYSTEM**

5,818,935 A 10/1998 Maa
5,909,551 A 6/1999 Tahara et al.
5,991,798 A 11/1999 Ozaki et al.
6,047,292 A 4/2000 Kelly et al.

(75) Inventors: **Fergal John Mohan**, Sunnyvale, CA (US); **Rainer Brodersen**, Santa Clara, CA (US)

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

EP 0 762 422 A2 3/1997

(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1441 days.

OTHER PUBLICATIONS

This patent is subject to a terminal disclaimer.

Guidebook for DVD-Video Text Data Usage (Sep. 1999) Ver. 1.0.

(Continued)

(21) Appl. No.: **11/940,297**

(22) Filed: **Nov. 14, 2007**

Primary Examiner — Vincent Boccio

(65) **Prior Publication Data**

US 2008/0131093 A1 Jun. 5, 2008

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

Related U.S. Application Data

(57) **ABSTRACT**

(63) Continuation of application No. 09/546,575, filed on Apr. 10, 2000, now Pat. No. 7,313,809.

(60) Provisional application No. 60/129,724, filed on Apr. 16, 1999.

Methods for integrating an authored DVD system and a WWW web browser are described. Universal Resource Locator (URL) information corresponding to sites accessible by the browser is stored in fields within the DVD data. When a user actuates a DVD element that has a corresponding URL, the web browser displays information from that site. When the user actuates an HTML menu or other browser-implemented feature, the DVD system accesses a portion of the DVD data specified in the menu. This arrangement provides for two-way communication, i.e., HTML in the browser is able to control DVD content and vice-versa. Having the WWW information embedded in the DVD brings a number of benefits, the foremost of which is the ability to write a “one size fits all” template web page that can interrogate the DVD for URL information and present WWW content corresponding to the URL synchronized with the DVD information.

(51) **Int. Cl.**

H04N 7/173 (2011.01)

H04N 9/30 (2006.01)

(52) **U.S. Cl.** **725/109**; 725/110; 386/239; 386/240

(58) **Field of Classification Search** 725/109, 725/110; 386/240, 239


See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,701,383 A 12/1997 Russo et al.
5,727,141 A 3/1998 Hoddie et al.
5,774,664 A 6/1998 Hidayi et al.
5,774,666 A 6/1998 Portuesi

18 Claims, 2 Drawing Sheets
(1 of 2 Drawing Sheet(s) Filed in Color)



US 8,341,683 B2

Page 2

U.S. PATENT DOCUMENTS

6,081,264 A 6/2000 Rosen et al.
6,173,406 B1 1/2001 Wang et al.
6,230,295 B1 5/2001 Watkins
6,262,724 B1 7/2001 Crow et al.
6,434,326 B1 8/2002 Kondo et al.
6,467,026 B2 10/2002 Yamamoto et al.
6,564,255 B1 5/2003 Mobini et al.
6,580,870 B1 6/2003 Kanazawa et al.
7,313,809 B1* 12/2007 Mohan et al. 386/240

FOREIGN PATENT DOCUMENTS

EP 0 814 419 A2 12/1997
EP 0 886 276 A2 12/1998

EP 0 886 276 B1 5/2004
JP 10063562 3/1998
JP 11161663 6/1999
JP 11161664 6/1999
WO 98/47080 10/1998

OTHER PUBLICATIONS

RCA User's Manual RC5200P, 1996, Thomson Consumer Electronics.
Mascha et al., "Interactive education: Transitioning CD-ROMs to the Web", *Computer Networks and ISDN Systems*. 27:2, 267-272 (Nov. 1994).

* cited by examiner




FIGURE 1



30

FIGURE 2

40




FIGURE 3

1

CONVERGENCE-ENABLED DVD AND WEB SYSTEM

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of allowed U.S. patent Ser. No. 09/546,575, titled "Convergence-Enabled DVD and Web System," filed Apr. 10, 2000 now U.S. Pat. No. 7,313,809 which was based on and claimed priority from now expired U.S. Provisional Application Ser. No. 60/129,724, filed on Apr. 16, 1999, both applications hereby incorporated by reference.

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention is directed to interactive multimedia systems. More particularly, the invention is directed to DVD systems which are able to selectively control the processing of content from the World Wide Web and the like, and to web-based systems which are able to selectively access DVD systems and the like.

2. Description of Related Art

Digital Versatile Discs (or variously Digital Video Discs or DVDs) and the World Wide Web (WWW) are extremely powerful interactive multimedia tools. However, they both have their drawbacks. Although DVDs are capable of storing large amounts of high-quality video and audio data, once they are manufactured their content is essentially static; it cannot be changed, updated or personalized. Also, the limited interactivity does not meet the demands of many of today's computer-literate users. Further, although the WWW is dynamic and rapidly changing, it is not capable of providing high-quality multimedia content in real time for many users due to limited bandwidth.

BRIEF SUMMARY OF THE INVENTION

The present invention has been made with the above problems of the prior art in mind, and a first object of the present invention is to provide a system for integrating static and interactive multimedia delivery systems such as DVD systems and the WWW.

It is another object of the present invention to provide a multimedia delivery system which is interactive and easily modifiable.

It is a further object of the present invention to provide a highly interactive and dynamic multimedia system which is capable of providing high-quality multimedia content.

The above objects are achieved according to an aspect of the present invention by providing a system which integrates a DVD system and WWW content or similarly presented information, such as HTML-formatted material. Universal Resource Locator (URL) information corresponding to sites or media streams accessible via the WWW or another content delivery system are stored in fields within the DVD data. When a user actuates a DVD element that has a corresponding URL the information from that site is displayed in a web browser to enhance the DVD viewing experience. Conversely, the DVD system can be controlled when the user actuates HTML information from a web page or the like. This arrangement provides for two-way control, i.e., HTML is able to control DVD content and vice-versa. Having the WWW information embedded in the DVD brings a number of benefits, perhaps the foremost of which is the ability to write a "one size fits all" template web page that can interrogate the

2

DVD for URL information and present WWW content corresponding to the URL information and synchronized with the DVD content.

BRIEF DESCRIPTION OF THE DRAWINGS

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

These and other objects, features, and advantages of the present invention are better understood by reading the following detailed description of the preferred embodiment, taken in conjunction with the accompanying drawings, in which:

FIG. 1 is a block diagram of an integrated DVD and web browser system according to a preferred embodiment of the present invention;

FIG. 2 is an example screen showing DVD and WWW playback according to the preferred embodiment; and

FIG. 3 is a flowchart showing the steps in displaying DVD content in conjunction with WWW or streamed media content in the preferred embodiment.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 shows an integrated DVD/WWW system (preferably known as a "Convergence Enabled System") according to a preferred embodiment of the present invention. As is well known in the art, web browser 10 is preferably implemented on a personal computer or the like. The browser can preferably simultaneously display web content and DVD content or can be readily adapted to do so as will be apparent to those skilled in the art. Also, the DVD system 20 is preferably a DVD drive and associated support circuitry installed within the computer; however, a dedicated DVD player communicable with and controllable by the computer may also be used for this purpose. Further, DVD 70 played by the DVD system 20 is preferably specially authored as described in greater detail below.

In use, the browser 10 displays a web page 30 defined by, e.g., HTML code, and stored at a site specified by the user to the browser 10. The browser 10 may also display a separate or integrated playback field 40, (i.e., a window, frame or other field) for video content from DVD system 20 or streamed content from the WWW, with synchronized audio from the DVD 20 or streamed content played on the computer's speakers as is known in the art (see FIG. 2). Preferably, the playback field 40 is generated by a media player 80, such as the Microsoft Windows Media Player, with a call thereto embedded in HTML code for the displayed web page as is known in the art. Other multimedia players may also be adapted for this purpose as well.

As is known in the art, DVD systems may be configured to display buttons and the like to enable a user to navigate the DVD 70 and access various portions thereof. In a dedicated DVD player, these buttons are accessed by a cursor controlled by cursor direction keys on the DVD player's console, remote control or the like; however, when a DVD is played in the computer using the media player 80, the buttons may be accessed by positioning or clicking the computer's mouse cursor on the buttons displayed by the media player 80 as is common with graphical user interfaces as shown in Step 110 of FIG. 3. When this occurs, the media player 80 generates a Windows event message such as EC_DVD_Button_Change signifying that a particular button has been selected or actuated and providing its number (Step 120). In the preferred embodiment, this message is intercepted by an event script 50

which calls DVDTextInfoParser **60** (Step **130**), a custom object that uses the current DVD button (provided by the media player **80** via EC_DVD_Button_Change) and information extracted from a particular field within the DVD **70** corresponding to that button as described in greater detail below in order to obtain a URL (Step **140**) that can be accessed by the web browser **10** and displayed on the web page **30** (Step **150**).

More specifically, as is known in the art the media player **80** preferably generates information on the current status of the DVD **70** as part of its playback process. The DVD **70** is preferably authored to cause the DVD system **20** to write the index of the currently displayed menu into a specific General DVD parameter (GPRM) by, e.g., inserting DVD commands at strategic places into the DVD data set during its compilation. An example of a DVD authoring system which automatically performs this task is described in U.S. Pat. No. 6,453,459 to Brodersen et al. (issued from application Ser. No. 09/010,267), incorporated herein by reference. A commercially available system which automatically performs this task is the DVD Maestro system of Spruce Technologies of San Jose, Calif.

In Step **100**, the media player **80** will then emulate this register information (the GPRMs) when playing DVDs; for example, the method in which the windows media player does this is explained in Microsoft's documentation for the program. The menu index thus obtained from the GPRMs in Step **142** can be used in Step **144** as an index into corresponding fields in the DVD's TXTDT_MG structure, also read in by the media player **80**, which contains URLs stored there by the DVD authoring system. As detailed in the DVD specification, the TXTDT_MG structure within the DVD data includes various predefined fields holding specified information such as producer name, vocalist name, languages and the like, and a provider-unique field designated for such use may be used to store the URL. Thus, by monitoring the designated GPRM, an outside program such as the event script **50** can reliably derive the appropriate URL from the current menu index and the current button.

For systems using Microsoft DirectShow, the DVDTextInfoParser object (based on an ATL COM interface named DVDTextInfoParser) can preferably facilitate playback of DVD **70** using the DirectShow DVDGraphBuilder interface; however, other techniques also will be readily apparent to those skilled in the art. As described above, DVDTextInfoParser then accesses the DirectShow IDVDInfo interface to read in text data. This technique is used in the preferred embodiment; however, other techniques can be used with platforms on which DirectShow is not available; for example, the TXTDT_MG structure can be directly read in from the DVD **70**.

Preferably, event script **50** is a Java script; however, alternative implementations such as a Microsoft Visual Basic Script may be used instead. Also, DVDTextInfoParser **60** is preferably an ActiveX control using an ATL COM interface; however, other program implementations may be used as well. Further, although DVDTextInfoParser **60** may access the DVD system **20** each time a URL is needed, in the preferred embodiment it preferably reads the TXTDT_MG structure into memory each time a DVD **70** is initialized, and references the information in memory. This is because the Windows Media Player used as the media player **80** in the preferred embodiment does not work well with other objects simultaneously accessing interfaces to the same DVD **70**. If this problem is resolved in future versions of DirectShow, the access-as-needed scheme might work equally well.

Thus, a "one size fits all" template web page could be made in which a field **40** displays DVD playback while a window **30** displays web content. When the user selects a button, the media player **80** generates an EC_Button_Change event which is acted upon by the event script **50** to call DVDTextInfoParser **60** based on the button number and menu title index number to obtain the corresponding URL from the DVD's TXTDT_MG structure. The content corresponding to the retrieved URL is then displayed in the web page **30**. Similarly, when an EC_Domain_Change or EC_Chapter_Change event occurs, DVDTextInfoParser **60** could be called to check for corresponding URLs and synchronize the web content in web page **30** to the current chapter displayed in playback field **40**. If the corresponding URL content contains a reference to streaming content, the streaming video can be displayed in combination with or in place of the DVD content.

In a similar manner, HTML code in the web page **30** may make calls to the event script **50** or a similar script to retrieve the URLs stored in TXTDT_MG will be readily apparent to those skilled in the art. These may then be displayed in the web page **30** as hyperlinks, controls or the like to enable the browser to display web content **30** corresponding to URLs in the DVD **70**. Thus, rather than or in conjunction with controlling the system by accessing features of the DVD display **40** as described above, the system may be controlled by accessing features of the web page **30**.

The above description of the preferred embodiment has been presented for explanation purposes only, and the present invention is not so limited. Modifications, embellishments and alternative implementations of the invention will be readily apparent those skilled in the art and are encompassed by the invention.

For example, in the preferred embodiment the URLs associated with the DVD menu buttons have been references to web pages or streaming video; however, the URLs may point to other types of resources and rely on the system to call appropriate helper applications; for example, a URL might point to a file in Adobe Acrobat PDF format, so that when the browser accesses it the Adobe Acrobat reader will automatically be called to display it. Even further, the URLs need not point to data files, but can also refer to programs which will be played when the corresponding buttons are actuated or the like.

Further, numerous practical applications of the invention will become apparent to those skilled in the art. For example, information on events and webcasts could be distributed in the form of an electronic magazine. Consumers would receive the electronic magazine in the mail on DVD. The DVD can combine rich video content of the various artists and events, high quality samples of content (webcasts, etc.) to be purchased, interviews, concert information and the ability to purchase associated merchandise all on one disc. Since the disc uses high quality graphical elements that are assembled from an HTML template stored on a separate server, the viewer's experience can change as often as the DVD distributor wishes. In fact, different content may be served to different consumers based on parameters in the URLs. The fact that one disc can be a totally different experience for everyone that views it makes the system a highly flexible and effective advertising medium.

In another potential application, a DVD containing a business or sales training program produced to take advantage of many DVD features, such as Multiple Language Tracks and Multiple Camera Angles, could be distributed worldwide. Viewers could interact directly with the content and be quali-

5

fied based on their performance. The DVDs would be usable at any time as an offline reference.

In yet another potential application, a professor works with his AV team to author several DVDs to be distributed to the students to take with them. The student may then view lectures and seminars from top professors from around the world in their own home. Classwork and tests could be administered remotely via each professor's website. Scheduled class hours with chat boards would give the student the ability to refer to every discussion that ever took place at any given time, and the DVDs could be saved as future references.

Such variations and implementations are to be considered within the scope of the present invention.

What is claimed is:

1. A method for generating information representative of the contents of a DVD, the DVD having been authored such that the information includes embedded commands to populate one or more General DVD Parameter Registers (GPRMs), the system comprising:

playing the DVD in a DVD unit, including the steps of generating information representative of the contents of a DVD and, writing indicia of a current position of play within the DVD into the one or more GPRMs upon receiving a certain command embedded in the information;

extracting a TXTDT_MG data structure from the information, the TXTDT_MG data structure being associated with the DVD;

displaying video content extracted from the information; and

displaying content designated by Universal Resource Locators (URLs) in a browser, the URLs being derived by using the GPRMs to index into the TXTDT_MG data structure.

2. The method of claim **1**, wherein displaying content designated by Universal Resource Locators (URLs) includes indexing into the DVD Text Data Structure using the indicia to obtain URLs, wherein the indexing includes using a DVD Text Data parser.

3. The method of claim **1**, wherein the content designated by the URL is HTML-coded.

4. The method of claim **1**, wherein the content designated by the URL is streaming media content.

5. The method of claim **2**, and further comprising: displaying a menu button specified by the information from the DVD, the menu button being associated with the URL, the association between the menu button and the URL being responsive to the positional playback data in the GPRMs; and

displaying the content specified by the URL responsive to user actuation of the menu button.

6. The method of claim **5**, further comprising generating a button number message responsive to the user actuation of the menu button; and

executing an event script for receiving the message and responsive thereto calling the DVD Text Data parser.

7. The method of claim **5**, further comprising receiving a DVD Text Data Structure from the DVD each time the DVD is initialized, the DVD Text Data Structure including the URLs; and

using the button number message to index into the DVD Text Data Structure to obtain the URLs.

8. A method for generating information representative of the contents of a DVD, the DVD having been authored such that the information includes embedded commands to popu-

6

late a plurality of elements of a General DVD Parameter Register (GPRM) with positional playback data, the system comprising:

generating the information by playing the DVD; responsive to a certain embedded command received during the playing, writing indicia of a current position of play within the DVD into the GPRM;

parsing a TXTDT_MG data structure in the information to derive data containing a Universal Resource Locator (URL) therefrom;

displaying a hyperlink corresponding to the URL in a browser;

responsive to actuation of the hyperlink, displaying content designated by the URL; and displaying video content extracted from the information.

9. The method of claim **8**, wherein the content designated by the URL is HTML-coded.

10. The method of claim **8**, wherein the content specified by the URL is streaming media content.

11. A method for generating information representative of the contents of a DVD, the DVD having been authored such that the information includes embedded commands to populate a plurality of elements of a General DVD Parameter Registers (GPRM) with positional playback data, the system comprising:

playing the DVD in a DVD unit;

generating the information responsive to the playing; upon receiving a certain embedded command, writing indicia of a current position of play within the DVD into the GPRM;

deriving Universal Resource Locators (URL) from a DVD Text Data Structure using a DVD Text Data parser and the content of the GPRM;

displaying a hyperlink corresponding to the URL in a browser;

responsive to actuation of the hyperlink, displaying content designated by the URL; extracting the DVD Text Data Structure and video content from the information; displaying the video content and a button associated with the URL; and

displaying content designated by the URL responsive to an actuation of the button.

12. The method of claim **11**, wherein the information from the DVD includes positional information associated with the URL.

13. The method of claim **12**, wherein the positional information indicates a position of the button within the DVD content.

14. A method for generating information representative of the contents of a DVD, the DVD having been authored such that the information includes embedded commands to populate a plurality of elements of a General DVD Parameter Registers (GPRM) associated with the DVD with positional playback data, the system comprising:

generating the information by playing the DVD in a DVD unit;

upon receiving a certain embedded command, writing indicia of a current position of play within the DVD into the GPRM;

using a DVD Text Data parser to derive a data structure from the information;

parsing the information to derive a plurality of URLs therefrom based on the content of the GPRM;

displaying content designated by any one of the plurality of URLs in a browser, wherein the browser displays content upon actuation of the any one URL;

receiving the information at a media player;

7

displaying video content extracted from the information received at the media player; and
 displaying a plurality of buttons, wherein each button is associated with at least one of the plurality of URLs, the association between the each button and the at least one URL being responsive to the positional playback data in the GPRM.

15. The method of claim 14, wherein the information includes a DVD Text Data Structure and further comprising indexing into the DVD Text Data Structure to obtain a selected URL from the plurality of URLs, the indexing is based on the positional playback data.

16. The system of claim 14, wherein the displaying the designated content and the displaying the video content are performed simultaneously.

17. The system of claim 14, and further comprising displaying a hyperlink corresponding to the any one URL.

18. A non-transitory medium that stores instructions executable by one or more processing devices to perform a method for generating information representative of the con-

8

tents of a DVD, the DVD having been authored such that the information includes embedded commands to populate one or more General DVD Parameter Registers (GPRMs), the method comprising:

5 playing the DVD in a DVD unit, including the steps of
 generating information representative of the contents of a DVD and, writing indicia of a current position of play within the DVD into the one or more GPRMs upon receiving a certain command embedded in the information;

10 extracting a TXTDT_MG data structure from the information, the TXTDT_MG data structure being associated with the DVD;

15 displaying video content extracted from the information; and

displaying content designated by Universal Resource Locators (URLs) in a browser, the URLs being derived by using the GPRMs to index into the TXTDT_MG data structure.

* * * * *