


Electronics

November 2014



GIBELLATO

FORNITURE NAUTICHE





ALL CHANGES ARE EASILY IDENTIFIABLE BECAUSE HIGHLIGHTED IN THE FOLLOWING WAY:

RED: PRODUCTS WITH A RECOMMENDED PUBLIC PRICE HIGHER THAN THE PREVIOUS PRICE LIST

GREEN: PRODUCTS WITH A RECOMMENDED PUBLIC PRICE LOWER THAN THE PREVIOUS PRICE LIST

GARMIN®

THE POWER OF SIMPLE™





GPS GARMIN eTrex 10

eTrex® 10 (2,2" TFT monochromatic display 128x160 pixel), **waterproof IPX7** with high sensitivity Hot Fix internal antenna, hunt/fishing calendars and sun/moon calendar, USB cable, italian and multilingual user's interface, owner's manual.

Waas/Egnos enabled receiver.

USB interface.

Powered by 2 AA batteries (our code 642154 not included).

Not cartographic.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGETREX10	GPS GARMIN eTrex® 10	97,54



GPS GARMIN eTrex 20

eTrex® 20 **cartographic** (2,2" TFT colour display 65000 176x220 pixel), **IPX7 waterproof** with built-in Hot Fix high sensitivity antenna antenna, hunt/fishing calendars and sun/moon informations, 1,7 GB built-in memory, slot for MicroSD (not included), USB cable, wrist strap, italian and multilingual user's interface, owner's manual.

Waas/Glonass enabled receiver.

USB interface.

Powered by 2 AA batteries (our code 642154 not included).

Automatic routing with no vocal instructions with maps from DVD or MicroSD City Navigator (optional).

Optional Garmin BlueChart G2 or TrekMap Italia 3 PRO cartography on MicroSD card.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGETREX20	GPS GARMIN eTrex® 20	163,11



GPS GARMIN eTrex 30

eTrex® 30 **cartographic** (2,2" TFT colour display 65000 176x220 pixel), **IPX7 waterproof** with built-in Hot Fix high sensitivity antenna antenna, barometric altimeter and electronic compass, hunt/fishing calendars and sun/moon informations, 1,7 GB built-in memory, slot for MicroSD (not included), USB cable, italian and multilingual user's interface, owner's manual.

Waas/Glonass enabled receiver.

USB interface.

Powered by 2 AA batteries (our code 642154 not included).

Automatic routing with no vocal instructions with maps from DVD or MicroSD City Navigator (optional).

Optional Garmin BlueChart G2 or TrekMap Italia 3 PRO cartography on MicroSD card.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGETREX30	GPS GARMIN eTrex® 30	204,10



GPS GARMIN 72 H

GPS 72H (2,7" LCD 4-level grayscale display 120x160 pixel), **waterproof IPX7 and floating** with high sensitivity internal antenna, hunt/fish calendar and sun/moon information, wrist strap, italian and multilingual user's interface, owner's manual.

Serial and USB interface.

Waas/Egnos enabled receiver.

Powered by 2 AA batteries (our code 642154 not included).

CODE	DESCRIPTION	VAT EXCLUDED €
SYG72	GPS GARMIN 72H	122,13
SYG72PK	GPS GARMIN 72H Pack includes: gps, marine bracket, 12 V power cable, case	154,92
SPARE PARTS		VAT EXCLUDED €
SYG10085	Power cable with cigarette-lighter plug for 72H - 78 - 78S	13,93
SYG10300	Marine mounting bracket for 72H	18,84

GPS GARMIN MAP 78

GPS Map 78 **cartographic** (2,6" TFT LCD 65000 colours display 160x240 pixel), **waterproof IPX7 and floating** with internal Hot Fix high sensitivity antenna, worldwide basemap with shaded reliefs, hint/fishing calendars and sun/moon calendar, built-in memory 1,7 GB, slot for MicroSD (not included), cable for PC (USB), wrist strap, italian and multilingual user's interface, owner's manual.

Compatible with NMEA 0183, USB and wireless with other compatible Garmin devices.

Waas/Egnos enabled receiver.

Powered by 2 AA batteries (our code 642154 not included).
Automatic routing with no vocal instructions with maps from DVD or MicroSD City Navigator (optional).

Garmin BlueChart G2 on MicroSD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP78	GPS GARMIN MAP 78	204,10
SPARE PARTS		VAT EXCLUDED €
SYG10085	Power cable with cigarette-lighter plug for 72H - 78 - 78S	13,93
SYG11441	Mounting bracket for GPS78 - 78S	16,80

GPS GARMIN MAP 78 S

GPS Map 78 S **cartographic** (2,6" TFT LCD 65000 colours display 160x240 pixel), **waterproof IPX7 and floating** with internal Hot Fix high sensitivity antenna, barometric altimeter and electronica compass, worldwide basemap with shaded reliefs, hint/fishing calendars and sun/moon calendar, built-in memory 1,7 GB, slot for MicroSD (not included), cable for PC (USB), wrist strap, italian and multilingual user's interface, owner's manual.

Compatible with NMEA 0183, USB and wireless with other compatible Garmin devices.

Waas/Egnos enabled receiver.

Can download data from MapSource and BlueChart on MicroSD card and CD.

Powered by 2 AA batteries (our code 642154 not included).

Automatic routing with no vocal instructions with maps from DVD or MicroSD City Navigator (optional).

Garmin BlueChart G2 on MicroSD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP78S	GPS GARMIN MAP 78 S	286,07
SPARE PARTS		VAT EXCLUDED €
SYG10085	Power cable with cigarette-lighter plug for 72H - 78 - 78S	13,93
SYG11441	Mounting bracket for GPS78 - 78S	16,80

GPSMAP GARMIN 421

GPS MAP 421 **cartographic** (4" QVGA 256 colour display 320x240 pixel), high sensitivity internal antenna, worldwide basemap, tide tables and sun/moon calendar, NMEA 2000/NMEA 0183 interfaces, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Waas/Egnos enabled receiver.

Compatible with AIS and DSC. Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.

Cartografia opzionale Garmin BlueChart G2 o G2 Vision MicroSD/SD.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP421	GPS MAP GARMIN 421 colour without cartography	236,88
SPARE PARTS		VAT EXCLUDED €
SYG10917	Power cable for 400 - 500 series	15,98
SYG10920	Tilt mounting bracket 400 series	20,07
SYG10911	Protective cover 400 series	6,96



GPSMAP GARMIN 527

GPSMAP 527 cartographic chartplotter (5" VGA colour display 480x640 pixel), high sensitivity internal antenna, worldwide basemap, tide tables, wireless through WI-FI connectivity and Bluetooth with the possibility to transfer routes with BlueChart Mobile (optional) for iPhone and iPad (wirelessly), NMEA 2000/NMEA 0183 interface, double slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with AIS, DSC and compatible Fusion systems.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP527	GARMIN GPSMAP 527 colour chartplotter without cartography	572,95
SYGMAP527/V12R	GARMIN GPSMAP 527 chartplotter with G2 VISION Regular West Coast (VEU012R) cartography	808,12
SYGMAP527/V14R	GARMIN GPSMAP 527 chartplotter with G2 VISION Regular Adriatic Sea (VEU014R) cartography	808,12
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for GPSMAP 527 – 527xs	18,84
SYG11966	Mounting bracket for GPSMAP 527 – 527xs	16,39
SYG11971	Protective cover for echoMAP 50S/dv - GSPMAP527(xs)	10,15



GPSMAP GARMIN 721 TOUCHSCREEN

GPSMAP 721 cartographic chartplotter (7" Touchscreen WVGA colour display 800x480 pixel), high sensitivity internal antenna, worldwide basemap, tide tables, wireless through WI-FI connectivity and Bluetooth with the possibility to transfer routes with BlueChart Mobile (optional) for iPhone and iPad (wirelessly), NMEA 2000/NMEA 0183 interface, double slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with Garmin Radars, AIS, DSC and compatible Fusion systems.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP721	GARMIN GPSMAP 721 colour chartplotter without cartography	982,79
SYGMAP721/V12R	GARMIN GPSMAP 721 chartplotter with G2 VISION Regular West Coast (VEU012R) cartography	1.217,95
SYGMAP721/V14R	GARMIN GPSMAP 721 chartplotter with G2 VISION Regular Adriatic Sea (VEU014R) cartography	1.217,95
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for GPSMAP 721 – 721xs	18,84
SYG11967	Mounting bracket for GPSMAP 721 – 721xs	16,93
SYG11972	Protective cover for echoMAP 70S/dv - GSPMAP721(xs)	10,15

GPSMAP GARMIN 820

GPSMAP 820 cartographic chartplotter (8" SVGA colour display 800x600 pixel), high sensitivity internal antenna, worldwide database, tide tables, wireless connectivity via WI-FI and Bluetooth with possibility of connecting to tablet or smartphones (WI-FI) and NMEA 2000/NMEA 0183 interface. Double slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with GARMIN radar, autopilot, Garmin Meteor™ Audio System, GCV™ 10 Black Box, AIS and DSC.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP820	GARMIN GPSMAP 820 colour chartplotter without cartography	1.556,56
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for GPSMAP 820 – 821xs	18,84
SYG12127	Mounting bracket for GPSMAP 820 – 820xs	20,49
SYG12123	Protective cover for GPSMAP 820 – 820xs	12,30

GPSMAP GARMIN 1020

GPSMAP 1020 cartographic chartplotter (10" SVGA colour display 800x600 pixel), high sensitivity internal antenna, worldwide database, tide tables, wireless connectivity via WI-FI and Bluetooth with possibility of connecting to tablet or smartphones (WI-FI) and NMEA 2000/NMEA 0183 interface. Double slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with GARMIN radar, autopilot, Garmin Meteor™ Audio System, GCV™ 10 Black Box, AIS and DSC.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP1020	GARMIN GPSMAP 1020 colour chartplotter without cartography	1.720,49
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for GPSMAP 1020 – 1020xs	18,84
SYG12128	Mounting bracket for GPSMAP 1020 – 1020xs	20,49
SYG12124	Protective cover for GPSMAP 1020 – 1020xs	12,30

GPSMAP GARMIN 4010



GPS MAP 4010 cartographic (10,4" SVGA 4096 colour display 8000x600 pixel), 12 channels external high sensitivity antenna, worldwide database, tide tables and sun/moon calendar, 3 network input, 2 video input ports (camera), 1 VGA output ports for PC, NMEA 2000 and 0183 interface. Complete with mounting bracket, power and data cable, kit NMEA 2000, protective cover, italian and multilingual software, owner's manual.

Compatible with GARMIN Radars – BLACK BOX GSD – GARMIN MARINE NETWORK - AIS – DSC.

Waas/Egnos enabled receiver.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP4010	GARMIN GPS MAP 4010 colour Chartplotter without cartography	1.720,49
SPARE PARTS		VAT EXCLUDED €
SYG10922	Power cable for 4000 - 5000 series	24,18
SYG11064	Swivel mounting bracket for GPSMAP 4010	19,26
SYG11058	Protective cover for GPSMAP 4010	9,83

GPSMAP GARMIN 5008 TOUCHSCREEN



GPS MAP 5008 cartographic (8,4" SVGA **Touchscreen** 4096 colour display 8000x600 pixel), 12 channels external high sensitivity antenna, worldwide database, tide tables and sun/moon calendar, 3 network input, 2 video input ports (camera), 1 VGA output ports for PC, NMEA 2000 and NMEA 0183 interface. Complete with mounting bracket, power and data cable, kit NMEA 2000, protective cover, italian and multilingual software, owner's manual.

Compatible with GARMIN Radars – BLACK BOX GSD – GARMIN MARINE NETWORK - AIS - DSC - remote control (optional) – wireless mouse (optional).

Waas/Egnos enabled receiver.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP5008	GARMIN GPS MAP 5008 touchscreencolour chartplotter without cartography	1.966,39
SPARE PARTS		VAT EXCLUDED €
SYG10922	Power cable for 4000 - 5000 series	24,18
SYG10926	Swivel mounting bracket for GPSMAP 5008	18,84
SYG10915	Protective cover for GPSMAP 5008	9,83

GPSMAP GARMIN 6000 G-MOTION SERIES



GPS MAP 6000 series cartographic (colour display, high brightness), with Garmin G Motion technology, external high sensitivity 12 channels antenna, worldwide basemap, tide tables and sun/moon calendar, 3 network inputs, 2 video inputs (videocamera), 1 output VGA for PC, NMEA 2000/ NMEA 0183 interfaces. Complete with mounting bracket, power and data cable, NMEA 2000 kit, flush mount kit, protective cover, italian and multilingual user's interface, owner's manual.

Compatible with GARMIN Radars – BLACK BOX GSD – GARMIN MARINE NETWORK - AIS - DSC - remote control (optional).

Waas/Egnos enabled receiver.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP6008	GARMIN GPS MAP 6008 colour Chartplotter without cartography	1.966,39
SYGMAP6012	GARMIN GPS MAP 6012 colori chartplotter without cartography	2.294,26
SPARE PARTS		VAT EXCLUDED €
SYG11425-01	Power cable for 6000 – 7000 - 8000 series	24,18
SYG11426	Swivel mounting bracket for GPSMAP 6008	18,84
SYG11426-01	Swivel mounting bracket for GPSMAP 6012	24,58
SYG11428	Protective cover for GPSMAP 6008	9,83
SYG11428-01	Protective cover for GPSMAP 6012	9,83

GPSMAP GARMIN 7000 G-MOTION SERIES TOUCHSCREEN

GPS MAP 7000 series cartographic (Touchscreen XGA colour display, high brightness, 1024x768 pixel), with Garmin G Motion technology, external high sensitivity 12 channels antenna, worldwide basemap, tide tables and sun/moon calendar, 4 network inputs, 2 video inputs (videocamera), 1 output VGA for PC, NMEA 2000/NMEA 0183 interfaces. Complete with mounting bracket, power and data cable, multimedia cable, NMEA 2000 kit, flush mount kit, protective cover, italian and multilingual user's interface, owner's manual.

Compatible with GARMIN Radars – BLACK BOX GSD – GARMIN MARINE NETWORK - AIS - DSC - remote control (optional) – wireless mouse (optional).

Waas/Egnos enabled receiver.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP7012	GARMIN GPS MAP 7012 touchscreen colour chartplotter (12,1" display) without cartography	2.909,02
SYGMAP7015	GARMIN GPS MAP 7015 touchscreen colour chartplotter (15" display) without cartography	4.343,44
SPARE PARTS		VAT EXCLUDED €
SYG11425-01	Power cable for 6000 – 7000 - 8000 series	24,18
SYG11426-02	Swivel mounting bracket for GPSMAP 7012	24,58
SYG11428-02	Protective cover for GPSMAP 7012	9,83
SYG11428-03	Protective cover for GPSMAP 7015	9,83

GPSMAP GARMIN 8000 SERIES TOUCHSCREEN

GPS MAP 8000 series cartographic (Touchscreen colour display, high brightness), high sensitivity NMEA 2000 external antenna, worldwide basemap, tide tables and sun/moon calendar, 4 network inputs, 2 video inputs (4 for 8015 model), NMEA 2000/NMEA 0183 interfaces. Complete with mounting bracket, power and data cable, multimedia cable, NMEA 2000 kit, flush mount kit, protective cover, italian and multilingual user's interface, owner's manual.

Compatible with GARMIN Radars – BLACK BOX GSD – GARMIN MARINE NETWORK - AIS - DSC - remote control (optional).

Gps/GLONASS 10 Hz receiver.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP8008	GPS MAP GARMIN 8008 touchscreen (8,4" SVGA display 800x600 pixel) colour	3.277,87
SYGMAP8012	GPS MAP GARMIN 8012 touchscreen (12,1" XGA display 1024x768 pixel) colour	3.687,71
SYGMAP8015	GPS MAP GARMIN 8015 touchscreen (15" XGA display 1024x768 pixel) colour	4.753,28
SPARE PARTS		VAT EXCLUDED €
SYG11425-01	Power cable for 6000 – 7000 – 8000 series	24,18
SYG11984-01	Swivel mounting bracket for GPSMAP 8008	18,44
SYG11984-02	Swivel mounting bracket for GPSMAP 8012	24,58
SYG11987-01	Protective cover for GPSMAP 8008	9,83
SYG11987-02	Protective cover for GPSMAP 8012	9,83
SYG11987-03	Protective cover for GPSMAP 8015	9,83

RADAR ANTENNA GMR18 HD

Radar antenna 4 kw Min 20 m - Max 36 nmi. range complete with 15 mt. cable

Horizontal beam width 5°, vertical 25°.

Diameter 45,7 cm- height 23,6 cm - weight 7,2 Kg.

Can be connected to GPSMAP 720/720S/4000/5000/6000/7000/8000 series.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGGMR18HD	GMR 18 HD Radome Antenna with high definition performance 36 mn (MARPA compatible)	1.130,33

FOR CARTOGRAPHY SEE PAGES 20 - 21



RADAR ANTENNA GMR18 xHD - GMR24 xHD

Radar antenna 4 kw Min 20 m - Max 48 nmi. range complete with 15 mt. cable

GMR 18 xHD RADAR ANTENNA: Horizontal beam 5,2°, vertical beam 25°.
GMR 24 xHD RADAR ANTENNA: Horizontal beam 3,7°, vertical beam 25°.

GMR 18 Xhd RADAR ANTENNA: Diameter 50,8 cm - height 24,8 cm - weight 7,7 Kg.
GMR 24 xHD RADAR ANTENNA: Diameter 64,5 cm - height 24,9 cm - weight 9,5 Kg.

Can be connected to GPSMAP 700/800/1000/4000/5000/6000/7000/8000 series.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGGMR18XHD	GMR 18 xHD Radome Antenna with high definition performance 48 mn (MARPA compatible)	1.310,66
SYGGMR18XHD	GMR 24 xHD Radome Antenna with high definition performance 48 mn (MARPA compatible)	2.048,36



RADAR ANTENNA GMR404/406 xHD

Radar Open Array 4 Kw Min. 20 m - Max 72 nmi range complete with 15 mt. Cable

Horizontal beam width 1,8° (GMR 404) 1,1° (GMR 406) vertical beam 25°.

Can be connected to GPSMAP 700/4000/5000/6000/7000/8000 series.

Compatible with MARPA with heading sensor (optional).

PLEASE NOTE: it must be necessary be composed of array + pedestal.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGGMR404	Radar Open Array 4 feet xHD (requires pedestal)	654,92
SYGGMR406	Radar Open Array 6 feet xHD (requires pedestal)	1.228,69
SYGGMRP4	Pedestal 4 Kw-72 nm	2.704,10



GARMIN BLACK BOX GSD22 - GSD24 FISHFINDER

Digital Black Box Fishfinder, power from 500 W to 2000 W RMS (according to the transducer), dual frequency 50/200 kHz, includes 9 m cable without transducer, IPX7 waterproof.

10-35 VdC voltage.

Can be connected to GPSMAP 4000/5000/6000/7000/8000 series (compatible with canet and network).

CODE	DESCRIPTION	VAT EXCLUDED €
SYGGSD22	GARMIN GSD22 Black Box Fishfinder	368,03
SYGGSD24	GARMIN GSD24 Black Box Fishfinder	409,02

GARMIN echoMAP 50S FISHFINDER/CHARTPLOTTER

EchoMAP 50S cartographic Fishfinder/Chartplotter (5" VGA colour display 480x640 pixel), high sensitivity internal antenna, worldwide basemap, tides table, wireless connectivity through WI-FI, NMEA 0183 interface, sonar recording function. Complete with dual frequency transom mount transducer with depth/temp. (77/200 kHz), max power output 4000 W (peak to peak), 500 W RMS, with the innovative technology HD-ID™, double slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with AIS and DSC.

Depth up to approx.450 mts.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP50S	GARMIN echoMAP 50S Fishfinder/Chartplotter with transom mount transducer with depth/temp. 77/200 kHz, without cartography	450,00
SYGMAP50S/012R	GARMIN echoMAP 50S Fishfinder/Chartplotter with transom mount transducer with depth/temp. 77/200 kHz and G2 cartography Regular West Coast (HXEU012R)	623,97
SYGMAP50S/V12R	GARMIN echoMAP 50S Fishfinder/Chartplotter with transom mount transducer with depth/temp. 77/200 kHz and G2 Vision cartography (VEU012R)	685,17
SYGMAP50S/014R	GARMIN echoMAP 50S Fishfinder/Chartplotter with transom mount transducer with depth/temp. 77/200 kHz and G2 cartography Regular Adriatic Sea (HXEU014R)	623,97
SYGMAP50S/V14R	GARMIN echoMAP 50S Fishfinder/Chartplotter with transom mount transducer with depth/temp. 77/200 kHz et G2 Vision cartography (VEU014R)	685,17
SYGMAP50S/S	GARMIN echoMAP 50S Fishfinder/Chartplotter without transducer and cartography	409,02
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for echoMAP 50s – 70s series	18,84
SYG11966	Mounting bracket for echoMAP 50S/GSPMAP527(xs)	16,39
SYG11971	Protective cover for echoMAP 50S/dv - GSPMAP527(xs)	10,15

GARMIN echoMAP 70S TOUCHSCREEN FISHFINDER/CHARTPLOTTER

EchoMAP 70S cartographic Fishfinder/Chartplotter (7" Touchscreen WVGA colour display 800x480 pixel), high sensitivity internal antenna, worldwide basemap, tides table, wireless connectivity through WI-FI, NMEA 0183 interface, sonar recording function. Complete with dual frequency transom mount transducer with depth/temp. (77/200 kHz), max power output 4000 W (peak to peak), 500 W RMS, with the innovative technology HD-ID™, double slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with AIS and DSC.

Depth up to approx.450 mts.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP70S	GARMIN echoMAP 70S Touch Fishfinder/Chartplotter with transom mount transducer with depth/temp. 77/200 kHz, without cartography	818,85
SYGMAP70S/012R	GARMIN echoMAP 70S Touch Fishfinder/Chartplotter with transom mount transducer with depth/temp. 77/200 kHz and G2 cartography Regular West Coast (HXEU012R)	992,81
SYGMAP70S/V12R	GARMIN echoMAP 70S Fishfinder/Chartplotter with transom mount transducer with depth/temp. 77/200 kHz and G2 Vision cartography (VEU012R)	1.054,02
SYGMAP70S/014R	GARMIN echoMAP 70S Touch Fishfinder/Chartplotter with transom mount transducer with depth/temp. 77/200 kHz and G2 cartography Regular Adriatic Sea (HXEU014R)	992,81
SYGMAP70S/V14R	GARMIN echoMAP 70S Fishfinder/Chartplotter with transom mount transducer with depth/temp. 77/200 kHz and G2 Vision cartography (VEU014R)	1.054,02
SYGMAP70S/S	GARMIN echoMAP 70S Touch Fishfinder/Chartplotter without transducer and cartography	777,87
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for echoMAP 50s – 70s series	18,84
SYG11967	Mounting bracket for echoMAP 70S/GSPMAP721(xs)	16,93
SYG11972	Protective cover for echoMAP 70S/dv - GSPMAP721(xs)	10,15

FOR TRANSDUCERS SEE PAGES 18 - 19 / FOR CARTOGRAPHY SEE PAGES 20 - 21



GARMIN echoMAP 50dv FISHFINDER/CHARTPLOTTER

EchoMAP 50S cartographic Fishfinder/Chartplotter (5" VGA colour display 480x640 pixel), high sensitivity internal antenna, worldwide basemap, tides table, wireless connectivity through WI-FI, NMEA 0183 interface, sonar recording function. Complete with DownVü transom mount transducer with depth/temp. (77/200 kHz), max power output 4000 W (peak to peak), 500 W RMS, with the innovative technology HD-ID™, double slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with AIS and DSC.

Depth up to approx 335 mts. (salt water).
Depth up to approx 700 mts (fresh water).

N.b.: depth capacity depends on the sea-bottom features and other sea conditions.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP50DV	Fishfinder/Chartplotter GARMIN echoMAP 50dv with DownVü transom mount transducer, without cartography depth/temp. 77/200 kHz	531,97
SYGMAP50DV/012R	Fishfinder/Chartplotter GARMIN echoMAP 50dv with DownVü transom mount transducer with depth/temp. 77/200 kHz and G2 Regular West Coast (HXEU012R) cartography	705,93
SYGMAP50DV/V12R	Fishfinder/Chartplotter GARMIN echoMAP 50dv with DownVü transom mount transducer with depth/temp. 77/200 kHz and G2 Vision Regular West Coast (VEU012R) cartography	767,14
SYGMAP50DV/014R	Fishfinder/Chartplotter GARMIN echoMAP 50dv with DownVü transom mount transducer with depth/temp. 77/200 kHz and G2 Regular Adriatic Sea (HXEU014R) cartography	705,93
SYGMAP50DV/V14R	Fishfinder/Chartplotter GARMIN echoMAP 50dv with DownVü transom mount transducer with depth/temp. 77/200 kHz and G2 Vision Regular Adriatic Sea (VEU014R) cartography	767,14
SYGMAP50DV/S	GARMIN echoMAP 50dv Fishfinder/Chartplotter without transducer and cartography	409,01
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for echoMAP 50s/dv – 70s/dv series	18,84
SYG11966	Mounting bracket for echoMAP 50S/dv - GSPMAP527(xs)	16,39
SYG11971	Protective cover for echoMAP 50S/dv - GSPMAP527(xs)	10,15



GARMIN echoMAP 70dv TOUCHSCREEN FISHFINDER/CHARTPLOTTER

EchoMAP 70dv cartographic Fishfinder/Chartplotter (7" Touchscreen WVGA colour display 800x480 pixel), high sensitivity internal antenna, worldwide basemap, tides table, wireless connectivity through WI-FI, NMEA 0183 interface, sonar recording function. Complete with DownVü transom mount transducer with depth/temp. (77/200 kHz), max power output 4000 W (peak to peak), 500 W RMS, with the innovative technology HD-ID™, double slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with AIS and DSC.

Depth up to approx 335 mts. (salt water).
Depth up to approx 700 mts (fresh water).

N.b.: depth capacity depends on the sea-bottom features and other sea conditions.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP70DV	GARMIN echoMAP 70dv Touch Fishfinder/Chartplotter with transom mount DownVü transducer with depth/temp. 77/200 kHz and G2 Vision cartography Regular West Coast (VEU012R)	900,82
SYGMAP70DV/012R	GARMIN echoMAP 70dv Touch Fishfinder/Chartplotter with transom mount DownVü transducer with depth/temp. 77/200 kHz and G2 cartography Regular West Coast (HXEU012R)	1.074,77
SYGMAP70DV/V12R	GARMIN echoMAP 70dv Touch Fishfinder/Chartplotter with transom mount DownVü transducer with depth/temp. 77/200 kHz and G2 Vision cartography Regular West Coast (VEU012R)	1.135,98
SYGMAP70DV/014R	GARMIN echoMAP 70dv Touch Fishfinder/Chartplotter with transom mount DownVü transducer with depth/temp. 77/200 kHz and G2 cartography Regular Adriatic Sea (VEU014R)	1.074,77
SYGMAP70DV/V14R	GARMIN echoMAP 70dv Touch Fishfinder/Chartplotter with transom mount DownVü transducer with depth/temp. 77/200 kHz and G2 Vision cartography Regular Adriatic Sea (VEU014R)	1.135,98
SYGMAP70DV/S	GARMIN echoMAP 70dv Fishfinder/Chartplotter without transducer and cartography	777,85
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for echoMAP 50s/dv – 70s/dv series	18,84
SYG11967	Mounting bracket for echoMAP 70S/dv - GSPMAP721(xs)	16,93
SYG11972	Protective cover for echoMAP 70S/dv - GSPMAP721(xs)	10,15

FOR TRANSDUCERS SEE PAGES 18 - 19

GARMIN GPSMAP 421S FISHFINDER/CHARTPLOTTER

GPSMAP 421S cartographic Fishfinder/Chartplotter (4" QVGA 256 colour display 320x240 pixel), high sensitivity internal antenna, worldwide basemap, tide table and sun/moon information, transom mount transducer with temp.dual frequency (50/200 kHz), max power output 4000 W (peak to peak), 500 W RMS, NMEA 2000/NMEA 0183 interfaces, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Waas/Egnos enabled receiver.

Compatible with AIS and DSC.

Depth up to approx.450 mts.Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP421S	GARMIN GPSMAP 421S Fishfinder/Chartplotter with transom mount transducer, dual frequency 50/200 kHz and G2 Vision (VEU716L - Mediterraneo Cent.) cartography	624,03
SYGMAP421S/S	GARMIN GPSMAP 421S Fishfinder/Chartplotter with transom mount transducer, dual frequency 50/200 kHz, without cartography	318,86
SPARE PARTS		VAT EXCLUDED €
SYG10918	Power cable for 400S - 500S series	17,21
SYG10920	Tilt mounting bracket 400 series	20,07
SYG10911	Protective cover 400 series	6,96

GARMIN GPSMAP 527xs FISHFINDER/CHARTPLOTTER

GPSMAP 527xs cartographic Fishfinder/Chartplotter (5" VGA colour display 480x640 pixel), high sensitivity internal antenna, worldwide basemap, tide tables, wireless through WI-FI connectivity and Bluetooth with the possibility to transfer routes with BlueChart Mobile (optional) for iPhone and iPad (wirelessly), NMEA 2000/NMEA 0183 interface, sonar recording function. Complete with dual frequency transom mount transducer with depth/temp (50/200 kHz) with the innovative technology HD-ID™ and integrated CHIRP module, double slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with AIS, DSC and compatible Fusion systems.

Max power output: 8000 Watt (peak-to-peak) 1000 W RMS with 1 Kw. optional transducer
Max power output: 4000 Watt (peak-to-peak) 500 W RMS with dual frequency 50/200 kHz transducer.

DOWNVÜ function: with optional transducer our code SYG12087-01.
Depth up to 600 mts (with 1 Kw transducer) - up to 450 mts (with 500W transducer).

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP527XS	GARMIN GPSMAP 527XS Fishfinder/Chartplotter with integrated CHIRP module and transom mount transducer with depth/temp. 50/200 kHz, without cartography	654,92
SYGMAP527XS/V12R	GARMIN GPSMAP 527XS Fishfinder/Chartplotter with integrated CHIRP module and transom mount transducer with depth/temp. 50/200 kHz and G2 VISION Regular West Coast (VEU012R) cartography	890,08
SYGMAP527XS/V14R	GARMIN GPSMAP 527XS Fishfinder/Chartplotter with integrated CHIRP module and transom mount transducer with depth/temp. 50/200 kHz and G2 VISION Regular Adriatic Sea (VEU014R) cartography	890,08
SYGMAP527XS/S	GARMIN GPSMAP 527XS Fishfinder/Chartplotter with integrated CHIRP module without transducer and cartography	613,93
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for GPSMAP 527 - 527xs	18,84
SYG11966	Mounting bracket for GPSMAP 527 - 527xs	16,39
SYG11971	Protective cover for echoMAP 50S/dv - GSPMAP527(xs)	10,15



GARMIN GPSMAP 721xs TOUCHSCREEN FISHFINDER/CHARTPLOTTER

GPSMAP 721xs cartographic Fishfinder/Chartplotter (7" Touchscreen WVGA colour display 800x480 pixel), high sensitivity internal antenna, worldwide basemap, tide tables, wireless through WI-FI connectivity and Bluetooth with the possibility to transfer routes with BlueChart Mobile (optional) for iPhone and iPad (wirelessly), NMEA 2000/NMEA 0183 interface, sonar recording function. Complete with dual frequency transom mount transducer with depth/temp (50/200 kHz) with the innovative technology HD-ID™ and integrated CHIRP module, double slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with Garmin Radars, AIS, DSC and compatible Fusion systems.

Max power output: 8000 Watt (peak-to-peak) 1000 W RMS with 1 Kw. optional transducer

Max power output: 4000 Watt (peak-to-peak) 500 W RMS with dual frequency 50/200 kHz transducer.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.

Depth up to 600 mts (with 1 Kw transducer) - up to 450 mts (with 500W transducer).

DOWNVÜ function: with optional transducer our code SYG12087-01.

SIDEVÜ function: with Black Box GCV™ 10 (our code SYG01156) and transducer our code SYG12089 (optional).

CODE	DESCRIPTION	VAT EXCLUDED €	
SYGMAP721XS	GARMIN GPSMAP 721XS Fishfinder/Chartplotter with integrated CHIRP module and transom mount transducer with depth/temp. 50/200 kHz, without cartography	1.125,00	
SYGMAP721XS/V12R	GARMIN GPSMAP 721XS Fishfinder/Chartplotter with integrated CHIRP module and transom mount transducer with depth/temp. 50/200 kHz and G2 VISION Regular West Coast (VEU012R) cartography	1.360,21	
SYGMAP721XS/V14R	GARMIN GPSMAP 721XS Fishfinder/Chartplotter with integrated CHIRP module and transom mount transducer with depth/temp. 50/200 kHz and G2 VISION Regular Adriatic Sea (VEU014R) cartography	1.360,21	
SYGMAP721XS/S	GARMIN GPSMAP 721XS Fishfinder/Chartplotter with integrated CHIRP module without transducer and cartography	1.064,75	
SPARE PARTS		VAT EXCLUDED €	
SYG11970	Power cable for GPSMAP 721 – 721xs	18,84	
SYG11967	Mounting bracket for GPSMAP 721 – 721xs	16,93	
SYG11972	Protective cover for echoMAP 70S/dv - GSPMAP721(xs)	10,15	

GARMIN GPSMAP 820xs FISHFINDER/CHARTPLOTTER

GPSMAP 820xs Fishfinder/Chartplotter cartographic (8" SVGA colour display 800x600 pixel), high sensitivity internal antenna, worldwide database, tide tables, wireless via WI-FI connectivity and Bluetooth with possibility of connecting to tablet or smartphones (WI-FI), NMEA 2000/NMEA 0183 interface and sonar recording function. Complete with integrated CHIRP function which sends a continuous sweep of frequencies ranging from low to high (50/77/200 Khz) and the innovative DownVu™ function, gives you a clearer picture of what's below your boat, by producing a more detailed representation of objects, structure and fish, dual slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual software, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with GARMIN radar, autopilot, Garmin Meteor™ Audio System, GCV™ 10 Black Box for SideVu™ functions, AIS and DSC.

Depth up to 800 mts (with 1 Kw transducer) - up to 500 mts (with 500W transducer).

N.b.: depth capacity depends on the sea-bottom features and other sea conditions.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP820XS	GARMIN GPSMAP 820xs Fishfinder/Chartplotter with integrated CHIRP module without transducer and cartography	1.638,53
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for GPSMAP 820 – 821xs	18,84
SYG12127	Mounting bracket for GPSMAP 820 – 820xs	20,49
SYG12123	Protective cover for GPSMAP 820 – 820xs	12,30

GARMIN GPSMAP 1020xs FISHFINDER/CHARTPLOTTER

GPSMAP 1020xs Fishfinder/Chartplotter cartographic (10" SVGA colour display 800x600 pixel), high sensitivity internal antenna, worldwide database, tide tables, wireless via WI-FI connectivity and Bluetooth with possibility of connecting to tablet or smartphones (WI-FI), NMEA 2000/NMEA 0183 interface and sonar recording function. Complete with integrated CHIRP function which sends a continuous sweep of frequencies ranging from low to high (50/77/200 Khz) and the innovative DownVu™ function, gives you a clearer picture of what's below your boat, by producing a more detailed representation of objects, structure and fish, dual slot for micro SD cards, mounting bracket, power and data cable, protective cover, italian and multilingual software, owner's manual.

Gps/GLONASS 10 Hz integrated receiver.

Compatible with GARMIN radar, autopilot, Garmin Meteor™ Audio System, GCV™ 10 Black Box for SideVu™ functions, AIS and DSC.

Depth up to 800 mts (with 1 Kw transducer) - up to 500 mts (with 500W transducer).

N.b.: depth capacity depends on the sea-bottom features and other sea conditions.

Garmin BlueChart G2 or G2 Vision on MicroSD/SD card optional cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
SYGMAP1020XS	GARMIN GPSMAP 1020xs with integrated CHIRP sonar technology, without transducer and cartography	1.802,46
SPARE PARTS		VAT EXCLUDED €
SYG11970	Power cable for GPSMAP 1020 – 1020xs	18,84
SYG12128	Mounting bracket for GPSMAP 1020 – 1020xs	20,49
SYG12124	Protective cover for GPSMAP 1020 – 1020xs	12,30



GARMIN ECHO 101 FISHFINDER

ECHO 101 Fishfinder (4" 8-level FSTN grayscale display 160x256 pixel), transom mount transducer (200 kHz) with depth/temp. with beam width to 60 degrees, max output power 1600 W (peak to peak), 200 W RMS, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

No optional speed transducer.

Depth up to approx. 450 mts. (Freshwater)

CODE	DESCRIPTION	VAT EXCLUDED €
SYG101	GARMIN ECHO 101 Fishfinder with transom mount transducer with depth/temp. 200 kHz	105,74
SPARE PARTS		VAT EXCLUDED €
SYG11678	Power cable for GARMIN ECHO series	13,94
SYG11677	Tilt and swivel mounting bracket for ECHO 100 – 300 series	9,84
SYG11679	Protective cover for ECHO 100 – 300 series	6,96



GARMIN ECHO 151 FISHFINDER

ECHO 151 Fishfinder (4" FSTN 8-level gray scale display 160x256 pixel), dual-frequency (77/200 kHz) transom mount trasducer with depth/temp. with viewing angles 60° or 120°, max output power 1600 W (peak-to-peak), 200 W RMS includes HD-ID technology a nearly photographic view of fish and structure under your boat, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

No optional speed transducer.

Depth up to approx. 450 mts. (Freshwater)

CODE	DESCRIPTION	VAT EXCLUDED €
SYG151	GARMIN ECHO 151 Fishfinder with transom mount transducer with depth/temp. 77/200 kHz	113,93
SPARE PARTS		VAT EXCLUDED €
SYG11678	Power cable for GARMIN ECHO series	13,94
SYG11677	Tilt and swivel mounting bracket for ECHO 100 – 300 series	9,84
SYG11679	Protective cover for ECHO 100 – 300 series	6,96



GARMIN ECHO 151dv FISHFINDER

ECHO 151dv fishfinder (4" FSTN 8-level grayscale display 160x256 pixel), DownVü (77/200 kHz) transom mount transducer with depth/temp. , max output power 1600 W (peak-to-peak), 200 W RMS, includes HD-ID technology a nearly photographic view of fish and structure under your boat, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

No optional speed transducer.

Depth up to approx. 457 mts. (Freshwater)

CODE	DESCRIPTION	VAT EXCLUDED €
SYG151DV	GARMIN ECHO 151dv Fishfinder with DownVü transom mount transducer with depth/temp. 77/200 kHz	154,92
SPARE PARTS		VAT EXCLUDED €
SYG11678	Power cable for GARMIN ECHO series	13,94
SYG11677	Tilt and swivel mounting bracket for ECHO 100 – 300 series	9,84
SYG11679	Protective cover for ECHO 100 – 300 series	6,96



GARMIN ECHO 201 FISHFINDER

ECHO 201 fishfinder (5" HVGA 16-level grayscale display 320x480 pixel), dual-frequency (77/200 kHz) transom mount trasducer with depth/temp. with viewing angles 60° or 120°, max output power 2400 W (peak-to-peak), 300 W RMS includes HD-ID technology a nearly photographic view of fish and structure under your boat, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

Depth up to approx. 530 mts. (Freshwater)

CODE	DESCRIPTION	VAT EXCLUDED €
SYG201	GARMIN ECHO 201 Fishfinder with transom mount transducer with depth/temp. 77/200 kHz	171,31
SPARE PARTS		VAT EXCLUDED €
SYG11678	Power cable for GARMIN ECHO series	13,94
SYG11676	Tilt and swivel mounting bracket for ECHO 200 – 500 series	17,20
SYG11680	Protective cover for ECHO 200 – 500 series	12,29

FOR TRANSDUCERS SEE PAGE 18 - 19

GARMIN ECHO 201dv FISHFINDER

ECHO 201dv fishfinder (5" HVGA 16-level grayscale display 320x480 pixel), DownVü (77/200 kHz) transom mount transducer with depth/temp., max power output 2400 W (peak-to-peak), 300 W RMS, includes HD-ID technology a nearly photographic view of fish and structure under your boat, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

Depth up to approx. 530 mts. (Freshwater)



CODE	DESCRIPTION	VAT EXCLUDED €
SYG201DV	GARMIN ECHO 201dv Fishfinder with DownVü transom mount transducer with depth/temp. 77/200 kHz	212,30
SPARE PARTS		VAT EXCLUDED €
SYG11678	Power cable for GARMIN ECHO series	13,94
SYG11676	Tilt and swivel mounting bracket for ECHO 200 – 500 series	17,20
SYG11680	Protective cover for ECHO 200 – 500 series	12,29

GARMIN ECHO 301C FISHFINDER

ECHO 301C Fishfinder (3,5" QVGA 256 colour display 240x320 pixel), transom mount dual frequency transducer (77/200 kHz) with depth/temp. with beam width to 60° or 120°, (supports also 50/200 kHz transducers), max output power 2400 W (peak to peak), 300 W RMS includes HD-ID technology a nearly photographic view of fish and structure under your boat, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

Depth up to approx. 530 mts. (Freshwater)



CODE	DESCRIPTION	VAT EXCLUDED €
SYG301	GARMIN ECHO 301C Fishfinder with transom mount transducer with depth/temp. 77/200 kHz	212,30
SPARE PARTS		VAT EXCLUDED €
SYG11678	Power cable for GARMIN ECHO series	13,94
SYG11677	Tilt and swivel mounting bracket for ECHO 100 – 300 series	9,84
SYG11679	Protective cover for ECHO 100 – 300 series	6,96

GARMIN ECHO 301dv FISHFINDER

ECHO 301dv Fishfinder (3,5" QVGA 256 colour display 240x320 pixel), DownVü (77/200 kHz) transom mount transducer with depth/temp., max power output 2400 W (peak-to-peak), 300 W RMS, includes HD-ID technology a nearly photographic view of fish and structure under your boat, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

Depth up to approx. 530 mts. (Freshwater)



CODE	DESCRIPTION	VAT EXCLUDED €
SYG301DV	GARMIN ECHO 301dv Fishfinder with DownVü transom mount transducer with depth/temp. 77/200 kHz	261,48
SPARE PARTS		VAT EXCLUDED €
SYG11678	Power cable for GARMIN ECHO series	13,94
SYG11677	Tilt and swivel mounting bracket for ECHO 100 – 300 series	9,84
SYG11679	Protective cover for ECHO 100 – 300 series	6,96

GARMIN ECHO 501C FISHFINDER

ECHO 501C Fishfinder (5" QVGA 256 colour display 240x320 pixel), transom mount dual frequency transducer (77/200 kHz) with depth/temp. with beam width to 60° or 120°, (supports also 50/200 kHz transducers), max output power 4000 W (peak to peak), 500 W RMS includes HD-ID technology a nearly photographic view of fish and structure under your boat, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

Depth up to approx. 700 mts. (Freshwater)



CODE	DESCRIPTION	VAT EXCLUDED €
SYG501	GARMIN ECHO 501C Fishfinder with transom mount transducer with depth/temp. 77/200 kHz	261,48
SPARE PARTS		VAT EXCLUDED €
SYG11678	Power cable for GARMIN ECHO series	13,94
SYG11676	Tilt and swivel mounting bracket for ECHO 200 – 500 series	17,20
SYG11680	Protective cover for ECHO 200 – 500 series	12,29

FOR TRANSDUCERS SEE PAGE 18 - 19



GARMIN ECHO 551C FISHFINDER

ECHO 551C Fishfinder (5" VGA 256 colour display 480x640 pixel), transom mount dual frequency transducer (77/200 kHz) with depth/temp. with beam width to 60° or 120°, (supports also 50/200 kHz transducers), max output power 4000 W (peak to peak), 500 W RMS includes HD-ID technology a nearly photographic view of fish and structure under your boat, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

Depth up to approx. 700 mts. (Freshwater)

CODE	DESCRIPTION	VAT EXCLUDED €
SYG551	GARMIN ECHO 551C Fishfinder with transom mount transducer with depth/temp. 77/200 kHz	343,44
SPARE PARTS		VAT EXCLUDED €
SYG11678	Power cable for GARMIN ECHO series	13,94
SYG11676	Tilt and swivel mounting bracket for ECHO 200 – 500 series	17,20
SYG11680	Protective cover for ECHO 200 – 500 series	12,29



GARMIN ECHO 551dv FISHFINDER

ECHO 551dv Fishfinder (5" VGA 256 colour display 480x640 pixel), DownVü (77/200 kHz) transom mount transducer with depth/temp., max power output 4000 W (peak-to-peak), 500 W RMS, includes HD-ID technology a nearly photographic view of fish and structure under your boat, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

Depth up to approx. 700 mts. (Freshwater)

CODE	DESCRIPTION	VAT EXCLUDED €
SYG551DV	GARMIN ECHO 551dv Fishfinder with DownVü transom mount transducer with depth/temp. 77/200 kHz	384,43
SPARE PARTS		VAT EXCLUDED €
SYG11678	Power cable for GARMIN ECHO series	13,94
SYG11676	Tilt and swivel mounting bracket for ECHO 200 – 500 series	17,20
SYG11680	Protective cover for ECHO 200 – 500 series	12,29

GARMIN TRANSDUCERS


CODE	DESCRIPTION	COMPATIBILITY	NR. PIN	VAT EXCLUDED €
TRANSOM MOUNT TRANSDUCERS				
	SYG10272 Transom mount transducer with depth/temp. 50/200 Khz, 500 W	GPSMAP 421S/521S/526S/720S – GSD22	6	56,54
	SYG10192-21 Transom mount transducer with depth/speed/temp. P66 50/200 Khz, 600 W	echoMAP series GPSMAP xs - GSD24 Series	8	131,14
	SYG10249-40 Transom mount transducer depth only 77/200 Khz, 500 W	echoMAP series GPSMAP xs - GSD24 Series	8	64,76
	SYG10249-20 Transom mount transducer with depth/temp.77/200 Khz, 500 W	ECHO series	4	45,98
	SYG10272-10 Transom mount transducer with depth/temp. 50/200 Khz, 500 W	Serie echoMAP GPSMAP xs - GSD24 Series ECHO series (adaptor cable SYG11948)	8	56,54
	SYG11928 CHIRP TM150M transom mount transducer with depth/temp. 99-155 Khz, 300 W	GPSMAP xs Series	-	236,88
IN-HULL TRANSDUCERS				
	SYG10327-20 In hull transducer depth only P79, 600W, REGOLABILE 2° - 22°	ECHO series echoMAP series GPSMAP xs - GSD24 Series	8	137,30

TRANSDUCERS



GARMIN TRANSDUCERS

CODE	DESCRIPTION	COMPATIBILITY	NR. PIN	VAT EXCLUDED €
THRU HULL TRANSDUCERS				
	SYG10218-21 Thru hull plastic transducer with depth/temp. P19, 77/200 Khz, 500 W	ECHO series (the whole Echo series needs adaptor cable for transducer from 8 to 4 pin SYG11947) echoMAP series GPSMAP xs Series GSD24	8	122,13
	SYG10217-21 Thru hull bronze transducer with depth/temp. B619, 77/200 Khz, 500 W	ECHO series (the whole Echo series needs adaptor cable for transducer from 8 to 4 pin SYG11947) echoMAP series GPSMAP xs Series GSD24	8	146,72
	SYG10194-21 Thru hull plastic transducer with depth/temp. P319 low profile 50/200 Khz, 600 W	GPSMAP 421S/521S/526S/720S – GSD22 (the whole old GPSMAP series needs the adaptor cable for transducer from 8 to 6 pin SYG11612) echoMAP series GPSMAP xs Series GSD24	8	130,73
	SYG10182-21 Thru hull bronze transducer with depth/temp. B117 low profile 50/200 Khz, 600 W	GPSMAP 421S/521S/526S/720S – GSD22 (the whole old GPSMAP series needs the adaptor cable for transducer from 8 to 6 pin SYG11612) echoMAP series GPSMAP xs Series GSD24	8	196,71
	SYG10983 Thru hull bronze transducer with depth/temp. B45 with fairing block 50/200 Khz, 600 W	GPSMAP 421S/521S/526S/720S – GSD22 GPSMAP 527xs - 721xs – GSD24 (the whole GPSMAP new series needs the adaptor cable for transducers from 8 to 6 pin SYG11613)	6	161,06
	SYG10183-02 Thru hull bronze transducer with depth/temp./speed B744V with fairing block 50/200 Khz, 600 W	GPSMAP 421S/521S/526S/720S – GSD22 GPSMAP 527xs - 721xs – GSD24 (the whole GPSMAP new series needs the adaptor cable for transducers from 8 to 6 pin SYG11613)	6	252,87
	SYG10183-22 Thru hull bronze transducer with depth/temp./speed B744V with fairing block 50/200 Khz, 600 W	GPSMAP 421S/521S/526S/720S – GSD22 (the whole old GPSMAP series needs the adaptor cable for transducer from 8 to 6 pin SYG11612) echoMAP series GPSMAP xs Series GSD24	8	372,95
DOWNVÜ TRANSDUCERS				
	SYG12087 Transom mount DownVü transducer with depth/temp. 77/200 Khz	ECHO dv series	4	81,97
	SYG12087-01 Transom mount DownVü transducer with depth/temp. 77/200 Khz	Devices with CHIRP function GPSMAP and echoMAP series	8	122,95
	SYG01156 Black Box GCV™ 10 DownVü™ - SideVü™	Devices with CHIRP function GPSMAP series (721xs – 820xs – 1020xs)	-	613,93
	SYG12089 Transom mount DownVü transducer with depth/temp.	Black Box GCV™ 10	12	163,93
ADAPTOR CABLE				
	SYG11947 Adaptor cable for 4 PIN transducers with 8 PIN display		-	9,84
	SYG11948 Adaptor cable for 6 PIN transducers with 4 PIN display		-	9,84
	SYG11612 Adaptor cable for 8 PIN transducers with 6 PIN display		-	11,06
	SYG11615 Adaptor cable for 6 PIN transducers with 4 PIN display		-	11,48
	SYG11613 Converter for transducer 6 PIN with 8 PIN device		-	53,27




GARMIN LARGE BLUECHART G2 VISION CARTRIDGE

CODE	DESCRIPTION	VAT EXCLUDED €	
SYGVEU714L	Garmin Large Cartridge MicroSD or SD Iberian Peninsula, Azores and Canary Islands	286,07	
SYGVEU715L	Garmin Large Cartridge MicroSD or SD West Mediterranean Sea	286,07	
SYGVEU716L	Garmin Large Cartridge MicroSD or SD Central Mediterranean Sea	286,07	



GARMIN REGULAR BLUECHART G2 - G2 VISION CARTRIDGE

CODE	DESCRIPTION	VAT EXCLUDED €	
SYGHXEU012R	Garmin Regular Cartridge MicroSD or SD Italy west coast	163,11	
SYGVEU012R	Garmin Regular G2 VISION cartridge on MicroSD or SD Italy west coast	220,49	
SYGHXEU013R	Garmin Regular Cartridge MicroSD or SD Italy south-west coast and Tunisia	163,11	
SYGVEU013R	Garmin Regular G2 VISION cartridge on MicroSD or SD Italy south-west coast and Tunisia	220,49	
SYGHXEU014R	Garmin Regular Cartridge MicroSD or SD Italy - Adriatic Sea	163,11	
SYGVEU014R	Garmin Regular G2 VISION cartridge on MicroSD or SD Italy - Adriatic Sea	220,49	



GARMIN SMALL BLUECHART G2 CARTRIDGE

CODE	DESCRIPTION	VAT EXCLUDED €
SYGHXEU451S	Garmin Small Cartridge MicroSD or SD Liguria, Corsica and Sardinia	105,74
SYGHXEU452S	Garmin Small Cartridge MicroSD or SD Adriatic Sea north coast	105,74
SYGHXEU453S	Garmin Small Cartridge MicroSD or SD Adriatic Sea south coast	105,74
SYGHXEU460S	Garmin Small Cartridge MicroSD or SD Sicily to Ostia Lido	105,74

GARMIN COMPATIBILITY TABLE

Features	G2	G2 VISION	Features	G2	G2 VISION
"Seamless" cartography	X	X	Currents	X	X
"Object oriented" cartography	X	X	Bathymetric charts	X	X
Bathymetric shade	X	X	Minimum depths	X	X
Port plans	X	X	Fishing charts	X	X
Spot soundings	X	X	Wide coverage charts	X	X
Nautical services	X	X	Commercial points of interest		X
Wrecks and obstructions	X	X	Coastal roads (up to 10Km)***		X
Inter-tidal zones	X	X	3D map view		X
Obstructions	X	X	Aerial photos		X
Restricted navigation areas	X	X	Satellite imagery		X
Aids to navigation	X	X	Auto Guidance		X
Aids to navigation with visual limits	X	X	3D - view below waterline		X
Restricted areas	X	X	Tides indicator		X
Anchorage	X	X	Tidal current graphs	X	X
Seaside limits	X	X	Tidal current flow overlay		X
Tidal station	X	X	Light sectors information	X	X
Map view	X	X			

* "seamless" means that the chart allows you to move between maps without interruptions, even if of different scale or supplier.

** "object oriented" means you can pan to an object on the map and instantly view information about that point.

*** roads do not allow to automatically calculate the route on mainland.

LOWRANCE®



FIND. NAVIGATE.
DOMINATE



LOWRANCE ELITE-4m HD CHARTPLOTTER

ELITE 4m HD chartplotter (4,3" LED backlighting display, TFT 256 color, direct sunlight visible with SolarMax+ technology, 480x272 pixel), with high sensitivity internal antenna, mounting bracket, power cable, NMEA 0183 interface, italian and multilingual software, owner's manual.

Waas/Egnos enabled receiver.

Optional Navionics Gold Micro SD cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
GN622889	LOWRANCE ELITE-4m HD colour chartplotter	209,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623022	Mounting bracket for ELITE 3X - 4 HDI - 5 HDI and Mark 4 HDI - 5	20,40
GN623010	Protective cover for ELITE 3X - 4 HDI and Mark 4 HDI	18,00



LOWRANCE ELITE-5m HD CHARTPLOTTER

ELITE 5m HD chartplotter (5" VGA TFT 256 color display, direct sunlight visible with SolarMax+ technology, 480x480 pixel), with high sensitivity internal antenna, mounting bracket, power cable, NMEA 0183 interface, italian and multilingual software, owner's manual.

Waas/Egnos/Msas enable receiver (with optional external antenna).

Optional Navionics Gold e C-MAP Max-N Micro SD cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
GN622900	Lowrance ELITE-5m HD colour chartplotter	399,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623022	Mounting bracket for ELITE 3X - 4 HDI - 5 HDI and Mark 4 HDI - 5	20,40
GN623011	Protective cover CVR-16 for ELITE 5 HDI and Mark 5	24,41



LOWRANCE ELITE-7m HD CHARTPLOTTER

ELITE 7m HD chartplotter (7" VGA TFT colour display, direct sunlight visible with SolarMax+ technology, 800x480 pixel), with high sensitivity internal antenna, mounting bracket, power cable, NMEA 2000 and NMEA 0183 interface, italian and multilingual software, owner's manual.

Compatibility with VHF and auto-pilot

Waas/Egnos/Msas enable receiver (with optional external antenna).

Optional Navionics Gold e C-MAP Max-N Micro Micro SD cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
GN622903	LOWRANCE ELITE-7m HD colour chartplotter with internal antenna	549,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623027	Mounting bracket for ELITE 7 HDI and HDS 7 Gen2 Touch	32,86
GN623012	Protective cover for ELITE 7 HDI	18,00

LOWRANCE HDS m GEN2 CHARTPLOTTER

HDS-m Gen2 chartplotter (colour 16 bit display, direct sunlight visible with SolarMax+ technology), with high sensitivity internal antenna, mounting bracket, power cable, NMEA 2000, 0183 and Ethernet interface, italian and multilingual software, owner's manual.

Note: The models HDS-8m and HDS-10m include two slots for SD card and functions keys.

Compatible with Lowrance Broadband 3G/4G radars - digital HD -StructureScan HD transducer - SonicHub SERVER MARINE AUDIO.

Waas/Egnos/Msas enabled receiver.

Optional Navionics Gold - Platinum+ e C-MAP Max-N SD cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
GN622905	LOWRANCE HDS-5m Gen2 colour chartplotter (5" TFT display - 480x480 pixel)	449,00
GN622910	LOWRANCE HDS-7m Gen2 colour chartplotter (6,4" TFT display - 640x480 pixel)	499,00
GN622912	LOWRANCE HDS-8m Gen2 colour chartplotter (8,2" SVGA display - 800x600 pixel)	799,00
GN622915	LOWRANCE HDS-10m Gen2 colour chartplotter (10,4" SVGA display - 800x600 pixel)	1.299,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623023	Mounting bracket for HDS 5 and HDS 5m	18,36
GN623024	Mounting bracket for HDS 7 and HDS 7m	25,50
GN623025	Mounting bracket for HDS 8 and HDS 8m	25,50
GN623026	Mounting bracket for HDS 10 and HDS 10m	27,54
GN623015	Protective cover for HDS-5 – HDS-5m	24,48
GN623016	Protective cover for HDS-7 – HDS-7m	24,48
GN623017	Protective cover for HDS-8 – HDS-8m	28,17
GN623018	Protective cover for HDS-10 – HDS-10m	28,17

LOWRANCE HDS m GEN2 TOUCH CHARTPLOTTER

HDS-m Gen2 TOUCH chartplotter (widescreen 16:9 Touchscreen WVGA colour display TFT LCD, direct sunlight visible with SolarMax+ technology), with high sensitivity internal antenna, mounting bracket, power cable, NMEA 2000, 0183 and Ethernet interface, italian and multilingual software, owner's manual.

Note: The models HDS-9m Gen2 TOUCH and HDS-12m Gen2 TOUCH include two slots for SD card, video input and 2 Ethernet ports.

Compatible with Lowrance Broadband 3G/4G radars - digital HD -StructureScan HD transducer - SonicHub SERVER MARINE AUDIO. VHF and AIS extension.

Waas/Egnos/Msas enabled receiver.

Optional Navionics Gold - Platinum+ e C-MAP Max-N SD cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
GN622911	LOWRANCE HDS-7m Gen2 TOUCH colour chartplotter (7" TFT display – 800x480 pixel)	699,00
GN622914	LOWRANCE HDS-9m Gen2 TOUCH chartplotter colour (9" TFT display – 1024x768 pixel)	1.199,00
GN622918	LOWRANCE HDS-12m Gen2 TOUCH colour chartplotter (12,1" TFT display – 1280x800 pixel)	1.899,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623027	Mounting bracket for ELITE 7 HDI and HDS 7 Gen2 Touch	32,86
GN623028	Mounting bracket for HDS 9 Gen2 TOUCH	37,56
GN623029	Mounting bracket for HDS 12 Gen2 TOUCH	46,95
GN623014	Protective cover for HDS 7 Gen2 TOUCH	24,48
GN623019	Protective cover for HDS 9 Gen2 TOUCH	24,48
GN623020	Protective cover for HDS 12 Gen2 TOUCH	24,48

LOWRANCE 3G-4G RADAR ANTENNAS

New and revolutionary LOWRANCE BROADBAND radar unlike anything else on the recreational boating market. Using solid-state technology, these breakthrough radar solutions provide superior target detection and separation, ease of operation, and a new level of navigational safety to a wide range of boats.

Furthermore the insignificant level of electromagnetic emissions grants a unequalled safe level, allowing the mounting in any position in the boat. Its low power absorption and the lightweight radome, make it ideal also for sailboats.

Horizontal beam width 2,6° - Vertical beam width 25° complete with 10 mt. cable
Antenna's diameter: 48,9 cm.

Works with all LOWRANCE multifunctions HDS and HDS Touch series.



CODE	DESCRIPTION	VAT EXCLUDED €
GN622995	LOWRANCE BROADBAND 3G - 24 Nm radar antenna	1.399,00
GN623000	LOWRANCE BROADBAND 4G - 36 Nm radar antenna	1.899,00

FISHFINDER STRUCTURESCAN SONAR HD

New fishfinder HD, the first one that gives anglers an unprecedented picture-like view of the water around and under a boat. SideScan Imaging (side images that cover up to 120 mt.) and DownScan Imaging (sonar under the boat up to 50 mt.) functions join both sonar's vertical and horizontal scannings displaying a complete view.

Completely watertight. Complete with Imaging 455/800 kHz transducer with 6 mt. cable, Ethernet cable, power cable and owner's manual.

Works with all LOWRANCE multifunctions HDS series instruments (for the HDS TOUCH models the StructureScan Sonar HD is already integrated, just add the transom mount transducer GN622963).



CODE	DESCRIPTION	VAT EXCLUDED €
GN622970	StructureScan Sonar HD kit complete with transom mount transducer	649,00
GN622963	Only StructureScan HD Skimmer transom mount transducer	299,00

FISHFINDER/CHARTPLOTTER LOWRANCE ELITE 4 HDI

ELITE 4 HDI Fishfinder/Chartplotter (4,3" LCD TFT 256 colour display, direct sunlight visible with SolarMax+ technology, 480x272 pixel), internal high sensitivity antenna, Skimmer DownScan Imaging HDI transom mount transducer (83/200-455/800 kHz or 50/200-455/800 kHz) with depth/temp, power output 30.000 W (peak to peak), 250 W RMS, adjustable swivel quick-release mounting bracket, power cable, NMEA 0183 interface, italian and multilingual software, owner's manual.

Compatibility with VHF and auto-pilot

Waas/Egnos/Msas enable receiver (with optional external antenna).

Depth up to approx. 90 mts(DownScan 455/800 kHz).
Depth up to approx 220 mts (with transducer 83/200 kHz).
Depth up to approx 600 m (with transducer 50/200 kHz).

Optional Navionics Gold e C-MAP Max-N Micro SD cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
GN622853	LOWRANCE ELITE 4 HDI Fishfinder/Chartplotter with transom mount transducer with depth/temp 83/200 - 455/800 kHz	309,00
GN622854	LOWRANCE ELITE 4 HDI Fishfinder/Chartplotter with transom mount transducer with depth/temp 50/200 - 455/800 kHz	409,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623022	Mounting bracket for ELITE 3X - 4 HDI - 5 HDI and Mark 4 HDI - 5	20,40
GN623010	Protective cover for ELITE 3X - 4 HDI and Mark 4 HDI	18,00

FOR TRANSDUCERS SEE PAGE 31 / FOR CARTOGRAPHY SEE PAGES 41 - 44

FISHFINDER/CHARTPLOTTER LOWRANCE ELITE 5 HDI

ELITE 4 HDI Fishfinder/Chartplotter (5" VGA TFT 256 colour display, direct sunlight visible with SolarMax+ technology, 480x480 pixel), internal high sensitivity antenna, Skimmer DownScan Imaging HDI transom mount transducer (83/200-455/800 kHz or 50/200-455/800 kHz) with depth/temp, max power output 30.000 W (peak to peak), 250 W RMS, adjustable swivel quick-release mounting bracket, power cable, NMEA 0183 interface, italian and multilingual software, owner's manual.

Compatibility with VHF and auto-pilot

Depth up to approx. 90 mts(DownScan 455/800 kHz).
Depth up to approx 300 mts (with transducer 83/200 kHz).
Depth up to approx 760 mts (with transducer 50/200 kHz).

Waas/Egnos/Msas enable receiver (with optional external antenna)

Optional Navionics Gold e C-MAP Max-N Micro SD cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
GN622875	LOWRANCE ELITE 5 HDI Fishfinder/Chartplotter with transom mount transducer with depth/temp 83/200 and 455/800 kHz	429,00
GN622876	LOWRANCE ELITE 5 HDI Fishfinder/Chartplotter with transom mount transducer with depth/temp 50/200 and 455/800 kHz	529,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623022	Mounting bracket for ELITE 3X - 4 HDI – 5 HDI and Mark 4 HDI – 5	20,40
GN623011	Protective cover CVR-16 for ELITE 5 HDI and Mark 5	24,41

FISHFINDER/CHARTPLOTTER LOWRANCE ELITE 7 HDI

ELITE 7 HDI Fishfinder/Chartplotter (7" VGA TFT 256 colour 16 bit display, direct sunlight visible with SolarMax+ technology, 800x480 pixel), high sensitivity antenna, Skimmer DownScan Imaging HDI transom mount transducer (83/200-455/800 kHz or 50/200-455/800 kHz) with depth/temp, 250 W RMS, mounting bracket, power cable, NMEA 2000 and NMEA 0183 interface, italian and multilingual software, owner's manual.

Compatibility with VHF and auto-pilot

Depth up to approx. 90 mts(DownScan 455/800 kHz).
Depth up to approx 300 mts (with transducer 83/200 kHz).
Depth up to approx 760 mts (with transducer 50/200 kHz).

Waas/Egnos/Msas enable receiver (with optional external antenna)

Optional Navionics Gold e C-MAP Max-N Micro SD cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
GN622877	LOWRANCE ELITE 7 HDI Fishfinder/Chartplotter with transom mount transducer with depth/temp 83/200 and 455/800 kHz	659,00
GN622878	LOWRANCE ELITE 7 HDI Fishfinder/Chartplotter with transom mount transducer with depth/temp 50/200 and 455/800 kHz	753,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623027	Mounting bracket for ELITE 7 HDI and HDS 7 Gen2 Touch	32,86
GN623012	Protective cover for ELITE 7 HDI	18,00



FISHFINDERS/CHARTPLOTTERS LOWRANCE HDS GEN2

HDS- Gen2 Fishfinder/Chartplotter (colour 16 bit display, direct sunlight visible with SolarMax+ technology), with high sensitivity internal antenna, mounting bracket, power cable, NMEA 2000, 0183 and Ethernet interface, italian and multilingual software, owner's manual.

Note: The models HDS-8 and HDS-10 include two slots for SD card and functions keys.

Compatible with Lowrance Broadband 3G/4G radar - HD digital radar -Sonar StructureScan HD - SonicHub marine audio server - AIS - VHF.

Waas/Egnos/Msas enabled receiver.

Optional Navionics Gold - Platinum+ e C-MAP Max-N SD cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
GN622865	LOWRANCE HDS-5 Gen2 Fishfinder/Chartplotter (5" TFT display - 480x480 pixel) without transducer	499,00
GN622870	LOWRANCE HDS-5 Gen2 Fishfinder/Chartplotter (5" TFT display - 480x480 pixel) with transom mount transducer(83/200 kHz) with depth/temp.	485,00
GN622880	LOWRANCE HDS-5 Gen2 Fishfinder/Chartplotter (5" TFT display - 480x480 pixel) with transom mount transducer (50/200 kHz) with depth/temp.	549,00
GN622883	LOWRANCE HDS-7 Gen2 Fishfinder/Chartplotter (6,4" VGA display - 640x480 pixel) without transducer	699,00
GN622885	LOWRANCE HDS-8 Gen2 Fishfinder/Chartplotter (8,2" SVGA display - 800x600 pixel) without transducer	999,00
GN622887	LOWRANCE HDS-10 Gen2 Fishfinder/Chartplotter (10,4" SVGA display - 800x600 pixel) without transducer	1.499,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623023	Mounting bracket for HDS 5 and HDS 5m	18,36
GN623024	Mounting bracket for HDS 7 and HDS 7m	25,50
GN623025	Mounting bracket for HDS 8 and HDS 8m	25,50
GN623026	Mounting bracket for HDS 10 and HDS 10m	27,54
GN623015	Protective cover for HDS-5 – HDS-5m	24,48
GN623016	Protective cover for HDS-7 – HDS-7m	24,48
GN623017	Protective cover for HDS-8 – HDS-8m	28,17
GN623018	Protective cover for HDS-10 – HDS-10m	28,17



FISHFINDERS/CHARTPLOTTERS LOWRANCE HDS GEN2 TOUCH

HDS-Gen2 TOUCH fishfinder/chartplotter (widescreen 16:9 Touchscreen WVGA colourdisplay TFT LCD, direct sunlight visible with SolarMax+ technology), with high sensitivity internal antenna, integrated Structure Scan HD Sonar, mounting bracket, power cable, NMEA 2000, 0183 and Ethernet interface, italian and multilingual software, owner's manual.

Note: The models HDS-9m GEN2 TOUCH and HDS-12m Gen2 TOUCH include two slots for SD card, video input and 2 Ethernet ports.

Compatible with Lowrance Broadband 3G/4G radars - digital HD - Sonar StructureScan HD - SonicHub SERVER MARINE AUDIO. VHF and AIS extension.

Waas/Egnos/Msas enabled receiver.

Optional Navionics Gold - Platinum+ e C-MAP Max-N SD cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
GN622884	LOWRANCE HDS-7 Gen2 Fishfinder/Chartplotter TOUCH (7" TFT display - 800X480 pixel) without transducer	1.199,00
GN622886	LOWRANCE HDS-9 Gen2 Fishfinder/Chartplotter (9" TFT display - 1024X768 pixel) without transducer	1.849,00
GN622888	LOWRANCE HDS-12 Gen2 Fishfinder/Chartplotter TOUCH (12,1" TFT display -1280x800 pixel) without transducer	2.999,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623027	Mounting bracket for ELITE 7 HDI and HDS 7 Gen2 Touch	32,86
GN623028	Mounting bracket for HDS 9 Gen2 TOUCH	37,56
GN623029	Mounting bracket for HDS 12 Gen2 TOUCH	46,95
GN623014	Protective cover for HDS 7 Gen2 TOUCH	24,48
GN623019	Protective cover for HDS 9 Gen2 TOUCH	24,48
GN623020	Protective cover for HDS 12 Gen2 TOUCH	24,48

FOR TRANSDUCERS SEE PAGE 31 / FOR CARTOGRAPHY SEE PAGES 41 - 44

LOWRANCE ELITE 3X FISHFINDER

ELITE 3X fishfinder (3.5" TFT colour display, 320x240 pixel), transom mount Skimmer 83/200 kHz transducer with depth/temp., max power output 2100 W (peak-to-peak), 262 W RMS, mounting bracket, power cable, italian and multilingual user's interface, owner's manual.

Depth up to approx. 240 mts



CODE	DESCRIPTION	VAT EXCLUDED €
GN622790	LOWRANCE ELITE 3X fishfinder with transom mount transducer 83/200 kHz with depth/temp.	99,00
SPARE PARTS		VAT EXCLUDED €
GN623022	Mounting bracket for ELITE 3X - 4 HDI - 5 HDI and Mark 4 HDI - 5	20,40
GN623010	Protective cover for ELITE 3X - 4 HDI and Mark 4 HDI	18,00

LOWRANCE ELITE 4X HDI FISHFINDER

ELITE 4X HDI fishfinder (4,3" VGA TFT 256 colour display direct sunlight visible with SolarMax+ technology 480x272 pixel), available with Skimmer 83/200 kHz or Skimmer DownScan Imaging HDI (83/200-455/800 kHz or 50/200-455/800 kHz) transom mount transducer with depth/temp., max power 30000 W (peak to peak), 250 W RMS, adjustable swivel mounting bracket, power cable, NMEA 0183 interface, italian and multilingual software, owner's manual.

Depth up to approx. 90 mts(DownScan 455/800 kHz).
Depth up to approx 220 mts (with transducer 83/200 kHz).
depth up to approx 600 m (with transducer 50/200 kHz).



CODE	DESCRIPTION	VAT EXCLUDED €
GN622800	LOWRANCE ELITE 4X HDI fishfinder with transom mount transducer 83/200 Khz with depth/temp.	169,00
GN622803	LOWRANCE ELITE 4X HDI fishfinder with transom mount transducer 83/200 and 455/800 Khz with depth/temp.	199,00
GN622804	LOWRANCE ELITE 4X HDI fishfinder with transom mount transducer 50/200 and 455/800 Khz with depth/temp.	299,00
GN622805	LOWRANCE ELITE 4X HDI fishfinder without transducer	149,00
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623022	Mounting bracket for ELITE 3X - 4 HDI - 5 HDI and Mark 4 HDI - 5	20,40
GN623010	Protective cover for ELITE 3X - 4 HDI and Mark 4 HDI	18,00

LOWRANCE ELITE 5X HDI FISHFINDER

ELITE 5X HDI fishfinder (5" VGA TFT 256 colour display direct sunlight visible with SolarMax+ technology 480x480 pixel), Downscan Imaging HDI Skimmer(83/200-455/800 kHz or 50/200-455/800 kHz) transom mount transducer with depth/temp., max power 30000 W (peak to peak), 250 W RMS, adjustable swivel mount bracket, power cable, NMEA 0183 interface, italian and multilingual software, owner's manual.

Depth up to approx.90 mts(DownScan 455/800 kHz).
Depth up to approx 300 mts (with transducer 83/200 kHz).
Depth up to approx 760 mts (with transducer 50/200 kHz).



CODE	DESCRIPTION	VAT EXCLUDED €
GN622835	LOWRANCE ELITE 5X HDI fishfinder with transom mount transducer with depth/temp. 83/200 and 455/800 kHz	312,73
GN622836	LOWRANCE ELITE 5X HDI fishfinder with transom mount transducer with depth/temp. 50/200 and 455/800 kHz	412,73
SPARE PARTS		VAT EXCLUDED €
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17
GN623022	Mounting bracket for ELITE 3X - 4 HDI - 5 HDI and Mark 4 HDI - 5	20,40
GN623011	Protective cover CVR-16 for ELITE 5 HDI and Mark 5	24,41

FOR TRANSDUCERS SEE PAGE 31



LOWRANCE HDS-5X GEN2 FISHFINDER

HDS-5X Gen2 fishfinder (5" TFT colour display 16 bit direct sunlight visible with SolarMax+ technology 480x480 pixel), Skimmer transom mount transducer with depth/temp., max power output 30000 W (peak to peak), 250 W RMS, mounting bracket, power cable, NMEA 2000, 0183 and Ethernet interface, italian and multilingual software, owner's manual.

Compatible with StructureScan HD Sonar.

Depth up to approx 300 mts (with transducer 83/200 kHz).
Depth up to approx 450 mts (with transducer 50/200 kHz).

CODE	DESCRIPTION	VAT EXCLUDED €	
GN622842	LOWRANCE HDS-5X Gen2 fishfinder with transom mount transducer with depth/temp. 83/200 kHz	449,00	
GN622845	LOWRANCE HDS-5X Gen2 fishfinder without transducer	449,00	
SPARE PARTS		VAT EXCLUDED €	
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17	
GN623023	Mounting bracket for HDS 5 and HDS 5m	18,36	
GN623015	Protective cover for HDS-5 – HDS-5m	24,48	



LOWRANCE ELITE 7X HDI FISHFINDER

ELITE 7X HDI fishfinder (7" TFT VGA colour 16 bit display, direct sunlight visible with SolarMax+ technology, 800X480 pixel), Downscan Imaging HDI Skimmer (83/200-455/800 kHz or 50/200-455/800 kHz) transom mount transducer with depth/temp., max power 30000 W (peak to peak), 250 W RMS, mounting bracket, power cable, NMEA 2000 and NMEA 0183 interface, italian and multilingual software, owner's manual.

Depth up to approx. 90 mts (DownScan 455/800 kHz).
Depth up to approx 300 mts (with transducer 83/200 kHz).
Depth up to approx 760 mts (with transducer 50/200 kHz).

CODE	DESCRIPTION	VAT EXCLUDED €	
GN622846	LOWRANCE ELITE 7X HDI fishfinder with transom mount transducer with depth/temp. 83/200 and 455/800 kHz	462,44	
GN622848	LOWRANCE ELITE 7X HDI fishfinder with transom mount transducer with depth/temp. 50/200 and 455/800 kHz	556,34	
GN622847	LOWRANCE ELITE 7X HDI fishfinder without transducer	368,54	
SPARE PARTS		VAT EXCLUDED €	
GN623031	Power cable PC-30-RS4222 for HDS-HDS TOUCH and ELITE HDI 4-5-7 series	28,17	
GN623027	Mounting bracket for ELITE 7 HDI and HDS 7 Gen2 Touch	32,86	
GN623012	Protective cover for ELITE 7 HDI	18,00	

TRANSDUCERS



LOWRANCE TRANSDUCERS

CODE	DESCRIPTION	COMPATIBILITY	VAT EXCLUDED €
TRANSOM MOUNT TRANSDUCERS			
 GN622954	HST-WSBL 83/200 kHz transom mount transducer with depth/temp.	HDS – HDS Gen2 Touch series and all products with blue 7 pin connector	63,24
 GN622955	HST-DFSBL 50/200 khz transom mount transducer with depth/temp.	HDS – HDS Gen2 Touch series and all products with blue 7 pin connector	127,50
 GN622965	Broadband Skimmer 83/200 kHz and DownScan Imaging 455/800 kHz transom mount transducer with depth/temp.	ELITE HD series	119,95
 GN622966	Broadband Skimmer 50/200 kHz and DownScan Imaging 455/800 kHz transom mount transducer with depth/temp.	ELITE HD series	234,95
IN-HULL TRANSDUCERS			
 GN622956	Plastic in-hull P79 transducer 50/200 kHz only depth	HDS – HDS Gen2 Touch series and all products with blue 7 pin connector	125,00
THRU HULL TRANSDUCERS			
 GN622960	Thru hull plastic P319 transducer low profile 50/200 khz, 600 W	HDS – HDS Gen2 Touch series and all products with blue 7 pin connector	169,00
 GN622957	Thru hull bronze B60 transducer with depth/temp. low profile 50/200 khz, 600 W	HDS – HDS Gen2 Touch series and all products with blue 7 pin connector	289,00
 GN622959	Thru hull bronze B164 transducer with depth/temp. low profile 50/200 khz, 1KW	HDS – HDS Gen2 Touch series and all products with blue 7 pin connector	899,00
 GN622958	Thru hull bronze transducer with depth/temp./speed B744V with fairing block 50/200 Khz, 600 W	HDS – HDS Gen2 Touch series and all products with blue 7 pin connector	399,00
 GN622961	Thru hull bronze B260 transducer with depth/temp. with fairing block 50/200 khz, 1 Kw	HDS – HDS Gen2 Touch series and all products with blue 7 pin connector	1.149,00
STRUCTURESCAN TRANSDUCERS			
 GN622970	Fishfinder StructureScan Sonar HD complete with transom mount transducer	HDS series	649,00
 GN622963	StructureScan HD Skimmer transom mount transducer	for StructureScan Sonar HD fishfinder and HDS Gen2 Touch	299,00
 GN622972	StructureScan HD bronze thru hull transducer with fairing block	for StructureScan Sonar HD fishfinder and HDS Gen2 Touch	799,00



RAYMARINE TOUCHSCREEN "A SERIES" GPS

Multifunction touchscreen "A SERIES" sonar/chartplotter with LCD sunlight readable display, with **superbright LED technology**. Dual core ultra-fast processor and powerful graphic processor. Complete with 50 channels internal GPS sensor, integrated sonar, NMEA 2000 and SeaTalk interfaces, Ethernet Raynet fast port (SeaTalkhs compatible) network up to 6 Raymarine multifunction displays, mounting bracket, power and data cable, protective cover, Italian and multilingual user's interface, owner's manual.

Compatible with Raymarine products: colour HD and SHD digital radar, AIS350/AIS650 and ClearPulse® CHIRP digital sonars.

Optional Navionics Gold - Platinum+ MicroSD cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
GN625090	RAYMARINE A65 touchscreen GPS color (5,7" TFT - 640x480 pixel display)	575,00
GN625090W	RAYMARINE A65 GPS WI-FI and color touchscreen (5,7" TFT - 640x480 pixel display)	595,00
GN625092W	RAYMARINE A75 GPS WI-FI and color touchscreen (7" TFT - 800x480 pixel display)	845,00
SPARE PARTS		VAT EXCLUDED €
GN625170	Power cable for A series	30,00
GN625180	Mounting bracket for A65/67	40,00
GN625184	Mounting bracket for A75/77	50,00
GN625190	Protective cover for A65/67	30,00
GN625197	Protective cover for A75/77	30,00

RAYMARINE "C SERIES" GPS

Multifunction "C SERIES" cartographic GPS with LCD sunlight readable display with LED backlighting.

Built-in GPS 50 channels high sensitivity sensor, NMEA 0183 and SeaTalk interfaces, network up to 6 displays with SeaTalk^{hs} with the possibility to connect c-Series or e-Series displays.

Wireless connectivity: through **Wi-Fi** video streaming and control for the most updated iOS, Android and Kindle devices or **bluetooth** for optional RCU-3 remote control and multimedia control.

Complete with power and data cable, protective cover, Italian and multilingual user's interface, owner's manual.

Compatible with Raymarine digital radar, ClearPulse® sonar, thermal night vision systems, AIS receivers, instruments, autopilots.

Optional Navionics Gold - Platinum+ MicroSD cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
GN625096	RAYMARINE C95 GPS color (9" TFT - 800x480 pixel display)	1.445,00
GN625098	RAYMARINE C125 GPS color (12" TFT - 1280x800 pixel display)	2.245,00
SPARE PARTS		VAT EXCLUDED €
GN625171	Power cable for C and E series.	120,00
GN625181	Mounting bracket for C95/97 and E95/97.	50,00
GN625182	Mounting bracket for C125/127 and E125/127.	55,00
GN625191	Protective cover for C95/97 and E95/97.	35,00
GN625192	Protective cover for C125/127 and E125/127.	50,00

RAYMARINE HYBRIDTOUCH "E SERIES"

Multifunction "E SERIES" cartographic GPS with LCD sunlight readable display with LED backlighting. Thanks to the HybridTouch™ technology with full touch screen interaction or total keypad control for the most difficult weather conditions.
Built-in GPS receiver high sensitivity 50 channels (E165 excluded), integrated sonar, NMEA 0183 and SeaTalk^{hs} interfaces, network up to 6 displays with SeaTalk^{hs}.

Wireless connectivity: through **Wi-Fi** video streaming and control for the most updated iOS, Android and Kindle devices or **bluetooth** for optional RCU-3 remote control and multimedia control.

Complete with mounting bracket (E7 only), power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Compatible with Raymarine digital radar, ClearPulse sonar, thermal night vision systems, AIS receivers, instruments, autopilots.

Optional Navionics Gold - Platinum+ MicroSD cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
GN625100	RAYMARINE E7 HYBRIDTOUCH GPS colour(7" TFT - 800x480 pixel display)	1.195,00
GN625101	RAYMARINE E95 HYBRIDTOUCH GPS colour(9" TFT - 800x480 pixel display)	2.295,00
GN625102	RAYMARINE E125 HYBRIDTOUCH GPS colour(12" TFT - 1280x800 pixel display)	3.195,00
GN625103	RAYMARINE E165 HYBRIDTOUCH GPS colour(15,4" TFT - 1280x800 pixel display)	4.945,00
SPARE PARTS		VAT EXCLUDED €
GN625171	Power cable for C and E series.	120,00
GN625183	Mounting bracket for E7	45,00
GN625181	Mounting bracket for C95/97 and E95/97.	50,00
GN625182	Mounting bracket for C125/127 and E125/127.	55,00
GN625194	Protective cover for E7.	35,00
GN625191	Protective cover for C95/97 and E95/97.	35,00
GN625192	Protective cover for C125/127 and E125/127.	50,00
GN625193	Protective cover for E165	65,00
GN625165	RAYSTAR 130 WAAS EGNOS GPS RECEIVER	260,00

RAYMARINE DIGITAL RADOME ANTENNAS

Digital radome antennas to plug-and-play connect to all Raymarine multifunction navigation displays. Lightweight and solid, they are suitable for sailing boats, Ribs and small power boats and provide exceptional performance even in the most challenging conditions.

Power 4 KW – Max scale 48 mn.

RD418D: horizontal beam width 4,9° - vertical 25°. Antenna diameter: 52,1 cm. weight 9,5 kg.

RD424D: horizontal beam width 3,9° - vertical 25°. Antenna diameter: 65,2 cm. weight 10 kg.

Supplied without cable (available upon request 5-10-15-25 mt. cables)



CODE	DESCRIPTION	VAT EXCLUDED €
GN625130	RAYMARINE digital radar antenna RD418D 18" 4KW without cable.	1.245,00
GN625132	RAYMARINE RD424D 24" 4KW digital radar antenna without cable.	1.745,00

RAYMARINE RADOME HD COLOR ANTENNAS

Radome HD colour antennas to be connected to all Raymarine multifunction displays with adaptive digital receiver that automatically adjusts to changing environmental and sea conditions for a dramatically clearer picture and **Bird Mode that automatically optimizes the receiver for detecting sea birds above schools of fish.**

256 colour multi-level target display with selectable colour palettes.

Power 4 KW – Max scale 48 mn.

RD418HD: horizontal beam width 4,9° - vertical 25°. Antenna diameter : 52,1 cm. weight 9,5 kg.

RD424HD: horizontal beam width 3,9° - vertical 25°. Antenna diameter: 65,2 cm. weight 10 kg.

Supplied without cable (available upon request 5-10-15-25 mt. cables)



CODE	DESCRIPTION	VAT EXCLUDED €
GN625134	RAYMARINE RD418HD RADAR ANTENNA HD COLOR 18" 4KW without cable	1.595,00
GN625135	RAYMARINE RD424HD RADAR ANTENNA HD COLOR 24" 4KW without cable	2.345,00



RAYMARINE FISHFINDERS/CHARTPLOTTERS TOUCHSCREEN "A SERIES"

Multifunction touchscreen "A SERIES" sonar/chartplotter with LCD sunlight readable display, with **superbright LED technology**. Dual core ultra-fast processor and powerful graphic processor. Complete with 50 channels internal GPS sensor, integrated sonar, NMEA 2000 and SeaTalk interfaces, Ethernet Raynet fast port (SeaTalk^{hs} compatible) network up to 6 Raymarine multifunction displays, mounting bracket, ower and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Compatible with Raymarine products: colour HD and SHD digital radar, AIS350/AIS650 and ClearPulse® CHIRP digital sonars.

Optional Navionics Gold - Platinum+ MicroSD cartography.

CODE	DESCRIPTION	VAT EXCLUDED €
GN625106W	RAYMARINE A67 CHARTPLOTTER/SONAR WI-FI and touchscreen colour (5,7" TFT - 640x480 pixel display) - display only	745,00
GN625104W	RAYMARINE A77 CHARTPLOTTER/SONAR WI-FI and touchscreen color (7" TFT - 800x480 pixel display) - display only	995,00
SPARE PARTS		VAT EXCLUDED €
GN625170	Power cable for A series	30,00
GN625180	Mounting bracket for A65/67/68	40,00
GN625184	Mounting bracket for A75/77/78	50,00
GN625190	Protective cover for A65/67/78	30,00
GN625197	Protective cover for A75/77/78	30,00



RAYMARINE FISHFINDERS/CHARTPLOTTERS TOUCH "A SERIES DOWNVISION"

Multifunction touchscreen "A SERIES sonar/chartplotter with CHIRP DOWNVISION technology" with photo-like images, LCD sunlight readable display, with superbright LED technology. Dual core ultra-fast processor and powerful graphic processor. Complete with 50 channels internal GPS sensor, integrated CHIRP DownVision sonar, NMEA 2000 and SeaTalk interfaces, Ethernet Raynet fast port (SeaTalk^{hs} compatible) for a network of up to 6 Raymarine multifunction displays, mounting bracket, ower and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Compatible with Raymarine products: colour HD and SHD digital radar, AIS350/AIS650.

Optional Navionics Gold - Platinum+ MicroSD cartography.


CODE	DESCRIPTION	VAT EXCLUDED €
GN625117/S/S	RAYMARINE A68 FISHFINDER/CHARTPLOTTER DownVision touch colour (5,7" TFT display - 640 x 480 pixel) - display only	795,00
GN625117/WS	RAYMARINE A68 FISHFINDER/CHARTPLOTTER WI-FI DownVision touch colour (5,7" TFT display - 640 x 480 pixel) - display only	895,00
GN625117	RAYMARINE A68 FISHFINDER/CHARTPLOTTER DownVision touch colour (5,7" TFT display - 640 x 480 pixel) - with CPT-100 transom mount transducer	845,00
GN625117/W	RAYMARINE A68 FISHFINDER/CHARTPLOTTER WI-FI DownVision touch colour (5,7" TFT display - 640 x 480 pixel) - with CPT-100 transom mount transducer	945,00
GN625118/WS	RAYMARINE A78 FISHFINDER/CHARTPLOTTER WI-FI DownVision touch colour (7" TFT display - 800 x 480 pixel) - display only	1.095,00
GN625118/W	RAYMARINE A78 FISHFINDER/CHARTPLOTTER WI-FI DownVision touch colour (7" TFT display - 800 x 480 pixel) - with CPT-100 transom mount transducer	1.195,00
SPARE PARTS		VAT EXCLUDED €
GN625170	Power cable for A series	30,00
GN625180	Mounting bracket for A65/67/68	40,00
GN625184	Mounting bracket for A75/77/78	50,00
GN625190	Protective cover for A65/67/78	30,00
GN625197	Protective cover for A75/77/78	30,00

RAYMARINE " C SERIES" SONARS/CHARPLOTTERS

Multifunction "C SERIES" sonar/chartplotter with LCD display sunlight readable with LED backlighting.
 Built-in 50 channels GPS high sensitivity sensor, integrated sonar, NMEA 0183 and SeaTalk^{hs} interfaces, network up to 6 displays with SeaTalk^{hs} with the possibility to connect c-Series or e-Series displays.
 Wireless connectivity: with **Wi-Fi** video streaming and control for the most recent iOS, Android and Kindle devices or **bluetooth** for optional remote control RCU-3 and multimedia control.
 Complete with power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Compatible with Raymarine digital radar, ClearPulse® sonar, thermal night vision systems, AIS receivers, instruments, autopilots.

Optional Navionics Gold - Platinum+ MicroSD cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
GN625107	RAYMARINE C97 SONAR/CHARTPLOTTER colour(9" TFT - 800x480 pixel display)	1.595,00
GN625109	RAYMARINE C127 SONAR/CHARTPLOTTER colour(12" TFT - 1280x800 pixel display)	2.395,00
SPARE PARTS		VAT EXCLUDED €
GN625171	Power cable for C and E series.	120,00
GN625181	Mounting bracket for C95/97 and E95/97.	50,00
GN625182	Mounting bracket for C125/127 and E125/127.	55,00
GN625191	Protective cover for C95/97 and E95/97.	35,00
GN625192	Protective cover for C125/127 and E125/127.	50,00

RAYMARINE " E SERIES" HYBRITOUCH SONARS/CHARPLOTTERS

"E SERIES" multifunction chartplotter with LCD direct sunlight readable display and LED backlighting. Thanks to the HybridTouch™ technology with full touch screen interaction or total keypad control for the most difficult weather conditions.
 Built-in GPS 50 channels high sensitivity receiver (E165 excluded), integrated sonar, NMEA 0183 and SeaTalk^{hs} interfaces, network up to 6 displays with SeaTalk^{hs}.

Wireless connectivity: through **Wi-Fi** video streaming and control for the most updated iOS, Android and Kindle devices or **bluetooth** for optional RCU-3 remote control and multimedia control.

Complete with mounting bracket (E7D only), power and data cable, protective cover, italian and multilingual user's interface, owner's manual.

Compatible with Raymarine digital radar, ClearPulse® sonar, thermal night vision systems, AIS receivers, instruments, autopilots.

Optional Navionics Gold - Platinum+ MicroSD cartography.



CODE	DESCRIPTION	VAT EXCLUDED €
GN625105	RAYMARINE E7D SONAR/CHARTPLOTTER colourhybridtouch (7" TFT - 800x480 pixel display)	1.345,00
GN625108	RAYMARINE E97 SONAR/CHARTPLOTTER colourhybridtouch (9" TFT - 800x480 pixel display)	2.445,00
GN625111	RAYMARINE E127 SONAR/CHARTPLOTTER colourhybridtouch (12" TFT - 1280x800 pixel display)	3.345,00
SPARE PARTS		VAT EXCLUDED €
GN625171	Power cable for C and E series.	120,00
GN625183	Mounting bracket for E7	45,00
GN625181	Mounting bracket for C95/97 and E95/97.	50,00
GN625182	Mounting bracket for C125/127 and E125/127.	55,00
GN625194	Protective cover for E7.	35,00
GN625191	Protective cover for C95/97 and E95/97.	35,00
GN625192	Protective cover for C125/127 and E125/127.	50,00

RAYMARINE i40 DIGITAL INSTRUMENTS



Series i40 digital instruments with extra digits (max 28 mm) and razor sharp LCD, red backlighting for improved visibility, have outstanding visibility in all lighting conditions. For sailing boats, yacht and Ribs with small dimensions, these compact yet powerful SeaTalk instrument displays offer full integration with Raymarine autopilots and navigation equipment and can be surface or trunnion mounted. Connection SeaTalk1 (SeaTalk^{NG} converter included). Dimensions 128 mm x 72 mm.

CODE	DESCRIPTION	VAT EXCLUDED €
GN625000	i40 Speed Pack with Speed/Temp P371 Thru hull transducer	280,00
GN625003	i40 Depth Packwith Depth P7 Thru hull transducer	265,00
GN625005	i40 Bidata Pack with Speed/Temp P371 and Depth P7 thru hull transducers	265,00
GN625008	i40 Wind Pack with Wind RotaVecta transducer (cable 20m)	450,00
SPARE PARTS		VAT EXCLUDED €
GN625001	i40 Speed Display	185,00
GN625004	i40 Depth Display	185,00
GN625006	i40 Bidata Display	185,00
GN625009	i40 Wind Display	185,00
GN625195	Protective cover i40	12,00

RAYMARINE i50 - i60 INSTRUMENTS



Series i50 - i60 digital instruments with extra digits (max 28 mm) and razor sharp LCD, red backlighting for improved visibility, have outstanding visibility in all lighting conditions. For sailing boats, yacht and Ribs with small dimensions, these compact yet powerful SeaTalk instrument displays offer full integration with Raymarine autopilots and navigation equipment and can be surface or trunnion mounted. Connection SeaTalk1 (STNG with the use of a converter). Dimensions 128 mm x 72 mm.

CODE	DESCRIPTION	VAT EXCLUDED €
GN625020	i50 Speed Pack with Speed/Temp P120 Thru hull removable transducer	520,00
GN625024	i50 Depth Pack with Depth P19 thru hull transducer	520,00
GN625028	i50 Tridata Pack with Thru hull Speed/Temp P120 Removable and Depth P19 transducers	685,00
GN625032	i60 Wind Pack, with Wind standard transducer (cable 30m)	910,00
SPARE PARTS		VAT EXCLUDED €
GN625021	i50 Speed digital Display	425,00
GN625025	i50 Depth digital Display	425,00
GN625029	i50 Tridata digital Display	495,00
GN625033	i60 Wind analogic Display	475,00
GN625196	Protective cover for i50 - i60 - i70	12,00

RAYMARINE i70 INSTRUMENT



The new i70 Raymarine colour instrument, with a new Lighthouse user interface, offers many functions and it is easy to use. The over-sized 4" LCD display (320x240 pixel) with 160° viewing angles and **anti-reflective coating** for improved visibility in bright sunlight is simple to read and perfectly readable from any angle and distance.

It can be completely customised according to boat's data with fonts of 43 mm. on widescreen mode : from traditional analog dials to engine information and tank levels, AIS repeater.

It offers the connection with SeaTalk^{NG} and NMEA 2000 network and, with transducer, supports the following data views: Wind, Speed, Depth, Tridata, Engine (NMEA 2000), Environmental (NMEA 2000), Fuel (NMEA 2000) and navigation. Connection SeaTalk1 (STNG converter included).

CODE	DESCRIPTION	VAT EXCLUDED €
GN625038	i70 colourDisplay	525,00
SPARE PARTS		VAT EXCLUDED €
GN625196	Protective cover for i50 - i60 - i70	12,00

RAYMARINE REMOVABLE COCKPIT AUTOPILOTS FOR TILLER STEERED YACHTS

RAYMARINE autopilots for sailing boats with tiller drive, are the most sold thanks to performance, reliability and simplicity to use. The LCD backlighting display and intuitive keypad provide safe and easy access.

The AutoTack control makes the boat veer leaving your hand free for jibs and the AutoSeastate keeps the course with less power consumption. They can be used as independent units or can be connected to a SeaTalk/NMEA GPS.

Raymarine ST1000+: recommended for boats with displacement up to 3000 kg (6600 lbs)*

Raymarine ST2000+: recommended for boats with displacement up to 4500 kg (10000 lbs)*

* Remember to always take the fully laden displacement weight of your vessel into account (often 20% above the designed displacement).



CODE	DESCRIPTION	VAT EXCLUDED €
GN625138	RAYMARINE ST1000 PLUS tiller autopilot	395,00
GN625140	RAYMARINE ST2000 PLUS tiller autopilot	545,00

RAYMARINE SPORT SPX-5R AUTOPILOT

The **SPORT SPX-5R** pilot, helm mounted, has been designed for use on small sports and fishing boats typically up to 9.2 m (30 ft) in length. Suitable for use with fixed and tilt helms, the pilot consists of a drive unit that fits over your existing steering wheel shaft, a course computer with a rate gyro for precise course keeping and **control head p70R** (3,5" direct sunlight readable display) with large LCD information display.

Moreover thanks to **Smart Rudder Sense™ (SRS) technology** transducer is not required. It can be connected to SeaTalk and NMEA instruments. Recommended for trawler fishing.

Suitable for mechanical steered boats up to 2000 kg (4400bs)*

* Remember to always take the fully laden displacement weight of your vessel into account (often 20% above the designed displacement).



CODE	DESCRIPTION	VAT EXCLUDED €
GN625146	RAYMARINE SPORT SPX-5R autopilot with p70R control unit	1.645,00

S100 WIRELESS REMOTE CONTROLLER FOR RAYMARINE AUTOPILOTS

The **S100** remote control gives you basic, onboard wireless control of any Raymarine SeaTalk autopilot, even if you're below deck and out of sight of your autopilot. Lightweight and compact for easy handling.

Key features: two lines of text, signal strength indicator, out of range of base station warning, powered by 2 AAA alkaline batteries.



CODE	DESCRIPTION	VAT EXCLUDED €
GN625160	RAYMARINE SS100 remote controller for autopilot	345,00

REMOTE CONTROL AND WIRELESS SMARTCONTROLLER










SMARTCONTROLLER is a wireless control that gives you basic, onboard wireless control of any Raymarine SeaTalk autopilot (cannot calibrate autopilot). Moreover it is a wireless instrument repeater which means freedom to monitor vital information when you're on deck or out of site of your instruments. Lightweight and compact for easy handling, the SmartController is a breeze to use thanks to its intuitive interface.

Key features: user-definable pages (1, 2 or 4 text lines and graphics), keylock security and backlit buttons, display local and system alarms.




CODE	DESCRIPTION	VAT EXCLUDED €
GN625163	Remote control and wireless smartcontroller	495,00

RAYMARINE TRANSDUCERS


CODE	DESCRIPTION	COMPATIBILITY	VAT EXCLUDED €
TRANSOM MOUNT TRANSDUCERS			
	GN625200 Transom mount transducer with depth/temp. P48 200 kHz	A/C/E series	85,00
	GN625202 Transom mount transducer with depth/speed/temp. P58 50/200 kHz	A/C/E series	90,00
IN-HULL TRANSDUCERS			
	GN625205 Plastic in-hull P79 transducer 50/200 kHz only depth	A/C/E series	165,00
THRU HULL TRANSDUCERS			
	GN625207 Thru hull plastic transducer with depth/temp. P319 low profile 50/200 kHz 600 W	A/C/E series	165,00
	GN625209 Thru hull bronze transducer with depth/temp. B60 low profile 50/200 kHz 600 W (specify inclination if 12° or 20°)	A/C/E series	285,00
	GN625210 Thru hull bronze transducer with depth/speed/temp. B744V with fairing block 50/200 kHz 600 W	A/C/E series	455,00
DOWNVISION TRANSDUCERS			
	GN625215 CHIRP transom mount transducer with depth/temp. CPT100	A68 - A78	100,00
	GN625216 CHIRP thru hull plastic transducer with depth/temp. CPT110	A68 - A78	285,00
	GN625217 CHIRP thru hull bronze transducer with depth/temp. CPT120	A68 - A78	345,00

NAVIONICS CARTRIDGE




NAVIONICS GOLD SMALL CARTRIDGE

CODE	DESCRIPTION	VAT EXCLUDED €
GN630050	Gold Small Cartridge Compact Flash (specify the code in case of order)	129,00
GN630080	Gold Small Cartridge SD (specify the code in case of order)	129,00




NAVIONICS GOLD XL9 CARTRIDGE

CODE	DESCRIPTION	VAT EXCLUDED €
GN630055	Gold XL9 Cartridge Compact Flash (specify the code in case of order)	199,00
GN630085	Gold XL9 Cartridge SD (specify the code in case of order)	199,00



NAVIONICS PLATINUM+ XL CARTRIDGE

CODE	DESCRIPTION	VAT EXCLUDED €
GN630065	Platinum+ XL Cartridge Compact Flash (specify the code in case of order)	199,00
GN630060	Platinum+ XL Cartridge SD (specify the code in case of order)	199,00



NAVIONICS PLATINUM+ XL3 CARTRIDGE

CODE	DESCRIPTION	VAT EXCLUDED €
GN630066	Platinum+ XL3 Cartridge Compact Flash (specify the code in case of order)	299,00
GN630068	Platinum+ XL3 Cartridge SD (specify the code in case of order)	299,00

NAVIONICS COMPATIBILITY TABLE



MODEL	FORMAT	Platinum+ Preprogrammed 16 GB max	NAVIONICS+ Downloadable 2 GB max	Gold Preprogrammed 2 GB max
B&G Zeus 8, 12; Zeus Touch 7, 8, 12	SD/MSD			
FURUNO NavNet VX2	SD/MSD			
geonak G12; G10; 3; 3S	SD/MSD			
Multy ; 11 C, Net, Flash, Sun, Sunshine; 10 C; 8 Sunshine; 7 C; 6 Sun, Sunshine; 5 C; 4 CXS, C	CF			
C Net; 7 Wide, Wide Net; 5 Touring; 4 Gipsy, Gipsy NMEA	CF			
HUMMINBIRD ONIX8ci Combo, ONIX8ci SI Combo, ONIX10ci Combo, ONIX10ci SI Combo, ION 10, ION 12	SD/MSD			
1199CI HD SI, 1199CI HD SI KVD, 1198c SI, 1197, 1159CI HD, 1159CI HD XD, 1159CI HD DI, 1158c, 1158c DI, 1157, 1155, 999CI HD SI, 999CI HD SI KVD, 998c HD SI, 998, 997, 987, 967, 959CI HD, 959CI HD XD, 959CI HD DI, 958c HD, 958c HD DI, 958, 957, 955, 947, 937, 917, 899CI HD SI, 898c HD SI, 859CI HD, 859CI HD XD, 859CI HD DI, 858c HD, 858c HD DI, 858	SD/MSD			
798ci HD SI, 798, 797, 788ci HD, 788ci HD DI, 788ci HD Combo CHO, 787, 786, 785, 768, 767, 757, 755, 737, 698CI HD SI, 698CI HD SI KVD, 688CI HD, 688CI HD DI, 688CI HD XD, 598ci HD SI, 597ci HD, 597ci HD DI, 597, 587ci HD, 587, 581, 581i, 581id1, 580, 398CI SI, 386ci, 385ci, 385, 365i, 365; Matrix 97; ICE 345c, 385ci, 386CI	SD/MSD			
595; Matrix 87	SD/MSD			
LOWRANCE HDS Gen2 Touch 12, 12m, 9, 9m, 7, 7m; HDS Gen2 5, 5m, 7, 7m, 8, 8m, 10, 10m; HDS Gen 1 5, 5m, 7, 7m, 8, 8m, 10, 10m	SD/MSD			
Elite 4 HDI, 5 HDI, 7 Broadband, 7 HDI, 7M Gold	SD/MSD			
Elite 4, 4DS, 4Gold, 4m, 5, 5 DSI, 5Gold, 5m, 5m Gold; Mark 4 (MicroSD only); LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, 112c, 38c HD , 37c , 28c HD , 27c ; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150; GlobalMap Baja 840, 540; XOG Crossover; ENDURA Sierra, Outback, Safari; iFINDER Expedition c, Hunt c, iWay 250; Airmap 600	SD/MSD			
MAGELLAN eXplorist 510, 610, 710	SD/MSD			
MURPHY HelmView HV1000i, HV700, HV450	MSD			
NAVIOP Genius 7 Glass, 15 Glass, 7, 10, 13, 15	MSD			

Platinum+

NAVIONICS+

Gold

IMPORTANT:

- Navionics cannot guarantee that every Navionics product will perform with a specific GPS chartplotter model. Always make sure your GPS chartplotter is updated to the latest firmware release from OEM for the best performance.

Revised 08012014

• Latest OEM firmware release required.



Nautical Charts



SonarCharts™



Community Edits

MODEL	FORMAT	Platinum+ Preprogrammed 16 GB max	NAVIONICS+ Downloadable 2 GB max	Gold Preprogrammed 2 GB max
NORTHSTAR 6100i (requires S/W update 7.76)	CF			
6000i	CF			
Raymarine GS-Series GS95, GS125, GS165; G-Series G120, G150, G170, G190, GPM400; E-Series E120, E80; E-Series Widescreen E140W, E120W, E90W; C-Series Widescreen C140W, C120W, C90W; A-Series 70, 70D, 57, 57D, 50, 50D	CF*			
<i>* Note: MSD to CF card adapter compatible with some models. Consult www.raymarine.com for details.</i>				
C-Series C120; C80; C70	CF*			
e-Series MFD; c-Series MFD; a-Series MFD (all models)	MSD			
Raychart 400, 435, 435i	CF			
DragonFly	MSD			
SAMYUNG ENC NAVIS 2500, 2600, 3000, 3100, 3700, 3800, 5100, 700, 800 N/NF 100, 120, 3800, 430, 5100, 560, 700, 800	SD/MSD			
SIMRAD NSE8, NSE12, NSO15, NSS7, NSS7 evo2, NSS8, NSS9 evo2, NSS12	SD/MSD			
SITEX SVS-750	SD/MSD			
TwoNav Sportiva, Delta	MSD			
PC APPLICATION	MFG	Platinum+	NAVIONICS+	Gold
FUGAWI	Fugawi ver. 4.5			
<i>* Limited Platinum+ compatibility. Check with manufacturer:</i>	CTSystems, Delius Klasing, Digital Yacht's Smartertrack, Elettronica Marittima, ENL, Eole, Euronav, Fugawi, Navigation Planner, PC Plotter, P-Sea, ScanNav, SW&N, Tikinavigator, Yachtcontrol	*		

IMPORTANT:

- Navionics cannot guarantee that every Navionics product will perform with a specific GPS chartplotter model. Always make sure your GPS chartplotter is updated to the latest firmware release from OEM for the best performance.


Revised 08012014


• Latest OEM firmware release required.

Nautical Charts

SonarCharts™

Community Edits






GARMIN LARGE BLUECHART G2 VISION CARTRIDGE

CODE	DESCRIPTION	VAT EXCLUDED €
SYGVEU714L	Garmin Large Cartridge MicroSD or SD Iberian Peninsula, Azores and Canary Islands	286,07
SYGVEU715L	Garmin Large Cartridge MicroSD or SD West Mediterranean Sea	286,07
SYGVEU716L	Garmin Large Cartridge MicroSD or SD Central Mediterranean Sea	286,07



GARMIN REGULAR BLUECHART G2 - G2 VISION CARTRIDGE

CODE	DESCRIPTION	VAT EXCLUDED €
SYGHXEU012R	Garmin Regular Cartridge MicroSD or SD Italy west coast	163,11
SYGVEU012R	Garmin Regular G2 VISION cartridge on MicroSD or SD Italy west coast	220,49
SYGHXEU013R	Garmin Regular Cartridge MicroSD or SD Italy south-west coast and Tunisia	163,11
SYGVEU013R	Garmin Regular G2 VISION cartridge on MicroSD or SD Italy south-west coast and Tunisia	220,49
SYGHXEU014R	Garmin Regular Cartridge MicroSD or SD Italy - Adriatic Sea	163,11
SYGVEU014R	Garmin Regular G2 VISION cartridge on MicroSD or SD Italy - Adriatic Sea	220,49



GARMIN SMALL BLUECHART G2 CARTRIDGE

CODE	DESCRIPTION	VAT EXCLUDED €	
SYGHXEU451S	Garmin Small Cartridge MicroSD or SD Liguria, Corsica and Sardinia	105,74	
SYGHXEU452S	Garmin Small Cartridge MicroSD or SD Adriatic Sea north coast	105,74	
SYGHXEU453S	Garmin Small Cartridge MicroSD or SD Adriatic Sea south coast	105,74	
SYGHXEU460S	Garmin Small Cartridge MicroSD or SD Sicily to Ostia Lido	105,74	

GARMIN COMPATIBILITY TABLE

Features	G2	G2 VISION Features	G2	G2 VISION
"Seamless" cartography	X	X Currents	X	X
"Object oriented" cartography	X	X Bathymetric charts	X	X
Bathymetric shade	X	X Minimum depths	X	X
Port plans	X	X Fishing charts	X	X
Spot soundings	X	X Wide coverage charts	X	X
Nautical services	X	X Commercial points of interest		X
Wrecks and obstructions	X	X Coastal roads (up to 10Km)***		X
Inter-tidal zones	X	X 3D map view		X
Obstructions	X	X Aerial photos		X
Restricted navigation areas	X	X Satellite imagery		X
Aids to navigation	X	X Auto Guidance		X
Aids to navigation with visual limits	X	X 3D - view below waterline		X
Restricted areas	X	X Tides indicator		X
Anchorage	X	X Tidal current graphs	X	X
Seaside limits	X	X Tidal current flow overlay		X
Tidal station	X	X Light sectors information	X	X
Map view	X			

* "seamless" means that the chart allows you to move between maps without interruptions, even if of different scale or supplier.

** "object oriented" means you can pan to an object on the map and instantly view information about that point.

*** roads do not allow to automatically calculate the route on mainland.

RADIO OCEAN POCKET 2400 HANDHELD VHF

POCKET 2400 handheld VHF with backlit display and submersible according to IPX4 standards. Supplied with rechargeable 1300 mAh Ni-MH batteries, 220 V battery charger and owner's manual. Power cable 12 Volt (optional) code 629042.

RF max power 5 W - min 0,8 W.



CODE	DESCRIPTION	VAT EXCLUDED €
629043	POCKET 2400 handheld VHF	132,21
ACCESSORIES		VAT EXCLUDED €
629042	Power cable with cigarette-lighter plug for POCKET 2400 vhf	20,25

RADIO OCEAN POCKET 4300 HANDHELD VHF

POCKET 4300 handheld VHF with backlit display and submersible according to IPX4 standards. Supplied with rechargeable 1300 mAh Ni-MH batteries, 220 V charger and owner's manual. 12 Volts power cable (optional) code 629046.

RF max power 5 W - min 0,8 W.



CODE	DESCRIPTION	VAT EXCLUDED €
629045	POCKET 4300 handheld VHF	165,55
ACCESSORIES		VAT EXCLUDED €
629046	Power cable with cigarette-lighter plug for POCKET 4300 vhf	20,25

COBRA MARINE HH125 HANDHELD VHF

COBRA MARINE HH125 EU handheld VHF submersible according to IPX4 standards. Backlit display and keypad. Dual-Watch function. Supplied with AAA batteries, 12 V cigarette lighter plug, belt clip and owner's manual.

RF max power 3 W - min 1W.



CODE	DESCRIPTION	VAT EXCLUDED €
629038	COBRA HH125 EU handheld VHF	131,12

COBRA MARINE HH350 FLT EU HANDHELD VHF

COBRA HH350 FLT EU handheld VHF submersible according to IPX7 standards and floating. Backlit display and keypad, with roger beep function, key lock, battery level indicator and burp function. Supplied with rechargeable batteries 1000 mAh Ni-MH, table battery charger connectable both to 220 V power cable and 12V cigarette lighter adaptor (both included), belt clip, strap for transport and owner's manual.

RF max power 6 W - min 1W.



CODE	DESCRIPTION	VAT EXCLUDED €
629039	COBRA HH350 FLT EU handheld VHF	286,67

COBRA MARINE HH500 FLT BT EU HANDHELD VHF

COBRA HH500 FLT BT EU handheld VHF submersible according to IPX7 standards and floating. Backlit display and keypad, features MicroBlue Bluetooth function that keeps your cell phone safe and dry by pairing it to the radio. Rewind Say Again system, Noise Cancelling, call tones, roger beep, key lock, burp and vibrAlert function. Rechargeable lithium battery case, alkaline battery case, desk battery charger connectable both to 220 V power cable and 12V cigarette lighter adaptor (both included), belt clip, strap for transport and owner's manual.

RF max power 6 W - min 1W.



CODE	DESCRIPTION	VAT EXCLUDED €
629041	COBRA HH500 FLT BT EU handheld VHF	373,34



COBRA MARINE F75 EU+ FIXED MOUNT VHF

COBRA F75 EU+ fixed VHF waterproof IPX7 with large illuminated display and function keys. Tri-Watch function and speaker on the microphone. Supplied with microphone, kit for bracket and flush mount installation, GPS interface cable and user's manual.

Not suitable for use on boats where DSC class "D" is compulsory like f.e. on fishing boats.

RF max power 25 W - min 1W.

CODE	DESCRIPTION	VAT EXCLUDED €
629008	COBRA F75 EU+ fixed mount VHF white colour	257,80



RADIO OCEAN RO 4700 FIXED MOUNT VHF

RO 4700 fixed mount VHF with DSC capability, submersible according to IPX7 standards. Large LCD backlit display and 17 keys on the keypad. Supplied with microphone, mounting kit, power cable and user's manual.

RF max power 25 W - min 1W.

CODE	DESCRIPTION	VAT EXCLUDED €
629049	RO 4700 fixed mount VHF	275,34



LOWRANCE LINK 5 FIXED MOUNT VHF

LOWRANCE LINK-5 fixed mount VHF provides full class D DCS capability, submersible according to IPX7 standards. Large LCD backlit display microphone with dedicated keys for fast access to device's functions. Supplied with microphone, mounting kit, power cable and user's manual.

RF max power 25 W - min 1W.

CODE	DESCRIPTION	VAT EXCLUDED €
629001	LOWRANCE LINK 5 fixed mount VHF	249,00



GARMIN 100i FIXED MOUNT VHF

GARMIN 100i fixed VHF provides full class D DCS capability, submersible according to IPX7 standards. Large LCD illuminated display microphone with dedicated keys for fast access to device's functions. Supplied with microphone, mounting kit, protective cover, power cable and user's manual.

RF max power 25 W - min 1W.

CODE	DESCRIPTION	VAT EXCLUDED €
629015	GARMIN 100i fixed mount VHF	340,00



1) GENERAL TERMS OF SALE

The general terms of sales can be modified or updated by G.F.N. due to new laws and regulations.

2) DESCRIPTIVE AND ILLUSTRATIVE PRODUCTS DESCRIPTIONS

The colours, images, descriptive information and technical features of the products included in this catalogue and website, are not part of the contract, but have only indicative value and cannot be binding for eventual claims.

G.F.N. reserves the right to make any change, at any time, to the products and to their technical features with the purpose to improve the production.

The possible publishing and use of photographic material of G.F.N.'s property must be authorised exclusively through a letter signed by the management.

3) ORDERS

The customer, sending the order, hereby implicitly accept these terms of sale, and knows the characteristics, the proper use of the required products.

To avoid misunderstandings, we recommend the customers to send written orders specifying:

1. Product code
2. Product description
3. Quantity

The terms proposed by our agents and representatives are subject to our approval.

Agreements and arrangements with agents, brokers, and, generally, with GFN's staff, have value only of negotiations except seller's approval. GFN cannot be considered bound to what is included in the order's form if the same is not signed by the person entitled by the company. Subscriptions, signatures or initials of persons not entitled can only attest the terms of the proposals.

Orders will be dispatched according to the availability of the moment, eventual backorder will be sent, unless otherwise ordered, as soon as possible, carriage forward or together with a new order according to the current price list.

Orders below € 100,00 net of any discounts VAT and fees, will be charged with fixed operating cost € 10,00.

All orders below € 100,00 net will be dispatched cash on delivery.

4) PRICES

Prices submitted by G.F.N. are the current ones at the moment of the order and can be updated until the moment of the shipment. They are intended to be net of taxes, extra fees (transport costs – package costs – insurance costs), custom duty and other financial costs. They are not binding and are communicated as informing purpose.

5) PACKING

The packing is charged at cost.

6) DELIVERY AND SHIPMENT TERMS

Goods are sold ex works delivery our warehouse in Campodarsego.

Goods travel at the Purchaser's risk who at the moment of shipment, assumes all risks relating to the goods sold.

Delivery terms are based on production and sale programs of the Seller and, therefore, are intended to be always indicative and never binding. The possible failure to meet the delivery deadlines will never be responsibility of the Seller, and won't give the right to the Purchaser to delay and/or suspend payments or ask for any compensation for damages.

The Purchase quits every demand of essentiality of the delivery term.

All the shipments, in Italy by truck, if sent with our transport companies, are warranted by G.F.N., against risks of lost, damages, etc. To make this valid, at the moment of the receipt of the goods in case of missing, damaged, or opened items, the acceptance must be done "WITH RESERVE". After verification of the damage, the purchaser must notify the same, within 3 (THREE) days from receipt, enclosing copy of the signed document. The non-observance of the above instructions will cause the forfeiture of the right.

In case of shipment done by a transport company chosen by the Purchaser, goods travel at consignee's risk and in case of claims those must be done by the customer to his own forwarder.

G.F.N. has however the right not to fulfil the order, although it has been confirmed, if the Purchaser is insolvent in relation to other deliveries or towards other suppliers or in case he can no more offer financial guarantees.

7) PAYMENTS

Only in advance through bank transfer. Other different payment methods, subsequent to the first one, must be authorized and agreed through written agreement.

In case of unpaid invoices or delayed payment default interests shall be charged since the day of default until the day of effective payment according to the rate stated by the Legislative Decree 231 of 09/10/2002.

Banks:

CASSA DI RISPARMIO DEL VENETO

Via Antoniana, 220/D - 35011 CAMPODARSEGO (PD)

IBAN: IT 57 S 06225 62420 07400969760A

Codice BIC - SWIFT: IBSPTI2P275

UNICREDIT

Via Caltana, 4 - 35011 CAMPODARSEGO (PD)

IBAN: IT 96 Y 02008 62420 000040248744

Codice BIC - SWIFT: UNCRITM1S35

BANCA PADOVANA CREDITO COOPERATIVO S.C.

Via Caltana, 7 - 35011 CAMPODARSEGO (PD)

IBAN: IT 86 N 08429 62420 001010008305

Codice BIC - SWIFT: PDCCIT2PXXX

8) PROPERTY RIGHTS

In any case of instalment payment, the sale is done at G.F.N.'s property right until the last instalment of the price has been paid in accordance with clauses 1523 and further amendments;

the Purchaser, however, has to bear the risks from the time of goods delivery.

In case of non-payment of one instalment whose amount exceeds the eighth part of the full price, in other words of two instalments of any amount, the agreement is intended to be automatically cancelled because of Purchaser's non - fulfilment, with the right to receive immediately the goods back, with further compensation in case of damages and claims. Until the total amount is paid, therefore, the purchaser cannot transfer the goods, without the seller's confirmation, otherwise the agreement will be cancelled with the same consequences as above explained.

In case the goods are subject to foreclosure or other legal actions by third parties, the purchaser has to inform the seller immediately, for his rights protection.

9) SAMPLES

The samples of goods are always debited.

10) RETURN OF PRODUCT

Possible return of products have to be previously authorized by G.F.N.: the request must be submitted in writing by means of the special form (that can be downloaded from the reserved area of our web site) and have to include in detail the noticed defect as well as all relevant information contained in the purchase invoice.

If the return request is accepted, GFN will give a RMA number: this number must be written down on the delivery note. **Otherwise the return of products will be rejected.**

The return must be done within one month from the RMA receipt, carriage paid delivery. **The returned products must be sent in their original packing, have not to have been used or damaged.** As refund 10% of the goods value (min.€ 5,00) will be charged, and possible extra fees can be added in case of product's restoring.

Claims are not accepted after 8 days from the delivery date, moreover they have to be done only in case of real defects of the products. **For this reason we strongly recommend our customer not to replace goods to final users without our authorization.**

11) JURISDICTION AND APPLICABLE LAW

For any controversy the qualified Court is that of Padova and the buyer-seller relationship shall be exclusively regulated by the Italian law.



A series of horizontal blue lines spanning the width of the page, intended for handwritten notes.



G.F.N. s.r.l.

Via Frattina, 3
35011 CAMPODARSEGO
(PADOVA) - ITALY

Tel. (+39) 049 9200196 r.a.

Fax (+39) 049 5564050

e-mail: info@gfn.it

www.gfn.it