
JUMPICING* 10' x 15' JumpPOD Oval



A WARNING

Read the assembly,installation, care,maintenance,and use instructions in this manual prior to assembling and using this trampoline/enclosure. Save this manual for future reference.

USER'S MANUAL3

Assembly, Installation, Care, Maintenance, and Use Instructions.

WARNING: The trampoline/enclosure is designed for users weighing 136 kg(300 lbs.) or less.

Ladder is not supplied with trampoline.

YJ Europe 0844 800 4060

QUESTIONS?

If you have questions after reading this manual, please call our toll-free Customer Hot Line. The trained technicians on our Customer Hot Line will provide immediate assistance.


Customer Hot Line: 0844 800 4060 Monday–Friday, 8 a.m.–5 p.m.

REPLACEMENT PARTS



CONTENTS

IMPORTANT PRECAUTIONS4
WARNING LABEL PLACEMENT
BEFORE YOU BEGIN
TRAMPOLINE/ENCLOSURE SAFETY INFORMATION
USE AND INSTRUCTIONAL MATERIAL11
ASSEMBLY
CARE AND MAINTENANCE
EXPLODED DRAWING AND PART LIST
ORDERING REPLACEMENT PARTS



IMPORTANT PRECAUTIONS

WARNING: To reduce the risk of serious injury, read and follow all warnings, precautions, and instructions in this manual before assembling and using the trampoline.


- 1. The owner and supervisors of the trampoline are responsible to make sure all the users are aware of practices specified in this manual.
- 2. Trained Spotter supervision is recommended.
- 3. Place the trampoline on a level surface before use.
- 4. Must place the trampoline on lawn, bark wood chip, sand or cushioning materials.
- 5. Adequate overhead clearance is essential. A minimum of 7.3 m (24 ft) from ground level is recommended. Provide clearance for wires, tree limbs, and other possible hazards.
- Maintain a free space of minimum 2500mm on all sides of the trampoline. This area should not included concrete, bitumen, brick, or other hard surfaces as these can cause serious injuries.
- 7. Lateral clearance is essential. Place the trampoline away from walls, structures, fences, and other play areas. Maintain a clear space on sides of the trampoline.
- 8. Use the trampoline in a well lighted area. Artificial illumination may be required for indoor or shady areas.
- Secure the trampoline against unauthorized and unsupervised use. If an access ladder is used, it should be removed when the trampoline is not in use.
- 10. Inspect the trampoline and enclosure before each use, and replace any worn, defective, or missing parts. Make sure the netting, enclosure tubes, and foam sleeves are correctly positioned.
- 11. Remove any obstructions from beneath the trampoline.
- 12. The trampoline is designed for users weighing 136kg (300 lbs.) or less. The trampoline is not recommended for use by children under 6 years of age.
- 13. Do not allow more than one person on the trampoline. Use by more than one person at the same time can result in serious unjury.

- 14. Misuse and abuse of the trampoline is dangerous and can cause serious injuries.
- 15. Use the trampoline only with mature, knowledgeable supervision.
- 16. Climb onto and off the trampoline. Do not jump onto it or off it. Do not use the trampoline as a springboard to other objects.
- 17. Injury may result from encountering the frame or falling through the springs while getting onto or off the trampoline or while jumping. Stay in the center of the bed when jumping. Do not use the trampoline without the frame pad securely in place to cover the frame. The frame pad is not designed or intended to support the weight of the user. Do not step or jump directly onto the frame pad.
- 18. The trampoline is a rebounding device that propels the user to unaccustomed heights and into a variety of body movements. Rebounding off the trampoline, striking the frame or springs, or improperly landing on the bed may cause injury.
- 19. Do not attempt or allow somersaults. This can result in a broken head, neck, back, or leg. Landing on the head or neck can cause serious injury, paralysis, or death, even landing on the middle of the bed.
- 20. Do not use the trampoline while under the influence of alcohol or drugs. These substances impair reaction time, judgement, and physical coordination.
- 21. Do not jump on the trampoline while holding an object, particularly one that is sharp or breakable.
- 22. Bounce only when the surface of the bed is dry. Wind or air movement should be calm to gentle. The trampoline must not be used in gusty or severe winds.
- 23. The trampoline enclosure is to be used only as an enclosure for a round trampoline.
- 24. Do not attach anything to the netting that is not a manufacturer approved accessory or part of the enclosure.

- 25. Wear clothing free of drawstrings, hooks, loops, or anything • that could get caught in the netting.
- 26. Enter and exit the trampoline enclosure only at the door designed for that purpose.
- 27. Do not attempt to crawl under the netting.
- 28. Do not attempt to jump over the netting.


- 29. Do not intentionally rebound off the netting.
- 30. The trampoline frame and the enclosure are made of metal. They are not grounded, and they will conduct electricity. Therefore, an electrocution hazard exists.
- 31. Keep all frame and heat sources away from the product.

WARNING LABEL PLACEMENT



WARNING PLACARD PLACEMENT

The placard shown at the right must be attached to the trampoline enclosure by the owner. If the placard is missing or illegible, call our Customer Hot Line toll-free at 0844 800 4060, Monday through Friday, 8 a.m. until 5 p.m. Central Time, to order a free replacement placard. Note: The placard is not shown actual size.



TRAMPOLINE ENCLOSURE SAFETY INSTRUCTIONS

WARNING



Do not land on head or neck.

Paralysis or death can result, even if you land in the middle of the trampoline mat (bed).

To reduce the chance of landing on your head or neck do not do somersaults (flips). Avoid bouncing when tired.



Only one person at a time in the trampoline enclosure.

This trampoline enclosure system is not recommended for use by children under 6 years of age.

Multiple jumpers increase the chances of loss of control, and this can result in broken head, neck, back, or leg.

For the Supervisor

Inspect the trampoline before using. Keep frame pad in place. Do not use when trampoline is wet or in a windy condition. A worn or damaged mat (bed), spring, or frame piece should be replaced immediately.

Keep objects away that could interfere with the jumper.

Secure the trampoline against unauthorized and unsupervised use.

Use trampoline enclosure only with mature, knowledgeable supervision. Enforce all safety rules and be familiar with the information in the User's Manual to help users in following trampoline enclosure instructions and trampoline safety.

Do not exceed the weight limit recommended by the manufacturer.

Use only when the enclosure barrier has no holes, pole clamps are tightly secured to the poles, and the support (frame), and the barrier is properly suspended.

Do not intentionally rebound off the barrier. Do not hang from, kick, cut, or climb on the barrier.

Wear clothing free of drawstrings, hooks, loops, or anything that could get caught in the barrier

Do not attach anything to the barrier that is not a manufacturer approved accessory or part of the enclosure

For the Jumper

Do not use the trampoline enclosure system when under the influence of drugs or alcoho

Jumping

Learn fundamental jumps and body positions thoroughly before trying more advanced skills. Review the User's Manual to learn about how to do basic jumps.

Stop your bounce by flexing your knees as your feet come in contact with the trampoline mat (bed).

Avoid jumping too high or for too long. Always control your jump. A controlled jump is one where the take off and land spots are the same.

Bounce in the center of the trampoline. Focus your eyes on the trampoline mat (bed). Failure to do so may result in a loss of balance and control.

Do not jump from other objects, building or surfaces onto the trampoline, or into or over the trampoline enclosure.

Getting on and off

Climb on and off the trampoline at the enclosure door or barrier opening. Do not jump on or off. Do not crawl under the barrier. Do not use the trampoline as a springboard to other objects.

For skill training information, contact a trainer certification organization.

ATTACH TO NETTING AT DOOR

BEFORE YOU BEGIN

Thank you for selecting a Jump POD® trampoline/ enclosure. "Jump POD®" are designed and crafted to provide many years of fun and fitness. This trampoline/enclosure come equipped with warnings and instructions for the assembly, care, maintenance, and use of the trampoline/enclosure. This information must be read by all trampoline supervisors and users before any person is allowed to jump and use enclosure on the trampoline.

If you have questions after reading this manual, please call our Customer Hot Line at 0844 800 4060, Monday - Friday, 8 a.m. until 5 p.m. Central Time (excluding holidays). To help us assist you, please mention the name of the product when calling.

TRAMPOLINE SAFETY INFORMATION

In trampoline use, as in all active recreational sports, participants can be injured. However, there are steps that can be taken to reduce the risk of injury. In this section, primary accident patterns are identified and the responsibilities of supervisors and jumpers in accident prevention are described.

ACCIDENT CLASSIFICATION

Somersaults (flips): Landing on your head or neck, even in the middle of the trampoline bed, increases the risk of a broken back or neck, which can result in paralysis or death. Such events can occur when a jumper makes an error trying to perform a forward or backward somersault (flip). Do not perform somersaults (flips) on this backyard trampoline.

Multiple Jumpers: More than one jumper on the trampoline increases the chance of a jumper becoming injured by losing control of his or her jump. Jumpers may collide with one another, fall off the trampoline, fall on or through the springs, or land incorrectly on the bed. The lightest weight jumper is the jumper most likely to be injured.

Mounting and Dismounting: The trampoline bed is several feet from ground level. Jumping off the trampoline to the ground or any other surface may result in injury. Jumping onto the trampoline from a roof, deck, or other object also represents a risk of injury. Smaller children may need assistance getting onto or down from the trampoline. Climb carefully onto and off the trampoline. Do not step onto the springs or the frame pad. Do not grasp the frame pad to pull yourself onto the trampoline.

Striking the Frame or the Springs: Injury may result from encountering the frame or falling through the springs while jumping or getting onto or off the trampoline. Stay in the center of the bed when jumping. Make sure to keep the frame pad in place to cover the frame. The frame pad is not designed nor intended to support the weight of the trampoline user. Do not step or jump directly onto the frame pad.

Loss of Control: Jumpers who lose control of their jump may land on the bed incorrectly, land on the frame or springs, or fall off the trampoline. A controlled jump is one where the landing is in the same spot as the takeoff. Before learning a more difficult maneuver, the preceding one should be performed consistently under control. Attempting a maneuver beyond present skill levels increases the chance of loss of control. To regain control and stop your jump, bend your knees sharply when you land.

Alcohol or Drug Use: The chance of injury increases when a jumper has consumed alcohol or taken drugs. These substances impair a person's reaction time, judgment, and physical coordination.

Encountering Objects: Use of a trampoline while other people, pets, or objects are underneath it will increase the chance of injury. Jumping while holding or having an object on the trampoline, particularly one that is sharp or breakable, will increase the chance of injury. Placing a trampoline too close to overhead electrical wires, tree limbs, or other obstructions can increase the chance of injury.

Poor Maintenance of the Trampoline: Jumpers may be injured if a trampoline is used when it is in poor condition. A torn bed, bent frame, broken spring, or missing frame pad, for example, should be replaced before anyone is allowed to jump. Inspect the trampoline before each use.

Weather Conditions: A wet trampoline bed is too slippery for safe jumping. Gusty or high winds can cause jumpers to lose control. To reduce the chance of injury, use the trampoline only under appropriate weather conditions.

Access: To prevent access to the trampoline by unsupervised smaller children, the access ladder should always be removed and stored in a secure location when the trampoline is not in use.

METHODS OF ACCIDENT PREVENTION

The Supervisor's Role in Preventing Accidents

It is the responsibility of the supervisors of trampoline users to provide knowledgeable and mature supervision. They need to know and enforce all the rules and warnings set forth in this manual to minimize the likelihood of accidents and injuries and to inform users of these rules. During periods of time when supervision is unavailable or inadequate, this may require that the trampoline be disassembled, placed in a secure area, or otherwise secured against unauthorized use. Another option that may be considered is covering the trampoline with a heavy tarp that can be secured with locks and chains. It is the responsibility of the supervisor to make sure that the placard with TRAMPOLINE SAFETY INSTRUCTIONS kept posted on the trampoline and that jumpers are informed about these instructions.

The Jumper's Role in Preventing Accidents

Education on the part of the user is a must for safety. Users must first learn a low, controlled bounce and then learn the basic landing positions and combinations before proceeding to intermediate skills. Jumpers must understand why they have to master "control" before they can start thinking about other moves. Understanding the proper progression of skills in jumping on a trampoline must be the first lesson. Review this manual to learn about the basic techniques for using the trampoline. Follow the rules on the placard with TRAMPOLINE SAFETY INSTRUCTION. For further information or additional instructional materials, contact a certified trampoline instructor.

TRAMPOLINE SAFETY INSTRUCTIONS

For the Supervisor

Read the instructions before using the trampoline. Enforce all of the safety rules and be familiar with the information in this manual to help new users learn basic jumps and all users follow trampoline safety. All trampoline users must have mature, knowledgeable supervision, regardless of the skill or age of the jumper.

This trampoline is not recommended for use by children under 6 years of age.

Inspect the trampoline before using it. Do not use the trampoline without the frame pad securely in place to cover the frame. Do not use the trampoline when it is wet or in a windy condition. A worn or damaged bed, spring, or frame piece should be replaced immediately.

Keep objects away that could interfere with the jumper.

Secure the trampoline against unauthorized and unsupervised use.

For the Jumper

Do not use the trampoline when under the influence of drugs or alcohol.

Avoid bouncing when tired.

JUMPING

Learn fundamental jumps and body positions thoroughly before trying more advanced skills. Be alert to your own limitations in the execution of trampoline skills. Review this manual to learn how to do basic jumps.

Stop your bounce by flexing your knees as your feet come in contact with the trampoline bed. Learn this skill before attempting others.

Avoid jumping too high or for too long. Always control your jump. A controlled jump is one where the takeoff and landing spots are the same.

Bounce in the center of the trampoline. Focus your eyes on the frame pad. Failure to do so may result in a loss of balance and control.

Take turns jumping, one at a time, and always have someone watch you.

GETTING ON AND OFF

Climb onto and off the trampoline; do not jump onto it or off it. Do not use the trampoline as a springboard to other objects. For additional information regarding skill training, contact a trainer certification organization.

TRAMPOLINE ENCLOSURE SAFETY INFORMATION

NEED FOR TRAMPOLINE ENCLOSURE SAFETY

A trampoline enclosure is a recreational product.

The information on this page and on page 10 identifies important safety precautions. The precautions are not all-inclusive, because an enclosure can be used in ways that this manual cannot cover completely.

To prevent pinches and cuts during enclosure use, a frame pad must be installed on the trampoline. (See the trampoline manufacturer's instructions.) The frame pad must be installed before the enclosure is erected. The frame pad reduces the chance of injury from accidental contact with the springs and frame.

USING THE ENCLOSURE SAFELY

Adult Supervision of Children

Children using a trampoline with a trampoline enclosure must be supervised by adults. Young children must be supervised constantly. Adults must pay particular attention to:

- things that children bring into the enclosure.
- · children's activities inside the enclosure.
- conditions inside the enclosure while children are using it.
- the way children get into and out of the enclosure.

Additional details of safe enclosure use are described below.

Electrocution Hazard Associated with the Metal Frame of the Trampoline and Enclosure

The trampoline and enclosure frames are made of metal. They are not grounded, and they will conduct

electricity. Lights, electric heaters, extension cords, and household electrical appliances are not permitted in or on the trampoline or enclosure.

Hazards Associated with Entering and Exiting the Trampoline Enclosure

A trampoline enclosure installed on a trampoline is raised off the ground. The height of the enclosure increases the risk of a fall when a jumper is entering or exiting the enclosure. Young children in particular may have difficulty getting into and out of the enclosure. To reduce the risk of falling, help young children to get into and out of the enclosure.

Enter and exit the trampoline enclosure only through the door of the enclosure (the opening in the netting walls). The trampoline bed and the netting walls of the enclosure are separate pieces; jumpers, particularly young children, must not exit the enclosure by going out between the bed and the netting walls. Trying to exit in this way poses a risk of strangulation from being caught between the trampoline frame and the netting walls.

Darkness increases the chances of a fall when a jumper is entering or exiting the enclosure. Do not use the trampoline unless adequate lighting is provided.

Hazards Associated with Animals and Sharp and Breakable Objects

To avoid damage to the trampoline enclosure and the trampoline, do not allow pets or other animals inside of the enclosure. The claws and teeth of animals can damage the netting. Do not jump on the trampoline while holding or wearing a sharp or breakable object.

Hazards Associated with High Winds

A trampoline with an enclosure can be moved or blown over by high winds, potentially injuring anyone in its path or anyone inside of the enclosure. If you anticipate high winds, take down the enclosure netting, and stake the trampoline frame to the ground (see page 35), or move the trampoline and enclosure to a sheltered location.

Storing the Trampoline Enclosure Safely

Specific steps for storing the trampoline enclosure are presented later in this manual. There are specific safety precautions to be aware of when storing the enclosure.

Remove the attached tube sections as a unit, and separate them on the ground. Avoid pinching your fingers by keeping your fingers away from pinch points near the bracket assembly while you are removing the tubes from the frame.

Placing the Trampoline in a Safe Place

There must be at least 7.3 m (24 ft.) of clear, open space above the trampoline bed. Do not place or store anything underneath the trampoline.

To avoid injury, the trampoline must be kept away from objects and possible hazards including electric power wiring, tree limbs, and fences. Do not place the trampoline near any other recreational devices or structures such as a swimming pool or swing set.

The trampoline must be placed on a level surface before use, and the area around the trampoline must always be well lighted.

For the Supervisor

Be familiar with the information in this manual and enforce all of the safety rules. Help new users and all users to use the trampoline and enclosure safely.

All trampoline users must have someone watch them, regardless of the skill or age of the user.

Secure the trampoline against unauthorized and unsupervised use. Keep the trampoline free of objects that could interfere with the jumper.

This trampoline enclosure is not recommended for use by children under 6 years of age or by anyone weighing more than 136 kg (200 lbs.).

Use the trampoline only when the bed is clean and dry. Inspect the trampoline and enclosure prior to each use and replace any worn or damaged parts. Use only when the enclosure netting has no holes, the clamps are tightly secured to the tubes and the frame, and the netting is properly suspended.

For the Jumper

Do not use the trampoline enclosure when under the influence of drugs or alcohol.

Avoid jumping too high or for too long. Always control your jump.

Take turns jumping one at a time, and always have someone watch you.

Do not attempt to jump over the netting. Do not intentionally rebound off the netting. Do not hang from, kick, cut, or climb on the netting.

Wear clothing that is free of drawstrings, hooks, loops or anything that could get caught in the netting.

Do not attach anything to the netting that is not a approved accessory or part of the trampoline enclosure.

How to Enter and Exit the Trampoline Enclosure

Enter and exit the trampoline enclosure only through the door in the netting. To enter the enclosure, first unfasten the plastic clips on the door and unzip the zippers. Place one knee on the frame pad and climb head first through the door. Refasten the plastic clips and close the zippers.

To exit the enclosure, first unzip the zippers on the door and unfasten the plastic clips. Sit on the bed of the trampoline and climb feet first through the door. When you are through the door and sitting on the frame pad, step or jump safely to the ground. Close the zippers and refasten the plastic clips.

USE AND INSTRUCTIONAL MATERIAL

OVERVIEW OF TRAMPOLINE USE

The first periods of trampoline use should focus on learning fundamental body positions and practicing the eight basic bounces that are described on pages 13 and 14 in this manual.

During this learning period, jumpers should practise these basic techniques and perfect them. Braking, or checking the bounce, should be taught first and stressed as a safety measure. Jumpers should brake their jump whenever they start to lose balance or control. This is done by simply flexing the knees sharply upon landing and absorbing the upward thrust of the bed. This enables the jumper to stop suddenly and avoid losing control.

In trampoline use, the takeoff point and landing point of a good, controlled jump are in the same spot. An exercise is considered learned only when a jumper is able to perform it consistently. Jumpers should never proceed to any advanced step until they can perform all previous techniques consistently.

Allow each jumper a brief turn on the trampoline. Extended bouncing exposes an overtired user to an increased risk of injury. Longer turns tend to lessen the interest of others waiting to jump. Clothing should consist of a T-shirt and shorts. Jumpers should wear regulation gymnastic shoes or heavy socks, or they may jump barefoot. Street shoes or tennis shoes

should not be worn on the trampoline. Beginning jumpers may wish to wear loose-fitting protective clothes, such as a long-sleeve shirt and pants, until correct landings are mastered. This will reduce the chance of mat (bed) burns from improper landings on elbows and knees. No hard-sole shoes should be worn, as they cause excessive wear on the trampoline bed.

Mounting and dismounting properly should be a strict rule from the beginning. Users should climb onto the trampoline by placing their hands on the frame and stepping or rolling up onto the frame, across the springs, and onto the bed. Do not step directly onto the frame pad or grasp the frame pad when mounting or dismounting the trampoline. Users should always place their hands on the frame while mounting or dismounting. To dismount, jumpers should walk to the side of the bed, bend over and place one hand on the frame, and then step from the bed to the ground. If you have installed the optional ladder, its rungs can be used to mount or dismount. Always face the ladder and place your hands on the frame. Make sure your foot has secure contact with the ladder rung when using it.

Reckless bouncing should not be permitted. All skills should be learned at moderate heights. Control, rather than height, should be emphasized. Jumpers should be forbidden to practice alone and unsupervised.

INSTRUCTIONAL PROGRAM AND MODEL LESSONS

The following lessons are examples of an instructional program. They should follow a complete discussion and demonstration of body mechanics between the supervisor and the student(s). See pages 13 and 14 for descriptions of basic trampoline skills.

Lesson 1

- 1. Mounting and dismounting—Demonstration and practice of proper techniques.
- 2. Fundamental bounce—Demonstration and practice.
- 3. Braking (checking the bounce)—Demonstration and practice. Braking on command.
- 4. Hand and knee drop—Demonstration and practice, stressing four-point landing and alignment.

Lesson 2

- 1. Review and practice of skills previously learned.
- 2. Knee drop—Half twist to the right, to the left, to the feet, and then to the knees.
- 3. Seat drop—Half twist to the feet. Seat drop, knee drop, hand and knee drop, repeat.

Lesson 3

- 1. Review and practice of skills previously learned.
- 2. Front drop—To save time and avoid mat (bed) burns, all students should be requested to assume the front drop position on the floor while the instructor checks for faults. Suggested progression: from hand and knee bounce, the body is extended for the landing in the front drop position, and the rebound is made to the feet.
- 3. Practice routine—Hand and knee drop, front drop, feet, seat drop, half twist to feet.

Lesson 4

- 1. Review and practice of skills previously learned.
- Back drop—Demonstration, emphasizing the forward thrust of the hips by arching the body as one

leg is brought forward from the standing (not bouncing) position, and the drop to the back with the chin held forward to the chest and the eyes forward on the frame pad. Spotting this skill is most important. Demonstration of back drop with low bounce and practice of both techniques.

Lesson 5

- 1. Review and practice of skills previously learned, encouraging original routines based on them.
- Half turntable—Start from the front drop position and push to the left or right with the hands. Turn the head and shoulders in the same direction. Keep the back parallel to the bed and the head up. After completing a half turn, land in the front drop position.

Lesson 6

- 1. Swivel hips—Suggested progression: seat drop, feet, half twist, repeat; seat drop, half twist to feet, repeat; seat drop, half twist to seat drop.
- 2. Half turntable.

Lesson 7

The student should now be encouraged to design and organize routines, with emphasis on good form. The instructor may judge or grade students and arrange groupings for further instruction accordingly.


To stimulate interest in competition, the game of "Trampoline Horse" can be introduced. Before the game begins, students must count off. To start the game, student number 1 performs a stunt. Student number 2 then mounts the trampoline and performs the same stunt and adds a second stunt. Student number 3 mounts and performs stunts 1 and 2 and adds a third stunt. Thus, the series of stunts is continuously lengthened. The first person to miss a stunt in the series assumes the letter "H" and starts a new series with a stunt. If a person misses again, he assumes the letter "O." The first person to accumulate "H-O-R-S-E" is eliminated from the game. The last remaining contestant is the winner.

Lesson planning from this point should be facilitated by contacting a certified trampoline instructor.

BASIC TRAMPOLINE SKILLS


Fundamental Bounce

- 1. Start from a standing position with your head erect and your eyes on the frame pad.
- 2. Swing your arms forward and up in a circular motion.
- 3. Bring your feet together and point your toes downward while in the air.
- 4. Keep your feet about 30 cm (15 in.) apart when landing on the bed.




Knee Drop

- 1. Start bouncing from a standing position, keeping your eyes on the frame pad.
- 2. Land on your knees, keeping your back straight and your body erect.
- 3. Come back up to an erect position.




Hand and Knee Drop

- 1. Start bouncing from a standing position, keeping your eyes on the frame pad.
- 2. Land on the bed on your hands and knees.
- 3. Push with your hands and come back up to an erect position.




Back Drop

- 1. Start from a low bounce and land on your back.
- 2. Keep your chin forward on your chest as you land.
- 3. Kick forward and up with your legs to return to an erect position.




Seat Drop

- 1. Land in a sitting position with your legs parallel to the bed.
- 2. Place your hands on the bed beside your hips.
- 3. Push with your hands to return to an erect position.




Front Drop

- 1. Start from a low bounce and land on the bed in a prone position.
- 2. Keep your head up and your arms extended forward on the bed.
- 3. Push with your arms to return to an erect position.




Half Turntable

- 1. Start from the front drop position and push to the left or right with your arms to begin turning your body in the opposite direction.
- 2. Turn your head and shoulders toward the direction that your body is turning.
- 3. Keep your back parallel to the bed and your head up.
- 4. After completing a half turn, land in the front drop position.



Swivel Hips

- 1. Start with a seat drop.
- 2. Turn your head to the left or right and swing your arms up in the same direction.
- 3. Turn your hips in the same direction as your head and arms, completing a twist.
- 4. Land in the seat drop position.



ASSEMBLY

Important Assembly information

- A Crosshead screwdriver is required for assembly.
- Assembly requires a minimum of two people.
- Use gloves to protect your hands from pinch points.
- Do not allow use of the trampoline / enclosure until assembly is complete.
- The Assembly steps refer to parts by their description and key numbers (please see parts list at the end of this manual)

Trampoline / Enclosure Placament

- Place the trampoline / enclosure on a level surface before use.
- 2. Adequate overhead clearance is essential. A minimum of 7.3m (24ft) from ground level is recommended. Provide

clearance for wires, tree limbs and other possible hazards. Lateral clearance is also essential. Place the trampoline away from walls, structures, fences and other play areas. Maintain 2.4m (8ft) clear space on all sides of the trampoline.

- Use the trampoline / enclosure in a well-lighted area.
 Artificial illumination may be required for indoor or shady areas.
- 4. Secure the Trampoline / Enclosure against unauthorised and unsupervised use.
- 5. Remove any obstructions from beneath the trampoline / enclosure.
- 6. The owners and supervisors of the trampoline / enclosure are responsible to make all users aware of pratices specified in the User's Manual.

Building the Frame

Before you start make sure you understand the information Assembly information on the previous page.

'W leg' Assembly

First you will need to assemble the leg bases of your OvalPOD. This will require 2 x L-legs and 1 x Centre Leg. These are key numbers (7), (8) and (9) in your user's manual.

Lay out the 2 x L-legs (7) (8) and one Centre Leg (9) so that it makes a 'W' shape. Join the three pieces so the screw holes line up. Using a screwdriver, screw self tapping screws (21) into the screw holes. You have now completed one 'W leg' assembly.




Repeat these steps with the remaining 3 leg assemblies to create 4 x 'W legs'. Please put these to one side.

Top Rail Assembly (Top Rails B, A and C – 'Assembly 1')

Now assemble the top rails. The easiest way to put the trampoline together is in 4 individual segments.

For the first of these 2 segments, please lay out the top rail parts marked B (2), A (1) and C (3), as shown below (see drawing 1a on page 15 of the user's manual for reference). Make sure that the parts are laid out in the order shown below, so that 2 spring holes can be seen on parts B (2) and A (1). Also make sure you have a Pod Connector (6) on the left end of part B (2) and on the right end of part A (1).

IMPORTANT: Ensure that part B (2) is <u>fully</u> inserted into part A (1) before continuing. B (2) and A (1) must be tightly connected. Do not continue until you have a tight and firm connection.



Please make sure that the spring holes in the **square ends** of top rails B (2), A (1) and C (3) align with the openings in the Pod Connectors (6), as shown below.

You may have to lift the top rails off the ground to check this. Once you have checked the spring holes are correctly aligned with the Pod Connecter (6), push parts B (2), A (1) and C (3) together.



Now retrieve one of the 'W legs' you completed earlier, and insert one end of the legs into the Pod Connector (6) of part B (2), as shown in the picture.



Please note that other end of the leg assembly does not line up with the Pod Connector (6) of part A (1), as shown in the picture.

Now pull the free end of the leg assembly until it lines up with the Pod Connector (6) attached to top rail A (1).

You can place your feet on the top rails either side of the empty Pod Connector (6) to steady the assembly, as shown in the image.



By placing your hands further down the 'W leg', nearer to the Pod Connector (6), you can increase your leverage when inserting the 'W leg' into the Pod Connector (6).



Once both sides of the 'W-leg' are in, push down firmly on the 'W-leg' assembly to ensure a tight fit. The tension of the 'W leg' assembly helps hold the top rail pieces together.

Repeat this once more with the remaining B (2), A (1) and C (3) top rails, so you have 2 identical segments. Please refer to these segments as 'Assembly 1', as shown below.




Top Rail Assembly (Top Rails B, A, E and D – 'Assembly 2')

In the previous you assembled 2 of the 4 frame segments. You will now build the remaining 2 frame segments, using the top rails marked as B (2), A (1), E (5) and D (4).

To assemble these segments please lay out the top rail parts marked B (2), A (1), E (5) and D (4), as shown below.

Make sure that the parts are laid out in the order shown below, so that 2 spring holes can be seen on parts B (2) and A (1). Also make sure you have a Pod Connector (6) on the left end of part B (2) and on the right end of part A (1).

IMPORTANT: Ensure that part B (2) is <u>fully</u> inserted into part A (1) before continuing. B (2) and A (1) must be tightly connected. Do not continue until you have a tight and firm connection.



Please make sure that the spring holes in the **square ends** of top rails B (2) and A (1) align with the openings in the Pod Connectors (6), as shown below.

You may have to lift the top rail off the ground to check this. Once you have checked the spring holes are correctly aligned with the Pod Connecter (6), push parts B (2) and A (1) together.



Please connect parts E (5) and D (4) together **before** connecting part E (5) to the Pod Connector (6). Make sure the reinforcing square sleeve of part D (see below) is on the left hand end, and that top rails E (5) and D (4) are securely and tightly connected inside the reinforcing sleeve.

IMPORTANT: Ensure that part E is fully inserted into part D before continuing. E and D must be tightly connected. Do not continue until you have a tight and firm connection.





Once E (5) and D (4) are connected as above, insert top rail E (5) into the Pod Connector (6), making sure the spring hole aligns with the opening in the Pod Connector (6).

Now retrieve one of the 'W legs' you completed earlier, and insert one end of the legs into the pod connector of part B (2), as shown in the picture below.



As previously detailed, the other end of the leg assembly does not line up with the Pod Connector (6) of part A (1), as shown in the picture above. Please pull the free end of the leg assembly until it lines up with the Pod Connector (6) attached to top rail A (1).

You can place your feet on the top rails either side of the Pod Connector (6) to steady the assembly. By placing your hands further down the 'W leg', nearer to the Pod Connector (6), you can increase your leverage when inserting the 'W leg' into the pod connector.

Once both sides of the 'W-leg' are in, push down firmly on the 'W-leg' assembly to ensure a tight fit. The tension of the 'W leg' assembly helps hold the top rail pieces together.

Repeat this once more with the remaining B (2), A (1), E (5) and D (4) top rails so you have 2 identical segments. Please refer to these segments as '**Assembly 2**', as shown in the picture below.



Frame Completion

You have now completed the 4 individual segments of the OvalPOD frame. You will have the following:

- 2 x 'Assembly 1', each comprising top rails B, A and C with 'W leg'
- 2 x 'Assembly 2', each comprising top rails B, A, E and D with 'W leg'



The following steps will require a minimum of two people. Please wear gloves to protect your hands.

Now turn over 1 x 'Assembly 1' and 1 x 'Assembly 2', and join these 2 segments together, by inserting the free end of top rail C (3) into the free Pod Connector of 'Assembly 2', as shown in the picture below.



When connecting the 'Assembly 1' and 'Assembly 2', you should see that the spring hole in the square end of top rail C (3) aligns with the free Pod Connector of 'Assembly 2'.



Once these 2 segments are connected, turn over the remaining 1 x 'Assembly 1' and 1 x 'Assembly 2' and connect these segments in the same way. You will now have 2 halves of the completed frame.

Carefully maneuver these 2 halves together and join them, again ensuring that the spring holes in the square end of the top rails align with the open Pod Connector, as shown above.

You will now have a completed OvalPOD frame.



Trouble Shooting

Should you need to establish if you have correctly assembled your OvalPOD frame, you can check that your top rails are in the correct order.

Start by locating top rail C (3) on your frame (this will be the apex of the oval shape). Standing on the outside of the frame by part C (3), walk around the frame in a **clockwise** direction. If your frame parts are in the correct layout, you should find you have the following order of top rails: C B A E D B A C B A E D B A.

Make sure the join between top rails A (1) and B (2) are tight and secure, and that top rail A (1) is fully inserted into top rail B (2). Also ensure that the join between top rails D (4) and E (5) are tight and secure, and that top rail E (5) is fully inserted into top rail D (4). **Do not continue until all top rails are securely joined.**

If correctly assembled, you will find that **all** of the curved top rail parts will have 2 spring holes on the **underside**. If this is not the case, you may have assembled some frame parts upside down. Please dismantle you OvalPOD frame and reassemble.

Attaching the Jump Bed and the Surround Pad


Please wear gloves and protective eyewear for the following steps.

Take the Stitched Bed (Key No. 11) and lay it on the ground inside the trampoline frame, as shown.

You will see a series of V-rings around the edge of the Jumping Bed. Make sure the 2 warning labels are on the top of the bed.



Find the 2 V-rings with yellow stitching. These will be located near the warning label (at North and South on the Bed).



The following diagram details the spring attachment sequence.

To attach a spring (10), first hook the more tightly curled end of the spring onto the bed (11) as shown. Then use the spring tool (22) to connect the spring to the frame.

Make sure you wear gloves. Be careful where you place your hands; the springs and frame joints can pinch.



This diagram shows the initial order of spring attachment. ● = Top Spring Hole: Sliver **○= Top Spring Hole: Yellow** ○ = Under Spring: Silver Important: Attach the springs in the order shown in the diagram. This will help to distribute the tension, making assembly easier. Firstly, locate the 2 Vrings with yellow stitching. These Vrings are to be attached at points 1 and 2 using a silver spring (10). Then attach silver springs 3 to 18 in the order shown in the 0 diagram. These are all 17 **silver** top springs (10). 15 Important: Remember to include the 'under • 18 spring' holes when counting the V-rings 14 12 Ε D on the frame and bed. Once all of the springs shown in the diagram have been fitted, the 10 remaining top springs can be attached, including the yellow springs. Please attach the yellow springs (13) to the Pod Connectors (6), as shown below: Then please attach the

'under springs' (10) to the underside of the

top rail.

Make sure all of the top springs and under springs are securely attached.

Warning: Do not use the trampoline until the surround pad and the safety enclosure have also been fitted.



Now take the Frame Pad (12) and spread it out on the trampoline.

Rotate the Frame Pad (12) so the holes align with the Pod Connector (6) as shown, so the 'Jumpking' logo covers one top rail E (5).

Do not fasten the Surround Pad to the Frame at this stage, as this will be done later.



The Frame Pad is designed to reduce the likelihood of injury to the user, caused from coming in contact with the trampoline frame or springs. If you do not have a Frame Pad please contact your vendor / supplier immediately.

Assembling the Safety Enclosure

You will now assemble the Safety Enclosure for your OvalPOD trampoline.

Take the enclosure Top Curve Pole (15) and Straight Pole (14).

If not already fitted, slide the Foam Sleeves (16) on to Top Curve Pole (15) and Straight Pole (14).

Find the tapered end of the Straight Pole (14) and insert it into the Top Curve Pole (15).



Then screw the poles (14) (15) together using a self tapping screw (21).

Repeat this with the remaining poles so you have 8 identical assemblies.



Take one of the completed Enclosure Poles and carefully lay it flat on the trampoline bed, with the end of the Straight Pole (14) towards the Pod Connector (6) at the edge of the frame.

Then lift the edge of the Frame Pad (12).

Carefully push the Straight Pole (14) through the opening in the Frame Pad (12).

Then insert the end of the Straight Pole (14) into the opening of the Pod Connector (6).

Please ensure that the Top Curve Pole (15) points towards the centre of the trampoline bed.



Repeat this step to attach all 8 x Enclosure poles (14) (15) as shown.



Now take Safety Enclosure Netting (18) and spread it across the trampoline.


There is a stitched sleeve at the top of the net and at the bottom of the net. Make sure the sleeves are spread out flat across the bed. This will make assembly easier. Then open the Velcro flaps of the sleeves.



Now take 6 x G4 Pole Sections (17).

Please join 6 x G4 Pole sections to make 1 x long pole. These sections will **clip** together. Please make sure you use the thicker G4 Pole Sections (not the slimmer elasticated G3 Poles).

Please join the G4 pole sections, as indicated by the arrows below:



Please make sure that the end sections (numbers 1 and 6 in the diagram above) terminate in a spring-loaded clip, as show below. The diagram below also shows a connecting sleeve attached to one of the G4 Pole sections.



Then repeat this with the remaining 6 x G4 Pole sections in the same way, to make 2 x long poles.

Take one of the completed long G4 Poles (17) to the Net (18).

Then locate the channel inside the stitched sleeve at the **top** of the Net (18).

Insert and push one of the long G4 Poles (17) into the stitched sleeve as shown.

This process will be much easier if the Net (18) is flat across the trampoline.

You may have to temporarily remove the connecting sleeve (illustrated in the above diagram).




Make sure the long G4 Pole (17) passes through the semi-circular openings and then goes back into the stitched sleeve at the top of the Net (18).



The G4 Pole (17) will become visible at the opposite end of the Net (18).

Then repeat this process with the second G4 Pole (17) in the parallel stitched sleeve at the **top** of the Net (18).

Make sure that you have a connecting sleeve on one of the black G4 Pole sections, as shown.



Then take the black slimmer G3 Pole Sections (26). You will see these poles are connected with an internal elastic cord, as shown.

Please unfold and join the 6 x G3 Pole sections.

Then repeat this with the remaining 6 x G3 Pole sections in the same way, to make 2 x long black poles.



Take one of the completed long G3 Poles (26) to the Net (18).

Then locate the channel inside the stitched sleeve at the **bottom** of the Net (18).

Insert and push one of the long G3 Poles (26) into the stitched sleeve.

Then repeat this process with the second G3 Pole (26) in the parallel stitched sleeve at the **bottom** of the net (18).



Now join the 2 x G4 Poles (17) at the top of the net together, using the connecting sleeves (at one end of the G4 Poles).

This requires two people. Please ensure you wear gloves.

Each person should grasp the two ends of the G4 Poles (17) and push towards each other, as shown. This will make it easier to join the 2 x G4 Poles (17).




Connect the Top G4 Poles (17) using the connecting sleeve as shown.

Then connect the 2 x G3 Poles (26) at the bottom of the net.

When the Poles are connected please close the Velcro flap of the sleeves.

The Net (18) will now be an oval shape.



The next step is to hang the Net (18) on the 8 x Enclosure Poles (15).

First, rotate the Net (18) and poles, so the zipped entrance of the Net is by the 'Jumpking' logo on the frame pad (12).

Locate the 8 x exposed areas of the G4 Pole (17) at the top of the Net (18), as shown.



Then stand on the trampoline bed, and insert the exposed sections of the G4 Pole (17) into the first Plastic Cap (20) of the Top curve Pole (15).

Please refer to the below image for the sequence of hanging the Net (18) on the Top curve Poles (15).





You will now secure the bottom edge of the Net (18) to the V-rings of the Jumping bed (11).

Warning – Choking hazard, small parts. Not suitable for children under 6 years. Adult assembly only

Take the pack of Cord Locks (23) and select a single Cord Lock. Pull the black plastic stopper so it is at the bottom of the cord by the two knots, as shown.



Locate one of the black webbing loops at the bottom of the Net (18).

Push the end of the Cord Lock (23) with the single knot through the black webbing loop, as shown.



Then lift the Frame Pad (12), and pass Cord Lock (23) through the nearest V-ring of the Bed (11) as shown.



The next step is to loop the free end of the Cord Lock (23) over the black plastic stopper, as shown.




Then hold the two knots by the black plastic stopper, and pull the stopper down the cord, securing the Net (18) to the Bed (11).

Repeat this process with the remaining Cord Locks (23) to secure all of the black webbing loops at the bottom of the Net (18).



The Next step is to secure the Frame Pad (12) to the Trampoline Frame. You will find a series of elasticated around the inside edge and D-ring+webbing on outer edge of the Frame Pad (12).

Tie these straps by hand around the nearest spring(10).



Now attach the Safety Placard (19) to the frame using a plastic tie, near the point where jumpers will climb onto and off the trampoline.

The trampoline is now fully assembled. Make sure that all parts are securely attached.

Familiarize yourself and all users of the trampoline with the safety precautions, use and instructional materials, and care and maintenance instructions in this manual before using the trampolines.



Disassembly

To disassemble the trampoline and enclosure, please follow these assembly steps in reverse. Do not attempt to disassemble any trampoline frame components before the springs and the bed have been removed. Please wear gloves and eye protection during disassembly.

CARE AND MAINTENANCE

CARE

Do not allow pets or animals on the trampoline or inside the enclosure, as claws may snag and pull the bed material or damage the frame pad or netting.

The trampoline/enclosure is intended to be used by one person at a time weighing 136 kg (300 lbs.) or less. The user should be either barefoot, wearing socks, or wearing gymnastic shoes.

Street shoes or tennis shoes should not be worn on the trampoline. The user should remove all sharp objects from his or her person that may cause injury or damage to the bed. Heavy, sharp, or pointed hard objects should not contact the bed.

Appropriate shoes should be worn inside the enclosure to reduce wear to the bed.

MAINTENANCE

Your trampoline is manufactured using quality materials and crafted to provide you and your family with many years of enjoyment and exercise. Proper maintenance and care will help to prolong the life of the trampoline and reduce the possibility of injury.

Prolonged exposure to the sun,especially ultraviolet rays, will shorten the life of the trampoline / enclosure fabric. For longer fabric life store the trampoline / enclosure when it is not being used A dry trampoline/ enclosure, properly stored, will provide the longest life of the fabric, sewing, and hardware. Remove the enclosure from the trampoline during harsh weather conditions or during long periods of non-use.

The following guidelines should always be observed.

Inspect the trampoline/enclosure before each use, and replace any worn, defective, or missing parts. The following conditions could represent potential hazards and increase the danger of personal injury:

- a missing, improperly positioned, or insecurely attached frame pad, netting, enclosure tubes, foam sleeves
- punctures, frays, tears, or holes worn in the bed, frame pad, netting, foam sleeves.
- deterioration in the stitching or fabric of the bed, frame pad, netting
- · ruptured or missing springs
- a bent or broken frame, leg, enclosure tubes
- a sagging bed, netting
- sharp protrusions on the frame, suspension system, enclosure tubes

If any of these conditions exists, the trampoline should be disassembled or otherwise protected against use until the condition is remedied.


REMOVING AND STORING THE TRAMPOLINE/ ENCLOSURE

Make sure that the trampoline/enclosure is dry before removing and storing it. Use caution while removing the tubes due to the weight of the tubes.

Once the enclosure is removed from the trampoline, remove all items from the trampoline bed. Make sure that the bed is clean and that it has no tears or holes. Store the trampoline/enclosure in a safe, dry location.

SPECIAL CONSIDERATIONS

High Wind




It is possible for the trampoline/enclosure be blown about by high wind. If you anticipate high winds, the trampoline/enclosure should be moved to a sheltered location, disassembled, or tied down to the ground with ropes and stakes (not included). At least three ropes and three stakes should be used. The tops of the stakes should be at ground level so that they will not create a tripping hazard. In addition, the tops of the stakes should be covered, if necessary, so that users will not be injured by falling onto the stakes. Make sure to attach the ropes to the top of the frame; do not simply secure the legs or the bases to the ground, as they can separate from the frame sockets.

Moving the Trampoline

If the trampoline/enclosure needs to be moved, it should be moved by two persons, kept horizontal, and lifted slightly. If necessary, the trampoline/enclosure can be disassembled for moving.

To disassemble the trampoline/enclosure, follow the assembly steps in reverse order (see pages 15 to 34). Do not attempt to disassemble the frame sections, legs, or bases before the bed and springs have been removed.



Key No.	Qty	y. Description	Key No.	Qty.	Description
1 2 3 4 5 6 7 8 9 10 11 12 13	4 4 2 2 2 2 8 4 4 4	Top Tube (A, with socket) Top Tube (B, with bigger and smaller end) Top Tube (C, both with bigger end) Top Tube (D, with socket) Top Tube (E, with bigger and smaller end) POD-Connector L-leg L-leg Center leg 7" Length Springs Stitched Bed with V-rings Frame Pad	16 17 18 19 20 21* 22 23* 24 25	16 2 1 1 8 16 1 28 1 8	Foam Sleeves G4 Pole Netting with attached Hardware User's Manual and Safety Placard Plastic Cap (This part has been attached to the top of the Top Curve Pole (14).) Self-tapping Screw Spring Pulling Tool Cord Lock Shoe bag POD-Connector Cap (place into holes of POD-connector when enclosure is disassemble) G3 pole(Black shock cord)
14 15	8	Straight poles Top Curve Poles	*This part is not illustrated. Specifications are subject to change without notice.		

ORDERING REPLACEMENT PARTS

To order replacement parts, visit our Web site or call our Customer Hot Line (see page 3). To help us assist you, please provide the following information when calling:

- the MODEL of the trampoline/enclosure
- the NAME of the product
- the KEY NUMBER and DESCRIPTION of the part (see the PART LIST above)
- the quantity needed
- · the desired method of shipping