



## Company environmental profile - THE ECO DECLARATION

Brand	RICOH	Logo
Company name *	RICOH Company Ltd.	DICOLI
Contact information		KICOH
Internet site *	www.ricoh.com	
Issue date *		
Intended market *	🔲 Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🛛	Other
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version. The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under C6 & P14.

Quality	control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control system to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control.	$\boxtimes$	

Compar	ny environmental profile - Legal requirements	Require	ement	t met
Item		Yes	No	n.a.
C1	Product recycling			
C1.1*	The company participates in a system or has its own system for collection and recycling of end of life products in countries where the company puts them on the market and where required (2002/96/EC WEEE directive).			
C2	Battery recycling			
C2.1*	The company participates in a system or has its own system for collection and recycling of batteries in countries where the company puts products on the market (2006/66/EC Battery and accumulators Directive) or pays eco tax / fee where required.			
C3	Packaging recycling			
C3.1*	The company participates in a system or has its own system for collection and recycling of packaging material in countries where the company puts products on the market and where required (2004/12/EC Directive on packaging and packaging waste)			

Compa	ny environmental profile - Market requirements	Requir	ement	t met
Item		Yes	No	n.a.
C4	Environmental policy and environmental management			
C4.1*	The company has a documented environmental policy approved by the management.	$\boxtimes$		
C4.2*	The company has an environmental management system covering: Product development Manufacturing If so certified according to: ISO 14001 Other as specified in C6	$\boxtimes$		_
C4.3	The company regularly publishes an environmental report. If so, it meets the recommendations of $oxed{D}$ The Global Reporting Initiative $oxed{D}$ Other as specified in C6			
C5	Recycling			
C5.1*	Information about the product, battery & packaging take back system (C1, C2, C3) is available in printed or electronic format.			
C6	Additional information			

## Product environmental attributes – THE ECO DECLARATION

	used on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	Multifunction Printer
Commercial name *	SP1100SF
Model number *	Aficio SP1100SF
Issue date *	15 June 2009

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Model number *	Aficio SP1100SF		
Issue date *	15 June 2009	Logo	RICOH

Product	environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0.1% (2002/95/EC ROHS Directive).			
P1.2*	Products do not contain Asbestos (amendment 1999/77/EC). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide ( <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)</i> . Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (amendment 89/677/EEC).	$\square$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% ( <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i> ).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2, 3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (76/769/EEC Marketing and Use Directive). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (amendment 2003/3/EC).			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (76/769/EEC Marketing and Use Directive). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (amendment 94/27/EEC). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual (2006/66/EC Battery and accumulators Directive).			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium (2006/66/EC Battery and accumulators Directive).			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable" (2006/66/EC Battery and accumulators Directive).			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (2006/95/EC Low Voltage Directive).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (2004/108/EEC New EMC Directive).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (1999/5/EC (R&TTE Directive).	$\boxtimes$		
P3.4*	The product is labeled to show conformance with applicable legal requirements (2006/66/EC Battery and accumulators Directive, 2006/95/EC Low Voltage Directive, 2004/108/EEC New EMC Directive, 1999/5/EC R&TTE Directive, 2002/96/EC WEEE directive)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (2002/95/EC ROHS Directive).	$\square$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (76/769/EEC Marketing and Use Directive, REACH Regulation 1907/2006).	$\square$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (1999/45/EC Dangerous Preparations Directive, 2001/58/EC Directive on Safety Data Sheets).			
P5	Product packaging	_		
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of this together (2004/12/EC Directive on packaging and packaging waste).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (97/129/EC Commission Decision on Identification System for Packaging Materials).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (2037/2000/EC Regulation on Substances that Deplete the Ozone Layer). Comment: Legal reference has no maximum concentration values.			

Annex A & B of ECMA-370 3<sup>rd</sup> edition, December 2008 Page 2 (5 © Copyright Association of the Swedish IT and Telecom Industry 2000. Reproduction of this form without permission is prohibited by the copyright law 1960:729. The prohibition includes any kind of reproduction, by electronic or any other means.

	number *	Aficio SP 1100SF			_
Issue da	ate *	15 June 2009 Logo		0	Н
Produ	uct enviro	nmental attributes - Market requirements - Environmental conscious design	Requir	emer	t met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatme	nt information			
P6.1*	Informati	ion for recyclers/treatment facilities is available (2002/96/EC WEEE directive).			
P7	Design Disasse	mbly, recycling			
P7.1*		at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.		Ħ	H
P7.3*		arts >100g consist of one material or of easily separable materials.		⊢≓	⊢≓
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		╶╞╡	─₩
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		-#	-++
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		_님	- 님
P7.0	Product				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*		ng can be done using commonly available tools		─₩	╶┝┥
P7.9.		arts are available after end of production for: 7 years		_님	
P7.9.				⊢⊢	
F7.10		is available after end of production for: 7 years	$\square$		
P7.11*		and substance requirements cover/housing material type:			
F7.II		type: PC + ABS Material type: PC + PS Material type:			
P7.12	Electrica	I cable insulation material of power cables are halogen free (including PVC). (See <sup>Note 1</sup> )	$\square$		
P7.13		I cable insulation material of signal cables are halogen free (including PVC). (See Note 1)		⊢⊢	─₩
P7.14		/housing plastic parts >25g are halogen free. (See Note 1)		╞	-#
P7.15		d circuit boards (without components) >25g are halogen free. (See Note 2)		─₩	─₩
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		-#	-++
	Marking:				
P7.17		al specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 1043	Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>FR (17)</i>			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%: nt: No legal limits exist, this is a market requirement.			
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:			
	FR (40)	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19 P7.20		blastic parts' weight >25g, recycled material content is 0% [pls see P14 for additional information] blastic parts' weight >25g, biobased material content is 0%.			
P7.20 P7.21		plastic parts weight >25g, blobased material content is 0%.			
17.21		ry is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batterie				
P8.1*		hemical composition (2006/66/EC Battery and accumulators Directive): No battery used			
P8.2		s meet the requirements of the following voluntary program/s: <i>European eco-label (EU Flower)</i> (2001/687/EC & 2001/686/EC)			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	Aficio SP1100SF		
Issue date *	15 June 2009	Logo	RICOH

	ct environmenta	al attribut	es - Market re	quirements (co	ontinued)			Re		ment	
Item P9	Energy concur	ntion							Yes	No	n.a.
<b>9</b> .1	Energy consum For the product t	-	g power levels o	r enerav consum	otions have been	meas	ured:				
Energy			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Sta		rgy mo	des	
Maximu	ım Energy Consu	mption	VV	W	900 W			-			
Operati	ng Mode	-	W	W	<b>450</b> W						
Ready l	-		VV	W	35 W						
Off/Slee	ep Mode		VV	W	12 W						
			VV	VV	W						
			VV	VV	W						
plugged	-load al power supply / cl in the wall outlet b ected from the pro	out	W	W	W						
PTEC * Typical I	Energy Consumpti	ion	W	W	W						
TEC * Typical I	Energy Consumpti	ion	kWh/week	kWh/week	kWh/w	veek					
	time to enter energ	gy save mo	de: <b>15</b> minutes								
P9.2*	Information abou								$\boxtimes$		
P9.3*	The product mee ENERGY STAR Others specify:			of the following	oluntary progran	n/s:			$\square$		
P10	Emissions										
P10.1	Noise emission	Declare Mode des	d according to IS	O 9296	Declared	i	Deelere	d A-weighted			i —
F 10.1	Mode	Mode des	scription		A-weighted		sound pressur	-	(dB)		
					sound power	000	rator position $\boxtimes$	1			
					level $L_{WAd}$ (B)	Ope	Desktop	(only if p			
							or Desk side	operat	tor atter	nded)	
	Idle	* Stand-l	by		* <b>N/A</b>			18.1			
	Operation	* Operat	ing Mode		* 6.4			52			
	Other mode										
	Measured accor	ding to: 🔽		MA-74							
		aing to: 🔼			by ECMA-74 wit	h L <sub>pam</sub>	measurement d	listance	m)		
P10.2			Other (o	nly if not covered ements of the fol			ım/s:		m)		
P10.2			Other (o	nly if not covered			ım/s: E	listance Blue Angel Nordic Swan	m)		
	The product mee	ets the aco sions from	Other (o ustic noise requir printing produce	nly if not covered ements of the fol	lowing voluntary	progra	im/s: F	Blue Angel			
P10.3*	The product mee Chemical emiss Test performed a	ets the aco sions from according t	Other (o ustic noise requir printing produc o ECMA-328 (IS6	nly if not covered ements of the fol cts D/IEC 28360) sta	lowing voluntary	progra	ım/s: E	Blue Angel	m)		
	The product mee Chemical emiss Test performed a Typical emission	ets the aco sions from according t n rate (print	Other (o ustic noise requir printing produc o ECMA-328 (ISC phase) is (mg/h)	nly if not covered ements of the fol cts D/IEC 28360) sta :	lowing voluntary	progra	im/s: F	Blue Angel			
P10.3*	The product meet Chemical emission Test performed a Typical emission Dust <i><limit d<="" i="" of=""> Chemical emission</limit></i>	ets the aco sions from according t n rate (print etection O ion requirer	Other (o ustic noise requir printing produc o ECMA-328 (ISG phase) is (mg/h) zone 0.06 Styren nents of the follo	nly if not covered ements of the fol cts D/IEC 28360) sta : e 0.21 Benzene wing voluntary pr	ndard , other	specify	im/s: F	Blue Angel			
P10.3* P10.4	The product meet Chemical emission Test performed a Typical emission Dust <i><limit d<="" i="" of=""> Chemical emission</limit></i>	ets the aco sions from according t n rate (print etection O ion requirer	Other (o ustic noise requir printing produc o ECMA-328 (ISC phase) is (mg/h) zone 0.06 Styren	nly if not covered ements of the fol cts D/IEC 28360) sta : e 0.21 Benzene wing voluntary pr	ndard , other	specify	im/s: F y: <i>RAL-UZ</i> B	Blue Angel			
P10.3* P10.4	The product meet Chemical emission Test performed a Typical emission Dust < <i>limit of d</i> Chemical emission Dust $\boxtimes$ Ozone Electromagneti	ets the aco sions from according t n rate (print etection O ion requiren Styrend c emission	Other (o ustic noise requir printing produc o ECMA-328 (ISC phase) is (mg/h) zone 0.06 Styren nents of the follo e Benzene	nly if not covered ements of the fol cts D/IEC 28360) sta : e 0.21 Benzene wing voluntary pr	ndard , other ogram/s are met	specify t for :	um/s: F y: <i>RAL-UZ</i> B	Blue Angel Nordic Swan			

Annex A & B of ECMA-370 3<sup>rd</sup> edition, December 2008 Page 4 (5 © Copyright Association of the Swedish IT and Telecom Industry 2000. Reproduction of this form without permission is prohibited by the copyright law 1960:729. The prohibition includes any kind of reproduction, by electronic or any other means.

Model number *	Aficio SP1100SF		
Issue date *	15 June 2009	Logo	RICOH

Produc	t environmental attributes - Market requirements (continued)	Requirer	nent	met
ltem	· · · · · ·	Yes	No	n.a.
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	$\boxtimes$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		$\boxtimes$	
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			$\boxtimes$
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s):Corrugated Paperweight (kg):1.76Product packaging material type(s):Plasticweight (kg):0.48Product packaging material type(s):weight (kg):weight (kg):			
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	$\boxtimes$		
P13.3*	Specify media for user and product documentation (tick box): Electronic Paper Other Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber.			$\square$
P14	Additional information			
	This product is designed to utilise recycled plastic materials wherever available			

NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.