

3-in-1 Easy Air Compressor[™]



User's Manual

3-in-1 Easy Air Compressor™ by Wagan Tech®

Thank you for purchasing the 3-in-1 Easy Air Compressor™ by Wagan Tech®. With normal care and proper treatment it will provide years of reliable service. Please read all operating instructions carefully before use.

SPECIFICATIONS:

- Pressure Reader: 275 PSI gauge
- Air Hose: 1.17ft
- 12 Volt Cord: 10.42ft
- Nozzles: collar, inflator nozzle, sport needle

WARNINGS:

- This appliance is not intended for use by persons (including children) with reduced physical, sensory, or mental capabilities.
- Children or persons lacking experience or knowledge of this unit should be supervised during operation and cleaning of this electric-powered tool.
- To avoid hazard, damaged power cord should only be replaced by a service agent or similarly qualified person.
- Only for use with 12V power source.

SWITCH OPERATION:



AIR COMPRESSOR OPERATION:

Caution: never leave compressor unattended while in use

NOTE: If your vehicle's tire is completely deflated, it is possible that the seal between the tire and the rim could be broken allowing air to leak out when trying to inflate. This usually only happens with completely flat tires. In the event that this situation occurs, you will have to jack up your car prior to tire inflation.

1. Pull out hose from compartment. Place nozzle over valve stem of tire with thumb lever in the vertical position.
 2. Push thumb lever down firmly (into horizontal position) and lock into place.
 3. Turn compressor's switch on and monitor pressure using the built-in pressure gauge. Do not overinflate products beyond the manufacturer's recommendations.
 4. When recommended tire pressure is reached, turn off the air compressor and disconnect the hose.
- For inflating other items, select the appropriate adaptor and insert into the hose nozzle.
 - For athletic balls, moisten needle before inserting it into the ball valve.
 - For other inflatable equipment, the nozzle should be inserted into valve and held tightly to ensure a good seal.

WORK LIGHT:

The 3-in-1 Easy Air Compressor comes with a built-in adjustable angle work light. Once the 3-in-1 Easy Air Compressor is connected to a 12V power outlet, toggle the switch to the “||” position for easy use.

CHANGING THE LIGHT BULB:

1. Unscrew ring from the front of light in a counter-clockwise motion.
2. Unscrew bulb and replace with a new one.
3. Replace ring and lens onto the unit by turning it clockwise.



31088 San Clemente Street
Hayward, CA 94544, U.S.A.

Tel: +1.510.471.9221
U.S. & Canada Toll Free: +1.800.231.5806
customerservice@wagan.com
www.wagan.com

©2014 Wagan Corporation. All Rights Reserved
Wagan Tech and *wagan.com* are trademarks used by Wagan Corporation

REV20140124-E