

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	TOSHIBA	Logo	
Company name *	Toshiba Tec Corporation		TOSHIBA
Contact information *	Name: Dierk Ulken e-mail: dierk.ulken@toshibatec-tgis.com		Leading Innovation >>> ©:STUDIO2555CSE
Internet site *	www.toshiba-europe.com/tec		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Multifunction Product				
Commercial name *	e-STUDIO2555CSE				
Model number *	FC-2555C				
Issue date *	2013-08-19				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen.	ol 🗌	

Model number *	e-STUDIO2555CSE / FC-2555C		
Issue date *	2013-08-19	Logo	E-STUDIO 2555CSE

Product	environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	\boxtimes		
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See			
P1.2*	legal reference and Note B1) Products do not contain Asbestos (see legal reference).		_	
F1.2	Comment: Legal reference has no maximum concentration value.	\boxtimes	Ш	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated			
5	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\boxtimes		
P1.6*	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			
P1.0	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		Ш	\boxtimes
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split		П	X
	aromatic amines. (See legal reference and Note B1)		ш	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).	_		_
D / C*	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			\boxtimes
	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
1 1.10	refer to section "Environment" under www.toshiba-europe.com/tec		ш	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square	$\overline{}$	
1 2.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш	Ш
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes		
Do 01	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the		Ш	
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	.l		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square	$\overline{}$	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		∺	
1 0.2	reference).		ш	Ш
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies			
	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see	\boxtimes		
	legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the			\boxtimes
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			
D.F.	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		$\overline{}$	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea		+	_
70.0	Protocol (see legal reference).	ıl 🔀	Ш	
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	e-STUDIO2555CSE / FC-2555C		
Issue date *	2013-08-19	Logo	STUDIO 2555CSE

Product	oduct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design					
D7 1*	Disassembly, recycling Parts that have to be treated constrately are easily constrained.		_	_		
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>	<u> </u>		
P7.2*	Plastic materials in covers/housing have no surface coating.		<u> </u>	<u>Ц</u>		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes				
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9.	Spare parts are available after end of production for: 7 years					
P7.10	Service is available after end of production for: 7 years			Ħ		
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: PC+PPE FR (40) Material type: PC+ABS FR (40) Material type: PC+ABS	FR(40)				
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes			
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		$\overline{\boxtimes}$			
	Note B2)	_				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):					
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:		ш	ш		
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:		Ш	Ш		
P7.18	Alt. 1					
F7.10	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in					
	concentrations above 0.1%:	Ш	ш	ш		
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #:					
	2. Chemical name: , CAS #:					
	3. Chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
	onomical opcomications of marite rotal darks in place of parts 2 20g according 1000 10 10 1.					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		$\overline{\Box}$			
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is 4,1 %.					
P7.21	Of total plastic parts' weight >25g, biobased material content is <0,1%.					
P7.22	Light sources are free from mercury	\boxtimes				
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg					
P8.1*	Batteries Battery chemical composition: <i>Lithium</i>					
P8.2	Batteries meet the requirements of the following voluntary program/s:					

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	e-STUDIO2555CSE / FC-2555C		
Issue date *	2013-08-19	Logo	ESTUDIO 2555 CSE

Product environmental	ct environmental attributes - Market requirements (continued) Requirement met										
Item	Yes No				n.a.						
	9 Energy consumption										
9.1 For the product the following power levels or energy consumptions are reported:											
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Si modes and test m	tandard fo nethod *	r energy				
Max. power warm-up	W	W	1153 W								
Average power copying	W	W	462,1 W								
Ready	W	W	97,2 W								
Low power	W	W	51,17 W								
Super-Sleep, Soft Off	W	W	1,25 W								
Plug-in Off	W	W	0,04 W								
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W								
PTEC * Typical Energy Consumption	W	W	W								
TEC * Typical Energy Consumption	kWh/week	kWh/week	1,9 kWh/week								
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/ye	ar							
Display resolution* :	Megapixels	•									
Print Speed * : 25 b/w	; 25 col. Images per mir	nute									
Default time to enter energy save mode: 1 minutes to Low power											
	1 minutes to	o Sleep									
P9.2* Information about	t the energy save function	n is provided with th	e product.		ı		\boxtimes				
ENERGY STAR	ets the energy requirement version: 1.1 & 2.0 Tier: Slue Angel / RAL-UZ 17	Product cat	oluntary prograr egory: <i>Imaging</i>		oment		X D				
P10 Emissions		100 0000									
	Declared according to	ISO 9296	Dooless	1	Dealers I A	vuo indete el		T			
P10.1 Mode	Mode description		Declared A-weighted sound power		Declared A sound pressure le		(dB)				
			level $L_{W\!Ad}$ (B)	Ope	rator position	Bystande	positions				
					Desktop or Desk side	(only if pro	duct is not attended)				
Idle	* Ready	4	5,21		33,						
Operation	* Copy b/w	4	* 6,57		49,	,4					
Other mode	Copy col.		6,59		49,	,4					
Measured accord	ding to: 🔀 ISO7779 🗌										
	Other RAL-U	Z171 (only if not cov	vered by ECMA-	74 wit	h L _{pAm} measureme	ent distance	m)				
P10.2 The product mee	ts the acoustic noise req	urements of the foll	owing voluntary	progr	am/s: <i>RAL-UZ 171</i>	1	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ 171				

Model number *	e-STUDIO2555CSE / FC-2555C		
Issue date *	2013-08-19	Logo	STUDIO 2555CSE

Product	environmental attributes - Market requirements (continued)	equire	ment	met	
Item		Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL-UZ171	\boxtimes			
P10.4	Typical emission rate (print phase) is (mg/h):				
	b/w Dust <lod (standby)="" 0,266<="" 0,463="" 8,298="" <lod="" benzene="" ozone="" styrene="" td="" tvoc=""><td></td><td></td><td></td></lod>				
	col. Dust <lod (standby)="" 0,266<="" 0,463="" 10,037="" <lod="" benzene="" ozone="" styrene="" td="" tvoc=""><td></td><td></td><td></td></lod>				
P10.5	Chemical emission requirements of the following voluntary program/s Blue Angel / RAL-UZ171 are met for :	\boxtimes			
	Dust ☑ Ozone ☑ Styrene ☑ Benzene ☑ TVOC ☑				
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	\boxtimes			
P12	Ergonomics for computing products				
P12.1*	· · · · · · · · · · · · · · · · · · ·				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes	
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Cardboard/Paper weight (kg): 9,65				
	Product packaging material type(s): <i>Plastics</i> weight (kg): 0,27				
	Product packaging material type(s): <i>EPS</i> weight (kg): <i>0,68</i>				
P13.2*	Product plastic packaging is free from PVC.	\boxtimes			
P13.3*					
	Electronic 🔲, Paper 🔲, Other 🗌				
P13.4*	* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%				
Rev.	User and product documentation do not contain chlorine bleached paper	\boxtimes			
P13.5	oos and product documentation at not contain since modeling paper		ш		
P14	Additional information (See Note B4)				
P9.1	LOD = Limit of Detection				
P13.5	paper being used is ECF-bleached				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19