





Enjoy superb Epson images with the built in JVC DVD player and sound system. The Epson EMP-TWD1 is all you need to watch movies, TV, play games and listen to music.

All you need for a great show

No more wires! Just you, your family and friends and Epson's great sound and vision. Simply connect your Epson EMP-TWD1 to the power, insert your chosen DVD and watch movies the way they were meant to be seen – on the big screen.

Cinema quality

With its 1200 ANSI lumens, developed through Epson Cinema Filter Technology, the Epson EMP-TWD1 delivers bright, natural colour images that stay crisp and clear in a variety of lighting conditions. Four preset colour modes automatically adjust the brightness and contrast level to ensure the best image quality.

Big screen, small space

You don't need a large room to project a big screen. You can create an amazing 60" image at just about 1.5m from the screen. Horizontal and vertical lens shift and keystone correction allow you to position your projector off centre and the image will still be aligned correctly.

Two built-in 10W JVC speakers for amazing sound quality

High quality, DVD player powered by JVC for movies or music

Movies and much more


You can also connect your Epson EMP-TWD1 to your games console or your digital camera. Imagine battling it out on the latest video game on a big screen, or hosting high quality slideshows of your holiday snaps. You can even listen to CDs and MP3s and sing along to your favourite songs with JVC sound technology.

Take the movies wherever you want

The Epson EMP-TWD1 is so compact and quick to set up that you can simply unplug it and carry it to another room. Or if you want to really impress your friends, don't just arrive with the latest movie, bring your own home cinema to watch it on.

The Epson EMP-TWD1 – user-friendly, quality viewing

- Compact, stylish home entertainment solution – projector, DVD and surround-sound
- Exceptional image quality thanks to Epson exclusive Cinema Filter
- Accurate, natural images thanks to 3LCD technology
- Brilliant picture quality in any light with 1200ANSI lumens and a choice of 4 colour modes
- True cinematic feel 16:9 resolution 854 x 480 pixels



Epson TMD1

Model

Projection System

Projection Method Specification of Main Parts

Size: 0.55-inch wide panel with MLA; Driving Method: Poly-silicon TFT active matrix; Pixel Number: 409,920 dots (854 x 480) x 3; Native Resolution: 480p; Aspect Ratio: 16:9;

RGB liquid crystal shutter projection system

Pixel Arrangement: Stripe: Refresh Rate: 50Hz - 60Hz: Type: Manual zoom / Manual focus; F-number: 1.7 - 2.1; Focal Length: 13.7 mm - 20.5 mm;

Zoom Ratio:1 - 1.5: Lens Cover: Yes Lamp

Type: 135 W UHE (E-TORL); Life: 2000H (Color mode: Dynamic, Living room, Theatre),

3000H (Color mode: Theatre Black) Screen Size (Projected distance) 30" to 300" (0.73m to 7.75m) (Wide: 16:9 image)

Epson EMP-TWD1

30" to 300" (1.11m to 11.37m) (Tele: 16:9 image)

Vertical: 50% max. (upward), 50% max. (downward) Horizontal: 25% max. (left and right)

Brightness

Lens Shift Range

Projection Lens

High Brightness Mode 1200 ANSI lumens (Color mode: Dynamic, Zoom: Wide, Lens Shift: Center) Low Brightness Mode 350 ANSI lumens (Color mode: Theatre Black, Zoom; Wide, Lens Shift; Center) Contrast 1000:1 (Color mode: Dynamic, Zoom: Tele, Lens Shift: Full)

Brightness Uniformity 90%

Color Reproduction Full Color (16.77 million Colors)

Video Quality Direct progressive & Interlace-Progressive conversion (3-2 film detection, motion detection, only for internal DVD) Sound Output Stereo DD (Direct Drive) speaker (10 W x 2 / 4 Q)

Subwoofer 15 W (option)

More than 70 dB

Audio Amp Quality Dynamic range

Total Harmonic Distortion Less than 0.5% Function Muting, Image On / Off, Break

Color Mode Dynamic, Living room, Theatre, Theatre Black

Remote Control Infrared Front & Rear: 7 m,

Receiver Position / Distance / Right / Left: -30 degrees to +30 degrees Directivity Upper / Lower: -15 degrees to +15 degrees Adjustment Functions Projector / Remote Control: Keystone / Brightness / Contrast / Tint / Saturation / Sound / Input Signal;

Tilt Angle: 0 degree; Keystone Correction: Vertical: -15 degrees to +15 degrees (Zoom: Tele);

Cinema Filter: Controlled automatically with color mode ON: Theatre / Theatre Black, OFF: Living Room / Dynamic.

Display Performance

Video I/O

Input Signal Video Standard

NTSC / NTSC4.43 / PAL / M-PAL / N-PAL / PAL60 / SECAM Video Signal

Composite Video (1.0 Vp-p / Sync.negative, 75 ohm) / S-Video (Luminous 0.714 Vp-p, Chrominous 0.286 Vp-p, 75 ohm) Audio Signal 2.0 Vrms / 47 k-ohm

NTSC: 480 lines. PAL: 480 lines (Depends on observation of the multi-burst pattern)

Input Terminal

Video Composite Video: RCA (Yellow) x 1; S-Video: Mini DIN Audio RCA (White/Red) x 1 (for Composite Video and S-Video)

Output Signal Head phone: 11 mW / 32 ohm (16 ohm - 1 k-ohm available). Subwoofer: 650 mVrms / 10 k-ohm Audio Analog

-21 dBm ~ -15 dBm Audio Digital Output Terminal

Audio Analog Head phone: Stereo jack (3.5Φ) x 1 / Subwoofer: RCA x 1

Audio Digital DVD Unit

Loading

DVD Video, DVD-R/-RW (Video format), Video CD, Super Video CD, Media Audio CD, MP3 (CD-R/RW), WMA (CD-R/RW), JPEG (CD-R/RW)

DTS. Dolby 5.1

Tray Lock, Sleep timer, Auto standby. Dimmer (2 step, On/Off/Auto) Function Operating Temperature

5 °C to 35 °C <41 °F to 95 °F> (20% - 80% humidity)

Approx. 8 seconds (Image ON) Start-up Period Cool-down Period Approx. 9 seconds 100 - 240V AC ±10%, 50/60Hz

Power Supply Voltage Power Consumption

230V Area Lamp On: 220W: Lamp Off: 70W: Standby 9W

Dimension Exclude Feet (D x W x H)

Maximum Dimension (D x W x H) Weiaht

Fan Noise

Audio Format

Low Brightness Mode Destination: Western Europe English / French / German / Spanish DVD Menu Language

Projector Menu Language DVD Region

Supplied Accessories Optional Accessories

Spare Lamp: ELPLP33; Air Filter: ELPAF09; Powered Subwoofer: ELPSP01 Warranty* 3 years EMEA warranty, 2 year worldwide warranty

310mm x 340mm x 180mm

310mm x 340mm x 200mm Approx. 15.4lbs / 7.0kg

*Warranty offers are not available in all countries. Please contact your local Epson representative.







English / French / German / Spanish



Power Cable: 3 m White cable; Remote Control: With self-luminous buttons; Battery: Mangan, Size AA x 2; User's Manual Set: attached

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 0810/20 01 13 (0,07 €/Min.) Belgium 070/350120 (0.1735 €/Min.) Czech 800 / 142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 0892 899 999 (0,34€/min) Germany 01805/23 41 10 (0,12 €/Min.) Greece 210-6244314 Hungary 06800 147 83 Italy 02-660321 10 (0,12 €/Min.) Luxemburg 900/43010 (0,24 €/mn.) Middle East +9714 8818934 Netherlands 0900-5050808 (0.05

€/oproep + 0.15 €/Min.) Norway 22 06 42 80 Poland 0-0-800 4911299 (0,16 zł/min.) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621 Spain 93 582 15 00 Sweden 077-140 01 35 Switzerland 0848 448820 (4-8 cent./mn.) Turkey (0212) 3360303

Epson® is a registered trademark of Seiko Epson® Corporation. All other product names and other company names used herein are for identification purposes only and may be trademarks or registered trademarks of their respective owners. Errors and omissions excepted, all specifications are subject to change without notice.

Entity carrying out management and coordination pursuant to article 2497 bis of Civil Code: Epson Europe BV

