

# Gadgets +

Import og forhandler av Gadget

[www.gadgetspluss.com](http://www.gadgetspluss.com)



45410588

## 2-Way Motorcycle Alarm Security System (100 Meter Range)

Product code: CVWT-J75



2-Way Motorcycle Alarm Security System (100 Meter Range): Protect your motorcycle with this complete kit and be informed directly on the remote control when someone is tinkering with your bike.

This ingenious Security System comes with a user-friendly remote control alarm that is set up to fully protect your bike from tampering and theft. Once armed and someone touches the motorcycle, the alarm goes off and siren beeps away, alerting people around and drawing attention to the perp. And, if the motorcycle is touched again within a short period of time, the alarm becomes even louder and lights start flashing in every direction, clearly letting others know that the bike is probably being stolen. At this stage, the motorcycle engine is locked and rendered inoperative.

Moreover, a message is sent to the remote control to inform you directly!

Yes, within a range of 100 meters, you get a message through the remote control each time an unusual thing happens! The system also has an anti-hijacking feature causing the motorbike engine to be cut off after a while. The sensitivity of the alarm system is also easily adjustable by the remote to three different settings according to your specific needs. What more? For additional peace of mind, an emergency security function ensures that the engine is completely immobilized if the motorcycle is forced to turn on.

### At a Glance...

- 2-Way Motorcycle Alarm Security System
- Audio and visual alarm signals
- Receive instant messages on the remote control when the alarm turns on!
- Engine immobilization, anti-hijacking, and many more features
- Affordable and easy to install



## **Manufacturer Specifications**

- Main Function: 2-Way Motorcycle Alarm Security System
- Remote Control
  - LCD Screen: 1.5 Inch
  - Frequency: 433.92MHz
  - Transmit power: <10mw
  - Frequency deviation:  $\pm 20$ KHz
  - Power: 1 x 1.5 V AAA Battery
  - Battery Life: 3 month
  - Current: <32mA (Transmit), <18mA (Receive)
  - Code Sending Method: Rolling code
  - Dimensions (mm): 70 (L) x 36 (W) x 17 (H)
- Main Unit
  - Voltage: 12V ( $\pm 4$ V)
  - Static current: <12mA
  - Frequency: 433.92MHz
  - Transmit power: <20mW
  - Frequency deviation:  $\pm 20$ Hz
  - Transmit code: 2 45
  - Dimensions (mm): 80 (L) x 65 (W) x 25 (H)
- Siren
  - Sound Level: 125db
  - Wattage: 1.6W
  - Dimensions (mm): 52 (Diameter) x 28 (H)
  - Alarm Modes: Standard, Silent
- Motorcycle battery status indication: yes
- Clock and alarm setting with sound and vibration in transmitter: yes
- Water resistant ECU: yes
- Low power consumption: <4mA
- Remote Arm/Disarm: yes
- Out of operation range warning: yes
- Engine Immobilization: yes
- Remote Locator (remote finding of motorcycle): yes
- Anti-Hijacking: yes
- Remote Sensitivity Adjustment: yes
- Mute Alarm: yes
- Auto Re-arming: yes
- Working Temperature: -15 to 65 deg C

## **Product Notes**

- The 2-way alarm is the newest technology in vehicle security system. Unlike traditional security systems, which only sound the siren or beep the horn when the alarm is triggered, a 2-way alarm is able to send an alert signal to a remote control, allowing its owner to react quickly and efficiently according to the detailed information displayed.

## **Package Contents**

- Main unit

- Remote Control
- Remote control with LCD
- Horn
- Wires
- 2 stickers
- English user manual

: