




is, Freezers, Refrigerator-Freezers, Ice Makers, Dishwashers, Built-In Ovens, and Surface Units, Ranges, Microwave Ovens, Trash Compactors, Room Air Conditioners, Dehumidifie



# Please read this Use and Care Guide before you do anything else...

This booklet tells you how to start your refrigerator, clean it, move shelves and adjust controls. It even tells you what new sounds to expect from your refrigerator.

Treat your new refrigerator with care. Use it only to do what home refrigerators are designed to do.

#### Ice Cube Trays Power Saving-11 Control Utility TH I Freezer Light **1**1 !! Compartment Air Control Light -**Adjustable** 22220 Temperature Shelves Control Freezer Meat Pan Shelves Cover Meat Pan Meat Pan Air Control (not shown) Model and Serial Number Freezer Trivet Label **Base Grille**

# **Parts and features**

# Copy your Model and Serial Numbers here...

When you need service or call with a question, have this information ready:

Model Number

- **1. Complete** Model and Serial Numbers (from the label located as shown).
- 2. Purchase date from sales slip

Copy this information in these spaces. Keep this book, your warranty and sales slip together in a handy place.

Serial Number

Purchase Date

Service Company and Telephone Number

# Contents

Contents	Page
SAFETY FIRST	
BEFORE YOU PLUG IT IN	. 3
Install Properly	. 4
Level Refrigerator-Freezer	. 4
Remove Sales Labels	. 4
Clean It	. 4
Plug It In	. 4
USING YOUR REFRIGERATOR	. 5
Setting the Controls	. 5
Changing the Control Settings	. 5
Power Saving Control	. 5
Adjusting the Refrigerator Shelves	
Removing the Freezer Shelves	
Adjusting the Meat Pan Temperature .	
Removing the Meat Pan and Cover	
Removing the Freezer Trivet	. 6


F	<sup>2</sup> age
Changing the Light Bulbs	7
Removing the Base Grille	7
Ice Cube Trays	7
Sounds You May Hear	7
Energy Saving Tips	8
CLEANING YOUR REFRIGERATOR	8
Cleaning Chart	9
FOOD STORAGE GUIDE	10
Storing Fresh Food	10
Freezing and Storing Frozen Foods	11
VACATION AND MOVING CARE	14
IF YOU NEED SERVICE OR ASSISTANCE.	15
1. Before Calling for Assistance	15
2. If You Need Assistance	15
3. If You Need Service	15
4. If You Have a Problem	15

©1986 Whirlpool Corporation

# Safety first

Child entrapment, and suffocation, are not things of the past. Junked or abandoned refrigerators are still dangerous...even if they will "just sit in the garage for a few days."

If you are getting rid of your old refrigerator, do it safely. Please read the enclosed safety booklet from the Association of Home Appliance Manufacturers. Help prevent accidents.



# Before you plug it in

## IMPORTANT

Before using your refrigerator, you are personally responsible for making sure that it...


- is installed and leveled on a floor that will hold the weight, and in an area suitable for its size and use.
- is connected only to the right kind of outlet, with the right electrical supply and grounding. (Refer to your "Electrical Requirements and Grounding Instructions.")
- is used only for jobs expected of home refrigerators.

- is not near an oven, radiator or other heat source.
- is properly maintained.
- is out of the weather.
- is used in an area where the room temperature will not fall below 55° F (13° C).
- is not used by those who may not understand how it should be used.
- is not loaded with food before it has time to get properly cold.

## Install properly...



- Allow ½ inch (1.25 cm) space on each side and at the top of the refrigerator for ease of installation.
- If the refrigerator is to be against a wall, you might want to leave extra space so the door can be opened wider.
- 3. The refrigerator back can be flush against the wall.



- 1. Remove base grille (see page 7).
- 2. To raise front, turn each leg to the left.
- 3. To lower front, turn each leg to the right.
- 4. Check with level.

## Remove sales labels...

Remove the Consumer Buy Guide label, tape and any **inside** labels before using the refrigerator.


#### To remove any remaining glue:

1. Rub briskly with thumb to make a ball then remove. **OR** 


2. Soak area with dishwashing detergent solution (1 teaspoon detergent in 1 quart warm water) before removing glue as described in step 1.

DO NOT USE rubbing alcohol or flammable or toxic solvents, such as acetone, gasoline, carbon tetrachloride, etc. These can damage the material.

NOTE: DO NOT REMOVE ANY PERMANENT IN-STRUCTION LABELS INSIDE YOUR REFRIGERATOR. Do not remove the Tech Sheet fastened under the refrigerator at the front.




# Plug it in...



## RECOMMENDED GROUNDING METHOD

A 115 Volt, 60 Hz., AC only 15 or 20 ampere fused and properly grounded electrical supply is required. It is recommended that a separate circuit serving only this appliance be provided.

Do not use an extension cord. Use a receptacle which cannot be turned off with a switch or pull chain. See individual electrical requirements and grounding instruction sheet in your literature package.



## Setting the controls...

The Temperature Control is in the refrigerator and the Air Control is in the freezer section. When the refrigerator is plugged in for the first time.



TURE CONTROL to 3.

- 1. Set the TEMPERA-
  - 2. Set the AIR CON-TROL to 3.

REASONS:

Door opened often

Door opened often

for your conditions

Heavy ice usage

Large amount of food added

Room temperature too warm

Large amount of food added

Very cold room temperature (can't cycle often enough)

Very cold room temperature

(can't cycle often enough)

Controls not set correctly

## Changing the control settings...

If you need to adjust temperatures in the refrigerator or freezer, use the settings listed in the chart below.

Give the refrigerator time to cool down completely before adding food. (This may take several hours.)

#### These settings should be about right for normal household refrigerator usage.

REFRIGERATOR The controls will be set about right when milk or juice is as cold as you like and when ice cream is firm.

Do not block the air outlet on the control panel. Blocking it can slow the air movement needed to keep temperatures at the level you set.

Adjust the Temperature Control first.

- Wait at least 24 hours between adjustments.
- Then adjust the Air Control, if needed.



If Refrigerator Section is TOO WARM If Freezer Section is TOO WARM

CONDITION:

QUESTIONS?

...call your COOL-LINE \* service assistance telephone number (page 15).

If Refrigerator Section is TOO COLD If ICE isn't MADE FAST ENOUGH If BOTH SECTIONS

are TOO WARM

The Power Saving Control on the Control Console operates electric heaters around the door

openings. These heaters help keep moisture from

**Power Saving Control...** 

forming on the outside of the refrigerator.

Door opened often Temperature Control Air Control Large amount of food added Very warm or very cold room temperatures OFF



**RECOMMENDED SETTINGS:** 

Temperature Control

Temperature Control

Temperature Control

Temperature Control

Air Control

Air Control

Air Control

Air Control

1. Use the "OFF" setting when humidity is low.

- 2. Use the "ON" setting if moisture forms on the outside of the refrigerator.
  - 5

4

3

3


Δ

2


3

3

Δ



## Adjusting meat pan temperature...



Cold air flows against the meat pan through an opening between the freezer and the refrigerator. This helps keep the meat pan colder than the rest of the refrigerator. Set the control to let more or less cold air through.

Use Control to Adjust Meat Pan Temperatures

## Removing the meat pan and cover...

## **Removing Meat Pan:**


- 1. Slide meat pan straight out to stop.
- 2. Lift the front.
- 3. Slide the rest of the way out.


#### **Removing Cover:**

- Cover is held in place by two pegs at the back and a notched tab in front.
- 1. Press front tab out of the way.
- 2. Lift cover front.
- 3. Lift back off the pegs.
- 4. Replace in reverse order.

## Removing the freezer trivet...

- 1. Lift the trivet from the support brackets on the back wall.
- 2. Replace in reverse order.






# USING YOUR REFRIGERATOR • SOUNDS YOU MAY HEAR

# Changing the light bulbs...

**Removing the base grille...** 


WARNING: Before removing a light shield for cleaning or for replacing the bulb either unplug refrigerator or disconnect electricity leading to refrigerator at the main power supply. Shock and injury can occur if electricity remains connected.



Pull Off the Dial; Pull Out at the Bottom

## Light bulbs behind refrigerator and freezer control consoles:

- 1. Pull control knob straight off.
- 2. Pull bottom of control panel straight out.
- 3. Lift top of panel off supports.
- 4. Replace with a 40-watt appliance bulb.
- 5. Replace panel in reverse order.



## To replace:

- 1. Line up grille support tabs with metal clips.
- 2. Push firmly to snap into place.
- 3. Close the doors.

## Ice cube trays...

2. Pull grille outwards as shown.

1. Open the doors.

If cubes are not used, they may shrink. The moving cold air starts a slow evaporation. The longer cubes are stored, the smaller they get.

3. Do not remove Tech sheet fastened behind arille.

## Sounds you may hear...



Your new refrigerator may make sounds that your old one didn't. Because the sounds are new to you, you might be concerned about them. Don't be. Most of the new sounds are normal. Hard surfaces like the floor, walls and cabinets can make the sounds seem louder. The following chart describes the kinds of sounds that might be new

to you, and what may be making them.

#### Possible Sounds:

- Slight Hum, Soft Hiss:
- Clicking or Snapping Sounds:
- Water Sounds:
- Running Sounds:

also makes a sound when the refrigerator starts. When the refrigerator stops rupping, you may be

Probable Causes:

When the refrigerator stops running, you may hear gurgling in the tubing for a few minutes after it stops. You may also hear defrost water running into the defrost water pan.

The defrost timer makes a definite click when the refrigerator stops running. It

Your refrigerator has a high-efficiency compressor and motor. It will run longer than older designs. It may even seem to run most of the time.

You may hear the refrigerator's fan motor and moving air.



## Energy saving tips...

You can help your refrigerator use less electricity.

- Check door gaskets for a tight seal. Level the cabinet to be sure of a good seal.
- Clean the condenser coil regularly.
- Open the door as few times as possible. Think about what you need before you open the door. Get everything out at one time. Keep foods organized so you won't have to search for what you want. Close door as soon as food is removed.
- Go ahead and fill up the refrigerator, but don't overcrowd it so air movement is blocked.
- It is a waste of electricity to set the refrigerator and freezer to temperatures colder than they need to be. If ice cream is firm in the freezer and drinks are as cold as your family likes them, that's cold enough.
- Keep the Power Saving Control on OFF unless moisture forms on the refrigerator exterior.
- Make sure your refrigerator is not next to a heat source such as a range, water heater, furnace, radiator, or in direct sunlight.

# **Cleaning your refrigerator**

Both the refrigerator and freezer sections defrost automatically. But both should be cleaned about once a month to help prevent odors from building up. Of course, spills should be wiped up right away.

To clean your refrigerator, turn the Temperature Control to OFF, unplug it, take out all removable parts, and clean it according to the following directions.



# Cleaning chart...

; ,

Part	What to use	How to clean
Removable parts (shelves, crisper, etc.)	Sponge or cloth; mild detergent and warm water.	<ul> <li>Wash removable parts with warm wate and a mild detergent.</li> <li>Rinse and dry.</li> </ul>
Outside	Sponge, cloth or paper towel; mild detergent; appliance wax (or good auto paste wax).	<ul> <li>Wash with warm water and a mild detergent. Do not use abrasive or harsh cleansers.</li> <li>Rinse and dry.</li> <li>Wax painted metal surfaces at least twice a year with appliance wax or a good auto paste wax. Apply wax with a clean, soft cloth. Do not use wax on plastic parts.</li> </ul>
(Mangalage 1224) and the additional data and an and the state of the s	Waxing painted metal su	urfaces provides rust protection.
Inside walls (Freezer should be allowed to warm up so cloth won't stick.)	Sponge, soft cloth or paper towel, baking soda, warm water, mild detergent.	<ul> <li>Wash with warm water and <ul> <li>mild detergent or</li> <li>baking soda (2 tablespoons {26 g} to 1 quart [.951] warm water.</li> </ul> </li> <li>Rinse and dry.</li> </ul>
Door liners and gaskets	Sponge, soft cloth or paper towel; mild detergent, warm water.	<ul> <li>Wash with mild detergent and warm water.</li> <li>Rinse and dry.</li> </ul>
		ixes, concentrated detergents, ontaining petroleum on plastic parts.
Defrost pan	Sponge or cloth; mild detergent and warm water.	<ul> <li>Remove base grille. (See page 7.)</li> <li>To remove defrost pan, lift pan over will brace (remove tape; if any).</li> <li>Wash defrost pan with warm water and mild detergent.</li> <li>Rinse and dry.</li> <li>Replace with notched corner to the real Push it all the way in.</li> <li>Make sure defrost drain tube is pointing into pan.</li> <li>Replace base grille.</li> </ul>
Condenser Coil	Vacuum cleaner; using the extended narrow attachment.	<ul> <li>Remove base grille.</li> <li>Clean dust and lint from condenser at least every other month.</li> <li>Replace base grille.</li> </ul>
<sup>c</sup> loor under refrigerator	Usual floor cleaners.	<ul> <li>Slide refrigerator out away from wall.</li> <li>Wash floor.</li> <li>Slide refrigerator into place.</li> <li>Check to see if the refrigerator is level.</li> </ul>

# Food storage guide STORING FRESH FOOD



There is a right way to package and store refrigerated or frozen foods. To keep foods fresher, longer, take the time to study these recommended steps.

Leafy vegetables...Remove store wrapping and trim or tear off bruised and discolored areas. Wash in cold water and drain. Place in plastic bag or plastic container. Cold, moist air helps keep leafy vegetables fresh and crisp.

Vegetables with Skins (carrots, peppers)...Store in plastic bags or plastic container.

Fruits...Wash, let dry and store in refrigerator in plastic bags. Do not wash or hull berries until they are ready to use. Sort and keep berries in their store container or in a loosely closed paper bag on a refrigerator shelf.



**Meat**<sup>\*</sup> . . . Meat is perishable and expensive...you won't want to waste an ounce of it through careless handling. The following list and chart give you packaging hints and time limits. Store meat in the meat pan.

**Fresh, Prepackaged Meat.** Store fresh meat in the store wrapping. Vacuum packaged meat can be frozen for as long as one month if the seal is not broken. If you want to keep it frozen longer, you should wrap it with special freezer wrapping material.

**Fresh Meat, Not Prepackaged.** Remove the market wrapping paper and re-wrap in aluminum foil for storing it unfrozen.

**Cooked Meat.** Wrap or cover cooked meat with plastic wrap or aluminum foil. Store immediately.

**Cured or Smoked Meat and Cold Cuts.** Ham, bacon. sausage, cold cuts, etc., keep best in original wrappings. Once opened, tightly re-wrap in plastic wrap or aluminum foil.

**Canned Ham.** Store in refrigerator unless the label says it's okay to store on the shelf. Do not freeze.

**Fresh Poultry**...Wrap in plastic wrap. The plastic wrap on poultry, as purchased, may be used for storage.

Approximate Time (days)
1 to 2
1 to 2
1 to 2
i 3 to 5
7 to 10
5 to 7
3 to 5

**NOTE:** Fresh fish and shellfish should be used the same day as purchased.



Eggs...Store without washing in the original carton.

**Milk**...Wipe milk cartons. For best storage, place milk on interior shelf or bottom door shelf.

**Beverages**...Wipe bottles and cans. Store on a door shelf or inside the refrigerator.


**Butter...**Keep opened butter in covered dish on refrigerator shelf. When storing an extra supply, wrap in freezer packaging and freeze.

**Cheese**...Store in the original wrapping until you are ready to use it. Once opened, re-wrap tightly in plastic wrap or aluminum foil.

**Condiments** . . . Store small jars and bottles (catsup, mustard, jelly, olives) on the door shelves where they are in easy reach.

Leftovers...Cover leftovers with plastic wrap or aluminum foil to keep food from drying out and transferring food odors. Plastic containers with tight lids are fine, too.

# FREEZING & STORING FROZEN




The freezer section is designed for storage of commercially frozen foods and for freezing foods at home.


**Packaging** – The secret of successful freezing is in the packaging. The wrap you use must be air, moisture and vapor proof. The way you close and seal the package must not allow air, moisture or vapor in or out. Packaging done in any other way could cause food odor and taste transfer throughout the refrigerator and drying of frozen food.

Rigid polyethylene (plastic) containers with tightfitting lids, straight-sided canning/freezing jars, heavy-duty aluminum foil, plastic-coated paper and non-permeable plastic wraps (such as saran) are recommended. Note: Heat-sealed boiling bags are easy to use and can be used by themselves or as carton liners.

Sealing – When sealing foods in bags squeeze out the air (liquids need headspace to allow for expansion.) Twist the top and turn it back. Fasten tie securely around the doubled-over tail. Put the label inside transparent bags; use self-adhesive label on outside of opaque ones.



Air-tight wrapping calls for "drugstore" wrap. Cut the sheet about one-third longer than the distance around the food. Bring the ends together and fold in (toward the food) at least twice to seal out air. Crease ends close to food, press air from package. Fold tips




over twice. Finish package and tape closed. NOTE: With unboned meats, pad sharp edges with extra wrap or use stockinette to protect the wrap from punctures.

#### DO NOT USE:


- Bread wrappers
- Non-polyethylene plastic containers
- Containers without tight lids
- Waxed paper
- Waxed-coated freezer wrap
- Thin, semi-permeable wrap


None of these are totally moisture, air or vapor proof. The use of these wrappings could cause food odor and taste transfer and drying of frozen food.



**Freezing Fruits** – Select ripe, blemish-free fruits. Be sure they taste as good as they look. Wash 2 to 3 quarts (liters) at a time and drain. Fruit that stands in water may lose food value and become, soggy. Sort, peel, trim, pit and slice as needed.

Pack in rigid wide-mouthed containers or other recommended material. Leave head space to allow liquids to expand during freezing.






Do not freeze lettuce, celery, carrot sticks, potatoes or fresh tomatoes. All will become limp or mushy. Tomatoes will collapse when thawed.




**Freezing Meats** – The meat you thaw can only be as good as the meat you freeze. "Drugstore" wrap in meal-size packages. Flat cuts or patties should be wrapped individually or in layers separated by a double thickness of freezer wrap.

Make sure store wrappings are moisture and vapor proof. If not, re-wrap meats with one of the wraps recommended under "Packaging".



**Freezing Cooked Food** – Prepare cooked foods as you would for the table; shorten cooking time 10 to 15 minutes to allow for additional cooking during reheating. Omit seasonings and part of the liquid. Plan to add them at reheating time. Potatoes should also be added to soup and stew at heating time. Add crumb and cheese toppings at heating time.

Cool as rapidly as possible and freeze at once. Liquid or semi-liquid dishes may be frozen in recommended containers with *head-space*. Casseroles and other more solid foods may be frozen in the baking container. If you don't want to leave your casserole dish in the freezer, line it with foil. Bake, cool, freeze, lift out the foil package, bag it and return to freezer.



**Freezing Baked Goods** – Wrap baked breads in recommended material. Thaw in wrapping. Unbaked yeast breads can be frozen after the first rising. Punch down, wrap and freeze.

Bake cookies as usual. Cool and freeze on trays, then pack in recommended freezer bags or cartons. Unbaked cookies may be dropped, molded or rolled and frozen on cookie trays. Store in bag or carton; bake without thawing. Refrigerator-type cookies can be wrapped and frozen in roll form. Thaw only enough to slice when ready to bake.

Fruit pies are best frozen unbaked. Bake without thawing. Bake pecan and similar pies before freezing...rich fillings do not freeze solid. Cut steam vents in top crusts when ready to bake. IMPORTANT: Do not expect your freezer to quick-freeze any large quantity of food. Put no more unfrozen food into the freezer than will freeze within 24 hours. (No more than 2 to 3 pounds of fresh meat or 3 to 4 pounds of vegetables per cubic foot of freezer space.) Leave enough space for air to circulate around packages. Be careful to leave enough room at the front so the door can close tightly.

## FOOD STORAGE CHART

Storage times\* will vary according to the quality of the food, the type of packaging or wrap used (moisture and vapor-proof), and the storage temperature which should be  $0^{\circ}$  F (-17.8°C).

Food	Storage time
FRUITS	
Fruit juice concentrate	. 12 months
Commercially frozen fruit	. 12 months
Citrus fruit and juices 4	to 6 months
Others 8	to 12 months
VEGETABLES	
Commercially frozen	8 months
Home frozen 8	to 12 months
MEAT	
Bacon 4	weeks or less
Corned beef	2 weeks
Cured ham	1 to 2 months
(Salting meat shortens free	
Frankfurters	1 month
Ground beef, lamb, veal	2 to 3 months
Roasts:	
Beef 6	to 12 months
Lamb and veal	
Pork	to 8 months
Sausage, fresh	1 to 2 months
Steaks and chops:	
Beref 8	to 12 months
Lamb, veal, pork	s to 4 months
FISH	
Cod, flounder, haddock Sole	4 months
Blue fish, salmon	
Mackerel, perch	2 to 3 months
Breaded fish (purchased)	3 months
Clams, oysters, cooked	5 11011113
fish, crab, scallops	3 to 4 months
Alaskan king crab	10 months
Shrimp, uncooked	12 months
POULTRY	
Whole chicken or turkey	12 months
Duck	6 months
Giblets	2 to 3 months
Cooked poultry w/gravy	6 months
Slices (no gravy)	


Food	Storage time
MAIN DISHES	
Stews; meat, poultry	
and fish casserole	
TV dinners	
DAIRY PRODUCTS	
Butter	6 to 9 months
Margarine	2 to 9 months
Cheese:	
Camembert, brick,	<b>-</b>
Mozzarella, farmer's	
Creamed cottage	DO NOT FREEZE
Cheddar, Edam, Goud	
Swiss, etc	
Freezing can change tex	cture of
cheese.	
ice cream, ice milk	<b>A</b> • •
sherbet	4 weeks
EGGS	0.1-10 "
Whole (mixed)	
Whites	
(Add sugar or salt to yolks o	A MUOIS WIXED
eggs) BAKED GOODS	
Yeast breads and rolls	3 months
Baked Brown 'N Serve	J monins
rolls N Serve	3 months
Unbaked breads	
Quick breads	
Cakes, unfrosted	2 to 4 months
Cakes, frosted	8 to 12 months
Fruit cakes	12 months
Cookie dough	
Baked cookies	8 to 12 months
Baked pies	
Ple dough only	4 to 6 months
Ple dough only	ative Extension Service
suggested storage times.	

## If electricity goes off

Call the power company. Ask how long power will be off.

- If service is to be interrupted 24 hours or less, keep both doors closed. This will help frozen foods to stay frozen.
- If service is to be interrupted longer than 24 hours:
  - (a) Remove all frozen food and store in a frozen food locker. Or...
  - (b) Place 2 lbs (0.9 kg) of dry ice in freezer for every cu. ft. of freezer space. This will keep frozen foods for 2 to 4 days. Wear gloves to protect your hands from dry ice burns.
  - (c) If neither food locker storage nor dry ice is available, use or can perishable food at once.
- 3. A full freezer will stay cold longer than a partly filled one. A freezer full of meat will stay cold longer than a freezer full of baked goods. If food contains ice crystals, it may be safely refrozen, although the quality and flavor may be affected. Use refrozen foods quickly. If the condition of the food is poor or you have any suspicions, it is wise to dispose of it.





## Short vacations. . .

No need to shut off the refrigerator if you will be away for less than four weeks. Use up perishables; freeze other items.

## Long vacations. . .

Remove all the food if you are going for a month or more.

Unplug the refrigerator and clean it...rinse well and dry. Tape rubber or wood blocks to both doors ...keeping them open far enough for air to get in. This will keep odor and mold from building up.

#### WARNING: Tape blocks out of a child's reach...do not allow children near the refrigerator when the doors are blocked open. They may become injured or trapped.

To restart refrigerator, see "Using Your Refrigerator."

## Moving. . .

Remove all food. Pack frozen foods in dry ice. Unplug the refrigerator and clean it thoroughly.

Remove everything that comes out. Wrap all parts well and tape them together so they don't shift and rattle.

Screw in the levelling rollers; tape the doors shut; tape the electric cord to the cabinet. When you get to your new home, put everything back, and refer to page 4.

## QUESTIONS?

...call your COOL-LINE® service assistance telephone number (page 15).



# If you need service or assistance, we suggest you follow these four steps:

# **1.** Before calling for assistance...

Performance problems often result from little things you can find and fix yourself without tools of any kind.

#### If your refrigerator will not operate:

- Is the power supply cord plugged into a live circuit with the proper voltage? (See page 4.)
- Have you checked your home's main fuses or circuit breaker box?
- Is the Temperature Control turned ON?

#### If there is a rattling or jingling noise, or other unfamiliar sounds:

- Is something on top or behind the refrigerator making noise when the refrigerator is running?
- New features on your new refrigerator make new sounds. You may be hearing air flowing from the fans, timer clicks for the defrosting cycle, defrost water draining into the defrost pan.

#### If there is water in the defrost pan:

 In hot, muggy weather, this is normal. The pan can even be half full. Make sure the refrigerator is level so the pan doesn't overflow.

#### If the lights are not working:

- Have you checked your home's main fuses or circuit breaker box?
- Is the power supply cord plugged into a live circuit with the proper voltage? (See page 4.)

#### If a bulb is burned out:

• See instructions for changing light bulbs on page 7. Use appliance bulbs only.

#### If the motor seems to run too much:

- Is the condenser, behind the base grille, free of dust and lint?
- On hot days, or if the room is warm, the motor naturally runs longer.
- If the door has been opened a lot, or if a large amount of food has been put in, the motor will run longer to cool down the interior.

**Remember:** Motor running time depends on different things: number of door openings, amount of food stored, temperature of the room, setting of the controls.

And, your new refrigerator may be larger than your old one so it has more space to be cooled. It also has a regular freezer instead of a frozen food compartment. All this means better refrigeration and may require more running time than your old one.

## **2.** If you need assistance\*...

Call Whirlpool COOL-LINE<sup>®</sup> service assistance telephone number. Dial free from:

Continental U.S.	(800)	253-1301
Michigan		
Alaska & Hawaii	(800)	253-1121

and talk with one of our trained Consultants. The Consultant can instruct you in how to obtain satisfactory operation from your appliance or, if service is necessary, recommend a qualified service company in your area.

# **3.** If you need service\*...



Whirlpool has a nationwide network of franchised TECH-CARE" Service Companies. TECH-CARE service technicians are trained to fulfill the product warranty and provide after-warranty service, anywhere in the United States. To locate TECH-

CARE service in your area, call our COOL-LINE service assistance telephone number (see Step 2) or look in your telephone directory Yellow Pages under:

APPLIANCES - HOUSEHOLD -MAJOR - SERVICE & REPAIR WHIRLPOOL APPLIANCES FRANCHISED TECH-CARE SERVICE

ELECTRICAL APPLIANCES -MAJOR - REPAIRING & PARTS

WHIRLPOOL APPLIANCES FRANCHISED TECH-CARE SERVICE

OR WASHING MACHINES, DRYERS & IRONERS - SERVICING

WHIRLPOOL APPLIANCES FRANCHISED TECH-CARE SERVICE

# **4.** If you have a problem\*...

Call our COOL-LINE service assistance telephone number (see Step 2) and talk with one of our Consultants, or if you prefer, write to:

Mr. Robert Stanley Division Vice President Whirlpool Corporation 2000 US-33, North Benton Harbor, MI 49022

\*If you must call or write, please provide: model number, serial number, date of purchase, and a complete description of the problem. This information is needed in order to better respond to your request for assistance.



FSP is a registered trademark of Whirlpool Corporation for quality parts Look for this symbol of quality whenever you need a replacement part for your Whirlpool appliance. FSP replacement parts will fit right and work right, because they are made to the same exacting specifications used to build every new Whirlpool appliance





Making your world a little easier.

## Part No. 1109131 ©1986 Whirlpool Corporation

Server in services

Printed in U.S.A.

e Makers, Dishwashers, Built-In Ovens, and Surface Units, Ranges, Microwave Ovens, Trash Compactors, Room Air Conditioners, Dehumidifiers, Automatic Washers, Clothes Dryer

