

Guidance on Material Datasheet creation for the BMW Group in IMDS

1. Intention

This instruction shows the BMW specific requirements for the creation of preliminary and final material datasheets (MDS) within the International Material Data System (IMDS). It also gives advice on the correct structure of datasheets. Laws, guidelines and IMDS recommendations remain unaffected by these instructions.

2. General advices for creation of material data sheets

Material data sheets are compulsory to comply with legal requirements and the documentation to this. The lack of accepted datasheets can e.g. endanger the type approval of vehicles. According to BMW terms and conditions for purchasing the supplier is obliged to submit material data sheets via IMDS to BMW. According to the supplier information from 6th August 2012, BMW reserves the right to assign a chemical analysis of the part, if not delivered in time. The supplier has to bear the costs (see BMW b2b portal, business letters).

Providing a material data sheet in IMDS there is no need to create a material data sheet as a paper based copy. Material data sheets have to be created for spare parts too.

2.1 Creating and Sending of material data sheets

Starting with the nomination of the supplier and not later than 8 month before SOP a preliminary (see point 2.6) or a final material data sheet has to be sent to BMW. Final material data sheets have to be sent to BMW between order and first sampling. If final data sheets are sent in an early period up to 8 month before SOP the creation of preliminary data sheets is no longer necessary.

Aktiengesellschaft **Postal address** BMW AG 80788 München

Company Bayerische Motoren Werke

Office address Petuelring 130

Office address Forschungs- und Innovationszentrum (FIZ) Knorrstraße 147

Telephone Switchboard +49.89.382-0

Fax +49 89 382-25858

Internet www.bmwgroup.com

Bank details BMW Bank IBAN DE02 7022 0300 5100 9409 40 BIC BMWBDEMUXXX

Chairman of the Supervisory Board Joachim Milberg

Board of Management Norbert Reithofer Chairman Milagros Caiña Carreiro-Andree Herbert Diess Klaus Draeger Friedrich Eichiner Harald Krüger Ian Robertson Peter Schwarzenbauer Registered in

Germany München HRB 42243

2.2 Editing of material data sheets

In case weight and composition of the part change the **MDS has to be updated**. This is not necessary if the ranges and tolerances of the accepted datasheet are still met.

If you have to rework a material data sheet without a change of the part number please **do not create a copy** with a new IMDS ID but use the **option "new version"** instead.

There is no need to create a new data sheet if the **alteration index AI** of a part number increases **without a change of composition or weight**. Please use the IMDS ID and version of the already accepted material data sheet for the RMT record of the new part. The new part number/AI will then be linked to IMDS ID/version you provided by the BMW IMDS Team.

2.3 Parts in different colors

Instead of creating MDSs for several colour versions, it is possible to **specify a representative MDS** for all colours.

If the ingredients of the colour versions differ too much from each other (e.g. there are further declarable substances) and therefore cannot be covered by appropriate wildcards and tolerances, a separate MDS has to be created.

NameDr. Karin Oldenburg-NazarukFile nameCompanyBMW GroupDateRelease10Page

Guidance_for_BMW_Suppliers_V10.docx 14th April 2014 1 von 8

BMW GROUP



Create the representative MDS for the part number, which is used for the first sampling or use the all colour number. The ID/version of the representative MDS has to be entered in the first sampling record (see point 7).

The list of the part numbers that are covered by the representative MDS has to be sent to BMW IMDS Team (IMDS-Team@BMW.de). This list has to contain partnumber, AI with the associated IMDS ID / version.

2.4 Parts included in a scope of delivery

If several parts are subjected together to the first sampling as a scope of delivery, please create a MDS for the complete scope of delivery. Please give the ID and version of this MDS on the initial sampling report.

If parts of a scope of delivery have BMW part numbers, additional MDS have to be sent for these parts.

2.5 Multivariant parts (wire harnesses, seats)

The creation of material data sheets for multivariant parts can be minimised to representative material data sheets in coordination with the BMW IMDS Team.

2.6 Preliminary material data sheets

The preliminary material data sheets have to be created according to Recommendation 023. They have to be sent by the supplier without request of the BMW Group.

Unlike final material data sheets the preliminary material data sheets can consist of incomplete materials where necessary. The requirements for the other data concerning correctness, completeness and bindingness are the same as for final material data sheets. Incomplete material data sheets have to be marked as 'development sample report'.

This marked 'development sample report' does **not** mean that a development part, prototype, etc. is sampled. It means that the material data sheet for a part is sent in an early phase of development and that information e.g. on material might not reflect the final stage. There is no need to create a material data sheet for prototypes or samples!

Prohibited and declarable substances according to GADSL / GS93008 have to be specified. Ensure that the part is conform with current legislation.

If the material data sheets are created as preliminary ones and the exact data of materials is still missing, the ProtMat-materials of the IMDS-Committee should be used (Recommendation 023). BMW prefers the creation of final material data sheets (see point 2.1).

Preliminary material data sheets cannot be used for the Initial Sample Inspection Report.

2.7 Handling of material data sheets

Sending a MDS to BMW the button "**send**" should be chosen instead of "propose". (Do not "release internally" beforehand)

Rejected MDSs should be edited and resubmitted as soon as possible.

Delete rejected MDS, which are not required anymore or to which there is already a newer accepted version. Accepted MDSs will thereby not be affected.





2.8 Subcomponents with BMW part number

If there is a BMW part number for the subcomponent of an MDS it should be given on tab "details".

3. Formal Requirements

The following formal requirements **have to be fulfilled** in order to guarantee the correct data exchange with BMW internal systems. The required data must be entered into the appropriate **recipient specific fields** when **sending** or proposing the MDS. All data has to be extracted from the actual resp. sampling relevant BMW order form (see annex with order forms).

3.1 BMW Company ID in IMDS

The IMDS Company ID for BMW, Mini and Rolls Royce MC is 103.

3.2 Description of parts

Must be the same as the description on the BMW order form (see annex with order forms). In the case of standard parts, the standard must be indicated behind the BMW name (except when the standard is already indicated in the BMW name).

The size of standard fasteners should be indicated

E.g. hexagon head screw ISO 4014-M12x50-8.8-ZNS3

3.3 Part/Item No.

The BMW part number consists of 7 digits. Additions to this number separated by a dot or slash must not be filled in IMDS. (Do not use blanks in between digits, see figure 1 and annex with order forms.)

E.g. Part/Item No.: 1234567

3.4 Drawing dated

The Alteration index (AI) given in the order form must be filled in here (see figure 1 and annex with
order forms). The date cannot be entered.E.g. Drawing dated: 09

3.5 Drawing change level "NAEL" (see also KM-Nr. in the order form)

Only the NAEL (New Release/Change List NRCL) is allowed in this field.

The NAEL is a combination of 6 alphanumeric characters. (See figure 1 and annex with order forms.)

E.g. Drawing Change Level.: EKM62N

3.6 Supplier code

The BMW supplier code has to be filled in the appropriate field. BMW supplier code consists of a 6 digits number followed by a dash and two more digits. Please fill in all 8 digits (including the dash), do not use blanks. (See figure 1 and annex with order forms.) Do not use the DUNS number.

E.g. Supplier Code.: 999999-10





Details		
Transfer Information		
Company	BMW AG [103]	
Organisation unit	-	
Recip. Status	edit mode	
Supplier Code	123456-10	1
Name	Sample part	
Part/Item No.	1234567	0
Transmission/Check Date	not available	
Forwarding allowed		
⊻ Drawing		
Drawing No.	1234567]
Drawing dated	01	0
Drawing Change Level	1TEST2	0
⊻ Purchase Order		
Purchase Order No.		1
Bill of Delivery No.		
≥ Report		
Report No.]
Date of Report	2	

Figure 1: Example for the entry of recipient data when sending a MDS to BMW

4. Usage of suitable materials

Please pay attention to the correct classification of the materials according to VDA 231-106. For metallic materials give the material number according to standards. The usage of materials created by the IMDS Committee, Steel & Iron list and ILI is recommended. Plastic materials without the declaration of additives will be rejected.

5. Concentrations of basic substances

Limits of legal restrictions for concentrations of basic substances and maximum sums for wild cards must not be exceeded. Therefore the maximum value is considered to be relevant for checking datasheets.

Deviations of concentrations and weights shall only display real variations. The maximum tolerance range is therefore \pm 5 %.

If components (e.g. raw parts) lose weight in processes like drilling or milling, they have to be created or requested as a semi component. A compensation of the loss in weight through an excessive tolerance range is not acceptable.

6. Recyclate information

Information to content of recycled material in materials with classification 5.1, 5.1.a/b, 5.3, 5.4.1 and 5.5.2 with more than 25 g is compulsory.

7. Entry in RMT (risk management parts) for first sampling

For the first sampling process you need the IMDS-ID and version of an already **accepted** material data sheet. Please enter the number in RMT (via b2b) under the point "sample check" according to the following example: IMDS-ID/Version 12345678/1. Preliminary MDSs cannot be used for ISIR.



If the alteration index increases without change of weight or material composition you can use the ID and version of the already accepted MDS (see point 2.2). Otherwise a new version of the MDS has to be submitted.

8. MDS Request

Since IMDS Release 4.0 it is possible to request material data sheets from suppliers via IMDS. BMW will use this feature to demand the MDS which are still missing. It has to be insured that the function is monitored and answered by the supplier. Please pay attention to this menu item. With the function in menu item "settings" it is possible to get an email when your company receives a MDS Request. Therefore point "MDS Request received" has to be activated. Furthermore the supplier is still responsible for providing preliminary and final MDS for the first sampling process in due time and without request (see point 2.1).

The requests should be edited under menu point "MDS Request" (see IMDS user manual point 4.3 MDS Request). In that case an optimal tracking of request can be assured. Furthermore the recipient data, given by BMW, can be taken over.

9. Contact and further information

Point 19.7 of the purchasing conditions of the BMW Group deals with the suppliers responsibility to create material data sheets. Material data sheets have to be sent for all supplied parts. The BMW purchasing conditions can be seen via b2b portal point "Department" – "Purchasing / direct material".

For all questions or the submission of the list of part numbers (point 2.3) please use the general email address:

IMDS-Team@bmw.de

Notice:

For questions concerning datasheets please give your **IMDS-company-ID** when contacting the MDS-Division. This simplifies the process of finding your specific data in IMDS.

The BMW-company-ID in IMDS is: 103

IMDS Recommendations are available on the IMDS main menu after the log-on.

Only for specific questions your BMW contact person is:

Dr. Karin Oldenburg-Nazaruk	Karin.Oldenburg@bmw.de	+49 (0)89 382 46149
-----------------------------	------------------------	---------------------





	Supplier code		(Order N	Vo.) 🥑 🚽				
	BMW Manufa St Corp., P.O. Box 11000, Spartenburg, SC. 29	PURCHASE	ORDER	ann streigh Instider				
BuppNer No	999999-10		ider date	7`654 321				
	ABCDEFG-AUTOMOTIVE	0	9/05/00	Amundment Ko.				
	ATT: CONTROLLER	L						
	246 MAIN STREET	Telefax (864)989-001	8944	Department Page TS-M-4 2				
	OTOWN, XY 00000 USA	(864) 989~nn7 BLOND		INGER				
	0.34	Correspondence Code						
	TECHNISCHE AENDERUNG NAEL NR. EKM62N	E53 ISIR						
	tern Decolption	۵ ۱	Luared by UM	USD PU				
UM - Unit of Me Do place 10-min 11-moh 12-foot 12-foot 23-mi 24-don 24-don 24-don 24-don 24-don 24-don 24-don 24-don 24-don 24-don 24-don 24-don 24-don 23-mi 40-to 23-mi 40-to 23-mi 40-to 23-mi 40-to 23-mi 40-to 23-mi 40-to 23-don 40-to 23	Num Discription Dis Discri							
3-par 100 1-par 1900								

BMW GROUP


В	MW AG Lieferanten-Nr	i i	Bestell	num	mer) 🤇	Ĵ
	Baverische Mg / rerke AG. 80788 München, Deutschland	Ľ	Destell			-
		BESTEL		Ì	Obitte ongeber	
Lieferanten-Nr.	999999–10		LONG lest.Datum	'	7 654 3	21
	BEISPIEL-AUTOMOTIVE GMBH -HERR BEISPIELMANN- HAUPTSTRASSE 15		25/08/ Inderungs-Ca		Änderungs-Nr,	
	D-00000 NULLINGEN	Telatax 089382-44754	Binkau 233		Aboelung EM~42	Seite 1
		089382-01234			USTERMAN	N
		Telefon 089382-01235	Bearbe FR2		USTERFRA	ັບ
		ihre Zeishen				
	CHNISCHE AENDERUNG NAEL NR. ELU32S	Anforderungsnummer				
Pos.	Basktnurg	I	vienge	ME	Prois ja PE	
					EUR,	
ME = Maßelnheit 00-Boick 10-mm 11-loch 12-feet 13-m 12-feet 13-m 12-feet 13-m 12-feet 13-spare feet 22-m ¹ 22-missie 24-dm ¹ 22-missie 35-Spare feet 35-Spare feet 35-Spare feet 36-Onis Feet 38-Duils Feet 38-Duils Feet 38-Duils Feet 28-Pland	FUER DIESE BESTELLUNG GELTEN DIE DINGUNGEN SOWIE DIE BMW EINKAUFS PRODUKTIONSMATERIAL UND KFZ - TEILE MITTELBEDINGUNGEN, BMW VERSAND-, LI TAETSSICHERUNGSVORSCHRIFTEN, BMW UMWELTVERTRAEGLICHKEIT VON BMW PR FORDERUNGEN ZUR SOZIALVERANTWORTU PACKUNGSHANDBUCH, JEWEILS IN DER AK DIE WIR IHNEN BEREITS UEBERSANDT HA IM INTERNET AUF DER BMW ZULIEFERER- FOLGENDER ADRESSE BINSEHEN KOENNEN: HTTPS://B2B.BMW.COM WIR WEISEN DARAUF HIN, DASS VORGENA BEDINGUNGEN MIT GUELTIGKEIT AB DEM AENDERT WURDEN. ETWA MIT IHNEN SCHRIFTLICH GETRO ODER ZUSAETZLICHE BEDINGUNGEN GEHEN STANDARDBEDINGUNGEN VOR. DIE LIEFERUNG IST BESTIMMT SOWOHL GUNG DER EMW WERKE IM INLAND ALS EINSCHLIESSLICH DER ANGESCHLOSSENE ST	BEDINGUNGEN BEDINGUNGEN BEN FERTIGU EFER- UND QU ANFORDERUNGEN ODUKTEN, BMW NG, DAS BMW V TUELLEN FASSU BEN ODER DIS HOMEPAGE UNTE NNTE STANDARI 23.05.2003 GE FFENE ABWEICH DEN VORGENAN FUER DIE FE AUCH IM AUS N CKD-FERTIGU	FUER INGS- IALI- I ZUR AN- VER- ING, SIE R CR IENDE IENDE INTEN RTI- CLAND			
43-kg 46-Tonne 50-1 51-AM Pint 52-Brit. Pint 53-AM Quart 1 54-Brit Quart	1 234 567 AI:09	<u></u>	en en n	ung)	
54-Brit: Quart 55-AM Gallon 56-Brit: Gallon 60-Minutan 66-Sunden 68-Tege 88-Tege 88-Tege 88-Tege 88-Tege 88-Tege 88-Tege 91-Monet 71-Jahr 91-Satz 92-Paar	ZB BEISPIELTEIL VL FACELIFT XY Z-HINW: 1 234 500 KM-NR ZI: EL ALLE F2* (EN-NR: 1 234 550 EFF (Zeichnungshinweis) IS 31/12/0 NA		lichnur	ngsin	dex: ZI)	
PE = Preis-Sinheit 1-per 1 2-per 10 3-per 100 4-per 1000						1.

Rolls-Royce Motor Cars Limited





Order form1 (English, official order) and 2 (German, official order) with BMW-specific data to be filled in when sending a MDS



Order form 3 (German, remote data transmission order) with BMW-specific data to be filled in when sending a MDS

Remark

The remote data transmission order does not contain all information of the official order form.