

# G-Shot P513



## Mobile phone size 3M CMOS Digital Camera with 4x Digital Zoom

Genius is delighted to introduce its latest camera, the **super slim 3M CMOS digital camera G-Shot™ P513**. This fashionably designed model can attract people's eyes immediately by its exquisite lens cover and slim shape. G-Shot™ P513 is equipped with more powerful technology than other existing 3M CMOS digital cameras and includes a **maximum 5.0 mega pixel resolution** to assure you of high quality pictures anywhere.

G-Shot™ P513 can be used as a **digital camera, video camera and webcam**. You don't need to spend a lot of money for the best camera functions. A friendly user interface lets you take pictures and video easily. With the built-in 16MB Flash memory, it also supports external **SD memory card up to 1GB** so you can take and save lots of your favorite photos and video.

The ultra-slim size of G-Shot™ P513 is just about the size of a mobile phone and you can take it anywhere. There's no doubt that your life will be more enjoyable with the G-Shot™ P513.



### Selling Points

Max. 5.0

Mega Pixels



#### Max. 5.0 mega pixel CMOS


High quality images up to 5.0 mega-pixels can be taken smoothly.

# G-Shot P513



<p>DSC/Video/Web <i>All in One</i></p> 	<p><b>■ 3-in-1 Digital Function</b> Digital Still Camera, Digital Video Camera and Webcam.</p>
<p>Lens Cover &amp; <i>Super slim type</i></p> 	<p><b>■ Lens Cover &amp; Super slim type</b> Ultra-slim design enhances the pleasure of having this camera.</p>
<p>4 x Digital Zoom</p> 	<p><b>■ 4x Digital Zoom</b> 4x Digital Zoom increases user controls over the pictures you take.</p>
<p>Support up to 1.0 GB SD Card</p> 	<p><b>■ Support up to 1GB SD Card</b> The large capacity enables user to take more photos and videos.</p>

## Bundled Software

 <b>Ulead Photo Explorer</b>	<p>Photo Explorer and Photo Express software combine ease-of-use, power and flexibility to give you advanced techniques. Capture from anywhere, edit with unmatched power, and share everywhere.</p>
 <b>Ulead Photo Express</b>	

# G-Shot P513



System requirements for USB Terminal	Package Contents
<p><b>Recommended environment for USB terminal:</b></p> <ul style="list-style-type: none"><li>■ Windows® environment<ul style="list-style-type: none"><li>- IBM PC Pentium II 400 compatible or higher</li><li>- Minimum 128MB hard disk drive space</li><li>- Windows XP/Me/2000/98SE</li><li>- Available USB port</li><li>- CD-ROM drive for software installation</li></ul></li><li>■ Mac environment<ul style="list-style-type: none"><li>- Mac OS 9.0 or later</li><li>- CD-ROM drive for installation</li></ul></li></ul>	<ul style="list-style-type: none"><li>■ Digital camera</li><li>■ USB cable</li><li>■ Two AAA batteries</li><li>■ CD driver includes:<ul style="list-style-type: none"><li>- USB DRIVER</li><li>- Ulead Photo Explorer</li><li>- Ulead Photo Express</li><li>- Multi-Language User's Manual</li></ul></li><li>■ Quick Installation Guide</li><li>■ Pouch and strap</li></ul>

## Specifications

Item	Description
Imaging sensor	CMOS
Active pixels	3.2 Mega pixels
Lens	Focal length: f = 8.5mm F-number: 2.8
Focus range	Normal: 1.5m ~ infinity Macro: 0.4m ~ 0.6m
Still image	Formats: JPEG Resolution: 2560 x 1920 (5.0M) (Firmware interpolation) 2304 X 1728 (4.0M) (Firmware interpolation) 2048 X 1536 1280 X 960 640 x 480
Storage media	Built-in 16 MB Flash memory SD/MMC Card Slot Support, can be expanded up to 1GB
Movie clips	AVI 640x480 (VGA) / 10fps, 320x240 (QVGA) / 15fps
Zoom	4x digital zoom (Capture mode)
TFT Monitor	1.5" color TFT LCD, 280 x 220 pixels
Flash	Auto/ Off/ Red-eyes reduction

# G-Shot P513



Item	Description
Sensor sensitivity	Auto
White balance	Auto; Manual: Daylight, Cloudy, Tungsten, Fluorescent
Power supply	2x AAA Alkaline (1.5V) or Ni-MH (1.2 V) batteries
<b>WEEE Information</b>	
Body Weight (g)	Approx. 74 +/- 5g (without the battery & SD memory card)
Body Dimension (LxWxH mm)	Approx. 94 x 24 x 55 mm (excluding protruding parts)
Gift-Box Dimension(LxWxH mm)	170 x 162 x 59 mm
<b>Shipping Information</b>	
PCs / Carton	<b>10 pcs / Carton</b>
CUFT:	<b>0.9969 cuft/CTN</b>
<b>Dates available</b>	
Sample available	<b>July 3<sup>rd</sup>, 2006</b>
Mass Production	<b>July 3<sup>rd</sup>, 2006</b>
Product number	<b>32300045101</b>

\* Design and specifications are subject to change without notice.

## Product Family

<b>P713</b>	<b>P713 MP3</b>	<b>P635</b>	<b>D612</b>	<b>MT-01 MT-02</b>

## PC Camera and Video Product Family

<b>Look 313Media</b>	<b>Look 320S</b>	<b>Slim 322</b>	<b>Look 1320</b>	<b>IPCam SECURE300W</b>	<b>T02Q</b>
<b>Web CAM</b>	<b>Web CAM</b>	<b>Web CAM</b>	<b>Web CAM</b>	<b>IP CAM</b>	<b>Video</b>