



King Pigeon Hi-Tech.Co.,Ltd.

Address:5/F,Building F,Yusheng Industrial Park,Jiuwei,Xixiang,Bao'an District,
Shenzhen,518126,China.

Official Website: www.GSMalarmsystem.com www.KingPigeon.com.cn

GSM Home Alarm

Item Photos	Brief Introduction of Function
-------------	--------------------------------

Ultra-Low Cost GSM Alarm Dialer Kits(New)

The SafeBox we offering 6 years warranty, we will replace new ones for defective units. But the shipment cost must be paid by client side.

Model No.: S160

Name: GSM Alarm&Dialer



The Safebox is **Ultra-low cost** multifunctional programmable GSM SMS Alarm & Dialer, it supports **Arm or Stay with a FREE call from your mobile phone** and SMS Commands and wired or wireless buttons! 6 Alarm numbers for SMS or call or both. 16 wireless zones, 9 zone types, 1 wired zone for IP Camera or CCTV or other alarm panel. Supports **Android Apps** and iOS "iKeypad". Backup battery, 900/1800Mhz only.

Within 6Years can be replaced by new one if defective! (Metallic Color)



Standard package: (G.W.:0.50Kg; 10 Pcs Per Carton) 1X Mainframe, User Mnaual

Model No.: S160A (Package A)

Name: GSM Alarm&Dialer



Monitoring your Assets with a FREE call from your mobile phone!

Package List for A package: 1X Mainframe, 1X Remote control(RM-02), 1X Wireless door sensor(DM-100), 1X Siren(SR-01, Wire Length=80cm), 1X DC adaptor,1X User manual

(1Kg/Pcs, 5Pcs/Cartron) The SafeBox S160 panel **Within 6Years can be replaced by new one if defective!**



Hot Sell GSM Alarm Kits



Model No.:S110



Name: GSM Alarm System (New&Hot) (English/Cezch/Spanish/Dutch/Polish/Dannish/Portuguese/Italian)



The S110 is the recommend model, includes almost all useful functions of: Simon Series of GE Security in USA ; Premier Series 816 Plus of Texecom In England; OASIS Series of Jablotron In Cezch and other suggestions from our old customers.





1. New SIMCOM900B GSM Module,850/900/1800/1900Mhz;
2. Two-Way Voice Communication,can be used as a Phone;
3. 16 wireless zones,8 Wired Zones(NC, EOL, NO);

	<p>4.100 event Records,2 output relays,3m wires Strobe Siren; 5.LCD Display all the menu, the menu is user friendly; 6.Backup rechargeable battery can last 24 Hours; 7.AC Power failure alert by SMS immediately or 30minutes; 8.Supports 3 SMS Alarm Numbers and 5 Calling Numbers; 9.Support automatically report to avoid the SIMCARD invalid. 10.Supports AWAY, STAY or DISARM Modes. 12. Warranty Time: 3Years</p> <div style="text-align: right;">  <p>11. 2 Relay outputs.</p> </div> <p>Package List: (G.W.:1.80Kg; 5 Pcs Per Carton) 1X Mainframe, 2X Remote control(RM-02),1X Wireless door sensor(DM-100C,can connect other wired detector as wireless transmitter),1X Wireless Dual-Element PIR motion sensor(PIR-100B,battery life can last 2 Years), 1X Strobe Siren(SR-02, Wire Length=3m),1X DC adaptor.</p>
---	---

Model No.:S100 Name: GSM Alarm System (New&Hot) (English/Cezch/Spanish/Dutch/Polish/Dannish/Portuguese/Italian)	
	<p>1. New SIMCOM900B GSM Module,850/900/1800/1900Mhz; 2.Two-Way Voice Communication,can be used as a Phone; 3.16 wireless zones; 4.20 event Records,2 output relays,3m wires Strobe Siren; 5.LCD Display all the menu, the menu is user friendly; 6.Backup rechargeable battery can last 24 Hours; 7.AC Power failure alert by SMS immediately or 30minutes; 8.Supports 3 SMS Alarm Numbers and 5 Calling Numbers; 9.Support automatically report to avoid the SIMCARD invalid. 10.Supports AWAY, STAY or DISARM Modes. 12. Warranty Time: 3Years</p> <div style="text-align: right;">  <p>11. 2 Relay outputs.</p> </div> <p>Standard package: (G.W.:1.80Kg; 5 Pcs Per Carton) 1X Mainframe, 2X Remote control(RM-02),1X Wireless door sensor(DM-100C,can connect other wired detector as wireless transmitter),1X Wireless Dual-Element PIR motion sensor(PIR-100B,battery life can last 2 Years), 1X Strobe Siren(SR-02, Wire Length=3m),1X DC adaptor.</p>

Model No.:S100Pro (Voic Prompt) Name: GSM Alarm System (New&Hot)	
<p>Metallic Color</p> 	<p>1. New quad band GSM Module,850/900/1800/1900Mhz; 2.Two-Way Voice Communication,can be used as a Phone; 3.96 wireless zones,8 Wired Zones; 4.40 event Records,1 output relays; 5.LCD Display all the menu, the menu is user friendly; 6.Backup rechargeable battery can last 12 Hours; 7.AC Power failure or Backup battery low voltage alert by SMS; 8.Supports 4 SMS Alarm Numbers and 6 Calling Numbers; 9.Support Timer to armed or disarmed; 10.Supports AWAY, STAY or DISARM Modes. programming and operation, 10second voice recordable.</p> <div style="text-align: right;">  <p>11. Broadcast for 12. Warranty time:1Year</p> </div> <p>Standard package: (G.W.:1.80Kg; 5 Pcs Per Carton) 1X Mainframe, 2X Remote control(RM-02),1X Wireless door sensor(DM-100),1X Wireless PIR motion sensor(PIR-100A), 1X Siren(SR-01), Wire Length=80cm),1X DC adaptor.</p>

Model No.:S110A Name: GSM Alarm System (New&Hot)	
	<p>The functions are the same as S110 but with different materials and accessories, Standard package: (G.W.:1.80Kg; 5 Pcs Per Carton) 1X Mainframe, 2X Remote control(RM-02),1X Wireless door sensor(DM-100),1X Wireless PIR motion sensor(PIR-100A), 1X Siren(SR-01, Wire Length=80cm),1X DC adaptor. Warranty Time: 3 years</p> <div style="text-align: right;">  </div>

Model No.:S100A

Name: GSM Alarm System (New&Hot)



The functions are the same as S100 but with different materials and accessories, Standard package: (G.W.:1.80Kg; 5 Pcs Per Carton) 1X Mainframe, 2X Remote control(RM-02),1X Wireless door sensor(DM-100),1X Wireless PIR motion sensor(PIR-100A), 1X Siren(SR-01), Wire Length=80cm),1X DC adaptor. Warranty Time: 3 years



Model No.:S120

Name: GSM Alarm System (New&Hot)



Metallic Enclosure, More programmable functions than S110, includes all functions of S110, huge capacity backup battery. The EOL type is special to avoid the wired detector loose or disconnect or cut. Warranty Time: 3 years



Standard package: (G.W.:1.80Kg; 5 Pcs Per Carton) 1X Mainframe, 2X Remote control(RM-02),1X Wireless door sensor(DM-100C),1X DC adaptor, Backup 3X 1200mAH battery, 1X GSM ATN, 1X RF ATN, 1 X CD(User Manua)

Economical GSM Alarm Kits(Old Models)

Model No.:S3524A

Name: GSM Alarm System (English/Russian/Cezch)



The S3524A is a new security protection and FWT (fixed wireless termial) solution special for home, house and office and other applications. Also, it can be used as a wireless telephone to call and answer calling.

GSM Frequency: 900/1800/1900Mhz.

Warranty Time: 1 year

Standard package: (G.W.:1.82Kg; 5 Pcs Per Carton) 1X Mainframe, 3Xremote control(RM-02), 1X Wireless door sensor(DM-100), 1X Wireless PIR motion sensor(PIR-100A), 1X Siren(SR-05, Wire Length=1.5m), 1X DC adaptor

Model No.:S3526

Name: GSM Alarm System (Low Cost) (English/Russian/Cezch/Spanish)



2 wired zones, 8 wireless zones; 1 Output relay;

Configuration by SMS Commands;

Alarm to 3 preset SMS Numbers, autodial 5 preset numbers;

Zone Name can Be configured by User via SMS Commands;

Rechargeable battery inside, can last 16hours. GSM Fequency: 900/1800Mhz(Default) or

850/1900mHZ(Optional)

Warranty Time: 1 Year.



Standard package: (G.W.:1.80Kg; 5 Pcs Per Carton) 1X Mainframe, 2X Remote control(RM-01), 1X Wireless door sensor(DM-100), 1X Wireless PIR motion sensor(PIR-100A), 1X Siren(SR-01, Wire Length=80cm), 1X DC adaptor

Model No.:S3523

Name: GSM Alarm System (Low Cost) (English/Russian/Czech/Spanish)

Siemens TC35i GSM Engine Inside



Includes all of the S3526 functions, plus voice instructions and disable the power failure alarm by SMS command. GSM Frequency: 900/1800Mhz(Default) or 850/1900mHZ
Warranty Time: 1Year

Standard package: (G.W.:1.80Kg; 5 Pcs Per Carton) 1X Mainframe, 2X Remote control(RM-01), 1X Wireless door sensor(DM-100), 1X Wireless PIR motion sensor(PIR-100A), 1X Siren(SR-01, Wire Length=80cm), 1X DC adaptor

Model No.:A10

Name: GSM Elderly Guarder(Quad-Band)



The GSM Elderly Guarder is an innovative and very useful product in the worldwide. This is the first product special for safeguard and medical and including spiritual care for the elderly in the worldwide. It can be used for monitoring aid, elderly person and all the emergency help through GSM Network with our innovative concepts. Size: 80mm*90mm*20mm N.W.: 300g

Standard package: (G.W.:0.80Kg; 10Pcs Per Carton) 1X Control Panel, 1X Necklace Type Waterproof Panic Button(EM-60), 1X 9-12VDC adaptor, 1X CD(User manual and PC Configurator), 1XUSB Cable.

Model No.:A11

Name: GSM Elderly Guarder with siren function (Quad-Band)




Includes all functions of A10, the A11 plus the wireless transmitter function, supports SR-60. The A10 can not support SR-60 Wireless Strobe Siren when alarm happened.

Standard package: (G.W.:0.80Kg; 10Pcs Per Carton) 1X Control Panel, 1X Necklace Type Waterproof Panic Button(EM-60), 1X 9-12VDC adaptor, 1X CD(User manual and PC Configurator), 1XUSB Cable.

GSM SMS Remote Monitoring Center

Model No.: CMS-01

Name: GSM SMS Remote Monitoring Center--KingCenter

		The KingCenter is GSM SMS Alarm Remote Monitoring Center, it supports 1-Channel GSM Modem GM-02. It can run at WinXP or Win7 OS, for receiving SMS alarm message and send SMS commands to monitoring and control the GSM SMS Home Alarm Systems and GSM SMS Industrial Controllers that installed in different places. It can compatible with the GSM Alarm or Controllers from different manufacturer. Recommend: if you want to test it, please only buy the GSM Modem GM-02 or GM-03 firstly, after test, then you can decide to buy the CMS-01 or not. the Trial version of CMS-01 please contact us to send to you.
GM-02	USB GSM Modem for CMS-01, GSM Frequency is 900/1800Mhz	
GM-03	USB GSM Modem for CMS-01, GSM Frequency is 850/900/1800/1900Mhz	
Extreme Customization: Customize your Package Box and Backside Label and User		
CS-01	Print Gift Box	Customize your Color Package Box MOQ for S3523,S3526,S100,S110,S120
CS-02	Print Gift Box	Customize your Color Package Box MOQ is 500Pcs for S3524A, S120, S3622)
CS-08	Print Gift Box	Customize your color Package Box for S160A
CS-03	Print Backside Label	Customize your Backside Label MOQ is 1000Pcs
CS-04	Print Logo	Print Logo onto Panel more than 50Pcs with one color,Less than 50Pcs can not print.
CS-05	Print Logo	Print your Logo onto Panel more than 50Pcs with 2 colors,Less than 50Pcs can not print.
CS-06	Print User	Customize your User Manual less than 50Pcs
CS-07	Print User	Customize your User Manual more than 50Pcs
AUK-01	Replace UK/AU Power Plug	Replace the AC/DC Power Plug from Europe and USA Type to Austialia or UK type.Standard is USA or Europe Type.

Please consider environment before printing it.