



© 2008 R. NØREPSE

v2.06.1

**PHOTO**  
*zuela*

2011 CATALOG

*Live your passion well equipped.*

WWW.PHOTOZUELA.COM

## Message from The Management

At Photozuela, we believe that you deserve the best products and services at the best possible price. Our involvement begins from product conceptualization, extended to execution on the factory floor and ends when our products reach your hands faithfully meeting your expectations. We practice a stepwise supply chain monitoring process to ensure quality and excellent performance of our products while supporting to maintain a reasonable and sustainable pricing mechanism. Photozuela pushes to open enhanced alternative avenues for growth for all levels of photography and cinematography; may you be an amateur, hobbyist, and professional. We achieve this by continuously offering accessories and equipment matched to your needs.

### We believe in:

**Innovation:** Constant research, critical thinking and positive input towards transforming existing concepts

**Quality:** Stepwise and in-house quality control

**Endurance:** We reminisce the time when products were crafted to last a lifetime and we try to embed this belief in our products

Asia is the biggest market in the world. The growth of e-commerce in The Philippines is projected to be 41% in the coming years and the need for responsible e-commerce initiatives are enormous. In Photozuela we are like you, artists and entrepreneurs who want to contribute to society with passion and integrity.

***Photozuela, live your passion well equipped!***



**PHOTO**  
zuela

© 2010 Photozuela



# Studio Flash

**Basic Kit** model: CHP-90WC

**Basic Kit Plus** model: CHP-216WR

**Xingular 150** model: PBS-150KA

**Duo Kit Pro** model: ELP-240D

**Trio Kit Pro** model: ECP-480UBD

## Extras

Replacement Flash Tube for Basic Kit  
 Replacement Flash Tube for Basic Kit Plus  
 Replacement Flash Tube for Duo Kit Pro  
 Replacement Flash Tube for Trio Kit Pro  
 Replacement Flash Tube for Trio Kit Pro Plus  
 Spare Modeling Lamp for Duo and Trio Kits

**PHOTO**  
 zuela

**Photozuela Basic Kit CHP-90WC** - Curious about light control but can't somehow justify buying more expensive studio sets? The Photozuela basic kit is a starter kit composed of two remote/slave flash for those looking to familiarize themselves with quality of light. The quality of light is the hardness or softness of the light source, where contrast and sharp edges meet soft and diffused shadows. We have improved our basic kit with a wireless trigger and receivers to maximize usage in bright rooms and the outdoors; perfect for beginners who have yet to have a studio of their own or those who don't need the bulk of bigger systems. In addition, wireless triggers allow you to distance yourself. Using a long focal lens for portraiture is possible to achieve the effect of a shallow depth of field. The light output of this kit is not adjustable, so manipulating their proximity to the subject should work.

### What's Included / Specifications:

#### 2 AC Slave Flash w/ Sync Cords

Power: **45Ws each**  
 Guide Number: **29 (ISO 100)**  
 Sync Socket: Yes  
 Test Fire Button: Yes  
 Slave Sensor: Yes  
 LED Power Indicator: Yes  
 LED Ready Indicator: Yes  
 220V AC 60Hz  
 User Manual

#### 2 AC Slave Flash E27 Sockets

with Switch and Power Cord

#### 2 Basic Light Stands

Segments: 3  
 Max. Height: 190cm  
 Folded Height: 66cm  
 Max. Tube: 22mm  
 Min. Tube: 16mm  
 Material : Aluminum  
 Spigot: 1/4 or 3/8

#### 2 2-Channel Flash Receivers

#### 1 2-Channel Flash Transmitter

#### 1 Ø33" Translucent Umbrella

#### 1 Ø33" Silver Reflective Umbrella

#### Packaged in Carton


Shipping Weight: 4kg

**Flash Receiver Batteries Not Included**

**Backdrop Kit Not Included**

GN = distance x f-number

**Basic Kit**  
**CHP-90WC**  
**P4850**  
**ea. kit**



BACKDROP SOLD SEPARATELY

**Replacement**  
**Basic Kit Plus**  
**Flash Tube 45Ws**  
**P150**  
**ea.**



\* The CHP-90WC kit is not recommended for institutional / business use.



## Photozuela Basic Kit Plus CHP-216WR - This kit adds control

and more power as you get more out of your shots when you're in command of three strobes. To level up from the basic kit, an additional flash is added. A remote receiver is also in the bundle for more spatial flexibility and support to other items necessary for the third flash.

Underestimate not this kit, as it can serve professional use for a small startup studio. Increased power in your hands!

### What's Included / Specifications:

#### 3 AC Slave Flash w/ Sync Cords

Power: **72Ws each**  
Guide Number: **35 (ISO 100)**  
Radiation Angle: > 38° x 55°  
Optical Control Distance: ≥ 10m  
Sync Socket: Yes  
Test Fire Button: Yes  
Slave Sensor: Yes  
LED Power Indicator: Yes  
LED Ready Indicator: Yes  
Stepping Adjustment Knob: Yes  
220V AC 60Hz  
User Manual

#### 3 AC Slave Flash E27 Sockets

with Switch and Power Cord

#### 3 Basic Light Stands

Segments: 3  
Max. Height: 190cm  
Folded Height: 66cm  
Max. Tube: 22mm  
Min. Tube: 16mm  
Material : Aluminum  
Spigot: 1/4 or 3/8

#### 3 2-Channel Flash Receivers

#### 1 2-Channel Flash Transmitter

#### 2 Ø33" Translucent Umbrella

#### 1 Ø33" Silver Reflective Umbrella

#### 1 Padded Black, Nylon Carry Bag

Shipping Weight: 9kg

**Flash Receiver Batteries and Backdrop Kit Not Included**

**Basic Kit Plus  
CHP-216WR  
P10750  
ea. kit**



**Replacement  
Basic Kit Plus Flash  
Tube 72Ws  
P200  
ea.**



**Photozuela Xingular 150 PBS-150KA** - If you're looking to add a flash to your existing set, need just one for your small group photo booth business (includes a sync cord for SLR's), or just simply have other ideas for a one flash setup; go single. Go Xingular!

### What's Included / Specifications:

#### 1 Studio Strobe w/ Sync Cord

Max Power: **150Ws each**  
Guide Number : **42 (ISO 100)**  
Flash Power variation: Stepless  
Recycle time: 0.2s  
Modeling lamp: 75W  
Color temperature: 5600~5800K  
Operating voltage: AC 220V 60Hz  
Trigger Mode: Sync cord, Infra-red, Test button  
User Manual

#### 1 Pro Light Stand (Spring Cushioned)

Segments: 3  
Max. Height: 200cm  
Folded Height: 70cm  
Max. Tube: 25mm  
Min. Tube: 19mm  
Tube thickness: 1mm  
Material : Aluminum  
Spigot: 1/4 or 3/8

#### 1 Soft Box 60x60cm

#### Packaged in Carton

Shipping Weight: 3.6kg


**Backdrop Kit Not Included**

**Xingular 150  
PBS-150KA  
P5800  
ea. set**

**Additional  
Flash Trigger  
Set FTU/S-4B  
P1400  
ea. set**

**Replacement  
Xingular 150  
150Ws Flash Tube  
P550  
ea.**

**Spare  
Modeling Lamp  
75W 220V AC  
P140  
ea.**



**Photozuela Duo Kit Pro ELP-240D** - Constructed of semi-aluminum housing, the versatile Duo Kit Pro satisfactorily meet your need for the small and medium photo business. If you are in the events photography market, you might consider this as another revenue stream. The two strobes have ample power to fill a big group since they are equipped with a large soft box and enough power. You can use this kit in a moderate studio and for family or product portraits as well.

### What's Included / Specifications:

#### 2 Studio Strobes w/ Sync Cords

Max power: **120Ws each**  
 Guide Number: **38 (ISO 100)**  
 Recycle Time: 0.5-3s  
 Flash Power variation: 1/8~1/1  
 Modeling Lamp: 75W  
 Color Temperature: 5600-5800K  
 Operating voltage: AC 220V 60Hz  
 Trigger Mode: Sync Cord, Infra-red, Test Button  
 User Manual

#### 2 Pro Light Stand (Spring Cushioned)

Segments: 3  
 Max. Height: 200cm  
 Folded Height: 70cm  
 Max. Tube: 25mm  
 Min. Tube: 19mm  
 Tube thickness: 1mm  
 Material : Aluminum  
 Spigot: 1/4 or 3/8

#### 2 Soft Box 50x70cm


#### 2 AC Powered, 4-Channel Flash Receivers

#### 1 4-Channel Flash Transmitter

#### 1 Padded Black, Nylon Carry Bag

Shipping Weight: 9.6kg

**Duo Kit Pro  
ELP-240D  
P 12470  
ea. kit**





**Photozuela Trio Kit Pro ECP- 480UBD** - From the Duo Kit Pro, the Trio Kit Pro adds another flash with more power. We added a barn door with detachable honeycomb and some color correction gels to manipulate the color temperature of the strobes. The barn doors control the spread of the light source by concentrating it on your particular emphasis and helps when you are indoors or outdoors with other reflective objects around. It can also function as a hair light accent good for up to two people; with the quick flip of your hand, you can reduce the light output from 100% to 0. Additionally, Barn doors can be used to emphasize your backdrop and or your subject from the former. When the honeycomb is attached, it further increases the light consolidated for where it is aimed at. The Trio Kit Pro is right in the middle of everything you need to be as creative as you can be.

### What's Included / Specifications:

#### 3 Studio Strobes w/ Sync Cords

Max power: **160Ws each**

Guide Number: **42 (ISO 100)**

Recycle Time: 0.5-3s

Flash Power variation: 1/8~1/1

Modeling Lamp: 75W

Color Temperature: 5600-5800K

Operating voltage: AC 220V 60Hz

Trigger Mode: Sync Cord, Infra-red, Test Button

User Manual

#### 3 Pro Light Stand (Spring Cushioned)

Segments: 3

Max. Height: 200cm

Folded Height: 70cm

Max. Tube: 25mm

Min. Tube: 19mm

Tube thickness: 1mm

Material : Aluminum

Spigot: 1/4 or 3/8

#### 2 Soft Box 50x70cm

#### 3 AC Powered, 4-Channel Flash Receivers

#### 1 4-Channel Flash Transmitter

#### 1 Ø33" Translucent Umbrella

#### 1 Ø33" Silver Reflective Umbrella

#### 1 Set Barn Door, Honeycomb, Color Filters

#### 1 Padded Black, Nylon Carry Bag

Shipping Weight: 13.2kg

**Backdrop Kit Not Included**







BACKDROP SOLD SEPARATELY

**Trio Kit Pro  
ECP-480UBD  
P 16500  
ea. kit**

**Replacement  
Trio Kit Pro  
160Ws Flash Tube  
P 550  
ea.**

**Spare  
Modeling Lamp  
75W 220V AC  
P 140  
ea.**



**Photozuela Trio Kit Pro Plus RMF-900DSB** - This is our top of the line Studio Strobe Kit. The Trio Kit Pro Plus has the most powered (300Ws each) accessories and user controls for the uncompromising professional photographer and enthusiast. We've added a snoot with honeycomb along with the barn door kit, a dual duty umbrella, a gold reflective umbrella and a 16-channel trigger set. This is the ultimate package we offer.

#### What's Included / Specifications:

##### 3 Studio Strobes w/ Sync Cords

Flash Output: **300Ws each**  
 Guide Number: **58 (ISO 100)**  
 Color Temperature: 5400±100K  
 Operating Voltage: AC 220V 60Hz  
 Flash Power Control: Stepless  
 Modeling Lamp: 75W (adjustable)  
 Recycle Time: 0.5-2s  
 Flash Triggering Mode: Sync cord, slave, Test button  
 Triggering Voltage: 5V DC  
 Flash Duration: 1/2000-1/800s  
 Fuse: 5A  
 Sync Distance: 36ft  
 User Manual

##### 3 Pro Light Stand (Spring Cushioned)

Segments: 3  
 Max. Height: 200cm  
 Folded Height: 70cm  
 Max. Tube: 25mm  
 Min. Tube: 19mm  
 Tube thickness: 1mm  
 Material : Aluminum  
 Spigot: 1/4 or 3/8

##### 2 Soft Box 50x70cm

##### 3 AC Powered, 16-Channel Flash Receivers

##### 1 16-Channel Flash Transmitter

##### 1 Ø33" Translucent / Silver Reflective Dual Duty Umbrella

##### 1 Ø33" Gold Reflective Umbrella

##### 1 Set Barn Door, Honeycomb, Color Filters

##### 1 Snoot with Honeycomb

##### 1 Rolling, Padded, Semi-Hard Case




Shipping Weight: 19kg

**Backdrop Kit Not Included**

**Trio Kit Pro Plus**  
**RMF-900DSB**  
**P24000**  
**ea. kit**

**Trio Kit Pro Plus**  
**300Ws Flash Tube**  
**P1050**  
**ea.**

Spare  
 Modeling Lamp  
 75W 220V AC  
**P140**  
**ea.**





# Continuous Lighting Kits

**Fluorescent Light Kit** model: CFL-255K

**Quartz Light Kit** model: DVQ-500K

**Spot Light Kit** model: DVS-800HK

## Extras

Spare Lamp for CFL-255K

Spare Lamp for DVQ-500K

Spare Lamp for DVS-800K

**Photozuella Fluorescent Light Kit CFL-255K** - Continuous lights are the first thing that come to mind whenever a video or product shoot is in play. Compact fluorescent lighting provides the necessary supplemental light source to help ensure the most accurate results. Using compact fluorescent lights make studio photography and video simple and easy because it is WYSIWIG (what you see is what you get). Compact fluorescent lamps (CFL) are ideal for indoor studios such as, digital portrait, commercial photography and video, or TV interviews. CFLs are not designed for outdoor use. Perfect for kids and pets portraiture—will not startle them compared with flash. The color-rendering index (CRI) is a quantitative measure of the ability of a light source to reproduce the colors of various objects faithfully in comparison with natural light source. Light sources with a high CRI are desirable in color-critical applications such as photography and cinematography. The CRI measurement of our CFL is no less than 90 which is the required measurement for photography and cinematography usage.

## What's Included / Specifications:

**3 Soft Box 40x60cm**

**3 Basic Light stands**

**1 Boom**

**3 Tricolor CFL Lamps**

Power: AC 220V 60Hz, 85W,  
4800 Lumens

Incandescent Equivalent: 425W

Daylight Balance: 5500K  $\pm$  10

Color Reference Index, CRI: 90

Construction: Electronic Ballast

Expected Life: 4000 Hours

**1 Padded Black, Nylon Carry Bag**

**User Manual, Shipping**

Weight:  
10.9kg


Backdrop Not Included

**Fluorescent  
Light Kit  
CFL-255K  
P 12150  
ea. kit**



BACKDROP SOLD SEPARATELY

**PHOTO**  
zuella



**Photographic  
CFL Bulb 85W**



**P 870**

ea.





**Photozuela Quartz Light Kit DVQ-500K** - Each of the 2 housing units are equipped with a strong air exhaust blower with heat dissipation spacer offering uncompromised lighting for TV and DV filming. It is also perfect for wedding and artistic album photography.

Because of the included diffusion umbrella, it may also be used for green screen Chroma key applications both in video and stills. Quartz-halogen lights are an alternative to flash heads for studio photography.

One of the most common problems in flash photography is finding out after you look at pictures taken that the flash units created unwanted shadows. This doesn't happen with quartz-halogen lights. These lights are on while you are composing a picture, so you see the exact effect the lighting has on your subject. This is a big advantage for a lot of photographers. Additionally, this type of lighting is less expensive than flash units.



BACKDROP SOLD SEPARATELY

**Quartz Light Kit  
DVQ-500K  
P 10300  
ea. kit**

**Spare Quartz  
Lamp 500W  
P 600  
ea.**



### Features:

- Step less Light Intensity Adjustment from 50-500 Watts \*
- Model Light Function
- No Optical Parallax
- Color Temperature: 3300 K
- Cooling Method: Cooling Fan, Thermal Isolation Film
- Operating Voltage: AC 220V 60Hz

### What's Included / Specifications:

**2pcs Quartz Light Control Units (Bowens mount)**

**2pcs 500 Watts Quartz-Halogen Bulbs**

**2pcs Standard Reflectors for the Light Control units**

**2pcs 5m Power Cord, Three Prong, NEMA 5-15 Standard**

**4pcs Fuse, 5A**

**2 Pro Light Stand (Spring Cushioned)**

Segments: 3

Max. Height: 200cm

Folded Height: 70cm

Max. Tube: 25mm

Min. Tube: 19mm

Tube thickness: 1mm

Material : Aluminum

Spigot: 1/4 or 3/8

**2pcs 40" Translucent Umbrella**

**1pc Padded Nylon Carry Bag**

**User Manual**

Shipping Weight: 9.2kg / **Backdrop Not Included**



**To prevent damage or fire. Do not place the umbrella too close to the dome reflector and or bulb. Leave fan on after turning off light**

## Photozuela Spot Light Kit DVS-800HK

With a combined 2400 Watts of power and a color temperature 3200K, this 3 light product is ideal for lighting on stage, conference room, large studio, in the field, SLR and DSLR photography or videography. Each housing has an 800W halogen tube which can illuminate a large area indoors and outdoors. You can control the focus of the beam using the large dial on its back end for precise Focus.



### What's Included / Specifications:

#### 3 Head Units

Power: AC 220V, 800W \*  
Adjustable Focus Knob: Rear  
Barn Door / Glass: Included

#### 3 Halogen Tubes

Luminous Flux: 25000 LM

#### 3 Pro Light Stand

Segments: 3  
Max. Height: 200cm  
Folded Height: 70cm  
Max. Tube: 25mm  
Min. Tube: 19mm  
Tube thickness: 1mm  
Material : Aluminum  
Spigot: 1/4 or 3/8

#### 1 Rolling Nylon Case

**User Manual**, Shipping Weight: 17.7kg / **Backdrop Not Included**



\* These lights operate at very high temperatures. Always plan ahead when positioning them -

use weights. Arrange your electrical

# Studio Accessories

## Circular Reflectors

Circular 2-in-1 Small model: CRF-2SG  
 Circular 5-in-1 Small model: CRF-5M  
 Circular 5-in-1 Medium model: CRF-80  
 Circular 5-in-1 Large model: CRF-110

## Oval Reflectors

Oval 5-in-1 Medium model: RFD-812  
 Oval 5-in-1 Large model: RFD-1015

**Reflector Holder Kit** model: RH-618

## Umbrella Box

Translucent Shoot Through ST-UB40  
 White Bounce SB-UB40

## Backdrop Kits

Backdrop Kit model: BST-1CG  
 Backdrop Kit model: BST-2BW

## Photo / Still Life Shooting Tables

Medium model: PT-512  
 Large model: PT-1020

## Speedlight Holder

Speedlight Holder model: SH-US1 / Shoe Type  
 Speedlight Holder model: SH-UT1 / Threaded Type

## Studio Flash Wireless Trigger

For Nikon and Canon 4-Channel model: FTU-4B  
 For Sony 4-Channel model: FTS-4B

**Photozuela Reflectors** - Circular reflectors give you maximum surface area. Artificial lighting aside, the sun is still our original light source. It's free, reliable, and for our purposes, essentially unending. It's up to photographers to apply it as creatively as they wish. How expressive you wish to make it come to life is up to you. It can be softened, reflected, or both, among other formative approaches. Tame natural light. Get natural lighting effects without letting nature take control of your creativity.

(est. Shipping Weight: 300g~1.12kg)

**TRANSLUCENT** Gives a soft and diffused light.



**SILVER** Highly reflective with high light output and gives a crisp light.




**BLACK** Reduces reflections and stray light. Also increases contrast when shooting under very soft light conditions.



**GOLD** Highly reflective with high light output and gives a soft warm light.



**WHITE** Gives a soft even light output.







**Silver and Gold Only  
with Pouch**

Circular 2-in-1  
Small Ø 60cm CRF-2SG

Circular  
2-in-1  
CRF-2SG  
**P 370**  
ea.



**Silver, Gold, Translucent,  
White, Black with Pouch**

Circular 5-in-1 Small  
Ø 60cm CRF-5M

Circular  
5-in-1  
CRF-5M  
**P 650**  
ea.

Circular 5-in-1 Medium  
Ø 80cm CRF-80

Circular  
5-in-1  
CRF-80  
**P 850**  
ea.

Circular 5-in-1 Large  
Ø 110cm CRF-110

Circular  
CRF-110  
**P 1020**  
ea.



**Oval Silver, Gold,  
Translucent, White,  
Black with Pouch**

Oval 5-in-1  
80x120cm RFD-812

Oval 5-in-1  
RFD-812  
**P 1650**  
ea.

Oval 5-in-1  
100x150cm RFD-1015

Oval 5-in-1  
RFD-1015  
**P 1980**  
ea.

**Photozuela Reflector Holder Kit RH-618** - You will need this if your assistant is on vacation leave or when you just don't have those extra pair of hands around.

#### **What's Included / Specifications:**

##### **1 Reflector Holder**

Tube: 22mm -19mm -16mm  
Length: 60 -180cm

##### **1 Pro Light Stand**

Segments: 3  
Max. Height: 200cm  
Folded Height: 70cm  
Max. Tube: 25mm  
Min. Tube: 19mm  
Tube thickness: 1mm  
Material : Aluminum  
Spigot: 1/4 or 3/8

##### **Packaged in Carton**

Shipping Weight: est 1.5g



Reflector  
Holder Kit  
RH-618  
**P 2800**  
ea. kit

**Photozuela Umbrella Box** - The Soft box Umbrella (brolly box) is a truly unique lighting tool. For excellent glamour shots and alluring catch lights, it combines the directional quality of the umbrella, with the softness and evenness of a soft box, the soft box umbrella is conceived as a one step set-up solution for some of the trickiest lighting situations.

The non-removable translucent fabric covers the front of the umbrella. The light reflects from the neutral white fabric and passes through the translucent layer softening the light. We also have a reversed soft box umbrella.

***Fits all our studio kits except Basic kit CHP-90WC***

(Shipping Weight: est. 330g)



Umbrella Box  
**White Bounce**  
SB-UB40 Ø40"

**Umbrella Box**  
SB-UB40  
**P 1500**  
ea.



Umbrella Box  
**Translucent Shoot Through**  
ST-UB40 Ø40"

**Umbrella Box**  
ST-UB40  
**P 1500**  
ea.

**Photozuela Backdrop Stand and Support Kit** - Our backdrop kits have been improved from our previous models. From the telescopic crossbar to the heavy duty light stands to support more weight for whatever you might want to hang as your backdrop. We now have a bigger and better carry case to support all the aluminum. Four plastic backdrop clamps also come with our backdrop kits as standard. You now have a choice between the standard kit which contains both black and white backgrounds or a green Chroma key. Chroma key is mostly used in videography to superimpose video and stills during post production.

#### SPECIFICATIONS:

Retractable Background Stand  
Max. Height: 260cm  
Folded Height: 97cm  
Bar Segments: 3  
Bar Length: 300cm  
One Segment length: 100cm  
Bar Material: Aluminum  
Shipping Weight: 7.2kg~6.5kg

**BST-2BW**  
**BLACK with**  
**WHITE**  
**P 6500**  
ea.

**1pc Muslin**  
**Backdrop Black**  
**6x9ft with 1pc White**  
**6x9ft BST-2BW**

**BST-1CG**  
**GREEN**  
**P 5950**  
ea.

**1pc Muslin**  
**Backdrop Green**  
**Chroma key 6x9ft**  
**BST-1CG**

#### What's Included?




**2 Background Stands est. 9-10ft**

**1 Telescopic Crossbar est. 10-14ft (Twist to Lock in Place)**

**Your Choice of Backdrop Bundle**

**4 Plastic Clamps**

**1 Nylon Carry Case**



## Photozuela Photo / Still Life Shooting Tables

Do you sell products online? Ever wanted to get those nice background diffused product photos and reflective surface shots? Here's a mainstay if you're in the e-commerce trading business.

Shooting Tables are designed for small and middle product setups, allowing the non-reflective translucent Plexiglas to be lit from above, below, behind, or around the subject for dramatic or high-key lighting with precise control.

(est. Shipping Weight: 8~13kg)

### Our Still Life Photo Tables Come in two Sizes:

Medium model: **PT-512 50x120cm** (Table Area)

Large model: **PT-1020 100x200cm** (Table Area)

### What's Included / Specifications:

Composed of Lightweight Aluminum Frame

180° and 90° Recline

Non-reflective opaque Plexiglas surface Base

(Reversible for Reflective)

**8 Rubberized clamps**

**2 C-Clamps (with spigot and thread)**

**1 Carrying case**

**Assembly Instructions**



**PT-512**  
**50x120cm**  
**P 3850**  
ea.

**PT-1020**  
**100x120cm**  
**P 6740**  
ea.

**PERFECT  
PARTNER  
with  
CFL-255k**



**Photozuela Speedlight Holder** - Place any device like speed lights, Micro-phones, Portable Recording devices, Tx and Rx\* devices and many more using hot shoe or threads atop and on the end of light stands and booms. (est. Shipping Weight: 130g)

Speedlight Holder model:

**SH-US1 / Shoe Type**

**SH-US1**  
**P520**  
ea.



Speedlight Holder model:

**SH-UT1 / Threaded Type  
with Shoe Holder**

**SH-UT1**  
**P600**  
ea.



With Shoe Mount  
Removed. Thread is  
Exposed.

## Photozuela Studio Flash Wireless Trigger

Cut the Cords. Trigger Wirelessly.

(est. Shipping Weight: 60g)

### Specifications:

Power: DC 2xAA

Channel: 4

Sync Cord: Ø6.35/Ø3.5

Outdoor operation distance: ≥20-30M

Indoor operation distance: ≥20M

Sync speed: 1/200s

User Manual

*Flash Receiver Batteries Not Included*

**For Canon  
and Nikon**  
**FTU-4B**  
**P 1400**  
ea.



For **Nikon, Canon, most  
brands 4-Channel FTU-4B**

**For Sony**  
**FTS-4B**  
**P 1400**  
ea.



For **Sony 4-Channel  
model: FTS-4B**



## Godox Monix EX Series Portable Outdoor Flash

Godox EX400  
Godox EXR400

## Godox Monix LUX Series Portable Outdoor Flash

Godox LUX400

## Godox EX / LUX Series Accessories

Soft Box EX6060  
Soft Box Octa EX80

## Extras

Spare Battery for EX and LUX Series model: E3000  
Replacement Ring Flash Tube model: FT14  
Replacement Modeling Lamp model: ML03

PHOTO zuela **Godox**

## Godox Monix EX and LUX Series Portable Outdoor Flash



Designed for professional outdoor shooting, it features fast recycle time, less than 1.8s at full power. A clear digital LED screen shows 9 steps precise output controlled by CPU. The change in aperture is less than 0.1 when your light meter is set at 1/60s and 1/500s. More than 180 times full power flashes. Battery re-charging is safe and stable which can be done both ways, car cigarette lighter and outlet charger.

Compared to traditional outdoor portable flash, its reflector can be dismantled from the flash head enabling you to use accessories like soft box\*, barn door\*\*, and snoot\*\* which offers versatility just like shooting inside the studio. It is equipped with an umbrella holder built into the handle. Moreover, the handle is also capable of mounting onto studio light stands, a boom, or tripods with its thread on its bottom - equipped with a two-finger release knob\*\*\* for easy attachment and removal.

The EX and LUX Series is equipped with a set of wireless receiver and transmitter modules for your convenience. Additionally, a diffuser soft cap is also included so you can have control with the quality of light.

The flash has a hard, protective plastic cover\*\*\*\* to safeguard the flash tube and modeling bulb. A shoulder strap and soft carry bag is also included for ease in mobility. All EX and LUX Series come with a sleek, professional, padded hard aluminum case to give you that added peace of mind and cool factor.

\* We offer a 60x60cm soft box and 80cm octa box.

\*\* Barn door and snoot are pending accessories we will carry in future offerings. However, you may purchase in other stores. Look for attachments that are 'Bowens' mount compatible.

\*\*\* EX and LUX Series only.

\*\*\*\* Hard protective plastic cover only available for EX and EXR models

**We offer EX and LUX Series of portable outdoor flash in 3 variants:**

**The Standard Godox Monix EX400** - Contains the most basic elements for you to perform top notch on location shoots. *(flash mountable onto lightstands with standard spigot)*

**SPECIFICATIONS:**

Max power Output: **400Ws**

Guide Number: **52 (ISO 100)**

Power variation: 9 steps

Modeling Lamp: 12V 20W

Recycle Time (Full Light): 1.8s

Illumination Angle: 65°

Rated voltage of the Charger: AC 100V-240V 50/60HZ

Battery: Rechargeable 3000mAh Ni-MH

Battery Charge Mode: AC Outlet /Automobile 12VDC

Battery Loading & Unloading: Built-in (replaceable)

**Monix  
EX400  
P 17350  
ea.**



**What's Included?**

**1 Flash head with handle (mountable to hot shoe, tripod or light stand)**

1 Power pack

1 Battery pack

1 AC Charger

1 Wireless remote trigger RT-02

1 Padded, Aluminum case (Dark Gray)

1 Translucent Diffuser Cap

1 Sync cord

1 1.5-meter power cord

1 Vehicle cigarette lighter cord

1 Power pack bag

User Manual

**Spare Battery  
Pack E3000  
P 3500  
ea.**



**The Ring Flash Godox Monix EXR400** - Aside from having a ring flash, it provides advanced features such as higher guide number than the EX400 and a camera stand. The large diameter hole allows you to mount almost all types of cameras and lens size.

If you need a flash that hardly produces shadows, this is your best choice. Another plus is that The Monix EXR400 creates fantastic lighting effects most especially for wedding ceremonies (creates a glamorous catch light), and large scale venues. There are no interference by nearby colors and creates perfect lighting under a gold and yellow background.

*(flash mountable onto lightstands with standard spigot)*

#### SPECIFICATIONS:

Max power Output: **400Ws**

Guide Number: **68 (ISO 100)**

Power variation: 9 steps

Modeling Lamp: 12V 20W

Recycle Time (Full Light): **2.5s\***

Illumination Angle: 65°

Rated voltage of the Charger: AC 100V-240V 50/60HZ

Battery: Rechargeable 3000mAh Ni-MH

Battery Charge Mode: AC Outlet / Automobile 12VDC

Battery Loading & Unloading: Built-in (replaceable)

**Monix  
EXR400  
P25800  
ea.**

**Spare Battery  
Pack E3000  
P3500  
ea.**

#### What's Included?

##### 1 Ring Flash head with handle (tripod or light stand)

- 1 Power pack
- 1 Battery pack
- 1 AC Charger
- 1 Wireless remote trigger RT-02
- 1 Aluminum case (Dark Gray)
- 1 Translucent Diffuser Cap (for ring)
- 1 Sync cord
- 1 1.5-meter power cord
- 1 Vehicle cigarette lighter cord

##### 1 Camera Stand / Mounting Bracket

- 1 Power pack bag
- User Manual



\* Extended recycle time due to large ring flash diameter.



## The Best of Both Worlds **Godox** Monix LUX400

This set combines both features of The EX400 and The EXR400. What's left is up to your imagination!

*(flash mountable onto lightstands with standard spigot)*

**Monix  
LUX400  
P31850  
ea.**

### Specifications:

Max power Output: **400Ws**

Guide Number: **52 standard / 68 Ring Flash (ISO 100)**

Power variation: 9 steps

Modeling Lamp: 12V 20Ws

Recycle Time (Full Light): **1.8s Standard / 2.5s Ring Flash**

Illumination Angle: 65°

Rated voltage of the Charger: AC 100V-240V 50/60HZ

Battery: Rechargeable 3000mAh Ni-MH

Battery Charge Mode: AC Outlet / Automobile 12VDC

Battery Loading & Unloading: Built-in (replaceable)

### What's Included?

**1 Flash head with handle (mountable to hot shoe, tripod or light stand)**

**1 Ring Flash Head with Handle**

1 Power pack

1 Battery pack

1 AC Charger

1 Wireless remote trigger RT-02

1 Padded, Aluminum case (Dark Gray)

1 Translucent Diffuser Cap

1 Sync cord

1 1.5-meter power cord

1 Vehicle cigarette lighter cord

**1 Camera Stand / Mounting Bracket**

1 Power pack bag

User Manual



**Spare Battery  
Pack E3000  
P3500  
ea.**

## Godox EX / LUX Series Accessories and Spares

To enhance your shooting experience and convenience, we offer the following light control accessories and spares for your portable flash. Your EX and LUX Series flash head accepts 'Bowens' mount compatible attachments, so you don't have to worry about availability.



**Model EX80 Octa Box**

Ø 80cm



**Model EX6060 Soft Box**

60x60cm



**Spare EX Modeling Lamp**

12V 25W



**Spare EX Flash Tube Model FT12**

400Ws



**Spare EXR Flash Tube Model FT14**

400Ws



## Godox EX / EXR / LUX Series Photos and Diagrams



Power Pack Top Panel



Quality Aluminum Case



Equipped with Umbrella Holder



EX Series



EXR Series



AC Charger



Sync Cable



Translucent Cap



Car Cigarette Plug



Flash Tube Protector



EX Series Flash (Cover off)



EX Series Flash (Back View)



Reflector

# Portable Power

## Godox Propac PB820 Power Source

For Nikon Flashgun

For Canon Speedlight

## Godox Leadpower LP-750 Portable Power Inverter

## Godox Leadpower LP-750 Spare Battery LP-9000

PHOTO **Godox** zuela

**Godox Propac PB820 Power Source For Speedlight** - Need that extra power and fast recycle time for your off-camera flash—events photography? The Professional Propac PB820 is your answer! Get up to \*Up to 250-320 full-power flashes with Canon and Nikon flashes! This is the perfect tool to have in your camera bag for an all day photo-shoot such as weddings and company parties, graduations, community events and others. You can even charge it in your car en route to the event.

*Portable, durable, versatile.*

### More Details:

Remaining Power Indicator: 4-LED power display tells you exactly how much power remains. Low Power Indicator: Green LED light flickers when power gets low and a charging indicator gives the charge status. Safe and Reliable Protection: Protected against overheating, high voltage, low voltage and overuse. The Propac PB820 employs advanced circuitry to protect both user and your device. Compact and Slim Design: With a slim, comfortable and portable case (belt clips and strap loops included). It is easy to transport and fits right in you camera bag.

### Specifications:

Battery: Ni-MH 9.6V, 2000mAh  
Charging Time: Approx. 2 Hours  
Cycling Time: within 1s  
Dimensions: 6.1x4x1.7"

### What's Included?

1 Propac PB820 with Belt Clip  
1 AC Charger  
1 Car Charger  
1 Flash Power Connector (Choose from Canon or Nikon)  
1 Shoulder Strap  
User Manual, Shipping Weight: 502g

**Compatibility:** Canon 580EXII, 580EX, 550EX, 430EZ, 540EZ  
Nikon SB800, SB900, SB28 Euro, SB28DX, SB80DX



Canon (Cx) Nikon (Nx)



Propac PB820  
**P5850**  
ea.



\* 250-320 full-power flashes tested with high-end Canon 580EXII and Nikon SB-900.



## Godox Leadpower LP-750 Portable Inverter

Are you ready to take your existing monolight setup outdoors? Bring the power of the electrical grid on location with the Leadpower LP-750! The Godox Leadpower LP-750 is a battery pack with a pure sine wave inverter, designed for use with studio lights. It can power laptops, digital cameras and wide for many outdoor activities. Leadpower LP-750 makes AC power possible wherever your carry of other electronic equipment as well. The LP-750 is an indispensable back-up power supply creativity takes you.

### Features:

#### Novel Structure and Portable Size:

It consists of a built-in battery of 2.2kg supporting fast replacement and a body of 3.4kg, easy to carry.

#### Powerful as a Mini Generator:

The battery supports strobes of up to 3000Ws (recycle time of 2s) which can meet the outdoor shooting requirement for large-power strobe light. The special high-quality 9000mAh NiMH battery pack sustains strobe lights of 600Ws to flash 380 times in full power.

#### Safe and Reliable, Multiple Protection:

The Leadpower is protected against overload, short circuit, high-voltage input, overheating, and inverse connection of anode and cathode to avoid electrical hazard.

#### Easy to operate, professional:

Install the battery into the battery box, turn on the power switch, and then insert the power cord of your equipment into the socket on battery box

#### Easy to charge:

It supports AC charging, car cigarette socket charging, or 10 to 15V DC external charging by a car battery or storage battery via a battery connector



**Extend your shooting time! Its a P7,400 VALUE! Hurry while supplies last!**



#### Specifications:

Continuous Output: 750W\*  
 Peak Power: 1400W  
 Output Voltage/Frequency: 230V/50Hz  
 Output Waveform: Pure Sine Wave  
 High Dynamic Distortion: 3%  
 Current Consumption: Normal Mode: 0.25A/Flash Mode: 1A  
 Conversion Efficiency: 91%  
 Low-Voltage Alarm: Yes  
 Low-Voltage Shutdown: Yes  
 Storage Temperature Range: -30°C – 70°C  
 Operating Temperature Range: 0 – 40°C  
 Battery Type / Capacity: NiMH/9000mAh  
 Normal Capacity of Battery: 9000mAh  
 Charging Period: About 6 Hours (Standard 1.7A Charger)  
 Power Outlets: Three (3) Universal Type CE 230V  
 Fuse: 6x30A Changeable (3x30A for External Connection; 3x30A for Actual Device)  
 Weight: Approx. 8.2kg with Accessories and Packaging

#### What's Included:

1 LEADPOWER LP-750 Portable Inverter  
 1 9000mAh Ni-MH Rechargeable Battery LP-9000  
 1 AC Charger  
 1 Car Charger  
 1 1.5m Power Cable  
 1 Water Proof Carrying Bag  
 4 Screws for Cathode and Anode Terminals  
 User Manual

# Camera Accessories

## Godox Reemix 3-in-1 Remote

For Nikon

For Canon

## Godox Lens Caps

Ø 58mm

Ø 67mm

Ø 72mm

Ø 77mm

## Godox Lens Hood

HB-39 for Nikon

HB-35 for Nikon

HB-32 for Nikon

ES-71/II for Canon

EW-83E for Canon

EW-73B for Canon

EW-60C for Canon

EW-78D for Canon

## Godox Flash Diffusers

For Nikon SB-600 / SB-800

For Nikon SB-900

For Canon 430EX / 430EXII

For Canon 580EX / 580EXII

## Godox ThinkLite Speedlight

model: TT560

## Godox Ring48 LED Macro Light

**Godox Reemix 3-in-1 Remote Control RMI** - The Reemix Remote is more than just another flash trigger. It has three functions: **TRIGGER STUDIO STROBE**. Connect Reemix with your studio flash to trigger synchronously. It has multiple channels that enable you to trigger more than one strobe at a time. **CONTROL FLASH SPEEDLIGHT**. You can wirelessly control your off-camera flash gun. **RELEASE CAMERA SHUTTER**. You can set your camera in correspondence mode. It is possible to release your camera shutter in auto-focus, single and continuous shot, bulb and delay from a distance.

*Available for Canon and Nikon only. Additional receivers are available for purchase.*

### Specifications:

Transmit Frequency: 433MHz

Workable Range: 100m for Camera,  
30m for Flash

Channels: 16

Transmitter Battery: 12V 1xA23

Receiver Battery: 1.5V 2xAAA

Sync Speed: Up to 1/250s



Reemix Remote  
Set  
**P 1750**  
ea. set

Additional  
Receiver RMI-R  
**P 980**  
ea.

### What's Included?

1 Transmitter

1 Receiver

1 Sync Cable (Choose from above: **C1, C3, N1, N2, N3** left to right)

1 12V A23 Battery

User Manual



### Compatibility (Find your camera's connector here):

**C1:** Pentax K100D, K110D, K10D, \*ist Ds2, \*ist D, \*ist Ds, \*ist, \*istDL, \*ist DL2. **Samsung** GX-1L, GX-1S, GX-10. **Canon** EOS 30, 33, 50E, 300, 300V, 3000, 50, 300D, 350D, 400D, 450D, 500D, 550D, 600D, 1000D, 1100D. **C3:** Canon EOS 1Ds Mark II, 1Ds Mark III, 1Ds, 1D Mark IV, 1D Mark II, 1D Mark II N, 1D Mark III, 5D Mark II, 1D, 5D, 7D, 50D, 60D, 40D, 30D, 20D, 10D, D60, D30, D2000, 1v HS, 1v, 3. **N1:** Nikon D2H, D2Hs, D1x, D1h, D1, D2x, D2Xs, D200, D300, D3, D3X, D3S, D2HS, D300S, D700, F5, F6, F100, F90, F90x, D100 (MB-D100 needed), **Ko-**  
**dak** DCS-14n, **Fujifilm** Finepix S3pro, S5pro. **N2:** Nikon D70S, D80. **N3:** D90, D3000, D3100, D5000, D5100, D7000.

(est. Shipping Weight: 100g)

**Godox Lens Caps** - Indispensable for protecting the front element and or glass, screw-in filter of your lens from smudges, dust, and everyday transport.

No front label. Canon lens cap style. Works on all major brands.

Available Sizes:  
**58mm, 67mm,  
72mm, 77mm**



ALL  
Lens Caps  
**P 150**  
ea.

**Godox Lens Hoods** - A lens hood lets you take better pictures. It extends beyond the edge of your lens, shading it and reducing light interference that causes glare. It also serves as protection for your valuable lens and glass filter, since it extends beyond the lens surface, shielding it from debris, moisture, bumps, and even fingerprint smudges.

Available for the following lens:

**HB-39** for Nikon  
AF-S DX 16-85mm



ALL  
Lens Hoods  
**P 490**  
ea.

**HB-35** for Nikon  
AF-S DX 18-200mm f/3.5-5.6G  
ED IF VR



**HB-32** for Nikon  
AF-S DX 18-70mm f/3.5-4.5G ED IF  
AF-S DX 18-105mm f/3.5-5.6 VR ED  
AF-S DX 18-135mm f/3.5-5.6G ED IF



**ES-71/II** for Canon  
EF 50mm f/1.4 USM



**EW-83E** for Canon  
EF 16-35mm f/2.8L II USM  
EF 20-35 f/3.5-4.5 USM  
EF 17-40mm f/4L USM  
EF 17-35mm f/2.8L USM  
EF-S 10-22mm f/3.5-4.5 USM



**EW-60C** for Canon  
EF-S 18-55mm f/3.5-5.6 I, II IS  
EF 28-80mm f/3.5-5.6 II, II USM, III, IV, V  
EF 28-90mm f/4.0-5.6



**EW-78D** for Canon  
EF-S 18-200mm f/3.5-5.6 IS  
EF 28-200mm f/3.5-5.6



**EW-73B** for Canon  
EF-S 17-85mm f/4.5-5.6 IS USM  
EF-S 18-135mm f/3.5-5.6 IS



**Godox Flash Diffusers** - Flash diffusers for off-camera flash. Get rid of the harsh contrast and shadows created by bare flash. Soften, and evenly distribute the light across the entire frame\* and create a flattering look for your subjects. Perfect for portrait shots, macros and more. Just slides into your flash with ease and fits anywhere in your camera bag.

Available for the following  
hot shoe flash and other

ALL  
Flash Diffusers  
**P 450**  
ea.



For Nikon SB-600 / SB-800,  
Nissin Di466, Olympus FL-36,  
DMW-FL360E, Sunpak PZ42X,  
Yongnuo YN-460, YN-460II,  
YN-465, YN-467



For Nikon SB-900



For Canon 430EX / 430EXII



For Canon 580EX / 580EXII,  
**Godox TT560**, Nissin Di622,  
360TXP, 360TW, PZ400-C-N

\* Requires bouncing of light indoors to achieve.  
Flash units shown for illustration only.



**Godox ThinkLite Speedlight TT560** - The TT560 Electronic Flash Speedlight competes with other **non-TTL; manual**, shoe-mount camera flash units. This is the speed light you need when you just have to get that shoot done, and then some more without breaking the bank. With slave function, it can act as an additional studio flash - handheld or on a light stand for strobist work. Off-camera flash is perfect for when your DSLR's built-in flash just isn't powerful enough, when you want to be more creative and flexible, bouncing light off other objects or when you just have a large diameter lens mounted to avoid lens or hood shadows.



#### Specifications:

Guide number : **38 (ISO 100)**

Flash mode : M-Manual, S1-Optical Slave, S2-Optical Slave Pre-flash

Vertical rotation angle : 0-90 degrees

Horizontal rotation angle : 0-270 degrees

Power : 4xAA batteries (Alkaline or Ni-MH)

Lighting times 100-1500 times (AA Alkaline batteries)

Recycle time : approx. 0.5-5s (AA Alkaline batteries)

\*Consistent Flash Output: 1/128\*\*, 1/64, 1/32, 1/16, 1/8, 1/4, 1/2, 1/1

Color temperature 5600K±200K

Flash duration 1/1800s-1/2000s

**Other: Equipped with Optical Receiver for Slave Function, Bulb Overheat Protection, Circuit Protection, Comes with Pull-Out Reflector and Diffuser**

**Compatibility: Standard Hot Shoe ALL Canon,**

**Nikon, Pentax, Olympus**

Dimensions : 7.5x3x2.1"

Shipping Weight : 285g

Batteries Not Included

#### What's Included?

1 ThinkLite SpeedLite TT560

1 Soft Pouch

1 Mini Stand

User Manual



\*No TTL and flash head mechanical zoom control. Only flash intensity may be adjusted.

**TT560**  
**P2750**  
**ea.**

**Godox Macro LED Ring Light Ring48** - Powered by 48 pieces of white (color balanced) LED lights, it is effective for macro photography (close-up shooting) and portraiture. It emits a constant stream of light providing permanent lighting for your subject and enabling easy exposure handling. The ring light can be switched for 1/2 right, left, top or down creating different lighting effects. It includes 6 lens thread adapter rings of different diameter for mounting on most lens brands. Additionally, it is possible to create a ring around the eye area of your subject for a more glamorous look.



**Ring48**  
**P2770**  
**ea.**

#### Specifications:

Effective Distance: 3cm-100cm

Service Time: 1.5 Hours Using 2AA Ni-MH, 5W

LED Index: (at full power) GN15

Color Temperature: 5500±6000K

Power Rate: Semi-Power / Full Power

Power Source: Battery or A/C

Coiled Cord Length: 100cm

Ring Adapter Sizes: 49, 52, 55, 58, 62, 67mm

Adapter: 100-240Vac

Shipping Weight: 185g

Batteries Not Included

#### What's Included?

1 Ring LED Head

1 A/C Adapter

6 Adapter Rings

1 Hot Shoe Power Controller / Battery Pack

User Manual



GN (m) = distance x f-number

# How to Order

**At this moment we handle online sales only. Visits are only by appointment.** This means that our staff will be more than happy to answer your questions and send you pictures and information about the products with as many details and explanations as you may need.

**How to buy:** You can browse the website, choose to "buy now" the products of your interest and these will be added to your "cart". When you are done you can roll over the top right "items" button and then click on "go to checkout". We offer the option to do manual payment or online payment and also the choice between pick up at our warehouse or delivery door-to-door. You can also call, SMS, or email us and our friendly sales staff will follow up your query. **Visits are by appointment only.**

**Catalog prices are already the lowest possible price.** No further discounts are available.

**CASH** – Clients can pay cash upon pick-up. Those who want to **pre-order need to pay 30% cash or bank deposit in advance.**

**BANK DEPOSIT** – You may deposit in our BPI, HSBC or BDO account. If a check payment is made, checks must be cleared first before items are delivered or retrieved.

\* Current Account in **HSBC** to the name of  
**Analema Corporation, ACC # 026-080663-040**

\* Current Account in **BPI** to the name of  
**Analema Corporation ACC # 1921-1158-45**

\* Saving Account in **BDO** bank to the name of  
**Analema Corporation, ACC # 506-800-2007**

**CREDIT CARD** – You may pay via credit card when you pick up your item/s without extra charge. All major credit cards are accepted. Only BPI issued credit cards are entitled to a 3-month, 6-month or 12-month installment plan. There are no 0% installment plans available at the moment.

**PAYPAL.COM** – You may use your credit card and pay via paypal.com. This is one of the safest ways of paying in the internet. However, you will need to add 5% to the total amount you want to purchase for the PayPal fees. If you do not have a paypal account, you must first register to their site. Afterwards, please pay the exact amount to our account: **analemacorp@gmail.com**. It will take 3-4 working days for paypal payments to be cleared and before you may pick up or have your item shipped.

**GLOBE GCASH** - You can make G-CASH payments through mobile number **0927-8484378**



## Limited warranty

### All items are Brand New

All of our items are fully protected against manufacture defects at the moment of purchase and, if found factory defective, a free replacement is granted within the first 3 days after purchase. Specific mechanical, textile, accessories, non-electronic and certain electrical items will not be included in the 3 day time frame nor carry warranty since these do not contain complicated circuitry. The specific duration of the warranty will be stated in the product page. Furthermore, **most products considered as sensitive electronics will entail a 3-month warranty**, as specified in the product's page, in the receipt, or as noted by our point of sales. **Our Basic Kit CHP-90WC have a 30-day warranty.**

**All our products have been carefully tested and quality checked at the factory and upon receipt of the items in our warehouse. We encourage our clients to test and perform item counting on their purchases until fully satisfied and while still in our warehouse for their peace of mind.** For customers purchasing in other regions via courier, we guarantee special care and full transparency that they will receive our products in full working order and fully quality checked before we pass them on to Third Party Logistics Company.

The client will be responsible for the insurance and normal risks involved during transport. Rest assured, we do stress detailed instructions regarding handling and packaging of our items with the courier.

There may be small imperfections such as tiny and almost unnoticeable scratches/irregularities in the parts which are unavoidable during the manufacturing and shipment and may not be subject for refunds and or replacement as long as the product is in perfect working order. Hence, we invite every client to check for themselves (or call our staff to check for online orders) any irregularities in cosmetic appearance and function before checking out for your peace of mind. **Consumables such as flash tubes and light bulbs (including CFL bulbs) are tested for it's correct function before shipping and are never replaced.**

Electronic items (exc. CFL bulbs), service warranty covers free repair if it is confirmed by our technicians to be a factory defect. **Warranty will be completely void if the user himself opens the units** or allows a third party to do so.

**There is NO coverage for force majeure, abuse or misuse of the items.** Examples of abuse and or misuse include, but are not limited to; liquid spillage, immersion, fall, unauthorized disassembly, scratches caused by wear and use, using a product not intended for commercial use, etc. All malfunctions resulting from misuse, misconfiguration, exposure to dust, humidity, dirt, sand, water, dropping or shock of any kind will not be covered by this warranty. **Peripheral items don't have any warranty – (ex. diffuser cloth, bags, light stand, circular reflector, anything with no electronic or electrical component).**

Items are only opened for quality check / testing upon arrival in The Philippines.

*\* Product Design and specifications may change without prior notice.*



## OFFICE HOURS

MON-FRI 9am - 6pm

SAT 9am - 12pm

or send us an email

27

To Purchase, email us at  
[SALES@PHOTOZUELA.COM](mailto:SALES@PHOTOZUELA.COM) or Contact Us for  
A Scheduled Pickup.

# PHOTO zuela

**AFPOVAI, Phase 5, F. Ver St., L10 B6**

Fort Bonifacio, Taguig City

Manila, Philippines

NAV 14°31'44.54"N, 121° 2'39.35"E

TEL 4080580

Globe +63-927-8779654


Smart +63-999-3951639

[WWW.PHOTOZUELA.COM](http://WWW.PHOTOZUELA.COM)


**DOG TAG K9 and  
SECURITY SERVICES**  
[www.dogtagk9.com](http://www.dogtagk9.com)

### AFPOVAI PHASE 5 ENTRANCE

From Gate: Go Straight,  
Right on T-Intersection,  
Left on T-Intersection,  
Right on Blind Curve,  
Right on Blind Curve,  
Photozuela on Left





powered by 

WWW.PHOTOZUELA.COM