### SOLDERING

# SMOKE/FUME ABSORBER


#### **ECONOMY MODEL**



# FUME EXTRACTOR

#### MODEL 426DLX

Removes noxious fumes. Easy to replace activated carbon filter. Reflector hood increases high efficiency. 22 watt, air flow: 115 CFM. ESD safe.



# FUME EXTRACTOR & SOLDER STATION COMBO

Improves work environment. Removes smoke and fumes

- Adjustable, temperature control station
- High quality insulated ceramic heater
- Fast heat up
- Temperature range 500 -800 F (250 -430 C)
- 95-115 CFM air volume
- Reflector hood directs air to extractor

| Part No.    | Description                                | Price   |
|-------------|--|---------|
| 0603456DLX  | Fume Extractor and Solder Station          | \$75.95 |
| 06763313010 | Replacement Carbon Filters (3 per pk)      | 5.00    |
| 0606BOIJP   | 1/32 Replacement Tip                       | 4.50    |
| 0606B01JP   | <sup>1</sup> / <sub>32</sub> " Conical Tip | 4.95    |
| 0606B02JP   | 1/32" Chisel Tip                           | 4.95    |
| 0606B04JP   | 1/16" Chisel Tip                           | 4.95    |

# Weller® FUME ABSORBER **MODEL WSA350**

The WSA350 removes flux fumes from the benchtop by drawing the smoke through an activated carbon filter. The WSA350 can process up to 1.37 cubic meters of air per minute. This makes this unit ideal for lead-free soldering which due to more active fluxes give off more fumes. The collector can be easily adjusted to multiple positions, optimizing its fume-absorbent performance. One WSA350F filter included.

#### TECHNICAL SPECIFICATIONS

Voltage: 120VAC Air Consumption: 87-107 CF Sound Level: 45-50dB (A) **Power Consumption:** 20W

1.25m3/min. (50Hz) to **Absorption Capacity:** 1.37m<sup>3</sup>/min. (60Hz)

ESD save / UL and cUL Listed

| Part No.    | Description                                  | Price   |
|-------------|--|---------|
| 0603WSA350  | Fume Absorber                                | \$59.99 |
| 0603WSA350F | Activated Carbon Replacement Filter (3-pack) | 6.70    |

# **SOLDERING STATION ECONOMY MODEL**

Temperature controlled station

- Power On LED indicator
- 48W heater power
- Temperature range: 310 F 840 F

| Part No.   | Description    | Price   |
|------------|----------------|---------|
| 0603ZD98   | Solder Station | \$15.25 |
| 0606793111 | Tip Conical    | 0.95    |
| 0606793141 | Tip Chisel     | 0.95    |



## **RSR---- SOLDERING STATION ECONOMY MODEL MODEL ZD-99KM**

#### Features:

- Temp controlled station
- 48W Heated Power
- Temperature Range: 310° to 840°F
- ZD-99KIT Comes w/ Helping Hand, Magnifier, Desolder Pump, Solder Aid Kit, Solder (10gm), Two Tips



MODEL 0603ZD99KIT


161

| Part No.    | Description                | Price   |
|-------------|----------------------------|---------|
| 0603ZD99    | Solder Station w/ tip      | \$15.95 |
| 0603ZD99KIT | Station w/ All Accessories | \$26.95 |
| 0606793111  | Spare Conincal Tip         | \$1.25  |
| 0606793141  | Spare Chisel Tip           | \$1.25  |

# SOLDERING STATION

# WITH DIGITAL DISPLAY

- · Perfect for general purpose, board level assembly and repair. ESD safe.
- Temperature sensor located near tip allows rapid response.



- LED temperature display.
- Heating element 24V AC; 48W
- Detachable soldering iron

| Part No.   | Description                 | Price   |
|------------|-----------------------------|---------|
| 0603ZD929C | Soldering Station W/Display | \$55.95 |
| 060588201B | Spare Soldering Iron        | 7.95    |
| 0606791146 | Chisel Tip                  | 0.95    |
| 0606791116 | Conical Tip                 | 0.95    |

Call Toll Free: 1 (800) 972-2225 • In NJ: (732) 381-8020 • Fax: (732) 381-1006 (732) 381-1572

## **SOLDERING / DESOLDERING STATIONS**

# Weller® SOLDERING STATIONS

MODEL WD1002 - WITH 80W IRON MODEL WD1001 - WITH 65W IRON

- Its extensive menu allows access to special functions including temperature offset, F/ C conversion, time and temperature setback and temperature standby
- User is able to preset frequently used temperature settings
- Operator lockout feature, secured by a 3-digit code, allows user to restrict temperature setting within a pre-determined range.
- Temperature range of 150-850 F 9 F
- 80W station iron features a unique silver heating element and tip that allows heat to pass directly into the tip
- 65W station micro soldering iron has its heating element built into its handle rather than in the tip
- Features three front panel "radio buttons" and two "up/ down" scroll keys that allow quick simple programming
- Both stations come with power unit, detachable soldering iron and tip, LTB .094" chisel tip for 80W iron and NT1 .010" micro tip for 65W iron, 4-position tilt stand for iron, tip-cleaning sponge, power ON/OFF switch and 3-wire power cord.

| Part No.    | Description                   | Price    |
|-------------|-------------------------------|----------|
| 0603WD1002  | Soldering Station W/ 80W Iron | \$343.00 |
| 0603WD1002T | Solder Station w/80W Iron     | 374.00   |
|             | & WDH10T Stand                |          |
| 0603WD1001  | Soldering Station W/ 65W Iron | 299.00   |
| 0605WSP80   | Replacement 80W Iron          | 129.00   |
| 0605WMP     | Replacement 65W Iron          | 122.00   |
| 0603WD1     | Replacement Power Unit        | 210.00   |
| 0603WDH20   | Replacement Holder/Stand      | 35.50    |

# Weller® REWORK STATION DIGITAL MODEL WR2000X



DXV80 with 80 watt desoldering pencil uses DX series tiplets

- · Self-contained air and vacuum
- · Economy (ECO) button for "Sleep mode"
- Programmable temperature presets for imediate temperature selection
- · 2 Independent tool channel with automatic tool recognition
- Simultaneous use of 2 tools (up to maximum 300W power rating of the unit)
- Dimensions: 10.75"L x 9.25"W x 4.02"H
- Power supply voltage: 120V (Input); 24V (Output)
- Power consumption 300 Watts

| Part No.    | Description             | Price      |
|-------------|-------------------------|------------|
| 0603WR2000X | Digital Re-work Station | \$1,207.00 |

# HOT AIR SMD SOLDER STATION DIGITAL DISPLAY

#### MODEL 852D

- Digital display reads temperature C
- Unit comes complete with four popular nozzles, plus five different styles high precision, anti-magnetic stainless steel tweezers and IC extractor
- Adjustable airflow
- Self-contained air source (no need for shop air)
- · ESD safe
- · Auto cool-down

| Part No. | Price    |
|----------|----------|
| 0608852D | \$229.00 |

# Weller® SOLDERING STATION HIGH POWERED 200W DIGITAL WITH TWEEZERS

- Fine, thin WXMP soldering pencil is suited for work under a microscope
- WXMT tweezers are ideal for soldering and desoldering small SMD parts



- Temp range 150 to 850
- Capacitive glass touch screen is chemical and temperature resistant
- Turn and click wheel with enter key and finger guide is intuitive to use Multi-language menu navigation
- Large graphic LCD display can be viewed from all angles
- Versatile connectivity options preheaters and fume extraction systems
- Multi-purpose USB port for parameter configuration and data logging ESD safe to protect sensitive components
- Come with WXMP soldering pencil. WXMT soldering tweezer and two soldering stands
- WXMP uses RT series tips and WXMT uses RTW series cartridges

**Dimensions** 16.142" x 12.402" x 15.945"

| Part No    | Description  | Price    |
|------------|--|----------|
| 0603WX2021 | Soldering Pencil, Desoldering Tweezer & Two Stands | \$900.00 |
| 0605WXMT   | Replacement Desoldering Tweezer                    | 189.00   |
| 0606RTW1   | Conical; 0.2 mm, 45                                | 68.13    |
| 0606RTW2   | Conical; 0.7 x 0.4 mm, 45                          | 68.13    |
| 0606RTW3   | Blade; 3.0 x 0.7 mm, 45                            | 80.85    |
| 0606RTW4   | Blade; 6.0 x 0.7 mm, 45                            | 80.85    |

## **DESOLDERING /SOLDERING STATIONS**

velleman

### LOW-COST SOLDERING STATION

#### **MODEL VTSS5U**

Velleman's low cost soldering station features manual temperature setting, electronic temperature contron and power-on LED indication with ground output.



#### **Technical Specifications:**

· 50W heater power for soldering iron

Temperature Range: 374 – 896 F

 Voltage Supply: 115 VAC Input Power: 50VA Max Weight: 2.65 lbs.

1 year limited warranty

| Part No.   | Description       | Price   |  |
|------------|-------------------|---------|--|
| 0603VTSS5U | Soldering Station | \$17.95 |  |
| 0606BITS5  | Spare Tip         | 1.20    |  |

# LEAD-FREE SOLDER AND DE-SOLDER STATION

MODEL LF-8800

Includes DLX420 Fume Extractor





- Dual Digital Temperature Displays
  Temp range 150-480 C (302-896 F). Tip temp accurate to within 3°C (6 F)
- Spike free circuitry zero voltage switching and fully grounded design makes this unit safe for electro-sensitive devices
- Electronic temp control adjustable temp without having to
- Sensor fail notification
- Includes both soldering iron and desoldering iron
- Self-contained vacuum pump, no shop air needed
- Optional accessories include surface mount tweezer iron and hot-air pencil for small SMD, SOT rework
- Heater power 100 Watt (soldering) and 100 Watt (desoldering)

| Part No.     | Description                  | Price    |
|--------------|------------------------------|----------|
| 0603XYLF8800 | Solder and De-Solder Station | \$395.00 |
| 0603TWZ90    | Opt. SMD Rework Tweezers     | 76.00    |
| 0606710661   | Replacement 1/16" Tip        | 4.80     |
| 0606710654   | Conical 1/64" Tip            | 4.80     |
| 0606710663   | 3/16" Screwdriver Tip        | 4.80     |
| 0608410      | 1mm Desoldering Tip          | 8.90     |
| 0608412      | 1.2mm Desoldering Tip        | 8.90     |
| 0608415      | 1.5mm Desoldering Tip        | 8.90     |
| 0606710664   | Flat SMD Solder Tip          | 12.95    |
| 060846060102 | 2mm Tweezer Tip              | 9.80     |
| 060846060105 | 5mm Tweezer Tip              | 10.80    |
| 060846060115 | 15mm Tweezer Tip             | 10.80    |
|              |                              |          |

# REWORK **SOLDERING STATION** SMD AND MULTI-FUNCTION SYSTEM



80W-Iron and tweezers; Temperature range 302-896 F Soldering:

600W; Temperature range 212 - 896 F; SMD Rework Air flow capacity 1.5 L/min – 28 L/min

Desoldering 100W; Temperature range 572 - 842 F

Includes all the irons and stands shown above

Part No. 0603XYLF853DTP · Price: \$695.00

# LEAD-FREE HIGH POWER SOLDERING AND DESOLDERING STATION

MODEL LF-7000

**ENERGY SAVER:** Automatically powers down after 15 minutes of idling (as indicated by the Pause LED) saving power while extending tip life. Power is restored by picking up the required handpiece.

163

DELAYED SUCTION: Pump will continue sucking for 1-2 seconds after actuator is released, clears the tubes and prevents clogging of the tip.

- ANALOG VACUUM GAUGE. Helps to diagnose suction problems with the desoldering unit.
- Individual Stands with built-In Tip Cleaner: Individual stands can be place close to your work while the control unit can be out of the way of your work. The built-in tip cleaner has been proven to be the most effective on the market.
- COMBO UNIT: Integrates the solder and desoldering functions into one, space saving, top quality system.
- NICHROME ELEMENT: Solder wand is our ergonomic mini-handle designed for comfort and ease of use.
- FRONT CALIBRATION PORTS: Located under the precision temperature controls for precise calibration.

#### **STANDARD FEATURES:**

- **TEMPERATURE STABILITY:** Tip temperature accurate to within 3 C (6 F)
- SPIKE FREE CIRCUITRY: Zero Voltage switching and fully grounded design makes this unit safe to electro-sensitive devices.
- ELECTRONIC TEMPERATURE CONTROL: Adjustable temperature w/o changing tips.
- VACUUM SWITCH: The pump is controlled by a finger actuated, thyristor switching circuit located on the desoldering handle.
- Soldering and desoldering temperature restore is controlled by a movement actuated IC in the handle of each unit.
- IRON ASSEMBLIES: Detachable solder (new ergonomic mini-handle) and desolder wands for ease of use and repair.
- PUMP: A self-contained vacuum pump engineered to provide continuous, maintenance free operation.
- **ISOLATED POWER SUPPLY**: Powered by a high quality 32VAC transformer.

Part No. 0603XYLF7000 · Price: \$335.00

Call Toll Free: 1 (800) 972-2225 • In NJ: (732) 381-8020 • Fax: (732) 381-1006 (732) 381-1572

## **SOLDERING / DESOLDERING STATIONS**

# DESOLDERING STATION

#### MODEL LF-6000

Electronic temperature control. ESD safe. Digital display is switchable from Centigrade / Fahrenheit. High rework accuracy for removal of through-hole



HAP80

Optional

Hot Air Pencil

components. Thyristor circuit enables finger tip pump action. 80 watt heater.

#### TEMPERATURE STABILITY:

Tip temperature accurated to within 3 C (6 F)

#### SPIKE FREE CIRCUITY:

Zero Voltage switching and fully grounded design makes this unit safe on electro-sensitive devices.

#### **VACUUM SWITCH:**


Suction is controlled by a finger actuated thyristor circuit located for ease of operation on the desoldering handle.

- · Does not require shop air. Internal vacuum pump design.
- Dual filtration, anti-clog feature.
- Large, digital display. Switchable C/F.
- Temperature control without changing tips.
  - Range: 150-450 C, 300-850 F.
- Low tip leakage, zero voltage switching.
- Energy saver feature auto power down after 15 minutes idle saves on power and tip life.
- Extended suction pump continues sucking 1-2 seconds after actuator released, helping to clear tubes and prevent clogging of
- Optional: Hot air pencil for SMD.
- Unit comes complete with 80 watt wand with standard .048" tip.
- Weight: 15 lbs.

| Part No.     | Description                  | Price    |
|--------------|------------------------------|----------|
| 0603XYLF6000 | Desoldering Station          | \$295.00 |
| 06DIA80      | Replacement Desoldering Iron | 65.00    |
| 0608410      | 1mm Desoldering Tip          | 8.90     |
| 0608412      | 1.2mm Desoldering Tip        | 8.90     |
| 0608415      | 1.5mm Desoldering Tip        | 8.90     |
| 0608HAP80    | Opt. Hot Air Pencil          | 65.00    |

# SPECIALTIES SURFACE MOUNT **SOLDERING &** REWORK TOOL KIT

The set includes 11 tools commonly used for working with surface mount components, such as antistatic tweezers with replaceable tips, suction pen with 3 different sized tips, soldering iron and




Part # 06GSTSMT1 • Price: \$75.00

# **SMD REWORK STATION**

**TEMPERATURE CONTROLLED** 

**MODEL LF-528D** 

· High performance, inexpensive, versatile



- Adjustable temperature: 250 C ~ 450 C, 482 F ~
- Thermocouple sensor for stable temperature
- Long life ceramic heating element
- Rapid heat up and recovery
- · Comes complete with base power unit, sponge, stand, surface mount tweezer iron and stand for tweezer
- · 40 watt station, 25 watt ceramic element

| Part No.     | Description      | Price   |
|--------------|------------------|---------|
| 0608SMD528D  | Rework Station   | \$79.00 |
| 060846060102 | 2mm Tweezer Tip  | 9.80    |
| 060846060105 | 5mm Tweezer Tip  | 10.80   |
| 060846060115 | 15mm Tweezer Tip | 10.80   |

### Weller® HOT AIR REWORK SYSTEM

#### **MODEL WHA3000PS**

- · Contains WHA3000P 700 Watt hot air station, WBH 3000S circuit board holder with pivoting stand, WHP3000 heating plate.
- · WHA3000P: Hot air
  - station (700W) with patented Weller nozzle technology for max. process control and user friendly operation. The powerful variable speed controlled turbine generates an air volume of up to 50 liters/min.
- · WHB3000S: Circuit board holder with a pivoting stand for hot air pencil (HAP3000). Circuit boards up to 310mm x 320mm can be accommodated.
- WHP3000: The IR heating plate has a total heated air of 120mm x 190mm with 3 ceramic elements. The plate is used to preheat the circuit board under repair. to reduce the possibility of thermal damage.
- · See out website at http://www.elexp.com for other accessories and nozzles.

Part No. 0603WHA3000PS · Price: \$6,480.00



## **DESOLDERING /SOLDERING STATIONS**

#### **BASIC SOLDERING KIT**

# ECONOMY MODEL, COMPLETE WITH TOOLS, INSTRUCTIONS AND PROJECT KIT

A one-stop-shop for everything needed to learn or improve fundamental soldering skills. Save by getting large volume pricing on all the individual items contained in this all in one convenient package.

#### **Product Features:**

- Temperature controllable solder station
- · Safety goggles
- Mini long nose pliers
- Diagonal cutter
- 4-piece solder aid kit
- 7-in-one hand tool stripper/cutter/crimper
- Solder sucker
- · Fun lights solder practice kit
- Soldering techniques pamphlet
- Resistor and capacitor color code guide
- Solder tube (lead free)
- Helping hand with lens
- · Packed in convenient cardboard box

| Part No.  | Description         | Price   |
|-----------|---------------------|---------|
| 32BASSLDR | Basic Soldering Kit | \$36.95 |

#### CHIPQUIK" SMD REMOVAL KIT

#### SAFELY REMOVE SURFACE MOUNT DEVICES USING LOW HEAT

Fast and easy to use. Simply apply flux to all leads of the SMD. With a soldering iron or warm air bath melt the special desoldering alloy on all of the leads. The combination of existing solder plus the special alloy melts at less than 200 F and remains molten long enough for removal of SMD using tweezers or pickup tool. Clean off pads using flux and a swab, then



install new device. Each kit provides enough product to remove between 8–10 SMDs (approximately 1250–1500 leads). Kit includes: low temperature (136 F) desoldering alloy, a syringe with RMA flux, and alcohol pads. Special desoldering alloy and flux also available in industrial production sizes.

| Part No.     | Description  | Price   |
|--------------|--|---------|
| 0608SMD1     | Chip Quik Surface Mount Device<br>Removal Kit                    | \$17.50 |
| INDUSTRIAL F | PRODUCTION SIZES   |         |
| 0608SMD16    | Desoldering Alloy – 16 Ft<br>Industrial Pack Size, 6.5" Lengths  | 89.95   |
| 0608SMD32    | Desoldering Alloy – 32 Ft.<br>Industrial Pack Size, 6.5" Lengths | 168.00  |
| 0608SMD291   | 10cc Syringe, 20G<br>No Clean Paste Flux                         | 14.95   |

# DE-SOLDERING / SOLDERING "REWORK" TRAINING KIT ECONOMICAL. FLEXIBLE TRAINING CONCEPT





Unique, inexpensive method of teaching de-soldering and soldering. Kit is designed around an assembled, power controller interface circuit board that is fully populated with components like Hitachi quad comparators and quad op amps. Approximately 50 components and hardware items, all being DIP (through hole) style. Other semis include, but are not limited to an 8-bit PIC Micro-C and some IRLZ34 N-channel Enhancement Mode Logic Level TrenchMOS transistors. In addition, there are resistors, caps, some unique style red, green and even bi-polar LED's, switches, a buzzer, connectors, heatsink and more. Kit includes circuit board with case, instruction manual, de-soldering pump, 5 ft. de-solder braid, soldering iron, 10 gm. solder, iron stand and sponge. After removing parts, "Re-Work" the board by soldering them back! Instruction manual includes technical tips on both de-soldering and soldering.

- · Cost-effective method of teaching both de-soldering and soldering
- · Work with an actual finished product (not a hobby) circuit board
- Beginner students can de-solder (and re-work) one section of the board at a time
- Tutorial manual with de-soldering and soldering tips
- Approximately 50 components/hardware on board, additional boards available
- Inherent components parts value
- Contains circuit board, de-solder pump, de-solder braid, soldering iron, solder stand and sponge and solder (10gm), tutorial manual
- · Additional boards available


| Part No.   | Description                    | Price   |
|------------|--------------------------------|---------|
| 32REWORK   | Desolder/Solder Training Kit   | \$12.95 |
| ACCESSORIE | S                              |         |
| 32STTH757  | Extra Board for REWORK Kit     | 5.10    |
| 060821     | Extra Tip for De-Solder Pump   | 0.85    |
| 060370     | Optional Safety Goggles        | 1.90    |
| 060800     | Extra 5' Desolder Braid        | 0.95    |
| 060848     | Electric Desoldering Tool      | 28.50   |
| 060702     | 1 lb. Solder Roll              | 15.90   |
| 060830     | 4 Piece Solder Aid Kit         | 2.95    |
| 060836     | Helping Hand and Magnifier Set | 3.95    |

# SMD SOLDER/DE-SOLDER

**TWEEZERS** 

Provides fast, efficient method of soldering and desoldering Surface mount Devices.





- May be used with chip caps, chip resistors, SOT, flat pack IC's, SOIC, DIP.
  Includes 2mm standard tip.
- · Includes solder stand and sponge

| Part No.    | Description  | Price   |
|-------------|--------------|---------|
| 0603TWZ236  | SMD Tweezers | \$54.95 |
| 06084606010 | 2 2mm Tip    | 9.80    |
| 06084606010 | 5 5mm Tip    | 10.80   |
| 06084606011 | 5 15mm Tip   | 10.80   |

Call Toll Free: 1 (800) 972-2225 • In NJ: (732) 381-8020 • Fax: (732) 381-1572 165

## **SOLDERING / DESOLDERING STATIONS**

# X

#### **FUME EXTRACTION SYSTEM**

#### **MODEL HV-2E**


# INDUSTRIAL GRADE, DUAL EXTRACTION UNIT

Featuring two extraction arms with funnels, this system provides fume extraction for up to two workstations. The flexible extraction arms are 7 ft. long, each. This system is intended for busy, commercial environments or labs where smaller, desk top units will not suffice.



**Main Unit With Casters** 

While heavy duty and durable, the unit does offer portability. The main base is equipped with lockable casters and can be easily maneuvered by one person. Unit comes complete with filter set.



- Dual extraction. Two 7 ft. extraction arms (hoses), with 6 "funnel terminations
- · Internal pump: brushless, maintenance free centrifugal fan motor
- Air flow: 175m3/hr. per 75mm arm
- · Quiet operation. Noise level: <50dB
- Long-lasting filter. When used for about 8 hours a day, filter will last 4 to 6 months
- Dimensions: 12" x 12" x 16 " (ht. with casters).
   Weight 36 lbs.

| Part No.                   | Description   | Price              |
|----------------------------|---|--------------------|
| 0603XYHV2E<br>060376A33001 | Model HV2E dual fume extractor Replacement carbon/HEPA filter | \$595.00<br>165.00 |

191



# SOLDERING IRON THERMOMETER

#### CHECKS TIP TEMPERATURE

#### MODEL 191

- Fast, accurate tip temperature measurements using a fine CA sensor
- Special metal alloy coating resists corrosion and oxidation
- · LCD digital display readout, 9V battery operation
- · Uses K(CA) type thermocouple

Part No. 0603XY191 • Price \$145.00

#### velleman

## THREE-IN-ONE LAB UNIT

#### **MODEL LAB1U**

Your space-saving lab solution! 1 multimeter, 1 power supply, 1 soldering iron. This unit covers 99% of your home lab



needs. Prefect solution for starters or schools.

Separate transformer for power supply and soldering iron. Battery powered DMM for complete isolation.

# SPECIFICATIONS Digital Multimeter:

- 3 <sup>1</sup>/<sub>2</sub> backlit LCD
  - · Automatic polarity indication
  - DC voltage: 200mV to 600V in 5 steps
  - AC voltage: 200V and 600V
  - DC current: 200 A to 10A in 5 steps
  - · Resistance test: 200 ohm to 2Mohm
  - Diode, transistor and continuity test
  - Data-hold function and buzzer
  - CATI 600V
- CATII 300V

#### **Regulated Power Supply:**

- Selectable output voltages: 3 4.5 6 7.5 9 12Vdc
- Output: 1.5A (2A peak)
- LED overload indication
- With output on/off switch
- Very low ripple
- LED power indication

#### Soldering Station:

- · Low-voltage iron: 24V
- Ceramic 48W heating element with temperature sensor
- Temperature range: OFF 150 450 C
- Lead-free soldering possible
- · Supplied with sponge and spare bit

Includes: Test leads for DMM, user manual, sponge, spare bit for soldering iron, 9V battery for DMM, mains cable.

Part No. 01LAB1 • Price: \$132.95

## Weller®

# **SOLDERING GUN**

### **THERMA-BOOST**

#### **MODEL TB100**

Soldering gun model TB100 can be used for a wide variety of jobs including soldering, cutting and shaping.



#### **Product Details**

- Thermal-Boost trigger gives added burst of power
- Heats up to working temperature in just 45 seconds
- Ultra-lightweight weighs 3 oz.
- Wattage: 130W / 30W
- Temperature Range: 950 F / 850 F
- · Kit includes heat tool, stand, 6 multi-use tips and instructions
- · UL and cUL listed

Part No. 0603TB100 · Price: \$23.20

## **SOLDERING / HEAT GUNS**

### Weller®SOLDERING GUNS

MODEL D550 (200/260 WATTS)
MODEL D550PK

MODEL 8200 (100/140 WATTS)

- · Heavy Duty Gun
- Highest output gun w/2-position trigger selection of dual heats
- Twin light illuminates work
- Heavy gauge, high efficiency
- 2 wire cord, UL listed

#### **MODEL D550PK**

Kit includes D550 soldering gun with 1 soldering tip, 1 smoothing tip, 1 cutting tip, flux brush, soldering aid tool and coil of lead free solder packaged in plastic case.

#### MODEL 8200PK

Kit includes 8200 gun, 1 soldering tip, 1 sealing tip, 1 cutting tip, solder and plastic carrying case.

| Part No.     | Description                   | Prices  |
|--------------|-------------------------------|---------|
| 0603D550     | Model D550                    | \$52.00 |
| 0603D550PK   | Model D550PK Kit              | 60.00   |
| 06038200     | Model 8200                    | 38.30   |
| 06038200PKIT | Model 8200PK                  | 44.90   |
| 06037135W    | Standard Tips 2/Card For 8200 | 5.00    |
| 06037250W    | Standard Tips 2/Card For D550 | 5.00    |

#### **HEAT GUN**

#### MODEL RD 7346B

- Deluxe 2 temperature
- 1200W
- Range 1000 F and 600 F with hanging hook

| Part No.    | Description | Price   |
|-------------|-------------|---------|
| 0605RD7346B | Heat Gun    | \$37.50 |

# HEAT GUN

**MODEL ZD-508** 

- 1500W, Rapid heat up
- Range: 650° to 930°F
- Useful for heat tubing and paint removal



Part No. 0605ZD508 · Price: \$22.95

### Weller® HIGH POWER SOLDERING GUN

# 300 WATTS IN HIGH TRIGGER POSITION 200 WATTS IN LOW TRIGGER POSITION

MODEL D650


- Reliable new industrial-quality tool
- Features nickel-plated copper secondary, heat-resistant thermoplastic housing.
- Heavy-duty grounded cord.
- Wide selection of soldering, cutting and smoothing tips available.

| Part No.  | Description          | Price   |
|-----------|----------------------|---------|
| 0603D650  | D650 Soldering Gun   | \$71.00 |
| 06037250W | Standard Tips 2/Card | 5.00    |

#### Weller®

#### **HEAT GUNS**

MODEL: 1095



- Applying heat shrinking products
- Curing epoxy and softening adhesives
- · Heating liquids and stripping paint
- 1000 W max, 3-wire grounded plug

Part No. 06051095 • Price: \$61.00

# Weller® SOLDERING GUN GENERAL PURPOSE – (75W)

INCLUDES CASE, TWO TIPS & COIL OF SOLDER

#### MODEL 7200PK

- · Standard lightweight economy model
- · Produces 75 watts
- · Fingertip trigger for instant heat
- · Gun can be placed on its back when not in use
- · Small and lightweight
- · Available with 2 soldering tips
- 2-wire cord
- UL listed

Type 7200PK

Part No. 06037200PK • Price: \$31.50



- Assembly and repair applications in production plants and labs
- Shrink tubing and vinyl/TFE
- Reflow soldering and encapsulation
- · Epoxy curing, drying and cooling
- Approximately 750 F to 800 F hot air at nozzle
- 3-wire grounded plug 6 foot cord, UL-Listed

Part No. 06056966C · Price: \$129.00





167

## PORTABLE SOLDERING IRONS

# Weller® PORTASOL®





The PSI-100 self-igniting portable butane heat tool can solder, heat shrink, cut rope, as well as perform other open-flame operations. Because it allows anti static soldering, it is ideal for service technicians in industries such as electronics, avionics, cellular communications, alarm systems, marine and automotive.

Temperature is fully adjustable up to 1,076 F. The PSI-100 will run for up to two hours on a single refill.

#### **MODEL PSI-100K**

The PSI-100K kit includes the iron, sponge, stand and extra tips in a durable blow molded box.


NOTE: Butane-filled products are strictly forbidden on passenger aircraft in both the carry-on and checked baggage

| Part No.          | Description                    | Price   |
|-------------------|--------------------------------|---------|
| 0605PSI100        | Portasol                       | \$72.00 |
| 0605PSI100K (Kit) | Portasol Kit                   | 95.00   |
| 0605PSI2          | Soldering Tip 3/32 Single Flat | 12.00   |
| 0605PSI9          | Hot Blower Tip                 | 12.00   |
| 0605PSI10         | Hot Knife Tip                  | 12.00   |

## Weller® MAGNA-LITE BUTANE TORCHES

#### MODEL ML100 - MICRO TORCH MODEL ML200 - TABLE TOP TORCH

- Piezo electronic ignition system
- Adjustable flame height
- Refillable with Weller WB1 or WB2 filtered butane
- Up to 60 minutes continuous use, controls flame temperature up to 2,400 F (ML200 only)
- Blue LED light (ML100 only)
- Nozzle cover prevents accidental ignition (ML100) only)
- Child safety lock meets CPSC guidelines (ML200) **APPLICATION**
- For heat shrink tubing, fusing rope ends, frozen locks, camping
- Also for first aid, labs and boating



ML200

ML100

| Part No.  | Description            | Price  |
|-----------|------------------------|--------|
| 0603ML100 | Butane Micro Torch     | \$9.40 |
| 0603ML200 | Butane Table Top Torch | 24.80  |

# ISOATIP SOLDERPRO 50

#### CORDLESS - BUTANE SOLDERING IRON

- Includes soldering iron, con Up to 30 minute run time. ical tip, protective cap with . See-through fuel window. igniter and instructions.
- Compact size 5.5" with tip (6" with cap)
- Wind and weather resistant.
- 410 F 750 F temperature range.
- · Ready to use within 10 seconds of ignition.

NOTE: Butane-filled products are strictly forbidden on passenger aircraft in both the carry-on and checked baggage

| Part No.     | Description           | Price   |
|--------------|-----------------------|---------|
| 06057971     | Solderpro 50          | \$23.50 |
| 06067992     | Conical Tip #7992     | 10.95   |
| 06067992-001 | Chisel Tip # 7992-001 | 10.95   |



# Weller® PORTASOL® SOLDERING TOOL KIT

#### **MODEL P2KC**

Cordless self-igniting soldering tool kit. Comes with PPT6 soldering tip, PPT9 hot air tip, PPT10 hot knife tip, PPT11 hot air deflector tip, PPT12 flame tip. Storage case with tool holder and instructions.

NOTE: Butane-filled products are strictly forbidden on passenger aircraft in both the carry-on and checked baggage

| Part No. | Price   |
|----------|---------|
| 0605P2K  | \$68.00 |

For extra tips see Accessory Tips below

## Weller® BUTANE SOLDERING IRON **MINIATURE**

Allows you to solder on those field emergencies when electric power is not available. Adjustable power control develops a maximum temperature of up to 850 F, equivalent of 10 to 60 watts. Iron (uncharged) comes complete with a 3/32" chisel tip and pen-like cap with igniter. 6" long.

NOTE: Butane-filled products are strictly forbidden on passenger aircraft in both the carry-on and checked baggage

#### ACCESSORY TIPS











PPT6

| Part No. | Description           | Price   |
|----------|-----------------------|---------|
| 0605P2C  | Butane Iron P2C       | \$42.70 |
| 0606PPT1 | 1/32" Single Flat Tip | 9.40    |
| 0606PPT2 | 3/32" Single Flat Tip | 9.40    |
| 0606PPT5 | 1/32" Double Flat Tip | 9.40    |
| 0606PPT6 | 3/32" Double Flat Tip | 9.40    |

# Weller® BUTANE MINI SOLDERING PENCIL


#### WITH PIEZO IGNITION

#### **MODEL ML500MP**

Weller's Model ML500P is a portable soldering pencil. You fuel the piezo-ignition soldering iron with standard lighter butane. The adjustable flame allows you to set the tip to between 750 and 900 degrees. You can get up to 30 minutes of operation on a medium setting and when you remove the tip, the ML500P functions as a small torch.

- Piezo electronic ignition system
- Adjustable gas flow valve
- Tip temperature 750 900 F
- Refillable with Weller WB1 or WB2 filter butane
- · Use for soldering, heat shrink tubing, electrical and electronics
- ML501 tip supplied with soldering pencil

| Part No.                | Description                                  | Price           |
|-------------------------|--|-----------------|
| 0603ML500P<br>0606ML501 | Soldering Pencil w/Piezo Ignition Solder Tip | \$17.70<br>3.30 |






### **SOLDERING IRONS**

### Weller®

# MARKSMAN IRON

MODEL SP12, 12W MODEL SP-23L, 25W



# RSR----- HIGH PERFORMANCE

## 3-WIRE IRON

 High quality 25 Watt 3-wire pencil style iron complete with conical tip and rubber sleeve for easy grip. Non-burnable silicon cord. UL listed




· Also suitable for lead free solder

| Part No. | Description 1      |        | 10+    |
|----------|--------------------|--------|--------|
| 060509   | Iron w/Conical Tip | \$7.50 | \$7.30 |
| 060607   | Conical Tip        | 0.95   | 0.85   |
| 060608   | Chisel Tip         | 0.95   | 0.85   |

# Weller® SOLDERING IRON KITS

#### MODELS SP23LK / SP40LK

Indicator light shows when iron is on. Kit contains iron, 3 tips, solder and solder aid tool.



MT10, ST3 and ST7 Tips

# Weller® SOLDERING IRONS



- Interchangeable heater elements single handle plus 3 different heating elements gives you a trio of irons for different jobs
- Quick change knurled collar makes changing heater simple
- · All irons come with 3-wire power cord
- Irons use ST series iron plated tips for long life and greater soldering efficiency
- · Small light-weight handle now with cushioned grip

| Part No. | Description             | Price   |
|----------|-------------------------|---------|
| 0605WP25 | 25W Iron W/ST 3 Tip     | \$41.70 |
| 0605WP30 | 30W Iron W/ST 3 Tip     | 45.00   |
| 0605WP35 | 35W Iron W/ST 3 Tip     | 52.00   |
| 0605HE25 | Replacement Heater 25 W | 22.30   |
| 0605HE30 | Replacement Heater 30 W | 27.10   |
| 0605HE35 | Replacement Heater 35 W | 27.70   |
| 0606ST1  | Screwdriver Tip .06     | 3.70    |
| 0606ST2  | Screwdriver Tip .09"    | 3.70    |
| 0606ST3  | Screwdriver Tip .12"    | 4.75    |
| 0606ST4  | 3/16" Chisel            | 4.75    |
| 0606ST7  | Conical Tip .03"        | 3.70    |
|          |                         |         |

#### RSR-----

#### **ECONOMY 3 WIRE IRONS**

MODEL PE-30 - 30 WATT MODEL PE-40 - 40 WATT

30 Watt and 40 Watt 3-wire pencil style irons with 3-wire plugs. Complete with conical tip and iron stand. UL listed.



| Part No. | Description              | Price  |
|----------|--------------------------|--------|
| 060512   | 30W Iron w/Conical Tip   | \$3.95 |
| 060514   | 40W Iron w/Conical Tip   | 4.95   |
| 060612   | Conical Tip For 30W Iron | 1.10   |
| 060614   | Conical Tip For 40W Iron | 1.10   |

# RSR---- SUPER ECONOMY

SOLDERING IRON


25 Watt/ 30 Watt super economy iron.



Model 0605ZD200N Part No. Description 1-9 10 +060599 Super Economy Iron \$4.75 \$4.25 w/Conical Tip 060699 Replacement Conical Tip 0.75 0.65 0605ZD200N Soldering Iron w/ "ETL" listing 4.95 4.50 0606N1 Spare Conical Tip for ZD200N 1.20 0.95

# SOLDERING IRON KIT

Contains iron (30W), solder and stand in an attractive storage box.





# **SOLDERING IRON KIT**

- 30W soldering iron
- · Iron stand
- Desolder pump
- 2 screwdrivers
- Solder

| Part No.   | Description        | Price   |
|------------|--------------------|---------|
| 0605ZC921B | Soldering Iron Kit | \$10.95 |
| 0606791HO  | Replacement Tip    | 0.90    |

### **SOLDERING IRONS / TIPS / HEATERS**

# Ungar<sup>®</sup> / Weller<sup>®</sup>

# MODULAR SOLDERING IRONS

## PRE-ASSEMBLED



# **SOLDER·IT** SILVER BEARING SOLDER PASTE









container and applicator.

Works with a match or a lighter in addition to soldering irons. 5 times stronger than conventional solder. Simply apply and heat. Allows practically anyone to solder all ferrous and non ferrous materials.

Part No. 06057459 · Price: \$5.95

# CHIPQUIK SOLDER / DESOLDER REWORK KIT

#### MODEL SMD 2000

- Solder paste no clean rework paste w/flux / 1cc syringe w/nozzle and cap.
- Paste flux no clean / 1 cc syringe w/nozzle and cap.
- Chip Quik removal alloy -
- 4.5 ft. w/instructions. Liquid flux remover - 5cc
- Probe kit 4 stainless steel dental picks.
- Solder wick no clean / 5 ft.
- Handi Vac pick and place tool / 2 tips
- Acid brush qty 2.
- Precision tweezers for SMD removal and placement.
- Cleaning wipers tight weave / low lint 4" x 4" qty 6.
- Swabs double ended gty 10
- Alcohol pads qty 6
- Solder 3 ft. .031 63/37 2% silver


Part No. 0608SMD2000 · Price: \$110.00

# TIP CLEANER

- Made of low abrasive brass shavings
- No water necessary
- No temperature drop as in conventional sponges.
- Cleans better than conventional sponges
- Heavy duty stainless steel holder
- Rubber foot pad

170

Be sure to remove excess solder from the tip by thrusting the tip into the Tip Cleaner rather than wiping to avoid unwanted splattering due to the spring like action of the scrubber



# Weller® THIN SOLDERING IRON - 12W

- MODEL WM120
- Lightweight, pencil thin · For soldering miniature components
- · 3 wire grounded plug
- Develops 800 F tip temperature

Part No. 0605WM120 · Price: \$42.10

# Weller® SOLDERING IRON

#### **HEAVY DUTY 100W**

#### MODEL W100PG

· Closed loop method pro- · Stainless steel modular plug-in vides maximum tip temperature

Portable line voltage iron

- heater
- UL and cUL listed
- Temperature is controlled by tips

| Part No.   | Description                                | Price   |
|------------|--|---------|
| 0605W100PG | Soldering Iron                             | \$54.99 |
| 0606CT6F6  | Tip - 600 F, <sup>3</sup> / <sub>8</sub> " | 7.70    |
| 0606CT6F7  | Tip - 700 F, 3/8"                          | 6.70    |
| 0606CT6F8  | Tip - 800 F, <sup>3</sup> / <sub>8</sub> " | 6.70    |

# Ungar® MODULAR IRONS

- · Modular soldering irons utilize interchangeable handles and tips for custom applications
- · Irons have 6 foot cord, UL listed

#### SOLDERING IRON HANDLES



| Part No. | Model/Description          | Prices  |
|----------|----------------------------|---------|
| 06037400 | 3-Wire Grounded Handle     | \$23.90 |
| 06037500 | 3-Wire Burn Resistant Cord | 36.90   |
| 06037760 | 2-Wire RED Handle          | 17.30   |

#### **HEATING ELEMENT – FOR THREAD-IN TIPS**



0603535S \$24.50 F: 1/4" thread 0603537S 537S 23W. 700 21.80 06031235S 1235S 33W, 800 F: 1/8" thread 24.50 33W; 800 F; 1/4" thread 06031237S 1237S 23.80 06034035S 45W; 900 F; 1/8" thread 4035S 27.70 06034037S 4037S 45W, 900 F; 1/4" thread 26.20

#### TIPS FOR THREAD-IN HEATERS

PL331, 331



PL333, 333

| Part No.  | Model | Description                            | Prices |
|-----------|-------|--|--------|
| 0603333   | 333   | copper alloy chisel; 1/8" thread       | 2.80   |
| 0603PL331 | PL331 | iron/silver plated pencil; 1/8" thread | 5.20   |
| 0603PL333 | PL333 | iron/silver plated chisel; 1/8" thread | 4.80   |
| 0606PL113 | PL113 | iron/silver plated chisel; 1/4" thread | 5.90   |