

#### Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

| Brand *                | Lenovo   | Logo           |  |  |  |  |
|------------------------|--|----------------|--|--|--|--|
| Company name *         | Lenovo   |                |  |  |  |  |
| Contact information *  | Lenovo Global Environmental Affairs                                |                |  |  |  |  |
|                        | Alvin L Carter   |                |  |  |  |  |
|                        | 1009 Think Place   |                |  |  |  |  |
|                        | Building 2 / 5F1   |                |  |  |  |  |
|                        | Morrisville, North Carolina 27560                                  |                |  |  |  |  |
|                        | alcarter@lenovo.com  |                |  |  |  |  |
| Internet site *        | http://www.lenovo.com/social_responsibility/us/en/environment.html |                |  |  |  |  |
| Additional information | The latest version of this document can be found at                |                |  |  |  |  |
|                        | http://www.lenovo.com/social_responsibility/us/en/datasheets_r     | notebooks.html |  |  |  |  |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |
|--|--|--|--|--|
| Type of product *  | Notebook PC  |  |  |  |
| Commercial name *  | Lenovo Yoga 2 13   |  |  |  |
| Model number *   | 20344; 80DM  |  |  |  |
| Issue date *   | 2015-01-13   |  |  |  |
| Intended market *  | 🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other |  |  |  |
| Additional information   |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality | Control  | Requireme   | nt met |
|---------|--|-------------|--------|
| Item    |  | Yes         | No     |
| QC1 *   | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration  | $\boxtimes$ |        |
| QC2 *   | The company is a member of an eco declaration system that enforces regular independent quality contro<br>such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🔀        |        |

| Model number *  | 20344; 80DмLenovo Yoga 2 13 20344; 80Dм |                      | 80DM            |  |
|-----------------|---|----------------------|-----------------|--|
| Issue date *    | 2015-01-13                              | Logo <i>lenovo</i> . |                 |  |
| Product environ | mental attributes - Legal requirements  | ·                    | Requirement met |  |

| Item   |   | Yes         | No | n.a.        |
|--------|---|-------------|----|-------------|
| P1     | Hazardous substances and preparations   |             |    |             |
| P1.1*  | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)   |             |    |             |
| P1.2*  | Products do not contain Asbestos (see legal reference).<br>Comment: Legal reference has no maximum concentration value.   | $\boxtimes$ |    |             |
| P1.3*  | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),<br>hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-<br>trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum<br>concentration values.  |             |    |             |
| P1.4*  | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).   | $\square$   |    |             |
| P1.5*  | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  |             |    |             |
| P1.6*  | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),<br>Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).<br>Comment: Legal reference has no maximum concentration values.  |             |    |             |
| P1.7*  | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  |             |    | $\square$   |
| P1.8*  | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as<br>pentachlorophenol and derivatives (see legal reference).<br>Comment: Legal reference has no maximum concentration values.   |             |    | $\square$   |
| P1.9*  | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.   |             |    |             |
| P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact):<br>http://www.lenovo.com/social_responsibility/us/en/materials.html  | $\square$   |    |             |
| P2     | Batteries   |             |    |             |
| P2.1*  | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) |             |    |             |
| P2.2*  | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  | $\boxtimes$ |    |             |
| P2.3*  | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  | $\square$   |    |             |
| P3     | Safety, EMC connection to the telephone network and labeling  |             |    |             |
| P3.1*  | The product complies with legally required safety standards as specified (see legal reference).   | $\boxtimes$ |    |             |
| P3.2*  | The product complies with legally required standards for electromagnetic compatibility (see legal reference).   | $\boxtimes$ |    |             |
| P3.3*  | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).   |             |    |             |
| P3.4*  | The product is labeled to show conformance with applicable legal requirements (see legal reference).  | $\boxtimes$ |    |             |
| P4     | Consumable materials  |             |    |             |
| P4.1*  | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).   |             |    | $\boxtimes$ |
| P4.2*  | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  |             |    | $\boxtimes$ |
| P4.3*  | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  |             |    |             |
| P5     | Product packaging   |             |    |             |
| P5.1*  | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.   |             |    |             |
| P5.2*  | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).   | $\square$   |    |             |
| P5.3*  | The product packaging material is free from ozone depleting substances as specified in the Montreal<br>Protocol (see legal reference).<br>Comment: Legal reference has no maximum concentration values.   | $\square$   |    |             |
|        |   |             |    |             |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model nu       | ımber *                                 | 20344; 80DMLenovo Yoga 2 13 20344; 80D   | M         |              |      |
|----------------|---|--|-----------|--------------|------|
| Issue da       | te *                                    | 2015-01-13 Logo  | lend      | <b>DVO</b> . |      |
| Product        | environ                                 | mental attributes - Market requirements - Environmental conscious design   | Require   | ment         | met  |
| Item           |   | tory to fill in. Additional information regarding each item may be found under P14.  | Yes       | No           | n.a. |
| P6             |   | nt information   |           |              |      |
| P6.1*          |   | on for recyclers/treatment facilities is available (see legal reference).  |           |              |      |
| P7             | Design                                  | mbly, recycling  |           |              |      |
| P7.1*          |   | t have to be treated separately are easily separable   |           |              |      |
| P7.2*          |   | aterials in covers/housing have no surface coating.  |           |              | ⊢⊢   |
| P7.3*          |   | arts >100g consist of one material or of easily separable materials.   |           |              | ⊣⊣   |
| P7.4*          |   | arts >25g have material codes according to ISO 11469 referring ISO 1043.   |           | ╞            | ╞    |
| P7.5           |   |  |           | ⊢⊢           | ⊢⊢   |
|                | -                                       | arts are free from metal inlays or have inlays that can be removed with commonly available tools.  |           | <u> </u>     | ⊢⊢   |
| P7.6*          |   | re easily separable. (This requirement does not apply to safety/regulatory labels).  | $\square$ |              |      |
| D7 7*          | Product                                 |  |           |              |      |
| P7.7*          |   | g can be done e.g. with processor, memory, cards or drives   |           | <u> </u>     | ⊢⊢   |
| P7.8*          |   | g can be done using commonly available tools   | $\square$ |              |      |
| P7.9.          | Spare pa                                | rts are available after end of production for: 5 years   |           |              |      |
| P7.10          | Service i                               | s available after end of production for: 5 years   |           |              |      |
|                |   | and substance requirements   |           |              |      |
| P7.11*         |   | cover/housing material type:   |           |              |      |
| P7.12          | Material                                | type: <b>PC+ABS-FR(40)</b> Material type:         Material type:           I cable insulation materials of power cables are PVC free.         Material type:         Material type:  |           |              |      |
|                |   |  | <u> </u>  |              | ⊢⊢   |
| P7.13          |   | I cable insulation materials of signal cables are PVC free   |           |              | _닏   |
| P7.14          |   | /housing plastic parts >25g are free from chlorine and bromine.  |           |              |      |
| P7.15          | All printe<br>Note B2                   | d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (Se  | e 🗌       |              |      |
| P7.16          | Marking:                                | tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:<br><i>FR(40)</i>   | $\square$ |              |      |
| P7.17          |   | I specifications of flame retardants in printed circuit boards >25g (without components):<br>additive) ☐, TBBPA (reactive) ⊠, Other; chemical name: , CAS #:   |           |              |      |
|                | ISO 104                                 | I specifications of flame retardants in printed circuit boards (without components) >25g according<br>3-4: Brominated Epoxy Resin See P14  |           |              |      |
| P7.18          | concentr                                | etarded plastic parts >25g contain the following flame retardant substances/preparations i ations above 0.1%:  | n 🗌       |              |      |
|                | 1. Chem<br>2. Chem<br>3. Chem<br>Alt. 2 | ent: No legal limits exist, this is a market requirement.<br>ical name: , CAS #:<br>ical name: , CAS #:<br>ical name: , CAS #:<br>I specifications of flame retardants in plastic parts >25g according ISO 1043-4:   |           |              |      |
| <b>D7</b> 40   | FR(40)                                  |  |           |              |      |
| P7.19          | R40, R4                                 | arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)  |           |              |      |
| P7.20          |   | lastic parts' weight >25g, recycled material content is 0%.  |           |              |      |
| P7.21<br>P7.22 | Light sou                               | Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content is 0%. Alastic parts' weight >25g, biobased material content par |           |              |      |
| P8             | Batterie                                |  |           |              |      |
| P8.1*          |   | hemical composition: Lithium Ion/Lithium Manganese Dioxide   |           |              |      |
| P8.2           | -                                       | meet the requirements of the following voluntary program/s: US RBRC  |           |              | -#   |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

# Model number\* 20344; 80DMLenovo Yoga 213 20344; 80DM Issue date\* 2015-01-13 Logo Ienovo

| Product environmental attributes - Market requirements (continued) Requirement met  |                                |                           |  |   |           |
|---|--------------------------------|---------------------------|--|---|-----------|
| Item  |                                |                           |  |   |           |
| P9Energy consumption9.1For the product the follow   | wing nowor lovels or           |                           | ions ara roporta   | od: Soo B14   |           |
|   |                                |                           |  |   |           |
| Energy mode *   | Power level at <b>100</b> V AC | 115 V AC                  | 230 V AC   | method *  |           |
| Peak (On-max)   | 65 W                           | 65 W                      | 65 W   | Full load   |           |
| Category I1/2/3   |                                |                           |  |   |           |
| Short Idle State - WOL Enabled  | 9.315 W                        | 9.356 W                   | 9.663 W  | Use for ENERGY STAR V6 registration (P <sub>idle</sub> )  |           |
| Long Idle State - WOL Enabled   | 4.326 W                        | 4.536 W                   | 4.785 W  | Use for ENERGY STAR V6 registration (P <sub>idle</sub> )  |           |
| Sleep (S3) - WOL Enabled  | 0.588 W                        | 0.589 W                   | 0.598 W  | Use for ENERGY STAR V6 registration(P <sub>sleep</sub> )  |           |
| Sleep (S3) - WOL Disabled   | 0.588 W                        | 0.589 W                   | 0.598 W  | Reference   |           |
| Off (S5) - WOL Enabled  | 0.316 W                        | 0.316 W                   | 0.346 W  | Use for ENERGY STAR V6 registration(Poff)   |           |
| Off (S5) - WOL Disabled   | 0.316 W                        | 0.316 W                   | 0.346 W  | Use for EuP   |           |
| Category D 1/2  |                                |                           |  |   |           |
| Short Idle State - WOL Enabled  | NAW                            | NAW                       | NA W   | Use for ENERGY STAR V6 registration (P <sub>idle</sub> )  |           |
| Long Idle State - WOL Enabled   | NAW                            | NAW                       | NAW  | Use for ENERGY STAR V6 registration (P <sub>idle</sub> )  |           |
| Sleep (S3) - WOL Enabled  | NAW                            | NAW                       | NAW  | Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )   |           |
| Sleep (S3) - WOL Disabled   | NAW                            | NAW                       | NAW  | Reference   |           |
| Off (S5) - WOL Enabled  | NAW                            | NAW                       | NAW  | Use for ENERGY STAR V6 registration(Port)   |           |
| Off (S5) - WOL Disabled   | NAW                            | NA W                      | NA W   | Use for EuP   |           |
| EPS No-load   | 0.13 W                         | 0.134 W                   | 0.198 W  |   |           |
| (External power supply / charger<br>plugged in the wall outlet but<br>disconnected from the product.)                         | 0.13 W                         | 0.734 W                   | 0.790 W  |   |           |
| PTEC *<br>Typical Energy Consumption  | W                              | W                         | W  |   |           |
| TEC *<br>Typical Energy Consumption   | kWh/week                       | kWh/week                  | kWh/week   |   |           |
| ETEC *<br>Annual Energy Consumption   | 13.587 kWh/year                | <b>13.737</b><br>kWh/year | <b>14.308</b><br>kWh/year                                  | $E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{short idle} \times 0.3 + P_{long idle} \times 0.1)$ |           |
|   |                                | WOL Enabled; Pslee        | p: Sleep Mode(S3)  | ) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled   |           |
| Display resolution* : 1280*800 Meg  | apixels                        |                           |  |   |           |
| Print Speed * : Image   | es per minute                  |                           |  |   | $\square$ |
| Default time to enter energy save mo  |                                |                           |  |   |           |
| P9.2* Information about the en  | ergy save function is          | s provided with the       | e product.   |   |           |
| P9.3* The product meets the e<br>ENERGY STAR® versio<br>Others specify: Energy  | n: Version 6.0 Tie             | er: Produ                 | ict category: 11   |   | П         |
| P10 Emissions   |                                |                           |  |   |           |
| Noise emission – DeclaP10.1ModeModeMode   |                                | O 9296                    | Declared   | Declared A weighted   | 1         |
| P10.1 Mode Mode   | description                    |                           | Declared<br>A-weighted<br>sound power<br>level $L_{WAd}$ ( | d sound pressure level $L_{pAm}$ (dB)   | -         |
| Idle * HD   | D:Idle                         |                           | * 2.9  | 24.6  |           |
|   | D: Operating                   |                           | * 3.0  | 24.7  |           |
| Other mode  |                                |                           |  | Energy Star for External Power Supplies   |           |
| Measured according to: ISO7779 ECMA-74<br>Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m) |                                |                           |  |   |           |

| P10.2 | The product meets the acoustic noise requirements of the following voluntary program/s: |  |
|-------|---|--|
|       |   |  |

| Model number * | 20344; 80DмLenovo Yoga 2 13 | 20344; 8 | RODM   |
|----------------|-----------------------------|----------|--------|
| Issue date *   | 2015-01-13                  | Logo     | lenovo |

| Product | environmental attributes - Market requirements (continued) R  | equire      | ment | met         |  |
|---------|---|-------------|------|-------------|--|
| Item    |   | Yes         | No   | n.a.        |  |
|         | Chemical emissions from printing products   |             |      |             |  |
| P10.3*  | Test performed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify:   |             |      | $\square$   |  |
| P10.4   | Typical emission rate (print phase) is (mg/h):  |             |      | $\boxtimes$ |  |
|         | Dust Ozone Styrene Benzene TVOC   |             |      |             |  |
| P10.5   | Chemical emission requirements of the following voluntary program/s are met for :   |             |      | $\boxtimes$ |  |
|         | Dust Ozone Styrene Benzene TVOC   |             |      |             |  |
|         | Electromagnetic emissions   |             |      |             |  |
| P10.6   | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: <i>MPR-II</i>   | $\boxtimes$ |      |             |  |
| P11     | Consumable materials for printing products  |             |      |             |  |
| P11.1*  | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).  |             |      | $\square$   |  |
| P11.2*  | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.   |             |      | $\boxtimes$ |  |
| P11.3*  | 2-sided (duplex) printing/copying is an integrated product function.  |             |      | $\boxtimes$ |  |
| P12     | Ergonomics for computing products   |             |      |             |  |
| P12.1*  | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.   |             |      |             |  |
| P12.2*  | The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  | $\boxtimes$ |      |             |  |
| P13     | Packaging and documentation   |             |      |             |  |
| P13.1*  | Product packaging material type(s): Corrugated Carton weight (kg): 0.378<br>Product packaging material type(s): Polyethylene Cushions weight (kg): 0.081<br>Product packaging material type(s): Others weight (kg): 0.230   |             |      |             |  |
| P13.2*  | Product packaging inatenal type(s). Others weight (kg). 0.250   | $\boxtimes$ |      |             |  |
| P13.3*  | Specify media for user and product documentation (tick box):  |             |      |             |  |
| F 13.3  | Electronic 🔀, Paper 🔀, Other 🗌  |             |      |             |  |
| P13.4*  | For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%   |             |      |             |  |
| P14     | Additional information (See Note B4)  |             |      |             |  |
|         | NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. |             |      |             |  |
| P9      | See Energy Star Qualified Notebooks & Tablet Computers for the latest information:<br>http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO  |             |      |             |  |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

| Reference  | Declaration item             |
|--|------------------------------|
| 2002/95/EC (ROHS Directive)  | P1.1, P4.1                   |
| REACH, Annex XVII  | P1.6, P1.8, P4.2             |
| REACH, Annex XVII  | P1.4                         |
| REACH, Annex XVII  | P1.2                         |
| REACH, Annex XVII  | P1.7                         |
| REACH, Annex XVII  | P1.9                         |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000  | P1.3                         |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5                         |
| 2006/66/EC (Battery and accumulators Directive)  | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive)   | P3.1, 3.4                    |
| 2004/108/EEC (New EMC Directive)   | P3.2, 3.4                    |
| 1999/5/EC (R&TTE Directive)  | P3.3, 3.4                    |
| "REACH" Regulation (1907/2006), annex VII  | P1.10                        |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)                       | P4.3                         |
| REACH article 31, annex II   | P4.3                         |
| 2004/12/EC (Directive on packaging and packaging waste)  | P5.1                         |
| (97/129/EC) (Commission Decision on Identification<br>System for Packaging Materials               | P5.2                         |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer                                 | P5.3                         |
| 2002/96/EC (WEEE directive)  | P3.4, P6.1                   |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)                       | P7.19                        |

### Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name        | Lenovo Yoga 2 13 | Logo   |
|------------------------|------------------|--------|
| Model Number           | 80DM; 20344      |        |
| Issue Date             | 2015-01-13       | lenovo |
| Additional information |                  |        |

| P7.1.1 Product environmental attributes |  |              |  |  |  |  |  |
|---|--|--------------|--|--|--|--|--|
|   |  |              |  |  |  |  |  |
| (d)                                     | year of manufacture: 2014  |              |  |  |  |  |  |
| (e)                                     | <b>E TEC value</b> (kWh) per ErP Lot 3 Category and capability adjustments applied when <b>all discrete graphics cards (dGfx) are disabled</b> and if the system is tested with switchable graphics mode with UMA driving the display: |              |  |  |  |  |  |
|   | Category (according to ErP Lot 3): A Etec: 14.92   |              |  |  |  |  |  |
| (f)                                     | E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics card enabled:   | s (dGfx) are |  |  |  |  |  |
|   | Category (according to ErP Lot 3): NA Etec: NA   |              |  |  |  |  |  |
| (g)                                     | idle state power demand (Watts);   | 4.79         |  |  |  |  |  |
| (h)                                     | sleep mode power demand (Watts);   | 0.60         |  |  |  |  |  |
| (i)                                     | sleep mode with WOL enabled power demand (Watts) (where enabled);  | NA           |  |  |  |  |  |
| (j)                                     | off mode power demand (Watts);   | 0.35         |  |  |  |  |  |
| (k)                                     | off mode with WOL enabled power demand (Watts) (where enabled);  | NA           |  |  |  |  |  |
| (I)                                     | internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):  |              |  |  |  |  |  |
|   | 10% 20% 50% 100% Average   |              |  |  |  |  |  |
| (m)                                     | external power supply efficiency (if applicable):  |              |  |  |  |  |  |
|   | Average*: 65W:88.80%,89.06%  |              |  |  |  |  |  |
|   | *internal note: show values for all available external power supplies  |              |  |  |  |  |  |
| (0)                                     | the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):  |              |  |  |  |  |  |
|   |  | 300cycles    |  |  |  |  |  |
| (p-1)                                   | the measurement methodology used to determine information mentioned in points (I) - internal PSU   |              |  |  |  |  |  |
|   | efficiency: NA   |              |  |  |  |  |  |
| (p-2)                                   | the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:   |              |  |  |  |  |  |
|   | Energy-star requirement  |              |  |  |  |  |  |

| (p-3) the measure batteries:  | urement methodolog   |           | to determine information mentioned in points (o) - loadingcycles                             |              |  |  |  |
|---|--|-----------|--|--------------|--|--|--|
|   |  | IEC       | 61960 measurement methodology  |              |  |  |  |
|   |  |           | determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration: |              |  |  |  |
|   |  |           | Energy-star requirement  |              |  |  |  |
| (q) sequence  | of steps for achieving   | g a stabl | e condition with respect to power demand::   |              |  |  |  |
|   |  |           | Based on user manual   |              |  |  |  |
| (r) description   | of how sleep and/or  | off mod   | le was selected or programmed:   |              |  |  |  |
|   |  |           | Based on user manual   |              |  |  |  |
| (s) sequence<br>off mode:   | of events required to  | reach th  | ne mode where the equipment automatically changes to sleep and/or                            |              |  |  |  |
|   |  |           | Based on user manual   |              |  |  |  |
|   | (t) the <b>duration of idle state condition before the computer automatically reaches sleep mode</b> , or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25 |           |  |              |  |  |  |
| (u)the length of time after a period of user inactivity in which the computer automatically reaches a<br>power mode that has a lower power demand requirement than sleep mode (in minutes):NA   |  |           |  |              |  |  |  |
| (v) the length  | of time before the   | display   | sleep mode is set to activate after user inactivity (in minutes):                            | 10           |  |  |  |
| (w) information on the energy-saving potential of power management functionality:   |  |           |  |              |  |  |  |
| Based on user manual  |  |           |  |              |  |  |  |
| (x) user information on how to enable the power management functionality:   |  |           |  |              |  |  |  |
| Based on user manual  |  |           |  |              |  |  |  |
| (z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electricity to the electricity supply system. |  |           |  |              |  |  |  |
| for electrical testing:<br>230V/50Hz, Total Harmonic Distortion <2 %  |  |           |  |              |  |  |  |
| Addition Notebook B   | attery Information   |           |  |              |  |  |  |
| Yes   | No   | n/a       | This notebook computer is operated by battery/ies that cannot be accessed                    | and replaced |  |  |  |
| (Battery <b>not</b> user  | (Battery user  |           | by a non-professional user.  |              |  |  |  |
| replaceable)  | replaceable)   |           | The battery[ies] in this product cannot be easily replace themselves                         | d by users   |  |  |  |
|   |  |           |  |              |  |  |  |
|   |  |           |  |              |  |  |  |
| Additional informatio   | n  |           |  |              |  |  |  |
|   |  |           |  |              |  |  |  |
|   |  |           |  |              |  |  |  |
|   |  |           |  |              |  |  |  |
|   |  |           |  |              |  |  |  |

Г