USERS MANUAL

For English speaking countries only



P+P Rescue Nappie EN1498 Class B

Thank you for purchasing this P+P Rescue Nappie. Please take the time to familiarize yourself with the correct attachment, positioning and adjustment procedure.

It is imperative that this Rescue Nappie is only used for it's intended purpose and that it is regularly inspected for worthiness.

Before using this Rescue Nappie and to avoid personal injury, carefully read and understand these instructions BEFORE use or training others to use the Rescue Nappie. If there is anything you do not understand DO NOT use the Rescue Nappie, contact the supplier or P+P for further details.

Certain information in this manual is governed by law and is subject to change without prior notice. Great care has been taken to ensure that the information is correct at the time of publication. However, it is the user's sole responsibility to ensure that they fully comply with all legal requirements. P+P will not accept liability for any inaccuracy or incorrectly stated legal requirements.

P+P operate a policy of continual improvement and reserve the right to change specifications without notice. The Manufacturer and/or their recognised agents, directors, employees or insurers will not be held liable for consequential or other damages, losses or expenses in the connection with our by reason of or the inability to use the Rescue Nappie for any other purpose.

Note; training should only be delivered by a suitably qualified and competent person, i.e. a P+P products trainer.





P+P Part No: 90008 and 90008/SS

Description

Triangular shaped Rescue Nappie to be used in rescue situations to lift or lower a casualty.

Application

A Rescue Nappie classed as a rescue loop is to provide a means of attachment to a casualty in a rescue situation to facilitate safe lowering or raising of the casualty. The Rescue Nappie is constructed in such a way that during the rescue process, the casualty is held in a sitting position. Rescue Nappie is not intended or designed to protect against falls from height.

The P+P Rescue Nappie consists of a rescue loop with "D" rings and central attachment strap with a "D" ring to provide an attachment point so the casualty is held in a sitting position. The Rescue Nappie is manufactured from polyester webbing and nyplax PVC with non-corrosive fittings. The SS version incorporates adjustable shoulder straps and an adjustable shoulder strap for increased security.

Usage

IT IS VITAL FOR THE SAFETY OF THE CASUALTY THAT THE RESCU NAPPIE IS CORRECTLY CONNECTED IN ACCORDANCE WITH THE FOLLOWING INSTRUCTIONS.

- a) Pass the chest strap of the Rescue Nappie behind the casualty, with the crotch strap hanging down, and the webbing on the outer side with PVC against the casualty.
- b) Pass the "D" rings on each end of the chest strap underneath the casualty's armpits (if shoulder straps are fitted, the arms should pass through them), bringing them together on the casualty's chest.
- Pass the crotch strap between the casualty's legs bringing the crotch strap "D" ring also up to the casualty's chest.
- d) Using all 3 "D" rings, connect together with a connector.
- e) The additional webbing loop on the outer edge of the rescue strop may have a guideline attached in certain situations to facilitate the rescue in difficult situations.

Important / Dos and Don'ts

Prior to use, a full visual inspection of the Rescue Nappie must be carried out by the user as instructed in the P+P User Manual.

The Rescue Nappie is for personal use only.

Only use connectors (hooks and karabiners etc.) approved and recommended by P+P.

The Rescue Nappie should only be used with P+P compatible equipment.

Check the inspection record for this Rescue Nappie to ensure regular inspections have been correctly recorded.

It is strongly recommended that the user be given adequate practical training prior to using this Rescue Nappie or any other P+P product.

DO NOT use this Rescue Nappie until you have read and fully understand both these instructions and the user instructions for any P+P compatible item used in the system and the P+P User Manual for Restraint Belts, Harnesses and Ancillary Equipment issued with each Rescue Nappie.

Modifications and Repairs

No repairs, modifications or alterations are to be carried out on this Rescue Nappie.

Rescue Plan

As part of your risk assessment, you MUST have in place a rescue plan to deal with any emergency which may occur during use. Access to the user, directly or indirectly, and their safe retrieval is of paramount importance, including preparations for dealing with potential Post Fall Suspension Trauma.

Inspection

This manual contains a section for recording your periodic 'Detailed Inspections'.

The Rescue Nappie, along with all your other safety equipment must be subjected to a pre-use check each time before use. Failure to inspect the Rescue Nappie correctly could cost you your life. You should be trained to carry out a pre-use check.

Detailed Recorded Inspections should only be carried out by a trained, competent person, appointed by the employer. Additionally, recorded interim inspections may be required where risks from transient arduous working environments exist. This should be identified through Risk Assessment.

These recorded inspections must be carried out at least every 12 months as a requirement of EN365, however; in the UK the HSE would like to see all Fall Protection PPE have a Detailed Recorded Inspection every 6 months.

The pre-use check must include (but is not limited to):

- Check all webbing / rope for signs of cuts, abrasions, fraying, tears, burns, mould, discolouration or chemical attack.
- Check all stitching for signs of loosening, pulling or cut thread. There must be no evidence of damaged stitching on either side of the stitch pattern.
- If the Rescue Nappie has been subject to significant paint overspray, it must not be used.
- · Adjusters and connectors MUST be free from rust, excessive wear, distortions or cracks.

If during the pre-use check any part is found to be or believed to be faulty. DO NOT use it. Remove ALL components from site to ensure that they cannot be use by anyone.

Cleaning, Maintenance and Storage

You may clean the Rescue Nappie of light soiling, using warm water (40°C max) with pure soap or mild detergent. Heavy deposits of creosote or grease may be removed with a diluted solution of heavy detergent and water.

Avoid getting soap / detergent into buckles. After cleaning, rinse thoroughly with fresh clean water then remove excess water with a dry cloth. Finally, allow the Rescue Nappie to dry naturally then give it a full inspection before storing.

Store in a cool dry place, which will protect the Rescue Nappie from extreme humidity, direct heat and sunlight. Allocate a storage area specifically for your Rescue Nappie. If the Rescue Nappie is wet, allow to dry naturally BEFORE storing.

Chemical Attack

If the Rescue Nappie comes into contact with any chemicals, you MUST immediately remove it from service and check with P+P for the potential of degradation.

Service Life

Each P+P Rescue Nappie has a maximum working life of 5 years from date of first use, provided it is correctly stored and maintained. However, if the Rescue Nappie fails any inspection it MUST be destroyed. See the Statement of Obsolescence with this manual.

About This Manual

This User Manual is for English speaking countries only. IF you require this manual in a different language, please Contact P+P. When this Rescue Nappie is sold on, this manual must accompany the Rescue Nappie.

Product Details

The Product Code, Serial number and Date of Manufacture of the lanyard should be entered on the back page of this manual for future reference and inspection records.

The product name, unique serial number and date of manufacture will also be found on the product label either stitched into the Rescue Nappie's webbing or captive at the end of the rope.

Always make sure the product label is present showing both the serial number and date of manufacture and that it matches your User Manual. If the numbers are not legible on the Product Label or do not match the User Manual – DO NOT USE the Rescue Nappie!

Statement of Obsolescence

Due to the ingress of dirt and grit, chemical contamination, edge and surface damage, ultraviolet light degradation, and wear and tear, Fall Protection Equipment manufactured from synthetic fibres (webbing and/or rope) are subject to a manufacturer's statement of obsolescence which is a requirement of BS EN 365:2004 a European Product Standard.

Any item of Fall Protection Equipment manufactured by Pammenter & Petrie Limited with synthetic fibre components (webbing and/or rope) is subject to a maximum working life of 5 years from the recorded date of first use, provided that the item has been correctly stored, maintained and subjected to regular inspections by a trained and competent person. However, if the item fails any inspection it MUST be destroyed.

A new item of Fall Protection Equipment manufactured by Pammenter & Petrie Limited may be stored for a maximum of 2 years and still give the potential 5 year working life – provided it remains in the original manufacturer's packaging. Once the product is taken from this original packaging for the first time, this date becomes the "date of first use", which should be recorded on the Certificate of Conformity and the 5 year working life begins.

Reference should also be made to the British Standard BS 8473:2005 – "The code of practice selection, use and maintenance of personal fall protection systems and equipment for use in the workplace" – clause 13.2 Lifespan, which states:

"some equipment is given a lifespan or obsolescence date by the manufacturer. Equipment that has reached such a limit, which has not already been rejected for other reasons, should be withdrawn from service and not used again, unless or until confirmed by a competent person, in writing, that it is acceptable to do so."

It should be noted that inspections carried out by a trained and competent person are only visual and tactile observations of the condition of the product; they are not testing the residual strength of the equipment. All synthetic fibres deteriorate slowly with age regardless of use and as a result Pammenter & Petrie Limited strongly advises all users of Fall Protection Equipment to follow the manufacturer's statement of obsolescence.

For further advice on this statement, as well as training in the use and inspection of Fall Protection Equipment, please contact Pammenter & Petrie Limited.

INSPECTION RECORD

 Supplier:
 Date Purchased:
 User Name:
 Date First Used:
 Date First Used:

Date	Pass / Fail	Comments / Actions	Next Inspection Due	Print Name	Signed
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		
1 1			1 1		

This Pammenter and Petrie Limited Rescue Nappie has been tested and CE marked to BSEN 1498 Class B. Certified by Approved Body: TUV NEL Limited, East Kilbride, Glasgow, G75 0QU, United Kingdom. EC Notified Body No 0320. Pammenter and Petrie Limited operate a Quality management System to BS EN ISO 9001:2000 controlled and audited by: The British Standards Institute, 389 Chiswick High Road, London W4 4AL, United Kingdom. EC Notified Body No 0086.

PRODUCT NAME

PRODUCT CODE

SERIAL NO.....

DATE OF MANUFACTURE....



Designers, Manufacturers and Suppliers or Personal Protective Equipment

P+P Limited, 140 – 146 Brearley Street, Hockley, Birmingham B19 3XJ

Telephone 0121 359 4561 Facsimile 0121 359 4136 Email: info@pammenter.co.uk Website: www.ppsafety.co.uk

This Manual and it's contents © P+P Limited 2008 Rescue Nappie v2 01/08

All rights reserved. No part of this publication may be produced, stored in a retrieval system, or transmitted, in any form, or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of P+P Limited.

PAMMENTER & PETRIE LIMITED

140-146 Brearley Street. Hockley, Birmingham B19 3XJ Tel: +44 (0) 121 359 4561 (Sales) Tel: +44 (0) 121 503 5860 (Training) Fax: +44 (0) 121 359 4136

Website: www.ppsafety.co.uk E-mail: info@pammenter.co.uk