

TwtDominator

User Guide 3.0.0.1

Revision History

Revision	Date	Description
01	May 2012	TwtDominator Features Guide 2.0.0.1
02	Apr 2014	TwtDominator Features Guide 3.0.0.1


Contents

1.0 Main Features	Page#
1.1 Follower	4
1.1.1 Single Follow	5
1.1.2 Multiple Follow	6
1.1.3 Follow Keyword Search	7
1.1.4 Show Setting	8
1.2 Tweet	9
1.2.1 Mention Settings	10
1.2.2 Retweet / Reply	11
1.3 Account Actions	12
1.4 Un-follower	14
1.4.1 Unfollow Those Not Following	14
1.4.2 Unfollow Random	15
1.4.3 Upload Unfollower List	15
1.5 Wait and Reply	16


1.6	Proxy Setting	17
1.6.1	Public Proxy	17
1.6.2	Private Proxy	18
1.7	Scrape Users	19
1.7.1	Who To Follow	19
1.7.2	Scrape By Keyword	20
1.7.3	Username To User IDs	20
1.8	Tweet Creator	21
1.8.1	Keyword Tweet Extractor	22
1.8.2	Tweet Extractor	22
1.8.3	Retweet Extractor	22
1.9	Filter Users	23
1.10	Retweet and Favorite	24
1.11	Account Manager	25
2.0	Other Features	
2.1.	Accounts	26
2..2	Settings	27
2.3	Email Verification	28
2.4	Campaign Manager	29
2.4.1	Follow	30
2.4.2	Tweet	31
2.4.3	Retweet	32
2.4.4	Reply	33

1.1 Follower


- Here is the most important feature where you can follow users with multiple accounts.
- See How it looks.




- You can follow users by two ways : User ID and Screen Name



- It has two part to follow: Single follow and Multiple follow.




1.1.1 Single follow

The screenshot shows the 'Single Follow' section of the TwtDominator software. It has a blue header with the title 'Single Follow'. Below the header, there are three main sections: 'Single Follow', 'Multiple Follow', and 'Divide Data'. The 'Single Follow' section contains a text input field labeled 'User ID to Follow:' which is highlighted with a red rectangle. To its right are three checkboxes: 'Follow KeyWord Search', 'Show Setting', and 'Use Scraped List data'. The 'Multiple Follow' section contains a text input field labeled 'Follow Users from this File:' with the path 'C:\Program Files\TwtDominator\TwtDominator\follow nuseenames.txt' and a 'BROWSE' button. The 'Divide Data' section contains a checkbox for 'DivideData', a radio button for 'Divide Equally', a radio button for 'Divide Given By User', a text input field for 'No Of Users', and a checkbox for 'Fast Follow'. To the right of these sections is a 'User Id / Screen Name' section with two checkboxes: 'User Id' and 'Screen Name', both of which are highlighted with red rectangles. Arrows point from these red rectangles to callout boxes below the form.


Enter UserID or Username

- Check UserId if you enter user Id
- Check screen name if you enter screen name

- For single follow you can use multiple accounts with follow only single user.
- It will follow that user name from all the accounts uploaded.
- After that click on start button.
- And then you can check followed accounts in desktop folder.



1.1.2 Multiple follow



Multiple Follow

Follow Users from this File:

Divide Data

☐ DivideData ☒ Divide Equally ☐ Divide Given By User >>>> No Of Users ☐ Fast Follow


User Id / Screen Name

☒ User Id ☐ Screen Name

Select UserID or Username text file

- Check UserID if you select user Id.txt file
- Check screen name if you select screen name.txt file


- For multiple follow you can follow multiple users with multiple accounts uploaded.
- It will follow all the user names from all the accounts uploaded.
- You must need to fill **follow count** detail here. Otherwise it will run for 10 users only that are set already.



Follow Count

Count


- Set delay setting so that you can manage time delay between follow user one by one.




Delay Setting

Delay In Follows to (In Seconds)

- After that click on start button.
- And then you can check followed accounts in desktop folder.



g. Divide Data:




Divide Data

☒ DivideData ☒ Divide User id (For Scraped List data and User Id Follow File) ☐ Divide Equally ☐ Divide Given By User >>>> No Of Users ☐ Fast Follow

- It is a feature we have where you can divide users to follow according to accounts you have uploaded.
- Divide equally: It is a feature we have where you can divide users to follow according to accounts you have uploaded.
- Divide given by user: you can divide no. of users per account to follow.


1.1.3 Follow keyword Search

There has a feature where you can search users with keywords as you want and can follow them.



- Here you can see how it looks and works.
- The process is that first you have to upload text file for keywords and then no. of follow by per account than click on start.
- It will follow all the keywords users.

1.1.4 Show Setting




- Here you can set users criteria as you want to follow.
- It will follow all those users which you have set here.
- Use Scraped List Data




- Here you can use scraped list data from software.
- It will upload all the users which you have scraped before.
- Scrape users will explain later on.

1.2 Tweet


Here is the important feature where you can Tweet with multiple accounts.



See HOW it works




- Here you can upload tweet file in text format and select checkbox as per your choice.
- Use check length: to check tweet length (max 140 character).
- All tweet per account: as named all uploaded tweets will post to all accounts.
- Use message with duplicate: it will post tweets with duplicate message.
- Use hash tag: it will post with hash tag.
- You can select all four check boxes or as you want.
- Then click on start tweeting.
- And then you can check tweeted accounts file in desktop folder


 Successfully Tweeted

1.2.1 Mention Setting


Here you can mention usernames while tweeting with accounts.




1.2.2 Retweet /Reply




- Here you can see retweet and reply feature.
- Start Retweeting button will start retweeting tweet based on keyword entered in tweet keyword field.




- Re tweet by Username: it will retweet those tweets which are posted by entered Usernames in tweet keyword field.




- Auto Retweet/reply: this is a most important feature you can say because its retweeting automatically when you entered username and check this feature and click on start retweeting.
- It will start checking tweet of that username and retweet them in your account uploaded.
- You can set delay time and thread setting according to you.
- You can check Retweeted details at desktop folder.




1.3 Account Actions







- a. Here we can get detail if working, non working and suspended accounts detail by using email, usernames.



- b. BY Username: Here you can upload username list to check existing user details.
c. You will get detail of existing users detail in desktop folder.




- d. By Email: Here you have to upload email accounts file. Email file format should be: email:password
e. You can check that accounts detail in desktop folder.

-  ActiveEmailAccounts
-  EmailIsNotCorrectOrIncorrectPass
-  RequiredEmailVerificationAccounts
-  SuspendedEmailAccounts

f. Get Username From Account

A screenshot of the 'Get Username From Account' interface. It has a blue header bar with the title. Below the header, there is a text input field labeled 'Email File:'. To the right of the input field are two buttons: 'BROWSE' and 'START CHECKING'.

- g. From here you can get username detail from accounts uploaded.
h. You can check that detail in desktop folder.
i.




j. Assign group to account

A screenshot of the 'Assign Groups To Accounts' interface. It has a blue header bar with the title. Below the header, there is a text input field labeled 'Upload Group Names:' with a 'BROWSE' button to its right. Below this input field is a text input field labeled 'Groups Per Account:' with the value '1' entered. To the right of these fields is a 'Thread' section with a label 'No of thread:' and a value of '10'. At the bottom, there is a 'Submit Action' section with three buttons: 'START ASSIGNING', 'CLEAR ALL GROUP NAMES', and 'STOP'.

- k. Here you can assign group to any no. of accounts you want.

1.4 Unfollower




The screenshot shows the 'Unfollower' section of the TwtDominator application. The interface includes a sidebar with navigation options: Follower, Tweet, Account Actions (highlighted), Unfollower (highlighted), Wait & Reply, Proxy Setting, Scrape Users, Tweet Creator, Filter Users, Retweet & Favorite, and Account Manager. The main content area is titled 'Unfollower' and contains several sections: 'General Logs' (empty), 'Unfollower Input' (with 'Unfollow Mode' options: 'Unfollow those Not Following' (selected), 'Unfollow Random', and 'Upload Unfollowers' (with a text input field and a 'Don't check data base' checkbox)), 'UnFollow' (with 'No. Of Unfollows' set to 5 and 'Delay in Unfollow' set to 5 to 8 seconds), 'Thread Setting' (with 'No. Of Threads' set to 7), and 'Submit Action' (with 'START UNFOLLOWING' and 'STOP' buttons). A 'Process Logger' section is also present at the bottom.

Here you can unfollow users according to you:

- 1.6.1 Unfollow those not following
- 1.6.2 Unfollow Random
- 1.6.3 Upload unfollower list

1.4.1 Unfollow those not following

- a. Here you can unfollow those users which are not follow back to you.
- b. You can enter Days according to you which are not follow back to you in selected days.
- c. No. of unfollows need to put no. of unfollower means how many users you want to unfollow.



This close-up screenshot focuses on the 'Unfollower Input' section. It shows the 'Unfollow Mode' options: 'Unfollow those Not Following' (selected), 'Unfollow Random', and 'Upload Unfollowers' (with a text input field and a 'Don't check data base' checkbox). Below this, the 'UnFollow' section shows 'No. Of Unfollows' set to 5 and 'Delay in Unfollow' set to 5 to 8 seconds. The 'Thread Setting' section shows 'No. Of Threads' set to 7. The 'Submit Action' section has 'START UNFOLLOWING' and 'STOP' buttons.

1.4.2 Unfollow Random


The image shows a web-based configuration interface for 'Unfollow Random'. It is divided into four sections: 'Infollower Input', 'Unfollow Mode', 'UnFollow', and 'Thread Setting'. In the 'Unfollow Mode' section, the 'Unfollow Random' radio button is selected and highlighted with a red box. Below it, there are input fields for 'Not Followed Back in' (set to 5) and 'Upload Unfollowers' (empty). In the 'UnFollow' section, the 'No. Of Unfollows' is set to 5 and highlighted with a red box. Below it, 'Delay in Unfollow' is set to 5 to 8 seconds. In the 'Thread Setting' section, 'No. Of Threads' is set to 7. At the bottom, there are two buttons: 'START UNFOLLOWING' and 'STOP'.

- Unfollow random it will unfollow randomly any user from account.
- No. of unfollows will unfollow entered no. of users only.


1.4.3 Upload Unfollower list

The image shows a web-based configuration interface for 'Upload Unfollowers'. It features a radio button labeled 'Upload Unfollowers' which is selected. To its right is an empty text input field. Further right is a checkbox labeled 'Don't check data base' which is unchecked.


- Here you can upload unfollower list for unfollowing.
- Each unfollow users detail you can check txt file named successfullyunfollowed at desktop folder.




1.5 Wait & Reply



- Here you can make tweet and reply as per your time interval.
- This feature is used for make a time interval between tweet posting and reply.
- You can upload tweet and reply text file here.




- You can upload search keyword txt file or type a single keyword to search.



- No. of Retweet per reply : you can manage setting that how many no. of tweets per reply.
- Interval: it shows time intervals between tweets and reply.
- Select thread setting as you want
- Then click on start replying.
- It will work as you set interval.

1.6 Proxy Setting




Here you can manage your public and private proxies separately.

1.6.1 Public proxy




- Here you need to upload Public proxy file.
- Format should be
ProxyAddress:ProxyPort:ProxyHostUsername:Proxypassword
- From **Test** button you can check that proxies are working proxies or not and it will upload all working proxies to the software.
- Assign proxy to accounts button will assign all proxies to uploaded accounts.
- Clear public proxies from database: it will remove all proxies from database.
- Import without testing: this feature will import all proxy to database without testing that working or not.


1.6.2 Private Proxy

A screenshot of the 'Private Proxy' interface. It has a blue header with the title 'Private Proxy' in a red-bordered box. Below the header is a text input field labeled 'Private Proxy:' followed by a 'BROWSE' button. A note in the center reads 'NOTE: Clear Proxies From DataBase Not From Accounts'. At the bottom are three buttons: 'ASSIGN PROXY TO ACCOUNTS', 'CLEAR PRIVATE PROXIES FROM DATABASE', and 'TEST'.

- Here you need to upload Private proxy file.
- Format should be ProxyAddress:ProxyPort:ProxyHostUsername:Proxypassword
- From **Test** button you can check that proxies are working proxies or not and it will upload all working proxies to the software.
- Assign proxy to accounts button will assign all proxies to uploaded accounts.
- Clear private proxies from database: it will remove all proxies from database.
- You can check working or non working proxy list at desktop folder named twtdominator.




1.7 Scrape Users



- Here you can easily scrape users follower following details.
- You just need to upload username and it will start scraping users.




- You can check scraped data list at desktop folder named twtdominator.




1.7.1 Who to Follow

- this is the section where you can get details about uploaded users. It will search by page wise you want.



- It will give you scraped data details at desktop folder.



1.7.2 Scrape By Keywords

The interface for the 'Scrape By Keyword' feature. It has a blue header bar with the title 'Scrape By Keyword' in white. Below the header, there is a 'Keyword:' text input field. To the left of the 'START' button is a 'No Of Users:' text input field. There are three buttons: 'START', 'REMOVE DUPLICATE', and 'STOP'. To the right of these buttons is an 'EXPORT' button.


- This is the feature where you can scrape users detail by any keyword. You can set no. of users you want to scrape. It will scrape data and you can export that to appropriate location.
- You can see scraped list file at desktop folder.

1.7.3 Username to User IDs

The interface for the 'Username To UserId' feature. It has a blue header bar with the title 'Username To UserId' in white. Below the header, there is a 'Usernames File:' text input field. To the right of this field are three buttons: 'BROWSE', 'START', and 'STOP'. To the right of these buttons is a 'Get HashTags' section with a 'GET HASH TAGS' button.

Here you need to upload usernames and it will scrape give you user ids.

1.8 Tweet Creator



- a. Tweet Creator where you can create tweet or extract tweet form other users.
- b. With tweet creator, you can creator tweet or spin tweet into different tweets.




- c. Here in message input file you can upload text file with message in spin format:
- d. (Hey|Hi|Watup), How are you (Today|now)?
- e. Spinned output file should be blank when uploading.
- f. It will create tweets according to that spinned format.


1.8.1 Keyword Tweet Extractor




- This feature will extract tweets according to the keyword you have uploaded here.
- It will search till the number of pages you want.



1.8.2 Tweet Extractor



- Here you can extract tweets according to the usernames uploaded.
- You can extract no. of tweets as you want.
- It facilitate you to remove Retweet messages and @mention tweets while extracting.
- Moreover you can change the location where it is extracting.




1.8.3 Retweet Extractor




- Here you can extract Retweets according to the usernames uploaded.
- You can extract no. of tweets as you want.
- Moreover you can change the location where it is extracting.
- You can check this extracted files in your desktop folder.




1.9 Filter User




- This is the feature where you can filter user list according to your criteria.
- Here you need to upload users list and fill selection criteria as you want.



- It will show you two different files named white list and black list users.
- Those users which are matched with criteria will show in white list other will be in black list users.
- You can check these files at desktop folder.




1.10 Retweet and Favorite



Here you can make tweet; Retweet and favorite by uploading URLs.



a. You can upload a single or multiple URL list.




b. You can select option for Retweet, Favorite or AutoFavrite and proxy public or private.

c. Select number of thread as you want.


d. It will start retweeting based on URLs.

e. You can check detail in txt file at desktop folder by named:



1.11 Account Manager

This is the feature where you can change user screen names and password of your accounts.


The screenshot shows the 'Account Manager' window of the TwtDominator application. The title bar reads 'Twt Dominator - The Best Automated Twitter Marketing Application Version No.: 3.0.0.2'. The interface has a blue theme. On the left is a sidebar menu with options: Follower, Tweet, Account Actions, Unfollower, Wait & Reply, Proxy Setting, Scrape Users, Tweet Creator, Filter Users, Retweet & Favorite, and 'Account Manager' (which is highlighted with a red rectangle). The main area is titled 'Account Manager' with a '>>>>' button. Below the title is a 'General Logs' section with a large empty text box. A navigation bar contains links: Accounts, Settings, Scheduler, Campaign Manager, Server Module, New Features, and About. The main content area includes: 1. A 'User Name' field with a 'BROWSE' button. 2. A 'Settings' section with checkboxes for 'Change User Screen Name', 'Change Email', and 'Random Email Or Screen Name', followed by a 'START' button. 3. A 'Change Account Password' section with a 'New Password File' field, a 'BROWSE' button, a 'Random Password' checkbox, and a 'START' button. 4. A 'Delay' section with input fields for '20' and '25' (labeled '(In Seconds)') and a 'Thread' section with an input field for '10' (labeled 'No of thread:'). 5. A 'Process Logger' section with a large empty text box.

2. Other features


2.1 Accounts



- You just need to get working emails by yourself and feed the software in the Load accounts but please remember that the emails should be written in the following format = email id:password in a text file.
- And if you are using proxy along with that then you can also write in this format
EmailId:Password:Proxy:Port:ProxyUserId:ProxyPassword in a text file.




2.2 Setting

A screenshot of the 'TwtDominator Settings' window. The window has a blue title bar with the text 'TwtDominator Settings' and standard window controls. The main content area is blue and contains two sections. The first section is titled 'Death By Captcha' and contains two text input fields labeled 'DBC Username:' and 'DBC Password:'. Below these fields is a blue button with the text 'SAVE'. The second section is titled 'DB Location' and contains a text input field. Above this field is the text 'Your TwtDominator DB is located here'.


DBC setting

- a) Death by captcha setting is a third party captcha service . you can use this service to Save your time while entering manual captcha every time.
- b) Here you can submit their DBC details and use this service at the time of account creation .


2.3 Email Verification



- a. In this section you can verify emails if they are not verified earlier.
- b. Here you just need to upload accounts file and its verified them.
- c. Accounts format should be: Email:password.
- d. Here You can resend verification email to the accounts.
- e. It will automatically verify all accounts uploaded.
- f. You can check verify account file detail at desktop folder.

 SuccessfullyVerifiedAccounts

2.4 Campaign Manager


The screenshot shows the 'Campaign Manager' window. It has a sidebar on the left with 'Features' (Follow, Tweet, Retweet, Reply) where 'Follow' is selected. The main area has sections for 'Campaign Name' (with a text input), 'Accounts' (with 'Account File' and a 'BROWSE' button), 'Settings' (including 'Follower setting' with 'Multiple Follow' and a 'BROWSE' button, and 'Divide Data' with radio buttons for 'Divide Equally' and 'Divide Given By User'), 'Scheduling' (with 'Schedule Time' set to 11:02:38 AM, 'Is Scheduled Daily' checked, and 'Delay' set to 20 to 25 seconds), 'Thread Setting' (with 'Threads' set to 7), 'Campaigns' (a table with columns 'Campaign Name' and 'Feature Name'), and 'Submit Action' (with buttons 'SAVE CAMPAIGN', 'UPDATE CAMPAIGN', and 'SHOW ALL STATUS'). At the bottom is a 'Process Logger' section with a large empty text area.

- Here you can easily create different campaigns for different process and run them all together.
- You can run this campaign on different accounts.
- You can use campaigns on four modules.

A close-up of the 'Features' sidebar from the Campaign Manager interface. It shows four checkboxes: 'Follow' (checked), 'Tweet', 'Retweet', and 'Reply'. The entire sidebar is highlighted with a red rectangular border.

2.4.1 Follow

Let's Start with follow module:



Features

- ☒ Follow
- ☐ Tweet
- ☐ Retweet
- ☐ Reply

Campaign Name

Campaign Name:

Accounts

Account File: **BROWSE**

Settings

Follower setting

Multiple Follow

Follow Users from this File: **BROWSE**

Divide Data

Divide User ID (For Scraped List data and User ID Follow File)

☐ Divide Data

☒ Divide Equally ☐ Divide Given By User

5000 No. of Users

Follow Count

Count: 10

Scheduling

Schedule Time: 7:04:02 PM TO: 7:04:02 PM ☐ Is Scheduled Daily


Delay

Delay: 20 to 25 (In Seconds)

Thread Setting

Threads: 7


Campaigns


	Campaign Name	Feature Name		
▶	Campo follow	Follow	Edit	

Submit Action

SAVE CAMPAIGN **UPDATE CAMPAIGN** **SHOW ALL STATUS**


- It just same like follower module.
- You just need to run it with different accounts.



	Campaign Name	Feature Name		
▶	Campo follow	Follow	Edit	

- Here you can see created campaign.
- You can run it by clicking on run button.
- Moreover you can edit this campaign.

2.4.2 Tweet



Features

- ☐ Follow
- ☒ **Tweet**
- ☐ Retweet
- ☐ Reply

Campaign Name

Campaign Name:

Accounts

Account File: **BROWSE**

Settings

Tweeter Settings

MSG File: **BROWSE**

Tweet Message File:

☐ Tweet With Image

☐ Use Message With Duplicates

☐ All Tweets Per Account

☐ Hash Tags

Tweet Per Day

☐ Use Tweet Per Day

Maximum No Of Tweet Per Day:

No Of Tweets

No. Of Tweets:

Scheduling

Schedule Time: ☐ Is Scheduled Daily


Delay

Delay: to (In Seconds)

Thread Setting

Threads:

Campaigns


Campaign Name	Feature Name		
camp_tweet	Tweet	Edit	

Submit Action

SAVE CAMPAIGN **UPDATE CAMPAIGN** **SHOW ALL STATUS**


a. It's just same like tweet feature.

Campaigns

	Campaign Name	Feature Name		
▶	camp_tweet	Tweet	Edit	

- b. Here you can see created campaign.
- c. You can run it by clicking on run button.
- d. Moreover you can edit this campaign.

2.4.3 Retweet



Features

- ☐ Follow
- ☐ Tweet
- ☒ Retweet
- ☐ Reply

Campaign Name

Campaign Name:

Accounts

Account File: **BROWSE**

Settings

ReTweet Settings

Tweet Keyword:

☐ Re tweet by User Name

Retweet Per Day

☐ UniqueMessage ☐ Use Retweet Per Day Maximum No Of ReTweet Per Day

No. Of Retweets

Scheduling

Schedule Time: To: ☐ Is Scheduled Daily


Delay

Delay to (In Seconds)

Thread Setting

Threads:


Campaigns

	Campaign Name	Feature Name		
	camp_retweet	Retweet	Edit	

Submit Action


SAVE CAMPAIGN **UPDATE CAMPAIGN** **SHOW ALL STATUS**


Campaigns

	Campaign Name	Feature Name		
▶	camp_retweet	Retweet	Edit	

- Here you can see created campaign.
- You can run it by clicking on run button.
- Moreover you can edit this campaign.

2.4.4 Reply



	Campaign Name	Feature Name		
▶	camp_rply	Reply	Edit	

- Here you need to upload tweet file and keyword.
- It will reply based on searched tweets.
- You can see details in log section.

Note:

- Most important thing you can run multiple at campaign same time.
- You can schedule you campaign for future so that at that time you campaign task will run.
- For scheduling you have to make sure that you campaign window should not be close.



WWW.TWTDOMINATOR.COM

Need further help?

Contact us on
Skype: facedominatorsupport
Email: support@twtdominator.com