



Sonic Studio

Digital Audio for Professionals & Enthusiasts



soundBlade HD

ReadMe



soundBlade HD ReadMe Table of Contents

Please Read Before You Begin...	3
Trial Mode —	3
iLok Authorization for Licensed Options –	4
Preferences —	4
Using soundBlade HD With Lion —	4
Mac Host Requirements —	4
Installation —	5
soundBlade HD NoNOISE II Option Installation —	5
Intel Support —	6
Changes Since soundBlade 2.0 (3308)—	6
Changes Since soundBlade 1.3.5 (2894)—	12
System Tuning —	18
Known Issues —	18
Refinements —	19
Implementation Specifics —	20
Using soundBlade HD with Avid® Hardware —	20
Contacting Us —	21
Software Updates —	21
studioCare Support Program —	21
soundBlade Tutorial Videos —	23



soundBlade HD

soundBlade 2.0.1 HD™ ReadMe

May 2012

Please Read Before You Begin...

Thank you for your purchase of soundBlade HD. This file contains important information about the installation and operation of your application. The User Manual, a more complete version of this document, is available in the application's folder.



NOTE: soundBlade 2.0.1 HD uses a new folder to store VST plug-ins that are used within the application. This folder, called 'VST-Sonic', is located at MacIntosh HD/Library/Audio/Plug-ins/.

soundBlade 2.0.1 will look for a VST-Sonic folder in your System Plugins folder. If this folder is found, then the "Standard" VST folder is not scanned during launch. Installing the Sonic EQ 2.6.1 Installer will create the VST-Sonic folder.

By default, the new Preference 'Skip VST Plugins' is selected. This check box disables attaching or scanning the VST plug-ins folder on start-up. Sonic Studio recommends that this checkbox remain selected and that any VST plug-ins necessary for use in soundBlade be duplicated from the VST folder to the VST-Sonic folder in your Audio/Plug-ins folder.

Because this is a start-up option, any change to this preference requires a restart to soundBlade HD for it to take effect.

Trial Mode —

To enable a fully functional 14-day trial of soundBlade HD:

If you own an iLok™ USB smart key:

- 1) Copy the authorization code 1423-8153-9009-4940-3928-2362-0789-30
- 2) Log on to your iLok account and click Redeem License Code in the left margin (Note a PACE iLok is required to demo soundBlade)
- 3) In the next window that appears, paste the trial code from above and click on Get License
- 4) Download your soundBlade and option licenses to your iLok.

soundBlade HD trial includes: soundBlade HD, NoNOISE II SR and Quartet DynPEQ™

If you do not own an iLok USB smart key, we are unable to provide a 14-day trial.

iLok Authorization for Licensed Options –

soundBlade HD requires an iLok to enable any purchased options such as NoNOISE II. If you own one of these options, you must have your iLok updated with a license for your options in order to use them. Send an e-mail to support@sonicstudio.com with your iLok ID and tell us which options you need licensed. There is no charge for this service.

See the Installation section below for more specific instruction about installing Sonic Options.



NOTE: soundBlade 2.0 HD no longer recognizes or uses legacy Sonic Key Files. soundBlade HD and all options are now enabled through iLok licensing. If you are moving from soundBlade 1.3.x, contact us at support@sonicstudio.com to receive your iLok licenses for your Legacy options such as Manual DeClick or BroadBand DeNoise.

Preferences —

Please delete your existing soundBlade preferences prior to using this version!

Double click on the included utility (in the Extras folder) Delete Prefs_sB.command.

This will run the Terminal utility and delete existing soundBlade HD preferences. You can quit Terminal after running.

Using soundBlade HD With Lion —

soundBlade 2.0 LE has been tested and approved for use under Mac OS 10.7 Lion

There is only one reported issue with using soundBlade HD under 10.7:

A CD must be inserted into the host computer's CD drive before running soundBlade HD. Otherwise the CD device is not recognized.

Mac Host Requirements —

At a minimum, soundBlade HD requires the following:

- Apple Macintosh Intel 2.6 GHz minimum or faster preferred
- 17" or larger display
- 4 GB RAM minimum, 8 GB or more preferred
- OS 10.5.8 or newer
- spare USB port for iLok Smart Key
- optional Series 300 DSP I/O Processor or other FireWire Core Audio interface



Note that USB hubs and USB audio or optical disc peripherals are not supported.
NOTE: G4 host is not supported with soundBlade 2.0.



Note that, though soundBlade HD is not supported on PPC hardware, operation with older hardware should be usable as long as the CPU supports the required OS version. Slower hardware, especially older hard disks, may have difficulties “keep-ing up” with the application, however, resulting in drop-outs during playback and possible glitches, interruption or artifacts during deliveries.

Since soundBlade HD uses Core Audio, the quality of your playback and delivered discs will be entirely dependent on the hardware and associated drivers used. Note that soundBlade HD is supported on Macintosh OS versions 10.5.8 or newer for optimal device compatibility as well as CDTEXT support.

PACE InterLok —:

Please note that soundBlade HD is protected with PACE Anti-Piracy’s InterLok copy protection. Your soundBlade HD license is authorized with iLok USB Smart Keys. To request permanent authorization for your iLok USB Smart Key, visit:

www.sonicstudio.com/register

Completing the form will generate an authorization request. We will then place a license for soundBlade HD in your iLok account. Please fill out the form completely to avoid any delay in Authorization of your software.

Installation —

To install soundBlade HD, please click on the soundBlade_LE_201_Installer.pkg. Follow the on-screen instructions to install your software.

soundBlade HD NoNOISE II Option Installation —

soundBlade HD requires the installation of both an iLok license and a Sonic Studio Options File for NoNOISE II FX, NoNOISE II FR or NoNOISE II SR to be enabled for use. Running the appropriate Options Installer, located in your soundBlade app folder’s Sonic Options folder, installs the necessary software.

This does not install the actual option software, it merely enables specific options you have licenses for on your iLok.



soundBlade HD Options Notes:

- 1) Options are installed on the Boot Volume at:
/Library/Application Support/Sonic Studio/Sonic Options 2.0/
- 2) Use the Remove soundBlade HD Options utility for removing options.



NOTE: Only install NoNOISE II options that you have licenses on your iLok for. Installing options that are not on your iLok will make soundBlade launch *very* slowly.

soundBlade Legacy Options Installation —

soundBlade 2.0 no longer uses Key Files to enable Manual DeClick, BroadBand DeNoise and reNOVAator. Instead iLok licenses are used and require the installation of additional software using the provided Options Installer.

This installer is located in the soundBlade HD>Sonic Options>Legacy Options Installer folder. Run Install soundBladeOptions.mpkg.

A dialog box comes up for you to select which options you want to install.

Select (check) only the options you are licensed to use, deselecting all others. This does not install the actual option software, it merely enables specific options you have licenses for on your iLok.

soundBladeOptions Notes:

1. Requires soundBlade 2.0 or later.
2. Legacy Sonic Key Files are no longer supported in soundBlade 2.0 and later.
3. To enable options using iLok please use the Install soundBladeOptions installer.
4. If your iLok has not been authorized for your options please write us: support@sonicstudio.com. Please include your iLok user account.
5. Options are installed on the Boot Volume at:
"/Library/Application Support/Sonic Studio/Sonic Options/"
6. Use Remove SonicOptions.mpkg for removing options.



NOTE: Only install options that you have licenses for on your iLok. Installing options that are not on your iLok will make soundBlade launch ***very*** slowly.

Intel Support —

soundBlade HD is a Universal Binary application and is built to run natively on both Power PC and Intel Macs. An Aggregate Device is no longer needed. If you have any existing Aggregate Device definitions you have created in Audio/MIDI Setup, you can continue to use them as needed.

Changes Since soundBlade 2.0 (3308)—

3350 Release

User Manual and ReadMe updates and enhancements

3347

- Use VST-Sonic for VST Plugins (skip standard VST)
- Add "Use Cocoa" to support new Cocoa plugin code
Disable to use the "older" non-cocoa only Plugin code.
- FixTrack output in SE

3344-

- one more fix for plugins on export
- stop/start when adding plugin (from automation)
- use IDLE loop for set plugin state (for UAD)
- clear unused channels (in Core Audio on output)

3343

- One change for Cocoa Plugins (and state)
- One change for plugins on export.

3342-

- Move setting Plugin State to Idle Loop (fix UAD)
This will have an effect on Plugins
- Clear outputs for Core Audio if SSE is Less tracks (i.e LE and 8 channel IO)

3341

- Fix one issue with securePlayer

3340-

- fix one bug in mono src

3339-

- fix bug in Plugins (crash SEQ, not opening)
- stop play when creating a plugin
- fix mono SRC

3338-

- release versions of manuals
- release 3337
- one more change for Cocoa plugins

3336

- SE Fix setting multiple EDLs preference on launch
- EFM Preferences
Save Button now saves EFM preferences
EFM Window Auto Zoom now set in prefs file
- Fix one bug in CDText

3334 -

- first "welcome to sB"
- Add Save to preferences window
- fix Export Tracks and mark names too long
(ask to shorten, or cancel)
- change to check for a Cocoa UI and use it.

3333-

- Add "Save" Button to Preferences Window

- Error on ExportTracks (if track names are too long)
- One change for Plugins (cocoa, older vst)
- Open Meters/Desk on first boot, do not open Mark Info
- Fix 25 Frames in LE
- Add "welcome" to LE

3332-

- Background Manager
 - Fix SRC of Wave File and (error) on opening in Project
 - Revert to Previous (IZOTOPE) SRC for maintenance release.
 - (Use Shift Key on Boot to run in Debug to use HDSRC)
- one change for SonicEQ 2.6 (showing LE)
- revert Cocoa Plugins Changes (for maintenance release)

3330-

- Background Manager
 - improved error messages on path names in BM
 - add FilterType to SRC
 - Add "Go Fast" to make Background Manager run faster
 - MONO files are NOT processed in Pairs anymore
 - NOTE -You must add ALL Files to the File List to process them
- Fix delay in SRC (at head of file).
- changes for NN option testing
- Add timeout on opening PQ Log
- Cleanup SE UI wave header (buttons were not aligned)
- fix crash if mBit dither is enabled on launch
- Initial Cocoa Plugin Support (first checkin)

3326

- Fix HD / FX and broken Prefs Window
- Fix Sample Rate not being show correctly in Meters Window

NOTE: Sonic HD Sample Rate Converter

This version has a new SRC that is for testing only.

Known Issue: There is a sample offset of 256 samples (it will be fixed).

3325

- SE -cleanup meters window
- fix opening using default project
- fix illegal characters into "/" and ":"
- fix QT status window being cutoff at bottom.
- more on pref hints

3323-

- more work for securePlayer
- add securePlayer to Mark Info Delivery Window
- more work on cleanup/hints in Prefs window

3322-

- disable NOVA menu if no selection
- cleanup on nonoise menus
- fix Sonic EQ le in soundBlade HD
- cleanup on NoNOISE menu commands
- hit 's' to enable "Snap to Zone" while dragging soundfile
- hit 'e' to enable "Snap to Edit" while dragging soundfile
- allow save over EDL (EDL Save As)
- shorten default project names (sBHD,..)
- Add "Show NoNoiseTools" to SE/HD
- Allow "Show NoNOISETools" for all NN options (was just FX)
- Do not use VINYL as default project name

3321-

- Fix one bug when playing 192K file (past end) - would stop before end
Limit is 2 hours of playback (for a single play)
- Stop Playing if user opens a plugin that is NOT under the playhead.

This fixes / prevents resetting state of the plugin (under playhead)

3320-

- Fix opening Project w/ muted plugins (desk events in EDL)
- Warn user to use a new name on Save As (Project)
- One fix for background SRC - please test
- Replace securePlayer with new version (name is securePlayer.app).

3319-

- Fix source destination menu
- Fix meters window (and dither display)
- "Copy Desk Prefs" enabled by default
- Add "Show NNTools" to LE for VINYL UI

3318

- Fix meters window

3317

- remove "File Conversion" from BackMgr
- make E/S selection easier
- remove CPU from meter window
- fix Reset Gain AI Faders (and link pairs)
- fix Prev button in Amarra Player (4330)

3316-

- Fix crash on set digital and 304
- Fix opening 2.3 Gig files.
- Add warning if export is over 4Gig
- Fix missing Feature popup in HD
- Fix incorrect font in panner window

3314

- Fix DDP building waveforms in HD on Open DDP Image
- Fix incorrect display of monitor state on punch-in
- Show correct monitor state when using (PageUp/Down)
- 1117 - Disable editing of EndTrack Mark Name
- 1119 - Fix open soundfile and adding new tracks (if not needed)

3313-

- Fix SRP edit field (too far too right)
- Fix font in rename segment
- Fix Full EQ in HD
- Remove "File Conversion" from BackMgr.
- Do not remove DeleteTracks command in HD menu
- Cleanup window when large (white area)

3312 -

- Fix meter knobs size
- More work on plugin timing (from meters exports null)
- Fix missing SRP/Mark,
- Fix font size in prefs window

3311

- Fix blinking cursor in desk edit field
- Fix Missing LTC window for HD
- Fix NoNOISE II FR not working
- Fix missing EDL Name for Project
- Fix truncated large export (6 channels 1 hour 96K)
- One timing change for plugins
- Add pref for mouse scroll

- Fixes for Amarra Secure Player
 - Rewind / FF work
 - Show current track / total tracks
 - modified UI

Changes Since soundBlade 1.3.5 (2894)—

Universal Binary support was added..

New Features:

- DDP 2.0 support: DDP and CDTEXT DDPs created in soundBlade HD now reference CD TEXT information in the DDPMS and CDTEXT.BIN files. The TS file is still used to deliver CDTEXT to CD-R.
- DDP File Open is now a standard feature
- Sonic EQ VST (full filter set) is now a standard feature
- secure Player Delivery Tool has been added as a standard feature
- Trio DynPEQ from Wholegrain Digital is now a standard feature
- TT Dynamic Range Meter Plug-in is included
- Added support for compressed file playback (ALAC, mp4, mp3, AAC, FLAC)
- Recording up to 192 kHz with NoNOISE FX option.

Fixes. A partial list is below:

General:

- Improved handling of Sample Rate mismatch on startup and opening EDLs/soundfiles
- Improved handling of external Sample Rate changes
- Fix Display of Multiple Gain notes (delta display)
- Fix for Channel 2 mute when copying during playback
- Append ".aif, .wav" to recordings
- BWF Metadata fixes for date, coding history, etc.
- Fixes for Export EDL (bit depth and BWF data)
- Default an empty EDL to match Hardware SR.
- Changes to SRC and addition of DSD to SRC
- Fix waveform bugs
- Enhance TPDF dither
- Fix 1x DDP dump error

Mark Info

- Fixes for crashes in editing in Mark Info window
- Fixes to "Zoom to In/Out Edit Point" key command
- Fix for writing JAM files on Intel-based machines
- Fix inconsistent display and use of offset preferences
- Add auto increment of ISRC, clear fields on closing Project
- Fix crash in making a CD from a DDP (with no project open)
- Fix crash after aborting a CD delivery

Background Manger

Sample Rate Conversion

- Support for all common sample rates added
- Support for audio file type conversion
- Do not build waveforms added
- Improved file name handling
- Improved error message reporting

NoNOISE

- Fix one crash in Type-E DeCrackle
- Enable NoNOISE II Commands for Selected Segments
- Fix Restore Click on selected segments
- Fix stall/improve speed on long E-Type decrackle
- Fix BBDN handling of Sample Rate above 44.1

Export

- Improvements to BWF meta data handling in Export
- Fix dither checking in Export Tracks
- Improved deliveries and sound

Previous additions and fixes:

- Fix for opening sound files whose paths have been corrupted
- Fix for waveform not building on DDP Open
- Improved dither
- Fixes for exporting sound files at 24 bit
- Added .wav file export support
- Menu and command key fixes
- Other general fixes
- Sample Rate Conversion: soundBlade HD now comes with the Background Manager for Sample Rate Conversion to 44100 for CD delivery.

Build 3301

- fix issues w/ NoNOISE menu
- fix Fonts in Export Tracks

Build 3299

- fix warning to save (after saving) and closing project
- fix record enable on track 8

Build 3298

- fix crash in export (if desk strips assigned incorrectly)
- fix resetting of Edit Groups/Desk Strips on opening multichannel EDL

Build 3297

- fix one bug in export/ddp
- fix corruption in preferences file (caused by Audio IO)

Build 3294 (and earlier)

- IO Preferences - Add "Use Core Audio on Launch"
- Change scroll direction using wheel (in EDL)
- Fix one bug in Export that could cause hang

Build 3291

- Capture Plugins on Input recording
- Fix Setting of Auto SRC
- Add Edit After Export (back) to Export Tracks
- Prevent "CPU Overload" alert (when not playing)
- support RME devices (any device with No Settable Clock)

Build 3287

- PQ: - Fix setting of language to "en" for CDText on CD
- EDL: Fix not being able to drag/lock marks.
- QT: Fix crash on close (if movie closed)
- EDL: Add/Fix Shift-click-arrow to extend selection

Build 3279

- Audio IO Preferences
Audio Interfaces are independent of Audio MIDI Setup.
- Fix LTC losing time after an playing for over one hour

Build 3277

- Alert user if non-ascii project name is used (on save)
- Fix background DeCrackle
- Fix incorrect CD-Text if Album artist is missing
Fixes shift of Track Names on loadback
- Desk Events
Fix Option-Drag of Desk Event to Finder
Fixes for dragging plugin settings From Finder
Improvements to desk event handling
- Improvements to QT /LTC
 - fix setting of SMPTE channel
 - improve handling QT lock

Build 3273

- Quartet 1.2.1 release candidate +documentation
- NEW Quartet Trio. Product will be included in 2.0 release.
- Return functionality: CMD+OPT on D and D adds Track End marks to tracks

Build 3270

Change to setting of Wave Header field AvgBytesPerSrc

Build 3269

Code to Detect and Report missed disc transfers

Build 3263

Fix setting of SSE for 16 channel load
Fix use of Import Fade on Drag / Drop (from Preferences)

Build 3257

- Fix for Clock Source not matching Audio Midi Setup (and Sonic Console)
- Fix for Export to stall (ExportTracks also)
- Fixes for ExportTracks and settings
- Fixes for reNOVAtor : Harmonic Dialog

Build 3248

- fix glitch in right-channel of DDP
- fix a crash in stopping play
- fix beachball and Floating Windows
- Quartet 1.2 should work fine now.
- Change for Dragging to 2 seconds
- do not insert space at front

Build 3237

- Fixes for Fade problems (glitch, gain changes, ...)
- Many fixes for Mark Editing

Build 3217

Recording / Export

- Append extension to recordings "aif or .wav"
- Multiple fixes for BWF Metadata
 - sets the date correctly.
 - reset(s) the coding history
- Fixes to ExportTracks to handle bit depth

LTC:

- Enable Software based LTC
- Reset LTC when external Sample Rates changes

Misc:

- Change to Type E decrackle (to prevent it from stalling)
- Fix multiple bugs with FLAC and other compressed playbacks
(note requires new FLAC QuickTime decoder to use)
- Added File Conversion (for FLAC) to background Manager

Build 3216

- Improvements to LTC timestamp
- More on priorities

Build 3215

- Add auto-increment to ISRC
- Default an empty EDL to match Hardware SR.
- New Scheduler for SSE processing
- Fix not see an 304 (change in Firmware broke this)
- Take an LTC timestamp when recording (does not require LTC slave anymore)
- General Improvements to LTC (with 303/304)

Build 3213

- Fix PQ Read Burst (tested w/ sonic, sadie, and daq)
Please test on PPC.
- LTC Reader
 - Remove check for EnableLTC flag
The flag file is not needed anymore on 2.0
 - 302 now uses channel 2 by default for reader and generator
 - Add Support for LTC Reader on Non-Sonic IO boxes
- LTC Generator
 - Please Note the Sonic IO has its own LTC Generator and should be tested.
 - There is No Support for LTC Generator on Non-Sonic IO boxes
- Fix crash in making a CD from a DDP (with no project open)
- Fix one crash after aborting a CD.

Build 3212

- Improve handling of arrow keys in Mark Info
- More work on FLAC, mp3, and other compressed formats
- Fix bug in Background SRC to obey start/end times
(for segments dragged from an EDL)
- Add PQ Read Burst to Mark Menu (for testing on PPC)
- Clean LTC handling window (for testing)

Build 3211

- Fix "Collapse" menu not working on first try in EDL view
- Fix Restore Click and selected segments
- Fix graphic issue with collapsed EDLs and Zoom Lock
- Many fixes (rewrite) of SRC
- Add DSD to SRC
- Fix BBDN for sample rates above 44.1

Build 3210

- Open Panner when selected in EDL
- fix one case of waveform not building

Build 3208

- Fix waveforms
- Fix crash on close of EDL

Build 3207

- More fixes for SRC.
- Enable NoNoise commands for selected segments
- Add "Feature Edit Group" command to the Feature Popup.
- Fix Crashes in Mark Info when tabbing around artist/ISRC fields

Build 3206

- Fixes for Sample Rate Conversion
- Fix Initialization of plugin sample rate
- Fix Sonic EQ plugin settings on first open (may apply to all plugins).

Build 3194

- Fix one crash on opening Nova window
- Fix error message "DDP could not fit..."
- Only show "Declick too small" message once.
- Fix "f" key command for feature/collapse
- Add "Enable Debugging" command to System Information menu
- Fix "Zoom to In/Out Edit Point" key commands (cmd-arrow)
- Fix QuickTime following Edit Point in EDL

Build 3192

- Fix crash in undo
- Fix Outputs in Sixteen Channel Mode
- Fix Display of Timecode field (Slave Mode in EDL)

Build 3190

- Fix crash in DeKrackle
- fix resize of Project if more than 2 EDLs
- Add Interleave to Export EDL command
- Fix Fast Export AIFF/WAV
- Please test reverse

Build 3178

- Fix Resource problems with EDL Plugins
- Fixes some CPU overload as well

Build 3173

- Fix Peak Hold
- Add support for 32 PCM AIFF Files
- Small Fix for EDL plugins (prevent a crash on close)
- Fix Level in open desk setups.

Build 3171:

- Fix mBit not processing
- #__ - Fix "Delete Selected Plugin"
- #__ - Stop/Start play when adding a plugin (to hear it).
- 00795 - Fixes for track view in EDL Tiny/Small Sizes
- 00794 - Fix Resize of Window when closing an EDL.

Build 3169:

- Handle error in DDP and do not make CD.
- Cleanup Delivery on abort -
(fixes the "Only one active background job...")
- Fix crash one using up/down arrows and fields in MI
- Fix for 'click' sound when changing SR on 302.

Build 3167:

- fix AIFF export
- fix JAM export (needs testing on G5)

Build 3164:

Desk: Fixes for Desk Settings with open/save/switch EDLS

Export: Fix 24 bit export

Misc: Add scroll wheel support

Added move EDL command

NoNoise: Fix bugs with Background DeCrackle, support timestamp

System Tuning —

There are a number of changes recommended to improve performance and stability.

- Apple Key Commands for Spotlight, Encore and other applications interfere with the keys for certain commands. They should be disabled in System Preferences...

- We have found that on most Mac systems, Apple's Spotlight can seriously affect not only soundBlade HD's performance, but other audio applications as well. We recommend disabling Spotlight as a step to resolving problems related to sound file skipping during playback or record.

To turn off Spotlight for a specific folder, volume or drive:

1) From the Apple menu in the top left corner of your screen, select System Preferences...

2) In the Personal section, select Spotlight, then select the Privacy tab.

3) Click the + button in the lower left corner and select the folder, volume or drive to be excluded. You can also drag the desired item to the list.

Start by preventing Spotlight from searching these locations:

- Your Home Folder
- Your internal or external audio drives
- Any back up drives connected

While disabling Spotlight completely on your Home Folder is an effective step in troubleshooting, it may not be the best permanent solution for some users. For more specific instructions on troubleshooting Spotlight, see:

<http://www.macfixit.com/article.php?story=20061109235901299>

Avoid running e-mail, browsers, or other applications while exporting or delivering DDPs, CDs.

Known Issues —

- Auto Space duration not respected with multiple files via Drag & Drop.

Work-around: Command-Drag & Drop, clear or edit Marks as needed.

- Edit menu->Auto Space All Segments command with Marks produces error -20200.

Work-around: Clear Marks, execute command, remark project as needed

- Audio File Conversion in Background Manager produces crash

Work-around: Use Export Soundfile or ExportTrack for File Conversion

- Sound files with names longer than 27 characters or special characters may prevent waveform metadata from being built. This may also prevent sample rate conversion from progressing.

Work-around: Rename file with <28 standard alphanumeric characters.

- Sample Rate Conversion of AIFC files is not supported.

- Because soundBlade HD employs the CD writing functions built into Mac OS, 3rd party optical disc writers are handled differently than Apple-supplied, in-built drives. A simple and inexpensive application, Christian Moeller's PatchBurn < www.patchburn.de>, creates a "Device Profile" used by the operating system when addressing the drive. NOTE: Patchburn is not necessary in Mac OS 10.5 (Leopard) or later.

- When using a 3rd party FireWire–attached CD-R or DVD-R drive, the device must be powered up and attached prior to starting soundBlade HD in order for the application to recognize the drive. To prevent rare but expensive repairs to your equipment, always plug in FireWire peripherals with power off, then power on afterwards.
- When rearranging CDTracks in the Mark Info window, Track 1 cannot be moved.
Work-around: MoveTrack 1 using theTrack Bar within Project.
- When dragging fades, sometimes the audio underneath the fade will move or be unintentionally offset on the time-line.
Work-around: Undo the fade change, perform the fade move again and then turn the fade tool off until needed to protect your fade settings.
- Occasionally, stereo playback or editing will break momentarily.
Work-around: Click on the mono Edit Mode button and back to stereo again to reset.
- Some audio devices have not been tested and certified as compatible with soundBlade HD. Our 3rd Party Compatibility page list products and their status at:
www.sonicstudio.com/support/3rdparty.html
- If segments are moved after PQ Marks have been placed, your mark locations must be checked.
- If sound files are part of a Project when saved as a Default Project, the sound files will be referenced in all default Projects. Always save an empty Default Project.

Refinements —

- Response time for the user interface is improved.
- The maximum open file limit has been increased to 10,240 files.
- The PQ Listing now shows the CDTrack, Artist and Album names.
- Opening .sd2 files with Region Markers, and Create Marks enabled, has been fixed.
- The ability to drag or drop an IMAGE.DAT file into a Project has been added.
- Fixed bug in the delivery of blank CDs when no Panels are selected in the Project.
- The delivery of DDP file sets will now always use the Destination Edit Group and top Panel in a Project. This change addresses the creation of empty DDP file sets.
- A change has been made which suspends background processing during auditions. This improves foreground process performance.
- Checking for the presence of valid iLoks when opening New Projects has been optimized to reduce the time required.
- Improvements have been made to reduce late read/writes during Delivery.
- Improvements to handle DDP file sets with more than one audio or DDPMS file.
- The PQ Listing now shows the CDTrack, Artist and Album names.
- Improvements have been made to naming abilities in the Export Sound File process.
- The application returns an error if two Start ofTrack Marks are at same location.
- Improvements have to file name handling and waveform metadata creation.
- The Reverse Soundfile command has been fixed.
- The default behavior of command–dragging sound files into a Project has changed. In this release, holding down the command key when releasing a dragged sound file into a Project causes soundBlade HD to create Start ofTrack Marks for each sound file. To revert to the legacy behavior of Start and End of Track Marks, hold down the command and option keys prior to dropping sound files onto the top Panel.
- A fix has been made to address crashes on undo.
- A fix has been made to address crashes when quitting the application.
- A fix has been made to the Auto Space function so as to correctly read its preference setting.
- A fix has been made to handle extended ASCII characters with diacritical marks.
- A fix has been made to DDP deliveries when aborting and starting another job.

- A fix has been made to some menu items in soundBlade HD.
- Fixes have been made to clarify menu entries in soundBlade HD.
- A fix has been made that allows Shift-G to bring up the Gain dialog in Mark Info.
- A fix has been made to meter scaling in the Details window.
- A fix has been made to burn CDText and ISRC with open session CD-Rs.

Implementation Specifics —

Please take note that the following features may seriously affect your use of this application:

- DDP file sets created by soundBlade HD are “source-mode complete.” This means that 2 seconds of *pregap* are present, with silence before the first SOT (Start ofTrack) mark. DDP file sets created by some vendors are “source-mode incomplete,” and are lacking the 2 second pregap.
- Note that, in the Speed menu, the descriptors are provided as a guide and are not explicit. Your actual delivery speed is host-specific and may vary from the stated rate.
- If segments are moved after PQ Marks have been placed, your mark locations must be checked.
- If sound files are part of a Project when saved as a Default Project, the sound files will be referenced in all default Projects. Always save an empty Default Project.

Using soundBlade HD with Avid® Hardware —

With the release of ProTools 9, the integration of soundBlade HD and Avid hardware became very easy. Just make sure that your Digidesign hardware setup is predefined in Audio MIDI Set Up as ‘Default Input’, ‘Default Output and ‘Properties For’ with OS 10.5, or ‘Use This Device For Sound Input’ and ‘Use This Device For ‘Sound Output’ with OS 10.6 and 10.7.

For older ProTools 7 hardware, you can add soundBlade HD to the list of recognized applications in the Digidesign CoreAudio Manager. Refer to Digidesign’s CoreAudio Usage Guide for information on associating soundBlade HD with your Pro Tools hardware and configuring the Digidesign CoreAudio Manager.

Please refer to Digidesign’s site for more information:

www.digidesign.com/download/coreaudio

for the current version. Also see:

www.digidesign.com/index.cfm?langid=1&navid=54&itemid=24268&media.digidesign.com/support/docs/CoreAudio_Drivers_Guide_v73_32943.pdf

You should have the most recent version of the Digidesign CoreAudio Driver installed for seamless operation.

Basic instructions:

- Run the Digidesign CoreAudio Setup Application
- Select “Supported Applications...”

- Select "Add New "
- Choose the soundBlade HD application and add it to the Digidesign CoreAudio driver's list of supported applications.

Contacting Us —

Thanks again for purchasing a Sonic Studio product. We really appreciate your patronage and are always interested in your experiences with soundBlade HD.

For bug reports and support issues, visit

www.sonicstudio.com/sonic/support/sonic_support.html

or email us

support@sonicstudio.com

To suggest new features for our products, e-mail us at

enhancements@sonicstudio.com

For up-to-date information on all of Sonic Studio's products, visit

www.sonicstudio.com/products

Software Updates —

Updates to soundBlade HD are available in the Downloads section of the Sonic Studio website.

http://www.sonicstudio.com/sonic/support/sonic_support.html#DOWNLOAD

studioCare Support Program —

Why Do You Need studioCare?:

Sometimes things don't quite go as expected – usually with a deadline looming! Sonic Studio's studioCare program gives you fast access to highly skilled and experienced engineers with a passion for audio as well as the capability to provide a solution. studioCare compliments the 30-day tech support that's included with your software, extending and enhancing the value your product with high-priority response to your software and hardware questions. From the casual home studio to the largest corporate facility, you can count on studioCare to keep you ahead of the curve.

What Is studioCare?:

studioCare is Sonic Studio LLC's professional priority support program. Designed with your needs in mind, it's like having a technician on call, reducing downtime by prioritizing your incoming support requests. As a studioCare user, you can rest assured with:

- Priority support during regular Sonic Studio business hours.
- Scheduled support sessions 7 days a week.

- Access to pre-release software updates and patches
- Remote diagnosis and problem solving
- Getting answers - No question too simple or complex
- Recurring billing - keeps your coverage current

Annual Support & Maintenance Program:

	Priority Email	Software Updates	Telephone Support	Remote Log-On	Cost/Year USD*
studioCare HD	√	√	Unlimited	Unlimited	\$495.00*

*studioCare will cost more in regions outside USA. Please contact sales@sonicstudio.com for a quote.

[Click here to purchase studioCare HD NOW!](#)

On Demand Support Offerings:

studioCare QuickStart for Sonic Studio products– 1 hour of remote setup assistance and training for soundBlade, NoNOISE or Series 300 Hardware. Price is per product.
\$125.00 – one-time charge.





[Click here to purchase studioCare QuickStart NOW!](#)

On-Demand Support-- Get help from trained Sonic Studio support techs with expert troubleshooting and usage experience. No annual contract.
\$85.00/Incident

[Click here to purchase On-Demand Support NOW!](#)

soundBlade Tutorial Videos —

These video tutorial provide important instructions and tips for using our products. These videos target our soundBlade LE product, but the concepts apply to all soundBlade workstations.

 <p>PreMaster CD Installation and set-up</p> <p>Introduction And Installation</p>	 <p>soundBlade LE How To Make A Quick CD</p> <p>How To Make A Quick CD</p>
 <p>soundBlade LE Navigating The Project Window</p> <p>Basic Navigation</p>	 <p>soundBlade LE Advanced Editing Techniques</p> <p>Advanced Editing Techniques</p>

sBHD_201_ReadMe_v1r06

© 2012 Sonic Studio, LLC • 330 Sir Francis Drake Blvd. • Suite A • San Anselmo CA 94960-2552 • 1-415-944-7642
soundBlade, soundBlade HD, sonicstudio.com, the Sonic Studio logo and type are trademarks of Sonic Studio, LLC in the United States and other countries. All other trademarks, trade names, service marks, and logos referenced herein belong to their respective companies.