

User Manual for datatool bundle version 2.10

Nicola L.C. Talbot

School of Computing Sciences
University of East Anglia
Norwich, Norfolk
NR4 7TJ, United Kingdom.

<http://theoval.cmp.uea.ac.uk/~nlct/>

2012-07-18

The datatool bundle comes with the following documentation:

datatool-user.pdf This document is the main user guide for the datatool bundle.

datatool.pdf Advanced users wishing to know more about the inner workings of all the packages provided in the datatool bundle should read “Documented Code for datatool v2.10”

INSTALL Installation instructions.

CHANGES Change log.

README Package summary.

The datatool bundle is provided to help perform repetitive commands, such as mail merging, but since $\text{T}_{\text{E}}\text{X}$ is designed as a typesetting language, don't expect this bundle to perform as efficiently as custom database systems or a dedicated mathematical or scripting language.

This bundle consists of the following packages:

datatool Main package providing database support. Automatically loads datatool-base.

datatool-base Provides the main library code for numerical and string functions. Automatically loads datatool-fp or datatool-pgfmath depending on package options.

databar Package for drawing bar charts. Automatically loads datatool.

datapie Package for drawing pie charts. Automatically loads datatool.

dataplot Package for drawing simple line graphs. Automatically loads datatool.

databib Package for loading a bibliography into a database. Automatically loads datatool.

person Package for referencing people by the appropriate gender pronouns. Automatically loads datatool.

In addition, there are two mutually exclusive packages datatool-fp and datatool-pgfmath that provide mathematical related commands that are just wrapper functions for fp or pgfmath commands. These can be loaded individually without loading datatool. For example, the following documents produce the same results, but the first uses the fp package and the second uses the pgfmath package:

1. Using fp macros:

```
\documentclass{article}
\usepackage{datatool-fp}
\begin{document}
1=2: \dtlifnumeq{1}{2}{true}{false}.
\end{document}
```

2. Using pgfmath macros:

```
\documentclass{article}
\usepackage{datatool-pgfmath}
\begin{document}
1=2: \dtlifnumeq{1}{2}{true}{false}.
\end{document}
```

Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 2 |
| 2 | Data Types | 4 |
| 2.1 | Conditionals | 5 |
| 2.2 | ifthen conditionals | 16 |
| 3 | Fixed Point Arithmetic | 22 |
| 4 | Strings | 32 |
| 5 | Databases | 35 |
| 5.1 | Creating a New Database | 35 |
| 5.2 | Loading a Database from an External ASCII File | 38 |
| 5.3 | Displaying the Contents of a Database | 42 |
| 5.4 | Iterating Through a Database | 48 |
| 5.5 | Null Values | 63 |
| 5.6 | Editing Database Rows | 66 |
| 5.7 | Arithmetical Computations on Database Entries | 68 |
| 5.8 | Sorting a Database | 73 |
| 5.9 | Saving a Database to an External File | 78 |
| 5.10 | Deleting or Clearing a Database | 79 |
| 5.11 | Advanced Database Commands | 79 |
| 5.11.1 | Operating on Current Row | 83 |
| 6 | Pie Charts (datapie package) | 86 |
| 6.1 | Pie Chart Variables | 93 |
| 6.2 | Pie Chart Label Formatting | 93 |
| 6.3 | Pie Chart Colours | 94 |
| 6.4 | Adding Extra Commands Before and After the Pie Chart | 97 |
| 7 | Scatter and Line Plots (dataplot package) | 99 |
| 7.1 | Adding Information to the Plot | 107 |
| 7.2 | Global Plot Settings | 108 |
| 7.2.1 | Lengths | 108 |
| 7.2.2 | Counters | 109 |
| 7.2.3 | Macros | 110 |
| 7.3 | Adding to a Plot Stream | 111 |

| | | |
|-----------|--|------------|
| 8 | Bar Charts (databar package) | 115 |
| 8.1 | Changing the Appearance of a Bar Chart | 117 |
| 9 | Converting a BIB_TE_X database into a datatool database (databib package) | 129 |
| 9.1 | BIB _T E _X : An Overview | 129 |
| 9.1.1 | BIB _T E _X database | 130 |
| 9.2 | Loading a databib database | 133 |
| 9.3 | Displaying a databib database | 134 |
| 9.4 | Changing the bibliography style | 138 |
| 9.4.1 | Modifying an existing style | 138 |
| 9.5 | Iterating through a databib database | 143 |
| 9.6 | Multiple Bibliographies | 145 |
| 10 | Referencing People (person package) | 149 |
| 10.1 | Defining and undefining people | 149 |
| 10.2 | Displaying information | 150 |
| 10.3 | Advanced commands | 156 |
| 10.3.1 | Conditionals | 156 |
| 10.3.2 | Iterating through defined people | 158 |
| 10.3.3 | Accessing individual information | 158 |
| | Bibliography | 160 |
| | Acknowledgements | 161 |
| | Index | 162 |

List of Examples

| | | |
|----|--|-----|
| 1 | Displaying the Contents of a Database | 43 |
| 2 | Balance Sheet | 47 |
| 3 | Student scores | 49 |
| 4 | Student Scores—Labelling | 51 |
| 5 | Filtering Rows | 52 |
| 6 | Breaking Out of a Loop | 54 |
| 7 | Stripy Tables | 55 |
| 8 | Two Database Rows per Tabular Row | 56 |
| 9 | Iterating Through Keys in a Row | 57 |
| 10 | Nested <code>\DTLforeach</code> | 60 |
| 11 | Dynamically Allocating Field Name | 62 |
| 12 | Null Values | 63 |
| 13 | Editing Database Rows | 67 |
| 14 | Arithmetical Computations | 68 |
| 15 | Mail Merging | 72 |
| 16 | Sorting a Database | 74 |
| 17 | Influencing the sort order | 77 |
| 18 | Two Database Rows Per Tabular Row (Column-Wise) | 82 |
| 19 | A Pie Chart | 88 |
| 20 | Separating Segments from the Pie Chart | 90 |
| 21 | Changing the Inner and Outer Labels | 93 |
| 22 | Changing the Inner and Outer Label Format | 94 |
| 23 | Pie Segment Colours | 96 |
| 24 | Adding Information to the Pie Chart | 98 |
| 25 | A Basic Graph | 102 |
| 26 | Plotting Multiple Data Sets | 105 |
| 27 | Adding Information to a Plot | 107 |
| 28 | Adding to a Plot Stream | 112 |
| 29 | Plotting Multiple Keys in the Same Database | 112 |
| 30 | A Basic Bar Chart | 117 |
| 31 | A Labelled Bar Chart | 121 |
| 32 | Profit/Loss Bar Chart | 121 |
| 33 | A Multi-Bar Chart | 124 |
| 34 | Creating a list of publications since a given year | 136 |
| 35 | Creating a list of my 10 most recent publications | 137 |
| 36 | Compact bibliography | 141 |
| 37 | Highlighting a given author | 141 |

| | | |
|----|---|-----|
| 38 | Separate List of Journals and Conference Papers | 144 |
| 39 | Multiple Bibliographies | 146 |
| 40 | Order of Service (Memorial) | 152 |
| 41 | Order of Service (Baptism) | 154 |
| 42 | Mail Merging Using Appropriate Gender | 155 |

List of Figures

| | | |
|------|--|-----|
| 6.1 | A pie chart | 89 |
| 6.2 | A pie chart (outer labels set) | 89 |
| 6.3 | A pie chart (rotation enabled) | 90 |
| 6.4 | A pie chart with cutaway segments | 91 |
| 6.5 | A pie chart with cutaway segments (<code>cutaway={1-2}</code>) | 92 |
| 6.6 | A pie chart with cutaway segments (<code>cutaway={1,2}</code>) | 92 |
| 6.7 | A pie chart (changing the labels) | 94 |
| 6.8 | A pie chart (changing the label format) | 95 |
| 6.9 | A pie chart (using segment colours and outline) | 97 |
| 6.10 | An annotated pie chart | 98 |
| | | |
| 7.1 | A scatter plot | 103 |
| 7.2 | A line plot | 104 |
| 7.3 | A scatter plot (multiple datasets) | 106 |
| 7.4 | A scatter plot (with a legend) | 106 |
| 7.5 | A scatter plot (using the end plot hook to annotate the plot) | 108 |
| 7.6 | Adding to a plot stream | 112 |
| 7.7 | Time to growth data (plotting from the same database using different keys) | 114 |
| | | |
| 8.1 | A basic bar chart | 118 |
| 8.2 | A bar chart (labelled) | 122 |
| 8.3 | Profits for 2000–2003 (a horizontal bar chart) | 124 |
| 8.4 | Student marks (a multi-bar chart) | 126 |
| 8.5 | Student marks (annotating a bar chart) | 128 |

List of Tables

| | | |
|------|---|----|
| 5.1 | Special character mappings used by <code>\DTLloadrawdb</code> | 41 |
| 5.2 | Time to Growth Data | 44 |
| 5.3 | Balance Sheet | 48 |
| 5.4 | Student scores (displaying a database in a table) | 50 |
| 5.5 | Student scores (labelling rows) | 53 |
| 5.6 | Top student scores (filtering rows using <code>\DTLisgt</code>) | 53 |
| 5.7 | Student scores (B) — filtering rows using <code>\DTLisopenbetween</code> | 54 |
| 5.8 | First Three Rows | 55 |
| 5.9 | A stripy table (illustrating the use of <code>\DTLifoddrow</code>) | 56 |
| 5.10 | Two database rows per tabular row (illustrating the use of <code>\DTLifoddrow</code>) | 57 |
| 5.11 | Student Scores (Iterating Through Keys) | 57 |
| 5.12 | Student Scores (Using <code>\dtlforeachkey</code> and <code>\DTLforeachkeyinrow</code>) | 58 |
| 5.13 | Student Scores (Filtering Out a Column) | 60 |
| 5.14 | Temperature = 25, NaCl = 4.7, pH = 0.5 (illustrating nested <code>\DTLforeach</code>) | 61 |
| 5.15 | Temperature = 25, NaCl = 4.8, pH = 1.5 (illustrating nested <code>\DTLforeach</code>) | 61 |
| 5.16 | Temperature = 30, NaCl = 5.12, pH = 4.5 (illustrating nested <code>\DTLforeach</code>) | 61 |
| 5.17 | Club Membership | 62 |
| 5.18 | Student marks (with averages) | 68 |
| 5.19 | Student scores (using arithmetic computations) | 69 |
| 5.20 | Student scores (sorted by score) | 75 |
| 5.21 | Student scores (sorted by name) | 75 |
| 5.22 | Student scores (case sensitive sort) | 76 |
| 5.23 | Student scores (case ignored when sorting) | 77 |
| 5.24 | Student scores (influencing the sort order) | 78 |
| 5.25 | Two database rows per tabular row (column-wise) | 83 |

1 Introduction

The datatool bundle consists of the following packages: datatool (which loads datatool-base and either datatool-fp or datatool-pgfmath), datapie, dataplot, databar and databib.

The datatool package can be used to:

- Create or load databases.
- Sort rows of a database (either numerically or alphabetically, ascending or descending).
- Perform repetitive operations on each row of a database (e.g. mail merging). Conditions may be imposed to exclude rows.
- Package Options:
 - verbose** Boolean key. If true, prints informational messages in transcript.
 - math** May take one of two values: fp (load datatool-fp) or pgfmath (load datatool-pgfmath). Default is: fp.
 - delimiter** Delimiter used in CSV files. Default is a double quote (").
 - separator** Delimiter used in CSV files. Default is a comma (,).

The datatool-base package can be used to:

- Determine whether an argument is an integer, a real number, currency or a string. (Scientific notation is currently not supported.) Locale dependent number settings are supported (such as a comma as a decimal character and a full stop as a number group character).
- Convert locale dependent numbers/currency to the decimal format required by the fp or pgfmath packages, enabling fixed point arithmetic to be performed on elements of the database.
- Names can be converted to initials.
- Determine if strings are all upper or lower case.
- Perform string comparisons (both case sensitive and case insensitive).
- Package Options:

verbose Boolean key. If true, prints informational messages in transcript.

math May take one of two values: fp (load datatool-fp) or pgfmath (load datatool-pgfmath). Default is: fp.

The datapie package (see [chapter 6](#)) can be used to convert a database into a pie chart:

- Segments can be separated from the rest of the chart to make them stand out.
- Colour/grey scale options.
- Predefined segment colours can be changed.
- Hooks provided to add extra information to the chart

The databar package (see [chapter 8](#)) can be used to convert a database into a bar chart:

- Colour/grey scale options.
- Predefined bar colours can be changed.
- Hooks provided to add extra information to the chart

(The datapie and databar packages do not support the creation of 3D charts, and I have no plans to implement them at any later date. The use of 3D charts should be discouraged. They may look pretty, but the purpose of a chart is to be informative. Three dimensional graphics cause distortion, which can result in misleading impressions. The pgf manual provides a more in-depth discussion on the matter.)

The dataplot package (see [chapter 7](#)) can be used to convert a database into a two dimensional plot using markers and/or lines. Three dimensional plots are currently not supported.

The databib package (see [chapter 9](#)) can be used to convert a BIB_TE_X database into a datatool database.

2 Data Types

The datatool-base package recognises four data types: integers, real numbers, currency and strings.

Integers An integer is a sequence of digits, optionally groups of three digits may be separated by the number group character. The default number group character is a comma (,) but may be changed using `\DTLsetnumberchars` (see below).

Real Numbers A real number is an integer followed by the decimal character followed by one or more digits. The decimal character is a full stop (.) by default. The number group and decimal characters may be changed using

`\DTLsetnumberchars`

```
\DTLsetnumberchars { <number group character> } { <decimal character> }
```

Note that scientific notation is not supported, and the number group character may not be used after the decimal character.

Currency A currency symbol followed by an integer or real number is considered to be the currency data type. There are two predefined currency symbols, `\$` and `\pounds`. In addition, if any of the following commands are defined at the start of the document, they are also considered to be a currency symbol: `\texteuro`, `\textdollar`, `\textstirling`, `\textyen`, `\textwon`, `\textcurrency`, `\euro` and `\yen`. Additional currency symbols can be defined using

`\DTLnewcurrencysymbol`

```
\DTLnewcurrencysymbol { <symbol> }
```

Strings Anything that doesn't belong to the above three types is considered to be a string.

2.1 Conditionals

The following conditionals are provided by the datatool-base package:

`\DTLifint`

```
\DTLifint{<text>}{<>true part>}{<>false part>}
```

If *<text>* is an integer then do *<>true part>*, otherwise do *<>false part>*. For example

```
\DTLifint{2536}{integer}{not an integer}
```

produces: integer.

The number group character may appear in the number, for example:

```
\DTLifint{2,536}{integer}{not an integer}
```

produces: integer. However, the number group character may only be followed by a group of three digits. For example:

```
\DTLifint{2,5,3,6}{integer}{not an integer}
```

produces: not an integer. The number group character may be changed. For example:

```
\DTLsetnumberchars{.}{,}%  
\DTLifint{2,536}{integer}{not an integer}
```

this now produces: not an integer, since 2,536 is now a real number. Note that nothing else can be appended or prepended to the number. For example:

```
\DTLsetnumberchars{,}{.}%  
\DTLifint{2,536m}{integer}{not an integer}
```

produces: not an integer.

`\DTLifreal`

```
\DTLifreal{<text>}{<>true part>}{<>false part>}
```

If *<text>* is a real number then do *<>true part>*, otherwise do *<>false part>*. For example

```
\DTLifreal{1000.0}{real}{not real}
```

produces: real.

Note that an integer is not considered a real number:

```
\DTLifreal{1,000}{real}{not real}
```

produces: not real.
Whereas

```
\DTLifreal{1,000.0}{real}{not real}
```

produces: real.
However

```
\DTLsetnumberchars{,}{,}%  
\DTLifreal{1,000}{real}{not real}
```

produces: real since the comma is now the decimal character.
Currency is not considered to be real:

```
\DTLsetnumberchars{,}{.}%  
\DTLifreal{\$1.00}{real}{not real}
```

produces: not real.

`\DTLifcurrency`

```
\DTLifcurrency{<text>}{<>true part>}{<>false part>}
```

If *<text>* is currency, then do *<>true part>*, otherwise do false part. For example:

```
\DTLifcurrency{\$5.99}{currency}{not currency}
```

produces: currency. Similarly:

```
\DTLifcurrency{\pounds5.99}{currency}{not currency}
```

produces: currency. Note, however, that

```
\DTLifcurrency{US\$5.99}{currency}{not currency}
```

produces: not currency. If you want this to be considered currency, you will have to add the sequence `US\$` to the set of currency symbols:

```
\DTLnewcurrencysymbol{US\$}%  
\DTLifcurrency{US\$5.99}{currency}{not currency}
```

this now produces: currency.

This document has used the `textcomp` package which defines `\texteuro`, so this is also considered to be currency. For example:

```
\DTLifcurrency{\texteuro5.99}{currency}{not currency}
```

produces: currency.

The preferred method is to display the euro symbol in a sans-serif font, but

```
\DTLifcurrency{\textsf{\texteuro}5.99}{currency}{not currency}
```

will produce: not currency.

It is better to define a new command, for example:

```
\DeclareRobustCommand*\euro{\textsf{\texteuro}}
```

and add that command to the list of currency symbols. In fact, in this case, if you define the command `\euro` in the preamble, it will automatically be added to the list of known currency symbols. If however you define `\euro` in the document, you will have to add it using `\DTLnewcurrencysymbol`. For example:

```
\newcommand*\euro{\textsf{\texteuro}}%  
\DTLnewcurrencysymbol{\euro}%  
\DTLifcurrency{\euro5.99}{currency}{not currency}
```

produces: currency.

`\DTLifcurrencyunit`

```
\DTLifcurrencyunit{<text>}{<symbol>}{<>true part>}{<>false part>}
```

If `<text>` is currency, and uses `<symbol>` as the unit of currency, then do `<>true part>` otherwise do `<>false part>`. For example:

```
\DTLifcurrencyunit{\$6.99}{\$}{dollars}{not dollars}
```

produces: dollars. Another example:

```
\def\cost{\euro10.50}%  
\DTLifcurrencyunit{\cost}{\euro}{euros}{not euros}
```

produces: euros.

`\DTLifnumerical`

```
\DTLifnumerical{<text>}{<>true part>}{<>false part>}
```

If `<text>` is numerical (either an integer, real number or currency) then do `<>true part>` otherwise do `<>false part>`. For example:

```
\DTLifnumerical{1,000.0}{number}{string}.
```

produces: number. Whereas

```
\DTLsetnumberchars{.}{,}%  
\DTLifnumerical{1,000.0}{number}{string}.
```

produces: string. Since the number group character is now a full stop, and the decimal character is now a comma. (The number group character may only appear before the decimal character, not after it.)

Currency is also considered to be numerical:

```
\DTLsetnumberchars{,}{.}%  
\DTLifnumerical{\$1,000.0}{number}{string}.
```

produces: number.

`\DTLifstring`

```
\DTLifstring{<text>}{<>true part>}{<>false part>}
```

This is the opposite of `\DTLifnumerical`. If *<text>* is not numerical, do *<>true part>*, otherwise do *<>false part>*.

`\DTLifcasedatatype`

```
\DTLifcasedatatype{<text>}{<string case>}{<int case>}{<real case>}{<currency case>}
```

If *<text>* is a string do *<string case>*, if *<text>* is an integer do *<int case>*, if *<text>* is a real number do *<real case>*, if *<text>* is currency do *<currency case>*. For example:

```
\DTLifcasedatatype{1,000}{string}{integer}{real}{currency}
```

produces: integer.

`\dtlifnumeq`

```
\dtlifnumeq{<num1>}{<num2>}{<>true part>}{<>false part>}
```

If *<num1>* is equal to *<num2>*, then do *<>true part>*, otherwise to *<>false part>* where *<num1>* and *<num2>* are plain numbers using a full stop as the decimal point and no number group separator. For currency or locale dependent numbers use `\DTLifnumeq`.

`\DTLifnumeq`

```
\DTLifnumeq{<num1>}{<num2>}{<>true part>}{<>false part>}
```

If *<num1>* is equal to *<num2>*, then do *<>true part>*, otherwise do *<>false part>*. Note that both *<num1>* and *<num2>* must be numerical (either integers, real numbers or currency). The currency symbol is ignored when determining equality. For example

```
\DTLifnumeq{\pounds10.50}{10.5}{true}{false}
```

produces: true, since they are considered to be numerically equivalent. Likewise:

```
\DTLifnumeq{\pounds10.50}{\$10.50}{true}{false}
```

produces: true.

`\DTLifstringeq`

```
\DTLifstringeq{⟨string1⟩}{⟨string2⟩}{⟨true part⟩}{⟨false part⟩}
```

`\DTLifstringeq*`

```
\DTLifstringeq*{⟨string1⟩}{⟨string2⟩}{⟨true part⟩}{⟨false part⟩}
```

If $\langle string1 \rangle$ and $\langle string2 \rangle$ are the same, then do $\langle true part \rangle$, otherwise do $\langle false part \rangle$. The starred version ignores the case, the unstarred version is case sensitive. Both $\langle string1 \rangle$ and $\langle string2 \rangle$ are considered to be strings, so for example:

```
\DTLifstringeq{10.50}{10.5}{true}{false}
```

produces: false.

Note that

```
\DTLifstringeq{Text}{text}{true}{false}
```

produces: false, whereas

```
\DTLifstringeq*{Text}{text}{true}{false}
```

produces: true, however it should also be noted that many commands will be ignored, so:

```
\DTLifstringeq{\uppercase{t}ext}{text}{true}{false}
```

produces: true.

Spaces are considered to be equivalent to `\space` and `~`. For example:

```
\DTLifstringeq{an apple}{an~apple}{true}{false}
```

produces: true. Consecutive spaces are treated as the same, for example:

```
\DTLifstringeq{an apple}{an apple}{true}{false}
```

produces: true.

`\DTLifeq`

```
\DTLifeq{⟨arg1⟩}{⟨arg2⟩}{⟨true part⟩}{⟨false part⟩}
```

`\DTLifeq*`

```
\DTLifeq*{⟨arg1⟩}{⟨arg2⟩}{⟨true part⟩}{⟨false part⟩}
```

If both $\langle arg1 \rangle$ and $\langle arg2 \rangle$ are numerical, then this is equivalent to `\DTLifnumeq`, otherwise it is equivalent to `\DTLifstringeq` (when using `\DTLifeq`) or `\DTLifstringeq*` (when using `\DTLifeq*`).

`\dtlifnumlt`

```
\dtlifnumlt{<num1>}{<num2>}{<true part>}{<false part>}
```

If $\langle num1 \rangle$ is less than $\langle num2 \rangle$, then do $\langle true part \rangle$, otherwise do $\langle false part \rangle$ where $\langle num1 \rangle$ and $\langle num2 \rangle$ are plain numbers using a full stop as the decimal point and no number group separator. For currency or locale dependent numbers use `\DTLifnumlt`.

`\DTLifnumlt`

```
\DTLifnumlt{<num1>}{<num2>}{<true part>}{<false part>}
```

If $\langle num1 \rangle$ is less than $\langle num2 \rangle$, then do $\langle true part \rangle$, otherwise do $\langle false part \rangle$. Note that both $\langle num1 \rangle$ and $\langle num2 \rangle$ must be numerical (either integers, real numbers or currency).

`\DTLifstringlt`

```
\DTLifstringlt{<string1>}{<string2>}{<true part>}{<false part>}
```

`\DTLifstringlt*`

```
\DTLifstringlt*{<string1>}{<string2>}{<true part>}{<false part>}
```

If $\langle string1 \rangle$ is alphabetically less than $\langle string2 \rangle$, then do $\langle true part \rangle$, otherwise do $\langle false part \rangle$. The starred version ignores the case, the unstarred version is case sensitive. For example:

```
\DTLifstringlt{aardvark}{zebra}{less}{not less}
```

produces: less.

Note that both $\langle string1 \rangle$ and $\langle string2 \rangle$ are considered to be strings, so for example:

```
\DTLifstringlt{2}{10}{less}{not less}
```

produces: not less, since the string 2 comes after the string 10 when arranged alphabetically.

The case sensitive (unstarred) version considers uppercase characters to be less than lowercase characters, so

```
\DTLifstringlt{B}{a}{less}{not less}
```

produces: less, whereas

```
\DTLifstringlt*{B}{a}{less}{not less}
```

produces: not less.

`\DTLiflt`

```
\DTLiflt{<arg1>}{<arg2>}{<true part>}{<false part>}
```

`\DTLiflt*`

```
\DTLiflt*{<arg1>}{<arg2>}{<true part>}{<false part>}
```

If *<arg1>* and *<arg2>* are both numerical, then this is equivalent to `\DTLifnumlt`, otherwise it is equivalent to `\DTLstringlt` (when using `\DTLiflt`) or `\DTLstringlt*` (when using `\DTLiflt*`).

`\DTLifnumgt`

```
\DTLifnumgt{<num1>}{<num2>}{<true part>}{<false part>}
```

If *<num1>* is greater than *<num2>*, then do *<true part>*, otherwise do *<false part>*. Note that both *<num1>* and *<num2>* must be numerical (either integers, real numbers or currency).

`\DTLifstringgt`

```
\DTLifstringgt{<string1>}{<string2>}{<true part>}{<false part>}
```

`\DTLifstringgt*`

```
\DTLifstringgt*{<string1>}{<string2>}{<true part>}{<false part>}
```

If *<string1>* is alphabetically greater than *<string2>*, then do *<true part>*, otherwise do *<false part>*. The starred version ignores the case, the unstarred version is case sensitive. For example:

```
\DTLifstringgt{aardvark}{zebra}{greater}{not greater}
```

produces: not greater.

Note that both *<string1>* and *<string2>* are considered to be strings, so for example:

```
\DTLifstringgt{2}{10}{greater}{not greater}
```

produces: greater, since the string 2 comes after the string 10 when arranged alphabetically.

As with `\DTLifstringlt`, uppercase characters are considered to be less than lower case characters when performing a case sensitive comparison so:

```
\DTLifstringgt{B}{a}{greater}{not greater}
```

produces: not greater, whereas

```
\DTLifstringgt*{B}{a}{greater}{not greater}
```

produces: greater.

`\DTLifgt`

```
\DTLifgt{<arg1>}{<arg2>}{<true part>}{<false part>}
```

`\DTLifgt*`

```
\DTLifgt*{<arg1>}{<arg2>}{<true part>}{<false part>}
```

If $\langle arg1 \rangle$ and $\langle arg2 \rangle$ are both numerical, then this is equivalent to `\DTLifnumgt`, otherwise it is equivalent to `\DTLstringgt` (when using `\DTLifgt`) or `\DTLstringgt*` (when using `\DTLifgt*`).

`\DTLifnumclosedbetween`

```
\DTLifnumclosedbetween{<num>}{<min>}{<max>}{<true part>}{<false part>}
```

If $\langle min \rangle \leq \langle num \rangle \leq \langle max \rangle$ then do $\langle true part \rangle$, otherwise do $\langle false part \rangle$. Note that $\langle num \rangle$, $\langle min \rangle$ and $\langle max \rangle$ must be numerical (either integers, real numbers or currency). The currency symbol is ignored when determining equality. For example:

```
\DTLifnumclosedbetween{5.4}{5}{7}{inside}{outside}
```

produces: inside. Note that the closed range includes end points:

```
\DTLifnumclosedbetween{5}{5}{7}{inside}{outside}
```

produces: inside.

`\DTLifstringclosedbetween`

```
\DTLifstringclosedbetween{<string>}{<min>}{<max>}{<true part>}{<false part>}
```

`\DTLifstringclosedbetween*`

```
\DTLifstringclosedbetween*{<string>}{<min>}{<max>}{<true part>}{<false part>}
```

This determines if $\langle string \rangle$ is between $\langle min \rangle$ and $\langle max \rangle$ in the alphabetical sense, or is equal to either $\langle min \rangle$ or $\langle max \rangle$. The starred version ignores the case, the unstarred version is case sensitive.

`\DTLifclosedbetween`

```
\DTLifclosedbetween{⟨arg⟩}{⟨min⟩}{⟨max⟩}{⟨true part⟩}{⟨false part⟩}
```

`\DTLifclosedbetween*`

```
\DTLifclosedbetween*{⟨arg⟩}{⟨min⟩}{⟨max⟩}{⟨true part⟩}{⟨false part⟩}
```

If $\langle arg \rangle$, $\langle min \rangle$ and $\langle max \rangle$ are numerical, then this is equivalent to

`\DTLifnumclosedbetween`

otherwise it is equivalent to

`\DTLifstringclosedbetween`

(when using `\DTLifclosedbetween`) or

`\DTLifstringclosedbetween*`

(when using `\DTLifclosedbetween*`).

`\DTLifnumopenbetween`

```
\DTLifnumopenbetween{⟨num⟩}{⟨min⟩}{⟨max⟩}{⟨true part⟩}{⟨false part⟩}
```

If $\langle min \rangle < \langle num \rangle < \langle max \rangle$ then do $\langle true part \rangle$, otherwise do $\langle false part \rangle$. Note that $\langle num \rangle$, $\langle min \rangle$ and $\langle max \rangle$ must be numerical (either integers, real numbers or currency). Again, the currency symbol is ignored when determining equality. For example:

```
\DTLifnumopenbetween{5.4}{5}{7}{inside}{outside}
```

produces: inside. Note that end points are not included. For example:

```
\DTLifnumopenbetween{5}{5}{7}{inside}{outside}
```

produces: outside.

`\DTLifstringopenbetween`

```
\DTLifstringopenbetween{⟨string⟩}{⟨min⟩}{⟨max⟩}{⟨true part⟩}{⟨false part⟩}
```

`\DTLifstringopenbetween*`

```
\DTLifstringopenbetween*{⟨string⟩}{⟨min⟩}{⟨max⟩}{⟨true part⟩}{⟨false part⟩}
```

This determines if $\langle string \rangle$ is between $\langle min \rangle$ and $\langle max \rangle$ in the alphabetical sense. The starred version ignores the case, the unstarred version is case sensitive.

`\DTLifopenbetween`

```
\DTLifopenbetween{⟨arg⟩}{⟨min⟩}{⟨max⟩}{⟨true part⟩}{⟨false part⟩}
```

`\DTLifopenbetween*`

```
\DTLifopenbetween*{⟨arg⟩}{⟨min⟩}{⟨max⟩}{⟨true part⟩}{⟨false part⟩}
```

If $\langle arg \rangle$, $\langle min \rangle$ and $\langle max \rangle$ are numerical, then this is equivalent to `\DTLifnumopenbetween` otherwise it is equivalent to `\DTLifstringopenbetween` (when using `\DTLifopenbetween`) or `\DTLifstringopenbetween*` (when using `\DTLifopenbetween*`).

`\DTLifFPclosedbetween`

```
\DTLifFPclosedbetween{⟨num⟩}{⟨min⟩}{⟨max⟩}{⟨true part⟩}{⟨false part⟩}
```

If $\langle min \rangle \leq \langle num \rangle \leq \langle max \rangle$ then do $\langle true part \rangle$, otherwise do $\langle false part \rangle$ where $\langle num \rangle$, $\langle min \rangle$ and $\langle max \rangle$ are all in standard fixed point notation (i.e. no number group separator, no currency symbols and a full stop as a decimal point).

`\DTLifFPopenbetween`

```
\DTLifFPopenbetween{⟨num⟩}{⟨min⟩}{⟨max⟩}{⟨true part⟩}{⟨false part⟩}
```

If $\langle min \rangle < \langle num \rangle < \langle max \rangle$ then do $\langle true part \rangle$, otherwise do $\langle false part \rangle$ where $\langle num \rangle$, $\langle min \rangle$ and $\langle max \rangle$ are all in standard fixed point notation (i.e. no number group separator, no currency symbols and a full stop as a decimal point).

`\DTLifAllUpperCase`

```
\DTLifAllUpperCase{⟨string⟩}{⟨true part⟩}{⟨false part⟩}
```

Tests if $\langle string \rangle$ is all upper case. For example:

```
\DTLifAllUpperCase{WORD}{all upper}{not all upper}
```

produces: all upper, whereas

```
\DTLifAllUpperCase{Word}{all upper}{not all upper}
```

produces: not all upper. Note also that:

```
\DTLifAllUpperCase{\MakeUppercase{word}}{all upper}{not all upper}
```

also produces: all upper. `\MakeTextUppercase` (defined in David Carlisle's `textcase` package) and `\uppercase` are also detected, otherwise, if a command is encountered, the case of the command is considered. For example:

```
\DTLifAllUpperCase{MAN{\OE}UVRE}{all upper}{not all upper}
```

produces: all upper.

`\DTLifAllLowerCase`

```
\DTLifAllLowerCase{<string>}{<true part>}{<false part>}
```

Tests if `<string>` is all lower case. For example:

```
\DTLifAllLowerCase{word}{all lower}{not all lower}
```

produces: all lower, whereas

```
\DTLifAllLowerCase{Word}{all lower}{not all lower}
```

produces: not all lower. Note also that:

```
\DTLifAllLowerCase{\MakeLowercase{WORD}}{all lower}{not all lower}
```

also produces: all lower. `\MakeTextLowercase` (defined in David Carlisle's `textcase` package) and `\lowercase` are also detected, otherwise, if a command is encountered, the case of the command is considered. For example:

```
\DTLifAllLowerCase{man{\oe}uvre}{all lower}{not all lower}
```

produces: all lower.

`\DTLifSubString`

```
\DTLifSubString{<string>}{<substring>}{<true part>}{<false part>}
```

This tests if `<substring>` is a sub-string of `<string>`. This command performs a case sensitive match. For example:

```
\DTLifSubString{An apple}{app}{is substring}{isn't substring}
```

produces: is substring. Note that spaces are considered to be equivalent to `\space` or `~`, so

```
\DTLifSubString{An apple}{n~a}{is substring}{isn't substring}
```

produces: is substring, but other commands are skipped, so

```
\DTLifSubString{An \uppercase{a}pple}{app}{is substring}{isn't substring}
```

produces: is substring, since the `\uppercase` command is ignored. Note also that grouping is ignored, so:

```
\DTLifSubString{An {apple}{app}{is substring}{isn't substring}
```

produces: is substring.

`\DTLifSubString` is case sensitive, so:

```
\DTLifSubString{An Apple}{app}{is substring}{isn't substring}
```

produces: isn't substring.

`\DTLifStartsWith`

```
\DTLifStartsWith{<string>}{<substring>}{<true part>}{<false part>}
```

This is like `\DTLifSubString`, except that `<substring>` must occur at the start of `<string>`. This command performs a case sensitive match. For example,

```
\DTLifStartsWith{An apple}{app}{prefix}{not a prefix}
```

produces: not a prefix. All the above remarks for `\DTLifSubString` also applies to `\DTLifStartsWith`. For example:

```
\DTLifStartsWith{\uppercase{a}n apple}{an~}{prefix}{not a prefix}
```

produces: prefix, since `\uppercase` is ignored, and `~` is considered to be the same as a space, whereas

```
\DTLifStartsWith{An apple}{an~}{prefix}{not a prefix}
```

produces: not a prefix.

2.2 ifthen conditionals

The commands described in the previous section can not be used as the conditional part of the `\ifthenelse` or `\whiledo` commands provided by the `ifthen` package. This section describes analogous commands which may only be used in the conditional argument of `\ifthenelse` and `\whiledo`. These may be used with the boolean operations `\not`, `\and` and `\or` provided by the `ifthen` package. See the `ifthen` documentation for further details.

`\DTLisstring`

```
\DTLisstring{<text>}
```

Tests if `<text>` is a string. For example:

```
\ifthenelse{\DTLisstring{some text}}{string}{not a string}
```


produces: string.

`\DTLisnumerical`

```
\DTLisnumerical{text}
```

Tests if *text* is numerical (i.e. not a string). For example:

```
\ifthenelse{\DTLisnumerical{\$10.95}}{numerical}{not numerical}
```

produces: numerical.

Note however that `\DTLisnumerical` requires more care than `\DTLifnumerical` when used with some of the other currency symbols. Consider:

```
\DTLifnumerical{\pounds10.95}{numerical}{not numerical}
```

This produces: numerical. However

```
\ifthenelse{\DTLisnumerical{\pounds10.95}}{numerical}{not numerical}
```

produces: not numerical. This is due to the expansion that occurs within `\ifthenelse`. This can be prevented using `\noexpand`, for example:

```
\ifthenelse{\DTLisnumerical{\noexpand\pounds10.95}}{numerical}{not numerical}
```

produces: numerical.

Likewise:

```
\def\cost{\pounds10.95}%  
\ifthenelse{\DTLisnumerical{\noexpand\cost}}{numerical}{not numerical}
```

produces: numerical.

`\DTLiscurrency`

```
\DTLiscurrency{text}
```

Tests if *text* is currency. For example:

```
\ifthenelse{\DTLiscurrency{\$10.95}}{currency}{not currency}
```

produces: currency.

The same warning given above for `\DTLisnumerical` also applies here.

`\DTLiscurrencyunit`

```
\DTLiscurrencyunit{text}{symbol}
```

Tests if *text* is currency and that currency uses *symbol* as the unit of currency. For example:

```
\ifthenelse{\DTLiscurrencyunit{\$6.99}{\$}}{dollars}{not dollars}
```

produces: dollars. Another example:

```
\def\cost{\euro10.50}%  
\ifthenelse{\DTLiscurrencyunit{\noexpand\cost}{\noexpand\euro}}%  
{euros}{not euros}
```

produces: euros. Again note the use of `\noexpand`.

`\DTLisreal`

```
\DTLisreal{<text>}
```

Tests if `<text>` is a fixed point number (again, an integer is not considered to be a fixed point number). For example:

```
\ifthenelse{\DTLisreal{1.5}}{real}{not real}
```

produces: real.

`\DTLisint`

```
\DTLisint{<text>}
```

Tests if `<text>` is an integer. For example:

```
\ifthenelse{\DTLisint{153}}{integer}{not an integer}
```

produces: integer.

`\DTLislt`

```
\DTLislt{<arg1>}{<arg2>}
```

This checks if `<arg1>` is less than `<arg2>`. As with `\DTLiflt`, if `<arg1>` and `<arg2>` are numerical, a numerical comparison is used, otherwise a case sensitive alphabetical comparison is used. (Note that there is no starred version of this command, but you can instead use `\DTLisilt` to ignore the case.)

`\DTLisilt`

```
\DTLisilt{<arg1>}{<arg2>}
```

This checks if `<arg1>` is less than `<arg2>`. As with `\DTLiflt*`, if `<arg1>` and `<arg2>` are numerical, a numerical comparison is used, otherwise a case insensitive alphabetical comparison is used.

`\DTLisgt`

```
\DTLisgt{<arg1>}{<arg2>}
```

This checks if $\langle arg1 \rangle$ is greater than $\langle arg2 \rangle$. As with `\DTLifgt`, if $\langle arg1 \rangle$ and $\langle arg2 \rangle$ are numerical, a numerical comparison is used, otherwise a case sensitive alphabetical comparison is used. (Note that there is no starred version of this command, instead use `\DTLisigt` to ignore the case.)

`\DTLisigt`

```
\DTLisigt{\langle arg1 \rangle}{\langle arg2 \rangle}
```

This checks if $\langle arg1 \rangle$ is greater than $\langle arg2 \rangle$. As with `\DTLifgt*`, if $\langle arg1 \rangle$ and $\langle arg2 \rangle$ are numerical, a numerical comparison is used, otherwise a case insensitive alphabetical comparison is used.

`\DTLiseq`

```
\DTLiseq{\langle arg1 \rangle}{\langle arg2 \rangle}
```

This checks if $\langle arg1 \rangle$ is equal to $\langle arg2 \rangle$. As with `\DTLifeq`, if $\langle arg1 \rangle$ and $\langle arg2 \rangle$ are numerical, a numerical comparison is used, otherwise a case sensitive alphabetical comparison is used. (Note that there is no starred version of this command, instead use `\DTLisieq`.)

`\DTLisieq`

```
\DTLisieq{\langle arg1 \rangle}{\langle arg2 \rangle}
```

This checks if $\langle arg1 \rangle$ is equal to $\langle arg2 \rangle$. As with `\DTLifeq*`, if $\langle arg1 \rangle$ and $\langle arg2 \rangle$ are numerical, a numerical comparison is used, otherwise a case insensitive alphabetical comparison is used.

`\DTLisclosedbetween`

```
\DTLisclosedbetween{\langle arg \rangle}{\langle min \rangle}{\langle max \rangle}
```

This checks if $\langle arg \rangle$ lies between $\langle min \rangle$ and $\langle max \rangle$ (end points included). As with `\DTLifclosedbetween`, if the arguments are numerical, a numerical comparison is used, otherwise a case sensitive alphabetical comparison is used. (Note that there is no starred version of this command, instead use `\DTLisiclosedbetween`.)

`\DTLisiclosedbetween`

```
\DTLisiclosedbetween{\langle arg \rangle}{\langle min \rangle}{\langle max \rangle}
```

This checks if $\langle arg \rangle$ lies between $\langle min \rangle$ and $\langle max \rangle$ (end points included). As with `\DTLifclosedbetween*`, if the arguments are numerical, a

numerical comparison is used, otherwise a case insensitive alphabetical comparison is used.

`\DTLisopenbetween`

```
\DTLisopenbetween{⟨arg⟩}{⟨min⟩}{⟨max⟩}
```

This checks if $\langle arg \rangle$ lies between $\langle min \rangle$ and $\langle max \rangle$ (end points excluded). As with `\DTLifopenbetween`, if the arguments are numerical, a numerical comparison is used, otherwise a case sensitive alphabetical comparison is used. (Note that there is no starred version of this command, instead use `\DTLisiopenbetween`.)

`\DTLisiopenbetween`

```
\DTLisiopenbetween{⟨arg⟩}{⟨min⟩}{⟨max⟩}
```

This checks if $\langle arg \rangle$ lies between $\langle min \rangle$ and $\langle max \rangle$ (end points excluded). As with `\DTLifopenbetween*`, if the arguments are numerical, a numerical comparison is used, otherwise a case insensitive alphabetical comparison is used.

`\DTLisFPlt`

```
\DTLisFPlt{⟨num1⟩}{⟨num2⟩}
```

This checks if $\langle num1 \rangle$ is less than $\langle num2 \rangle$, where both numbers are in standard fixed point format (i.e. no number group separators, no currency and a full stop as a decimal point).

`\DTLisFPlteq`

```
\DTLisFPlteq{⟨num1⟩}{⟨num2⟩}
```

This checks if $\langle num1 \rangle$ is less than or equal to $\langle num2 \rangle$, where both numbers are in standard fixed point format (i.e. no number group separators, no currency and a full stop as a decimal point).

`\DTLisFPgt`

```
\DTLisFPgt{⟨num1⟩}{⟨num2⟩}
```

This checks if $\langle num1 \rangle$ is greater than $\langle num2 \rangle$, where both numbers are in standard fixed point format (i.e. no number group separators, no currency and a full stop as a decimal point).

`\DTLisFPgteq`

```
\DTLisFPgteq{⟨num1⟩}{⟨num2⟩}
```

This checks if $\langle num1 \rangle$ is greater than or equal to $\langle num2 \rangle$, where both numbers are in standard fixed point format (i.e. no number group separators, no currency and a full stop as a decimal point).

`\DTLisFPeq`

```
\DTLisFPeq{ $\langle num1 \rangle$ }{ $\langle num2 \rangle$ }
```

This checks if $\langle num1 \rangle$ is equal to $\langle num2 \rangle$, where both numbers are in standard fixed point format (i.e. no number group separators, no currency and a full stop as a decimal point).

`\DTLisFPclosedbetween`

```
\DTLisFPclosedbetween{ $\langle num \rangle$ }{ $\langle min \rangle$ }{ $\langle max \rangle$ }
```

This checks if $\langle num \rangle$ lies between $\langle min \rangle$ and $\langle max \rangle$ (end points included). All arguments must be numbers in standard fixed point format (i.e. no number group separators, no currency and a full stop as a decimal point).

`\DTLisFPopenbetween`

```
\DTLisFPopenbetween{ $\langle num \rangle$ }{ $\langle min \rangle$ }{ $\langle max \rangle$ }
```

This checks if $\langle num \rangle$ lies between $\langle min \rangle$ and $\langle max \rangle$ (end points excluded). All arguments must be numbers in standard fixed point format (i.e. no number group separators, no currency and a full stop as a decimal point).

`\DTLisSubString`

```
\DTLisSubString{ $\langle string \rangle$ }{ $\langle substring \rangle$ }
```

This checks if $\langle substring \rangle$ is contained in $\langle string \rangle$. The remarks about `\DTLifSubString` also apply to `\DTLisSubString`. This command performs a case sensitive match.

`\DTLisPrefix`

```
\DTLisPrefix{ $\langle string \rangle$ }{ $\langle prefix \rangle$ }
```

This checks if $\langle string \rangle$ starts with $\langle prefix \rangle$. The remarks about `\DTLifStartsWith` also apply to `\DTLisPrefix`. This command performs a case sensitive match.

3 Fixed Point Arithmetic

The datatool-base package uses either the `fp` or the `pgfmath` package to perform fixed point arithmetic, however all numbers must be converted from the locale dependent format into the format required by the `fp` or `pgfmath` packages. A numerical value (i.e. an integer, a real or currency) can be converted into a plain decimal number using

`\DTLconverttodecimal`

```
\DTLconverttodecimal{<num>}{<cmd>}
```

The decimal number will be stored in `<cmd>` which must be a control sequence. For example:

```
\DTLconverttodecimal{1,563.54}{\mynum}
```

will define `\mynum` to be `1563.54`. The command `\mynum` can then be used in any of the arithmetic macros provided by the `fp` or `pgfmath` packages.

The arguments to `\DTLconverttodecimal` don't get fully expanded so, for example,

```
\def\myval{1.23}  
\DTLconverttodecimal{\myval}{\mynum}
```

will work, but the following *won't* work:

```
\def\myval{1.23}  
\def\myotherval{\myval}  
\DTLconverttodecimal{\myotherval}{\mynum}
```

Nor will the following work:

```
\def\myval{9}  
\DTLconverttodecimal{\myval 9}{\mynum}
```

There are two commands provided to perform the reverse:

`\DTLdecimaltolocale`

```
\DTLdecimaltolocale{<number>}{<cmd>}
```

This converts a plain decimal number $\langle number \rangle$ (that uses a full stop as the decimal character and has no number group characters) into a locale dependent format. The resulting number is stored in $\langle cmd \rangle$, which must be a control sequence. For example:

```
\DTLdecimaltolocale{6795.3}{\mynum}
```

will define $\backslash mynum$ to be 6,795.3.

```
\DTLdecimaltocurrency
```

```
\DTLdecimaltocurrency{\langle number \rangle}{\langle cmd \rangle}
```

This will convert a plain decimal number $\langle number \rangle$ into a locale dependent currency format. For example:

```
\DTLdecimaltocurrency{267.5}{\price}\price
```

will produce: £267.50.

The currency symbol used by $\backslash DTLdecimaltocurrency$ is initially $\backslash \$$, but it will use the currency last encountered. So, for example

```
\DTLifcurrency{\texteuro45.00}{}{}%  
\DTLdecimaltocurrency{267.5}{\price}\price
```

will produce: €267.50. This is because the last currency symbol to be encountered was $\backslash \text{euro}$. You can reset the currency symbol using the command:

```
\DTLsetdefaultcurrency
```

```
\DTLsetdefaultcurrency{\langle symbol \rangle}
```

For example:

```
\DTLsetdefaultcurrency{\textyen}%  
\DTLdecimaltocurrency{267.5}{\price}\price
```

will produce: ¥267.50

The `datatool`-base package provides convenience commands which use $\backslash DTLconverttodecimal$, and then use the basic macros provided by the `fp/pgfmath` package. The resulting value is then converted back into the locale format using $\backslash DTLdecimaltolocale$ or $\backslash DTLdecimaltocurrency$. Note that since these commands use $\backslash DTLconverttodecimal$ the caveat above regarding expansion also applies to all the commands.

```
\DTLadd
```

```
\DTLadd{\langle cmd \rangle}{\langle num1 \rangle}{\langle num2 \rangle}
```

`\DTLgadd`

```
\DTLgadd{<cmd>}{<num1>}{<num2>}
```

This sets the control sequence `<cmd>` to `<num1>+<num2>`. `\DLTadd` sets `<cmd>` locally, while `\DTLgadd` sets `<cmd>` globally.

For example:

```
\DTLadd{\result}{3,562.65}{412.2}\result
```

will produce: 3,974.85. Since `\DTLconverttodecimal` can convert currency to a real number, you can also add prices. For example:

```
\DTLadd{\result}{\pounds3,562.65}{\pounds452.2}\result
```

produces: £4,014.85.

Note that `datatool` isn't aware of exchange rates! If you use different currency symbols, the last symbol will be used. For example

```
\DTLadd{\result}{\pounds3,562.65}{\euro452.2}\result
```

produces: €4,014.85.

Likewise, if one value is a number and the other is a currency, the type of the last value, `<num2>`, will be used for the result. For example:

```
\DTLadd{\result}{3,562.65}{\$452.2}\result
```

produces: \$4,014.85.

`\DTLaddall`

```
\DTLaddall{<cmd>}{<number list>}
```

`\DTLgaddall`

```
\DTLgaddall{<cmd>}{<number list>}
```

This sets the control sequence `<cmd>` to the sum of all the numbers in `<number list>`. `\DLTaddall` sets `<cmd>` locally, while `\DTLgaddall` sets `<cmd>` globally. Example:

```
\DTLaddall{\total}{25.1,45.2,35.6}\total
```

produces: 105.9. Note that if any of the numbers in `<number list>` contain a comma, you must group the number. Example:

```
\DTLaddall{\total}{{1,525},{2,340},500}\total
```


produces: 4,365.

`\DTLsub`

```
\DTLsub{<cmd>}{<num1>}{<num2>}
```

`\DTLgsub`

```
\DTLgsub{<cmd>}{<num1>}{<num2>}
```

This sets the control sequence `<cmd>` to `<num1>-<num2>`. `\DTLsub` sets `<cmd>` locally, while `\DTLgsub` sets `<cmd>` globally.

For example:

```
\DTLsub{\result}{3,562.65}{412.2}\result
```

will produce: 3,150.45. As with `\DTLadd`, `<num1>` and `<num2>` may be currency.

`\DTLmul`

```
\DTLmul{<cmd>}{<num1>}{<num2>}
```

`\DTLgmul`

```
\DTLgmul{<cmd>}{<num1>}{<num2>}
```

This sets the control sequence `<cmd>` to `<num1>×<num2>`. `\DTLmul` sets `<cmd>` locally, while `\DTLgmul` sets `<cmd>` globally.

For example:

```
\DTLmul{\result}{568.95}{2}\result
```

will produce: 1,137.9. Again, `<num1>` or `<num2>` may be currency, but unlike `\DTLadd` and `\DTLsub`, currency overrides integer/real. For example:

```
\DTLmul{\result}{\pounds568.95}{2}\result
```

will produce: £1,137.90. Likewise,

```
\DTLmul{\result}{2}{\pounds568.95}\result
```

will produce: £1,137.90. Although it doesn't make sense to multiply two currencies, `datatool` will allow

```
\DTLmul{\result}{\pounds2}{\pounds568.95}\result
```

which will produce: £1,137.90.

`\DTLdiv`

```
\DTLdiv{<cmd>}{<num1>}{<num2>}
```

`\DTLgdiv`

```
\DTLgdiv{<cmd>}{<num1>}{<num2>}
```

This sets the control sequence `<cmd>` to $\langle num1 \rangle \div \langle num2 \rangle$. `\DTLdiv` sets `<cmd>` locally, while `\DTLgdiv` sets `<cmd>` globally.

For example:

```
\DTLdiv{\result}{501}{2}\result
```

will produce: 250.5. Again, `<num1>` or `<num2>` may be currency, but the resulting type will not be a currency if both `<num1>` and `<num2>` use the same currency symbol. For example:

```
\DTLdiv{\result}{\$501}{\$2}\result
```

will produce: 250.5. Whereas

```
\DTLdiv{\result}{\$501}{2}\result
```

will produce: \$250.50.

`\DTLabs`

```
\DTLabs{<cmd>}{<num>}
```

`\DTLgabs`

```
\DTLgabs{<cmd>}{<num>}
```

This sets `<cmd>` to the absolute value of `<num>`. `\DTLabs` sets `<cmd>` locally, while `\DTLgabs` sets `<cmd>` globally. Example:

```
\DTLabs{\result}{-\pounds2.50}\result
```

produces: £2.50.

`\DTLneg`

```
\DTLneg{<cmd>}{<num>}
```

`\DTLgneg`

```
\DTLgneg{<cmd>}{<num>}
```

This sets $\langle cmd \rangle$ to the negative of $\langle num \rangle$. `\DLTneg` sets $\langle cmd \rangle$ locally, while `\DTLgneg` sets $\langle cmd \rangle$ globally. Example:

```
\DLTneg{\result}{\pounds2.50}\result
```

produces: -£2.50.

`\DTLsqrt`

```
\DTLsqrt{\langle cmd \rangle}{\langle num \rangle}
```

`\DTLgsqrt`

```
\DTLgsqrt{\langle cmd \rangle}{\langle num \rangle}
```

This sets $\langle cmd \rangle$ to the sqrt root of $\langle num \rangle$. `\DTLsqrt` sets $\langle cmd \rangle$ locally, while `\DTLgsqrt` sets $\langle cmd \rangle$ globally. Example:

```
\DTLsqrt{\result}{2}\result
```

produces: 1.414213562373095042.

`\DTLmin`

```
\DTLmin{\langle cmd \rangle}{\langle num1 \rangle}{\langle num2 \rangle}
```

`\DTLgmin`

```
\DTLgmin{\langle cmd \rangle}{\langle num1 \rangle}{\langle num2 \rangle}
```

This sets the control sequence $\langle cmd \rangle$ to the minimum of $\langle num1 \rangle$ and $\langle num2 \rangle$. `\DLTmin` sets $\langle cmd \rangle$ locally, while `\DTLgmin` sets $\langle cmd \rangle$ globally. For example:

```
\DLTmin{\result}{256}{32}\result
```

produces: 32. Again, $\langle num1 \rangle$ and $\langle num2 \rangle$ may be currency. For example:

```
\DLTmin{\result}{256}{\pounds32}\result
```

produces: £32, whereas

```
\DLTmin{\result}{\pounds256}{32}\result
```

produces: 32. As mentioned above, datatool doesn't know about exchange rates, so be careful about mixing currencies. For example:

```
\DLTmin{\result}{\pounds5}{\$6}\result
```

produces: £5, which may not necessarily be true!

`\DTLminall`

```
\DTLminall{<cmd>}{<number list>}
```

`\DTLgminall`

```
\DTLgminall{<cmd>}{<number list>}
```

This sets the control sequence `<cmd>` to the minimum of all the numbers in `<number list>`. `\DLTminall` sets `<cmd>` locally, while `\DTLgminall` sets `<cmd>` globally. Example:

```
\DTLminall{\theMin}{25.1, 45.2, 35.6}\theMin
```

produces: 25.1. Note that if any of the numbers in `<number list>` contain a comma, you must group the number. Example:

```
\DTLminall{\theMin}{{1, 525}, {2, 340}, 500}\theMin
```

produces: 500.

`\DTLmax`

```
\DTLmax{<cmd>}{<num1>}{<num2>}
```

`\DTLgmax`

```
\DTLgmax{<cmd>}{<num1>}{<num2>}
```

This sets the control sequence `<cmd>` to the maximum of `<num1>` and `<num2>`. `\DLTmax` sets `<cmd>` locally, while `\DTLgmax` sets `<cmd>` globally. For example:

```
\DTLmax{\result}{256}{32}\result
```

produces: 256. Again, `<num1>` and `<num2>` may be currency, but the same warnings for `\DTLmin` apply.

`\DTLmaxall`

```
\DTLmaxall{<cmd>}{<number list>}
```

`\DTLgmaxall`

```
\DTLgmaxall{<cmd>}{<number list>}
```

This sets the control sequence `<cmd>` to the maximum of all the numbers in `<number list>`. `\DLTmaxall` sets `<cmd>` locally, while `\DTLgmaxall` sets `<cmd>` globally. Example:

```
\DTLmaxall{\theMax}{25.1, 45.2, 35.6}\theMax
```

produces: 45.2. Note that if any of the numbers in $\langle number list \rangle$ contain a comma, you must group the number. Example:

```
\DTLmaxall{\theMax}{\{1, 525\}, \{2, 340\}, 500}\theMax
```

produces: 2,340.

`\DTLmeanforall`

```
\DTLmeanforall{\langle cmd \rangle}{\langle number list \rangle}
```

`\DTLgmeanall`

```
\DTLgmeanforall{\langle cmd \rangle}{\langle number list \rangle}
```

This sets the control sequence $\langle cmd \rangle$ to the arithmetic mean of all the numbers in $\langle number list \rangle$. `\DTLmeanforall` sets $\langle cmd \rangle$ locally, while `\DTLgmeanforall` sets $\langle cmd \rangle$ globally. Example:

```
\DTLmeanforall{\theMean}{25.1, 45.2, 35.6}\theMean
```

produces: 35.3. Note that if any of the numbers in $\langle number list \rangle$ contain a comma, you must group the number. Example:

```
\DTLmeanforall{\theMean}{\{1, 525\}, \{2, 340\}, 500}\theMean
```

produces: 1,455.

`\DTLvarianceforall`

```
\DTLvarianceforall{\langle cmd \rangle}{\langle number list \rangle}
```

`\DTLgvarianceforall`

```
\DTLgvarianceforall{\langle cmd \rangle}{\langle number list \rangle}
```

This sets the control sequence $\langle cmd \rangle$ to the variance of all the numbers in $\langle number list \rangle$. `\DTLvarianceforall` sets $\langle cmd \rangle$ locally, while `\DTLgvarianceforall` sets $\langle cmd \rangle$ globally. Example:

```
\DTLvarianceforall{\theVar}{25.1, 45.2, 35.6}\theVar
```

produces: 67.38. Again note that if any of the numbers in $\langle number list \rangle$ contain a comma, you must group the number.

`\DTLsdfforall`

```
\DTLsdfforall{\langle cmd \rangle}{\langle number list \rangle}
```

`\DTLgstdforall`

```
\DTLgstdforall{<cmd>}{<number list>}
```

This sets the control sequence `<cmd>` to the standard deviation of all the numbers in `<number list>`. `\DLTstdforall` sets `<cmd>` locally, while `\DTLgstdforall` sets `<cmd>` globally. Example:

```
\DLTstdforall{\theSD}{25.1,45.2,35.6}\theSD
```

produces: 8.208532146492453016. Note that if any of the numbers in `<number list>` contain a comma, you must group the number. Example:

```
\DLTstdforall{\theSD}{{1,525},{2,340},500}\theSD
```

produces: 752.805862534735216539.

`\DTLround`

```
\DTLround{<cmd>}{<num>}{<num digits>}
```

`\DTLground`

```
\DTLground{<cmd>}{<num>}{<num digits>}
```

This sets `<cmd>` to `<num>` rounded to `<num digits>` after the decimal character. `\DLTround` sets `<cmd>` locally, while `\DTLground` sets `<cmd>` globally. Example:

```
\DTLround{\result}{3.135276}{2}\result
```

produces: 3.14.

`\DTLtrunc`

```
\DTLtrunc{<cmd>}{<num>}{<num digits>}
```

`\DTLgt trunc`

```
\DTLgt trunc{<cmd>}{<num>}{<num digits>}
```

This sets `<cmd>` to `<num>` truncated to `<num digits>` after the decimal character. `\DLTtrunc` sets `<cmd>` locally, while `\DTLgt trunc` sets `<cmd>` globally. Example:

```
\DTLtrunc{\result}{3.135276}{2}\result
```

produces: 3.13.

`\DTLclip`

```
\DTLclip{<cmd>}{<num>}
```

`\DTLgclip`

```
\DTLgclip{<cmd>}{<num>}
```

This sets `<cmd>` to `<num>` with all unnecessary 0's removed. `\DTLclip` sets `<cmd>` locally, while `\DTLgclip` sets `<cmd>` globally.

4 Strings

Strings are considered to be anything non-numerical. The `datatool` package loads the `substr` package, so you can use the commands defined in that package to determine if one string is contained in another string. In addition, the `datatool` provides the following macros:

`\DTLsubstitute`

```
\DTLsubstitute{<cmd>}{<original>}{<replacement>}
```

This replaces the first occurrence of `<original>` in `<cmd>` with `<replacement>`. Note that `<cmd>` must be the name of a command. For example:

```
\def\mystr{abcdce}\DTLsubstitute{\mystr}{c}{z}\mystr
```

produces: abzdce.

`\DTLsubstituteall`

```
\DTLsubstituteall{<cmd>}{<original>}{<replacement>}
```

This replaces all occurrences of `<original>` in `<cmd>` with `<replacement>`, where again, `<cmd>` must be the name of a command. For example:

```
\def\mystr{abcdce}\DTLsubstituteall{\mystr}{c}{z}\mystr
```

produces: abzdze.

`\DTLsplitstring`

```
\DTLsplitstring{<string>}{<split text>}{<before cmd>}{<after cmd>}
```

This splits `<string>` at the first occurrence of `<split text>` and stores the before part in the command `<before cmd>` and the after part in the command `<after cmd>`. For example:

```
\DTLsplitstring{abcdce}{c}{\beforepart}{\afterpart}%  
Before part: ``\beforepart``. After part: ``\afterpart``
```

produces: Before part: "ab". After part: "dce". Note that for `\DTLsplitstring`, `<string>` is not expanded, so

```
\def\mystr{abcdce}%  
\DTLsplitstring{\mystr}{c}{\beforepart}{\afterpart}%  
Before part: ``\beforepart``. After part: ``\afterpart``
```


produces: Before part: “abcdce”. After part: “”. If you want the string expanded, you will need to use `\expandafter`:

```
\def\mystr{abcdce}%  
\expandafter\DTLsplitstring\expandafter  
{\mystr}{c}{\beforepart}{\afterpart}%  
Before part: ``\beforepart``. After part: ``\afterpart``
```

which produces: Before part: “ab”. After part: “dce”.

`\DTLinitials`

```
\DTLinitials{<string>}
```

This converts `<string>` (typically a name) into initials. For example:

```
\DTLinitials{Mary Ann}
```

produces: M.A. (including the final full stop). Note that

```
\DTLinitials{Mary-Ann}
```

produces: M.-A. (including the final full stop). Be careful if the initial letter has an accent. The accented letter needs to be placed in a group, if you want the initial to also have an accent, otherwise the accent command will be ignored. For example:

```
\DTLinitials{{\’E}lise Adams}
```

produces: É.A., whereas

```
\DTLinitials{\’Elise Adams}
```

produces: E.A. In fact, any command which appears at the start of the name that is not enclosed in a group will be ignored. For example:

```
\DTLinitials{\MakeUppercase{m}ary ann}
```

produces: m.a., whereas

```
\DTLinitials{{\MakeUppercase{m}}ary ann}
```

produces: M.a., but note that

```
\DTLinitials{\MakeUppercase{mary ann}}
```

produces: mary ann.

`\DTLstoreinitials`

```
\DTLstoreinitials{<string>}{<cmd>}
```

This converts `<string>` into initials and stores the result in `<cmd>` which must be a command name. The remarks about `\DTLinitials` also relate to `\DTLstoreinitials`. For example

```
\DTLstoreinitials{Marie-{\’E}lise del-Rosario}{\theInitials}\theInitials
```

produces: M.-É.d.R.

Both the above commands rely on the following to format the initials:

`\DTLafterinitials`

```
\DTLafterinitials
```

This indicates what to do at the end of the initials. This simply does a full stop by default.

`\DTLbetweeninitials`

```
\DTLbetweeninitials
```

This indicates what to do between initials. This does a full stop by default.

`\DTLinitialhyphen`

```
\DTLinitialhyphen
```

This indicates what to do at a hyphen. This simply does a hyphen by default, but can be redefined to do nothing to prevent the hyphen appearing in the initials.

`\DTLafterinitialbeforehyphen`

```
\DTLafterinitialbeforehyphen
```

This indicates what to do between an initial and a hyphen. This simply does a full stop by default.

For example

```
\renewcommand*\DTLafterinitialbeforehyphen{}%  
\DTLinitials{Marie-{\'E}lise del~Rosario}
```

produces: M-É.d.R. whereas

```
\renewcommand*\DTLafterinitialbeforehyphen{}%  
\renewcommand*\DTLafterinitials{}%  
\renewcommand*\DTLbetweeninitials{}%  
\renewcommand*\DTLinitialhyphen{}%  
\DTLinitials{Marie-{\'E}lise del~Rosario}
```

produces: MÉdR

5 Databases

The datatool package provides a means of creating and loading databases. Once a database has been created (or loaded), it is possible to iterate through each row of data, to make it easier to perform repetitive actions, such as mail merging.

Whilst T_EX is an excellent typesetting language, it is not designed as a database management system, and attempting to use it as such is like trying to fasten a screw with a knife instead of a screwdriver: it can be done, but requires great care and is more time consuming. Version 2.0 of the datatool package uses a completely different method of storing the data to previous versions.^a As a result, the code is much more efficient, however, large databases and complex operations will still slow the time taken to process your document. Therefore, if you can, it is better to do the complex operations using whatever system created the data in the first place.

^aThanks to Morten Høgholm for the suggestion.

Some advanced commands for accessing database information are described in [section 5.11](#), but using T_EX is nowhere near as efficient as, say, using a SQL database, so don't expect too much from this package.

5.1 Creating a New Database

`\DTLnewdb`

```
\DTLnewdb { <db name> }
```

This command creates a new empty database called *<db name>*. You can test if a database is empty using:

`\DTLifdbempty`

```
\DTLifdbempty { <db name> } { <true part> } { <false part> }
```

If the database called *<db name>* is empty, do *<true part>*, otherwise do *<false part>*.

`\DTLrowcount`

```
\DTLrowcount { <db name> }
```

This command displays the number of rows in the database called *<db name>*.

`\DTLcolumncount`

```
\DTLcolumncount { <db name> }
```

This command displays the number of columns (or keys) in the database called *<db name>*.

`\DTLnewrow`

```
\DTLnewrow { <db name> }
```

This command starts a new row in the database called *<db name>*. This new row becomes the current row when adding new entries.

For example, the following creates an empty database called `mydata`:

```
\DTLnewdb {mydata}
```

The following tests if the database is empty:

```
\DTLifdbempty {mydata} {empty} {not empty}!
```

This produces: `empty!`

The following adds an empty row to the database, this is the first row of the database:

```
\DTLnewrow {mydata}
```

Note that even though the only row in the database is currently empty, the database is no longer considered to be empty:

```
\DTLifdbempty {mydata} {empty} {not empty}!
```

This now produces: `not empty!` The row count is given by

```
\DTLrowcount {mydata}
```

which produces: `1`. The column count is given by

```
\DTLcolumncount {mydata}
```

which produces: `0`.

`\DTLnewdbentry`

```
\DTLnewdbentry { <db name> } { <key> } { <value> }
```

This creates a new entry with the identifier $\langle key \rangle$ whose value is $\langle value \rangle$ and adds it to the last row of the database called $\langle db name \rangle$. For example:

```
\DTLnewbentry{mydata}{Surname}{Smith}  
\DTLnewbentry{mydata}{FirstName}{John}
```

Adds an entry with identifier `Surname` and value `Smith` to the last row of the database named `mydata`, and then adds an entry with identifier `FirstName` and value `John`. Note that the key should not contain any fragile commands. It is generally best to only use non-active characters in the key.

The value isn't expanded by default, but you can change this using the declaration:

`\dtlexpandnewvalue`

```
\dtlexpandnewvalue
```

This can be localised by placing it in a group, or you can switch back using:

`\dtlnoexpandnewvalue`

```
\dtlnoexpandnewvalue
```



Note that database entries can't contain paragraph breaks as many of the macros used by `datatool` are short commands. If you do need a paragraph break in an entry, you can instead use the command:

`\DTLpar`

```
\DTLpar
```

For example:

```
\DTLnewbentry{mydata}{Description}{First paragraph.\DTLpar  
Second paragraph.}
```

`\DTLaddentryforrow`

```
\DTLaddentryforrow{ $\langle db \rangle$ }{ $\langle assign list \rangle$ }{ $\langle condition \rangle$ }{ $\langle key \rangle$ }{ $\langle value \rangle$ }
```

This adds the entry with the key given by $\langle key \rangle$ and value given by $\langle value \rangle$ to the first row in the database $\langle db \rangle$ which satisfies the condition given by $\langle condition \rangle$. The $\langle assign list \rangle$ argument is the same as for `\DTLforeach` (described in [section 5.4](#)) and may be used to set the values which are to be tested in $\langle condition \rangle$ (where, again, $\langle condition \rangle$ is the same as for `\DTLforeach`). For example:

```
\DTLaddentryforrow{mydata}{\firstname=FirstName,\surname=Surname}%
{\DTLiseq{\firstname}{John}\and\DTLiseq{\surname}{Smith}}%
{Score}{75}
```

Note that unlike `\DTLnewdbentry`, the value is always expanded when adding an entry using `\DTLaddentryforrow`.

`\DTLsetheader`

```
\DTLsetheader{<db>}{<key>}{<header>}
```

This assigns a header for a given key in the database named `<db>`. This is used by `\DTLdisplaydb` and `\DTLdisplaylongdb` in the header row (see [section 5.3](#)). If you don't assign a header, the header will be given by the key. For example:

```
\DTLsetheader{mydata}{Price}{Price (\$)}
```

5.2 Loading a Database from an External ASCII File

Instead of using the commands described in [section 5.1](#) to create a new database, you can load a database from an external ASCII file using:

`\DTLloaddb`

```
\DTLloaddb[<options>]{<db name>}{<filename>}
```

Make sure your document uses the same encoding as `<filename>`. For example, if `<filename>` is UTF-8, then include the following in your document:

```
\usepackage[utf8]{inputenc}
```

This creates a new database called `<db name>`, and fills it with the entries given in the file `<filename>`. The filename may have a header row at the start of the file, which provides the `<key>` when creating a new database entry using `\DTLnewdbentry`. The optional argument `<options>` is a key=value list of options. Available options are:

noheader This is a boolean value and indicates if the file does not contain a header. If no value is supplied, `true` is assumed (i.e. the file doesn't contain a header row). If this option is omitted, it is assumed that the file contains a header row.

keys This is a comma-separated list of keys to use, where the keys are listed in the same order as the columns. If the file has a header,

these keys will override the values given in the header row. If the file has no header row and no keys are supplied in *<options>*, then the keys will be given by `\dtldefaultkey<n>`, where *<n>* is the column number and `\dtldefaultkey` defaults to "Column". Note that the list of keys must be delimited by braces since they contain commas. For example:

`\dtldefaultkey`

```
\DTLloaddb[noheader,keys={Temperature,Time,T2G}]{data}{data.csv}
```

headers This is a comma-separated list of headers. If not supplied, the header will be the same as that given in the header row, or the key if there is no header row. Note that the list of headers must be delimited by braces since they contain commas. For example:

```
\DTLloaddb[noheader,keys={Temperature,Time,T2G},%
headers={\shortstack{Incubation\\Temperature},%
\shortstack{Incubation\\Time},%
\shortstack{Time to\\Growth}}]{data}{data.csv}
```

omitlines This should be a non-negative integer that specifies how many rows to skip at the start of the file.

By default, the entries in the database must be separated by a comma, and optionally delimited by the double quote character ("). The separator can be changed to a tab separator using the command:

`\DTLsettabseparator`

```
\DTLsettabseparator
```

To set the separator to a character other than a tab, you need to use

`\DTLsetseparator`

```
\DTLsetseparator{<character>}
```

The delimiter can be changed using

`\DTLsetdelimiter`

```
\DTLsetdelimiter{<character>}
```

For example, suppose you have a file called `mydata.csv` which contains the following:

```
FirstName,Surname,Score
John,"Smith, Jr",68
Jane,Brown,75
Andy,Brown,42
Z\"oe,Adams,52
```

then

```
\DTLloaddb{mydata}{mydata.csv}
```

is equivalent to:

```
\DTLnewdb{mydata}
\DTLnewrow{mydata}%
\DTLnewbentry{mydata}{FirstName}{John}%
\DTLnewbentry{mydata}{Surname}{Smith, Jr}%
\DTLnewbentry{mydata}{Score}{68}%
\DTLnewrow{mydata}%
\DTLnewbentry{mydata}{FirstName}{Jane}%
\DTLnewbentry{mydata}{Surname}{Brown}%
\DTLnewbentry{mydata}{Score}{75}%
\DTLnewrow{mydata}%
\DTLnewbentry{mydata}{FirstName}{Andy}%
\DTLnewbentry{mydata}{Surname}{Brown}%
\DTLnewbentry{mydata}{Score}{42}%
\DTLnewrow{mydata}%
\DTLnewbentry{mydata}{FirstName}{Z\ "oe}%
\DTLnewbentry{mydata}{Score}{52}%
\DTLnewbentry{mydata}{Surname}{Adams}%
```

Note that the entry `Smith, Jr` had to be delimited in `mydata.csv` using the double quote character since it contained a comma which is used as the separator. The percent symbol `%` can be used as a comment character within the file.

The file used in the above example contained a \LaTeX command, namely `\`. When using `\DTLloaddb` all the special characters that appear in the command retain their \LaTeX meaning when the file is loaded. It is likely however that the data file may have been created by another application that is not \TeX -aware, such as a spreadsheet application. For example, suppose you have a file called, say, `products.csv` which looks like:

```
Product, Cost
Fruit & Veg, $1.25
Stationary, $0.80
```

This file contains two of \TeX 's special characters, namely `&` and `$`. In this case, if you try to load the file using `\DTLloaddb`, you will encounter errors. Instead you can use:

`\DTLloadrawdb`

```
\DTLloadrawdb[\langle options \rangle]{\langle db name \rangle}{\langle filename \rangle}
```

This is the same as `\DTLloaddb` except that it maps nine of the ten special characters onto commands which produce that symbol. The only character that retains its active state is the backslash character, so you will

still need to check the file for backslash characters. The mappings used are listed in [Table 5.1](#). So using the file `products.csv`, as described above,

```
\DTLloadrawdb{mydata}{products.csv}
```

is equivalent to:

```
\DTLnewdb{mydata}
\DTLnewrow{mydata}%
\DTLnewdbentry{mydata}{Product}{Fruit \& Veg}%
\DTLnewdbentry{mydata}{Cost}{\$1.25}%
\DTLnewrow{mydata}%
\DTLnewdbentry{mydata}{Product}{Stationary}%
\DTLnewdbentry{mydata}{Cost}{\$0.80}%
```

Table 5.1: Special character mappings used by `\DTLloadrawdb` (note that the backslash retains its active state)

| Character | Mapping |
|-----------|------------------|
| % | \% |
| \$ | \\$ |
| & | \& |
| # | \# |
| _ | _ |
| { | \{ |
| } | \} |
| ~ | \textasciitilde |
| ^ | \textasciicircum |

It may be that there are other characters that require mapping. For example, the file `products.csv` may instead look like:

```
Product, Cost
Fruit & Veg, £1.25
Stationary, £0.80
```

The pound character is not an internationally standard keyboard character, and does not generally achieve the desired effect when used in a \LaTeX document. It may therefore be necessary to convert this symbol to an appropriate control sequence. This can be done using the command:

`\DTLrawmap`

```
\DTLrawmap{<string>}{<replacement>}
```

For example:

```
\DTLrawmap{£}{\pounds}
```

will replace all occurrences¹ of £ with \pounds. Naturally, the mappings must be set *prior* to loading the data with \DTLloadrawdb.

Note that the warning in the previous section about no paragraph breaks in an entry also applies to entries loaded from a database. If you do need a paragraph break, use \DTLpar instead of \par, but remember that each row of data in an external data file must not have a line break.

5.3 Displaying the Contents of a Database

Once you have created a database, either loading it from an external file, as described in [section 5.2](#), or using the commands described in [section 5.1](#), you can display the entire database in a tabular or longtable environment.

```
\DTLdisplaydb
```

```
\DTLdisplaydb [⟨omit list⟩] {⟨db⟩}
```

This displays the database given by *⟨db⟩* in a tabular environment. The first row displays the headers for the database in bold, the subsequent rows display the values for each key in each row of the database. The optional argument *⟨omit list⟩* is a comma-separated list of column keys to omit. (All columns displayed by default.)

```
\DTLdisplaylongdb
```

```
\DTLdisplaylongdb [⟨options⟩] {⟨db⟩}
```

This is like \DTLdisplaydb except that it uses the longtable environment instead of the tabular environment. Note that if you use this command, you must load the longtable package, as it is not loaded by datatool. The optional argument *⟨options⟩* is a comma-separated list of key=value pairs. The following keys are available:

caption The caption for the longtable.

contcaption The continuation caption.

shortcaption The caption to be used in the list of figures.

¹when it is loaded into the L^AT_EX database, it does not modify the data file!

label The label for this table.

omit Comma-separated list of column keys to omit.

foot The longtable's foot.

lastfoot The foot for the last page of the longtable.

For example, suppose I have a database called `iris`, then I can display the contents in a longtable using:

```
\DTLdisplaylongdb[%  
caption={Iris Data},%  
label={tab:iris},%  
contcaption={Iris Data (continued)},%  
foot={\em Continued overleaf},%  
lastfoot={}%  
{iris}
```

I can then reference the table using `\ref{tab:iris}`.

See the `longtable` documentation for details on how to change the longtable settings, such as how to change the table so that it is left aligned instead of centred on the page.

Note that if you want more control over the way the data is displayed, for example, you want to filter rows or columns, you will need to use `\DTLforeach`, described in [section 5.4](#).

Example 1 (Displaying the Contents of a Database)

Suppose I have a file called `t2g.csv` that contains the following:

```
40,120,40  
40,90,60  
35,180,20  
55,190,40
```

This represents time to growth data, where the first column is the incubation temperature, the second column is the incubation time and the third column is the time to growth. This file has no header row, so when it is loaded, the `noheaders` option is required. Note that `\DTLdisplaydb` only puts the data in a tabular environment, so `\DTLdisplaydb` needs to be put in a table environment with a caption to make it a float.

First load the data base, setting the keys and headers:

```
\DTLloaddb[noheader,%  
keys={Temperature,Time,T2G},%  
headers={\shortstack{Incubation\\Temperature},%  
\shortstack{Incubation\\Time},\shortstack{Time to\\Growth}}%  
{t2g}{t2g.csv}
```

Now display the data in a table:

```
\begin{table}[htbp]
\caption{Time to Growth Data}
\centering
\DTLdisplaydb{t2g}
\end{table}
```

The result is shown in [Table 5.2](#).

Table 5.2: Time to Growth Data

| Incubation Temperature | Incubation Time | Time to Growth |
|-----------------------------------|----------------------------|---------------------------|
| 40 | 120 | 40 |
| 40 | 90 | 60 |
| 35 | 180 | 20 |
| 55 | 190 | 40 |

Each column in the database has an associated data type which indicates what type of data is in that column. This may be one of: string, integer, real number or currency. If a column contains more than one type, the data type is determined as follows:

- If the column contains at least one string, then the column data type is string.
- If the column doesn't contain a string, but contains at least one currency, then the column data type is currency.
- If the column contains only real numbers and integers, the column data type is real number.
- The column data type is integer if the column only contains integers.

The column data type is updated whenever a new entry is added to the database. Note that the column data type is not adjusted when an entry is removed from the database.

The column alignments used by `\DTLdisplaydb` are given by:

`\dtlstringalign`

```
\dtlstringalign
```

The string alignment defaults to 1 (left aligned).

`\dtlintalign`

```
\dtlintalign
```

The integer alignment defaults to `r` (right aligned).

`\dtlrealalign`

```
\dtlrealalign
```

The alignment for real numbers defaults to `r` (right aligned).

`\dtlcurrencyalign`

```
\dtlcurrencyalign
```

The currency alignment defaults to `r` (right aligned).

You can redefine these to change the column alignments. For example, if you want columns containing strings to have the alignment `p{2in}`, then you can redefine `\dtlstringalign` as follows:

```
\renewcommand{\dtlstringalign}{p{2in}}
```

You can't use `siunitx`'s `S` column alignment with either `\DTLdisplaydb` or `\DTLdisplaylongdb`. Instead, you will need to use `\DTLforeach`. The `siunitx` documentation provides an example.

In addition to the `\dtl<type>align` commands above, you can also modify the tabular column styles by redefining `\dtlbeforecols`, `\dtlbetweencols` and `\dtlaftercols`. For example, to place a vertical line before the start of the first column and after the last column, do:

```
\renewcommand{\dtlbeforecols}{|}  
\renewcommand{\dtlaftercols}{|}
```

If you additionally want vertical lines between columns, do:

```
\renewcommand{\dtlbetweencols}{|}
```

Limited modifications can be made to the way the data is displayed with `\DTLdisplaydb` and `\DTLdisplaylongdb`. The commands controlling the formatting are described below. If a more complicated layout is required, you will need to use `\DTLforeach` described in [section 5.4](#).

`\dtlheaderformat`

```
\dtlheaderformat{<header>}
```

This indicates how to format a column header, where the header is given by $\langle header \rangle$. This defaults to $\backslash null \backslash hfil \backslash textbf{\langle header \rangle} \backslash hfil \backslash null$.

$\backslash dtlstringformat$

```
 $\backslash dtlstringformat{\langle text \rangle}$ 
```

This specifies how to format each entry in the columns that contain strings. This defaults to just displaying $\langle text \rangle$.

$\backslash dtlintformat$

```
 $\backslash dtlintformat{\langle text \rangle}$ 
```

This specifies how to format each entry in the columns that contain only integers. This defaults to just displaying $\langle text \rangle$.

$\backslash dtlrealformat$

```
 $\backslash dtlrealformat{\langle text \rangle}$ 
```

This specifies how to format each entry in the columns that contain only real numbers or a mixture of real numbers and integers. This defaults to just displaying $\langle text \rangle$.

$\backslash dtlcurrencyformat$

```
 $\backslash dtlcurrencyformat{\langle text \rangle}$ 
```

This specifies how to format each entry in the columns that contain only currency or currency mixed with real numbers and/or integers. This defaults to just displaying $\langle text \rangle$.

$\backslash dtldisplaystarttab$

```
 $\backslash dtldisplaystarttab$ 
```

This is a hook to add something at the beginning of the tabular environment. This defaults to nothing.

$\backslash dtldisplayendtab$

```
 $\backslash dtldisplayendtab$ 
```

This is a hook to add something at the end of the tabular environment. This defaults to nothing.

$\backslash dtldisplayafterhead$

```
 $\backslash dtldisplayafterhead$ 
```

This is a hook to add something after the header row, before the first row of data. This defaults to nothing.

```
\dtldisplaystartrow
```

```
\dtldisplaystartrow
```

This is a hook to add something at the start of each row, but not including the header row or the first row of data. This defaults to nothing.

If you want to use the `booktabs` package, you can redefine the above three commands to use `\toprule`, `\midrule` and `\bottomrule`:

```
\renewcommand{\dtldisplaystarttab}{\toprule}  
\renewcommand{\dtldisplayafterhead}{\midrule}  
\renewcommand{\dtldisplayendtab}{\bottomrule}
```

Example 2 (Balance Sheet)

Suppose you have a file called `balance.csv` that contains the following:

```
Description,In,Out,Balance  
Travel expenses,,230,-230  
Conference fees,,400,-630  
Grant,700,,70  
Train fare,,70,0
```

The data can be loaded using:

```
\DTLloaddb[headers={Description,In (\pounds),Out (\pounds),Balance  
(\pounds)}]{balance}{balance.csv}
```

Suppose I want negative numbers to be displayed in red. I can do this by redefining `\dtlrealformat` to check if the entry is negative. For example:

```
\begin{table}[htbp]  
\caption{Balance Sheet}  
\renewcommand*{\dtlrealformat}[1]{\DTLiflt{#1}{0}{\color{red}}{#1}}  
\centering  
\DTLdisplaydb{balance}  
\end{table}
```

This produces [Table 5.3](#).

Table 5.3: Balance Sheet

| Description | In (£) | Out (£) | Balance (£) |
|-----------------|--------|---------|-------------|
| Travel expenses | | 230.00 | -230.00 |
| Conference fees | | 400.00 | -630.00 |
| Grant | 700.00 | | 70.00 |
| Train Fare | | 70.00 | 0.00 |

5.4 Iterating Through a Database

Once you have created a database, either loading it from an external file, as described in [section 5.2](#), or using the commands described in [section 5.1](#), you can then iterate through each row of the database and access elements in that row.

`\DTLforeach`

```
\DTLforeach[<condition>] {<db name>} {<assign list>} {<text>}
```

`\DTLforeach*`

```
\DTLforeach* [ <condition> ] { <db name> } { <assign list> } { <text> }
```

This will iterate through each row of the database called *<db name>*, applying *<text>* to each row of the database where *<condition>* is met. The argument *<assign list>* is a comma separated list of *<cmd>=<key>* pairs. At the start of each row, each command *<cmd>* in *<assign list>* will be set to the value of the entry given by *<key>*. These commands may then be used in *<text>*.

Note that this assignment is done globally to ensure that `\DTLforeach` works correctly in a tabular environment. Since you may want to use the same set of commands in a later `\DTLforeach`, the commands are not checked to determine if they already exist. It is therefore important that you check you are not using an existing command whose value should not be changed.

The optional argument *<condition>* is a condition in the form allowed by `\ifthenelse`. This includes the commands provided by the `ifthen` package (such as `\not`, `\and`, `\or`), as well as the commands described in [section 2.2](#). The default value of *<condition>* is `\boolean{true}`. The starred version `\DTLforeach*` is a read-only version. If you want to modify the database using any of the commands described in [section 5.6](#), you must use the unstarred version. The starred version is faster.

As is generally the case with command arguments, verbatim (for example, using `\verb` or the verbatim environment) can't be used in any of the arguments of `\DTLforeach`, specifically verbatim can't be used in `\langle text \rangle`.

There are also environment alternatives:

`DTLenvforeach`

```
\begin{DTLenvforeach} [ \langle condition \rangle ] { \langle db name \rangle } { \langle assign list \rangle }
```

`DTLenvforeach*`

```
\begin{DTLenvforeach*} [ \langle condition \rangle ] { \langle db name \rangle } { \langle assign list \rangle }
```

However, note that since these environments gather the contents of their body, they also suffer from the above limitation.

Verbatim can't be used in the body of `DTLenvforeach` or `DTLenvforeach*`.

Example 3 (Student scores)

Suppose you have a data file called `studentscores.csv` that contains the following:

```
FirstName, Surname, StudentNo, Score  
John, "Smith, Jr", 102689, 68  
Jane, Brown, 102647, 75  
Andy, Brown, 103569, 42  
Z\ "oe, Adams, 105987, 52  
Roger, Brady, 106872, 58  
Clare, Verdon, 104356, 45
```

and you load the data into a database called `scores` using:

```
\DTLloaddb{scores}{studentscores.csv}
```

you can then display the database in a table as follows:

```
\begin{table}[htbp]  
\caption{Student scores}  
\centering  
\begin{tabular}{llr}  
\bfseries First Name &  
\bfseries Surname &  
\bfseries Score (\%)%  
\DTLforeach{scores}{%  
\firstname=FirstName, \surname=Surname, \score=Score}{%  
}
```

```

\\
\firstname & \surname & \score}
\end{tabular}
\end{table}

```

This produces [Table 5.4](#). (Note that since I didn't need the student registration number, I didn't bother to assign a command to the key StudentNo.)

Table 5.4: Student scores

| First Name | Surname | Score (%) |
|------------|-----------|-----------|
| John | Smith, Jr | 68 |
| Jane | Brown | 75 |
| Andy | Brown | 42 |
| Zöe | Adams | 52 |
| Roger | Brady | 58 |
| Clare | Verdon | 45 |

The macro `\DTLforeach` may be nested up to three times. Each level uses the corresponding counters: `DTLrowi`, `DTLrowii` and `DTLrowiii` which keep track of the current row.

```

DTLrowi
DTLrowii
DTLrowiii

```

Note that these counters are only incremented when *condition* is satisfied, therefore they will not have the correct value in *condition*. These counters are incremented using `\refstepcounter` before the start of *text*, so they may be referenced using `\label`, however remember that `\label` references the last counter to be incremented using `\refstepcounter` in the current scope. The `\label` should therefore be the first command in *text* to ensure that it references the current row counter.

```
\DTLcurrentindex
```

```
\DTLcurrentindex
```

At the start of each iteration in `\DTLforeach`, `\DTLcurrentindex` is set to the arabic value of the current row counter. Note that this is only set after the condition is tested, so it should only be used in the body of `\DTLforeach` not in the condition. It is also only set locally, so if you use it in a tabular environment, it can only be used before the first instance of `\\` or `&` in the current iteration.

Within the body of `\DTLforeach` (i.e. within *text*) the following conditionals may be used:

`\DTLiffirstrow`

```
\DTLiffirstrow{<true part>}{<>false part>}
```

If the current row is the first row, then do *<true part>*, otherwise do *<>false part>*.

`\DTLifoddrow`

```
\DTLifoddrow{<true part>}{<>false part>}
```

If the current row number is an odd number, then do *<true part>*, otherwise do *<>false part>*.

`\DTLsaveastrowcount`

```
\DTLsaveastrowcount{<cmd>}
```

This command will store the value of the row counter used in the last occurrence of `\DTLforeach` in the control sequence *<cmd>*.

`\DTLforeachkeyinrow`

```
\DTLforeachkeyinrow{<cmd>}{<text>}
```

This iterates through each key in the current row, (globally) assigns *<cmd>* to the value of that key, and does *<text>* (*<cmd>* must be a control sequence and may be used in *<text>*). This command may only be used in the body of `\DTLforeach`. At each iteration, `\DTLforeachkeyinrow` sets `\dtlkey` to the current key, `\dtlcol` to the current column index, `\dtltype` to the data type for the current column, and `\dtlheader` to the header for the current column. Note that `\dtltype` corresponds to the column type but if the entries in the column have mixed types, it may not correspond to the type of the current entry.

`\dtlbreak`

```
\dtlbreak
```

You can break out of most of the loops provided by `datatool` using `\dtlbreak`. Note, however, that it doesn't break the loop until the end of the current iteration. There is no provision for a `next` or `continue` style command.

Additional loop commands provided by `datatool` are described in the documented code (`datatool.pdf`).

Example 4 (Student Scores—Labelling)

In the previous example, the student scores, stored in the database

scores were placed in a table. In this example the table will be modified slightly to number each student according to the row. Suppose I also want to identify which row Jane Brown is in, and reference it in the text. The easiest way to do this is to construct a label on each row which uniquely identifies that student. The label can't simply be constructed from the surname, as there are two students with the same surname. In order to create a unique label, I can either construct a label from both the surname and the first name, or I can use the student's registration number, or I can use the student's score, since all the scores are unique. The former method will cause a problem since one of the names (Zöe) contains an accent command. Although the registration numbers are all unique, they are not particularly memorable, so I shall instead use the scores.

```
\begin{table}[htbp]
\caption{Student scores}
\centering
\begin{tabular}{c|l|l|l}
\bfseries Row &
\bfseries First Name &
\bfseries Surname &
\bfseries Score (\%)%
\DTLforeach*{scores}{%
\firstname=FirstName, \surname=Surname, \score=Score}{%
\label{row:\score}\\\theDTLrowi &
\firstname & \surname & \score}%
\end{tabular}
\end{table}
```

Jane Brown scored the highest (75\%), her score can be seen on row~\ref{row:75}.

This produces **Table 5.5** and the following text: Jane Brown scored the highest (75%), her score can be seen on row 2.

Notes:

- the `\label` command is placed before `\` to ensure that it is in the same scope as the command `\refstepcounter{DTLrowi}`.
- To avoid unwanted spaces the end of line characters are commented out with the percent (%) symbol.

Example 5 (Filtering Rows)

As mentioned earlier, the optional argument *(condition)* of `\DTLforeach` provides a means to exclude certain rows. This example uses the

Table 5.5: Student scores

| Row | First Name | Surname | Score (%) |
|-----|------------|-----------|-----------|
| 1 | John | Smith, Jr | 68 |
| 2 | Jane | Brown | 75 |
| 3 | Andy | Brown | 42 |
| 4 | Zöe | Adams | 52 |
| 5 | Roger | Brady | 58 |
| 6 | Clare | Verdon | 45 |

database defined in [example 3](#), but only displays the information for students whose marks are above 60. At the end of the table, `\DTLsaveastrowcount` is used to store the number of rows in the table. (Note that `\DTLsaveastrowcount` is outside of `\DTLforeach`.)

```

\begin{table}[htbp]
\caption{Top student scores}
\centering
\begin{tabular}{llr}
\bfseries First Name &
\bfseries Surname &
\bfseries Score (\%)%
\DTLforeach*[\DTLisgt{\score}{60}]{scores}{%
\firstname=FirstName,\surname=Surname,\score=Score}{%
\\
\firstname & \surname & \score}
\end{tabular}

\DTLsaveastrowcount{\n}%
\n\ students scored above 60\%.
\end{table}

```

This produces [Table 5.6](#). Note that in this example, I could have specified the condition as `\score>60` since all the scores are integers, however, as it's possible that an entry may feasibly have a decimal score I have used `\DTLisgt` instead.

Table 5.6: Top student scores

| First Name | Surname | Score (%) |
|------------------------------|-----------|-----------|
| John | Smith, Jr | 68 |
| Jane | Brown | 75 |
| 2 students scored above 60%. | | |

Suppose now, I only want to display the scores for students whose surname begins with 'B'. I can do this as follows:

```

\begin{table}[htbp]
\caption{Student scores (B)}
\centering
\begin{tabular}{llr}
\bfseries First Name &
\bfseries Surname &
\bfseries Score (\%)%
\DTLforeach*[\DTLisopenbetween{\surname}{B}{C}]{scores}{%
\firstname=FirstName,\surname=Surname,\score=Score}{%
\\
\firstname & \surname & \score}
\end{tabular}
\end{table}

```

This produces [Table 5.7](#).

Table 5.7: Student scores (B)

| First Name | Surname | Score (%) |
|------------|---------|-----------|
| Jane | Brown | 75 |
| Andy | Brown | 42 |
| Roger | Brady | 58 |

Example 6 (Breaking Out of a Loop)

Suppose I only want to display the first three rows of a database. I could do:²

```

\DTLforeach*[\value{DTLrowi}<3]{scores}%
{\firstname=FirstName,\surname=Surname,\score=Score}{%
\\ \firstname & \surname & \score
}

```

However, this isn't very efficient, as it still has to iterate through the entire database, checking if the condition is met. If the database has over 100 entries, this will slow the time taken to create the table. It would therefore be much more efficient to break out of the loop when row count exceeds 3:

```

\begin{table}[htbp]
\caption{First Three Rows}
\centering
\begin{tabular}{llr}

```

²Recall that `DTLrowi` is incremented after the condition is tested, so it will be out by 1 when the condition is tested which is why `<3` is used instead of `<4`.

```

\bfseries First Name & \bfseries Surname & \bfseries Score (\%)%
\DTLforeach*{scores}%
{\firstname=FirstName,\surname=Surname,\score=Score}{%
\ifthenelse{\DTLcurrentindex=3}{\dtlbreak}{}%
\\ \firstname & \surname & \score
}%
\end{tabular}
\end{table}

```

This produces [Table 5.8](#). Note that the loop is not broken until the end of the current iteration, so even though `\dtlbreak` occurs at the start of the third row, the loop isn't finished until the third row is completed. (Recall that `\DTLcurrentindex` must be used before the first instance of `\\` or `&`.) Alternatively, you can use `DTLrowi` instead:

```

\DTLforeach{scores}%
{\firstname=FirstName,\surname=Surname,\score=Score}{%
\\ \firstname & \surname & \score
\ifthenelse{\value{DTLrowi}=3}{\dtlbreak}{}%
}%

```

Table 5.8: First Three Rows

| First Name | Surname | Score (%) |
|------------|-----------|-----------|
| John | Smith, Jr | 68 |
| Jane | Brown | 75 |
| Andy | Brown | 42 |

Example 7 (Stripy Tables)

This example uses the same database as in the previous examples. It requires the `colortbl` package, which provides the command `\rowcolor`. The command `\DTLifoddrow` is used to produce a striped table.

```

\begin{table}[htbp]
\caption{A stripy table}\label{tab:stripy}
\centering
\begin{tabular}{llc}
\bfseries First Name &
\bfseries Surname &
\bfseries Score (\%)%
\DTLforeach*{scores}{%
\firstname=FirstName,\surname=Surname,\score=Score}{%
\\ \DTLifoddrow{\rowcolor{blue}}{\rowcolor{green}}}%

```

```

\firstname & \surname & \score}%
\end{tabular}
\end{table}

```

This produces [Table 5.9](#).

Table 5.9: A stripy table

| First Name | Surname | Score (%) |
|------------|-----------|-----------|
| John | Smith, Jr | 68 |
| Jane | Brown | 75 |
| Andy | Brown | 42 |
| Zöe | Adams | 52 |
| Roger | Brady | 58 |
| Clare | Verdon | 45 |

Example 8 (Two Database Rows per Tabular Row)

In order to save space, you may want two database rows per tabular row, when displaying a database in a tabular environment. This can be accomplished using `\DTLifoddrow`. For example

```

\begin{table}[htbp]
\caption{Two database rows per tabular row}
\centering
\begin{tabular}{llc}
\bfseries First Name &
\bfseries Surname &
\bfseries Score (\%) &
\bfseries First Name &
\bfseries Surname &
\bfseries Score (\%)%
\DTLforeach*{scores}{\firstname=FirstName,\surname=Surname,\score=Score}{%
\DTLifoddrow{\}\{&}%
\firstname & \surname & \score}%
\end{tabular}
\end{table}

```

produces [Table 5.10](#)

(To order column-wise, instead of row-wise, see [example 18](#).)

Table 5.10: Two database rows per tabular row

| First Name | Surname | Score (%) | First Name | Surname | Score (%) |
|------------|-----------|-----------|------------|---------|-----------|
| John | Smith, Jr | 68 | Jane | Brown | 75 |
| Andy | Brown | 42 | Zöe | Adams | 52 |
| Roger | Brady | 58 | Clare | Verdon | 45 |

Example 9 (Iterating Through Keys in a Row)

Suppose you have lots of columns in your database, and you want to display them all without having to set a variable for each column. You can leave the assignment list in `\DTLforeach` blank, and iterate through the keys using `\DTLforeachkeyinrow`. For example:

```
\begin{table}[htbp]
\caption{Student Scores (Iterating Through Keys)}
\centering
\begin{tabular}{llll}
\bfseries First Name & \bfseries Surname &
\bfseries Registration No. &
\bfseries Score (\%)%
\DTLforeach*{scores}{}{%
\\ \gdef\doamp{\gdef\doamp{&}}%
\DTLforeachkeyinrow{\thisValue}{\doamp\thisValue}}%
\end{tabular}
\end{table}
```

This produces [Table 5.11](#).

Table 5.11: Student Scores (Iterating Through Keys)

| First Name | Surname | Registration No. | Score (%) |
|------------|-----------|------------------|-----------|
| John | Smith, Jr | 102689 | 68 |
| Jane | Brown | 102647 | 75 |
| Andy | Brown | 103569 | 42 |
| Zöe | Adams | 105987 | 52 |
| Roger | Brady | 106872 | 58 |
| Clare | Verdon | 104356 | 45 |

Note that the `&` must be between columns, so I have defined a command called `\doamp` that on first use redefines itself to do `&`. So, for each row, at the start of the key iteration, `\doamp` does nothing, and on subsequent iterations it does `&`. This ensures that the correct number of `&`s are used. Since each cell in the tabular environment is scoped, `\gdef` is needed instead of `\def`.

In the above, I needed to know how many columns are in the database, and the order that the headings should appear. If you are unsure, you can

use `\dtlforeachkey` to determine the number of columns and to display the header row. For example:

```

\begin{table}[htbp]
\caption{Student Scores}
\centering
% Work out the column alignments.
\def\colalign{}%
\dtlforeachkey(\theKey,\theCol,\theType,\theHead)\in{scores}\do
{\edef\colalign{\colalign l}}%
% Begin the tabular environment.
\edef\dobegintabular{\noexpand\begin{tabular}{\colalign}}%
\dobegintabular
% Do the header row.
\gdef\doamp{\gdef\doamp{&}}%
\dtlforeachkey(\theKey,\theCol,\theType,\theHead)\in{scores}\do
{\doamp\bfseries \theHead}%
% Iterate through the data.
\DTLforeach*{scores}{}{%
\\ \gdef\doamp{\gdef\doamp{&}}%
\DTLforeachkeyinrow{\thisValue}{\doamp\thisValue}}%
\end{tabular}
\end{table}

```

Table 5.12: Student Scores (Using `\dtlforeachkey` and `\DTLforeachkeyinrow`)

| FirstName | Surname | StudentNo | Score |
|-----------|-----------|-----------|-------|
| John | Smith, Jr | 102689 | 68 |
| Jane | Brown | 102647 | 75 |
| Andy | Brown | 103569 | 42 |
| Zöe | Adams | 105987 | 52 |
| Roger | Brady | 106872 | 58 |
| Clare | Verdon | 104356 | 45 |

Notes:

- In order to determine the column alignment for the tabular environment, I first define `\colalign` to nothing, and then I iterate through the keys appending `l` to `\colalign`. Since `\colalign` only contains alphabetical characters, I can just use `\edef` for this. I could modify this to check the data type and, say, use `l` (left alignment) for columns containing strings and `c` (centred) for the other columns:

```

\dtlforeachkey(\theKey,\theCol,\theType,\theHead)\in{scores}\do
{\ifnum\theType=0\relax

```

```

\edef\colalign{\colalign l}% column contains strings
\else
\edef\colalign{\colalign c}% column contains numerical values
\fi
}%

```

- To ensure `\colalign` gets correct expanded when passed to the tabular environment I temporarily define `\dobegintabular` to the code required to start the tabular environment:

```
\edef\dobegintabular{\noexpand\begin{tabular}{\colalign}}%
```

This sets `\dobegintabular` to `\begin{tabular}{llll}`. After defining `\dobegintabular`, I then need to use it.

- As before, I use `\doamp` to put the ampersands between columns.
- Recall that I can set the headers using `\DTLsetheader` or using the headers key when loading the data from an external file. For example:

```

\DTLsetheaders{scores}{FirstName}{First Name}
\DTLsetheaders{scores}{Score}{Score (\%)}

```

Recall that `\DTLforeachkeyinrow` sets `\dtlkey` to the current key. This can be used to filter out columns. Alternatively, if you know the column index, you can test `\dtlcol` instead. The following code modifies the above example so that it filters out the column whose key is `StudentNo`:

```

\begin{table}[htbp]
\caption{Student Scores (Filtering Out a Column)}
\centering
\def\colalign{}%
\dtlforeachkey(\theKey,\theCol,\theType,\theHead)\in{scores}\do
{\DTLifkey{\theKey}{StudentNo}}{\edef\colalign{\colalign l}}%
\edef\dobegintabular{\noexpand\begin{tabular}{\colalign}}%
\dobegintabular
\gdef\doamp{\gdef\doamp{&}}%
\dtlforeachkey(\theKey,\theCol,\theType,\theHead)\in{scores}\do
{\DTLifkey{\theKey}{StudentNo}}{\doamp\bfseries \theHead}}%
\DTLforeach*{scores}{}{%
\\ \gdef\doamp{\gdef\doamp{&}}%
\DTLforeachkeyinrow{\thisValue}{%
\DTLifkey{\dtlkey}{StudentNo}}{\doamp\thisValue}}%
\end{tabular}
\end{table}

```

The result is shown in [Table 5.13](#).

Table 5.13: Student Scores (Filtering Out a Column)

| FirstName | Surname | Score |
|-----------|-----------|-------|
| John | Smith, Jr | 68 |
| Jane | Brown | 75 |
| Andy | Brown | 42 |
| Zöe | Adams | 52 |
| Roger | Brady | 58 |
| Clare | Verdon | 45 |

Example 10 (Nested `\DTLforeach`)

In this example I have a CSV file called `index.csv` which contains:

```
File, Temperature, NaCl, pH
exp25a.csv, 25, 4.7, 0.5
exp25b.csv, 25, 4.8, 1.5
exp30a.csv, 30, 5.12, 4.5
```

The first column of this file contains the name of another CSV file which has the results of a time to growth experiment performed at the given incubation temperature, salt concentration and pH. The file `exp25a.csv` contains the following:

```
Time, Log Count
0, 3.75
23, 3.9
45, 4.0
```

The file `exp25b.csv` contains the following:

```
Time, Log Count
0, 3.6
60, 3.8
120, 4.0
```

The file `exp30a.csv` contains the following:

```
Time, Log Count
0, 3.73
23, 3.67
60, 4.9
```

Suppose I now want to iterate through `index.csv`, load the given file, and create a table for that data. I can do this using nested `\DTLforeach` as follows:

```

% load index data file
\DTLloaddb{index}{index.csv}

% iterate through index database
\DTLforeach{index}{\theFile=File,\theTemp=Temperature,%
\theNaCl=NaCl,\thepH=pH}{%
% load results file into database of the same name
\DTLloaddb{\theFile}{\theFile}%
% Create a table
\begin{table}[htbp]
\caption{Temperature = \theTemp, NaCl = \theNaCl,
pH = \thepH}\label{tab:\theFile}
\centering
\begin{tabular}{rl}
\bfseries Time & \bfseries Log Count
\DTLforeach{\theFile}{\theTime=Time,\theLogCount=Log Count}{%
\\ \theTime & \theLogCount}%
\end{tabular}
\end{table}
}

```

This creates [Table 5.14](#) to [Table 5.16](#). (Note that each table is given a label that is based on the database name, to ensure that it is unique.)

Table 5.14: Temperature = 25, NaCl = 4.7, pH = 0.5

| Time | Log Count |
|-------------|------------------|
| 0 | 3.75 |
| 23 | 3.9 |
| 45 | 4.0 |

Table 5.15: Temperature = 25, NaCl = 4.8, pH = 1.5

| Time | Log Count |
|-------------|------------------|
| 0 | 3.6 |
| 60 | 3.8 |
| 120 | 4.0 |

Table 5.16: Temperature = 30, NaCl = 5.12, pH = 4.5

| Time | Log Count |
|-------------|------------------|
| 0 | 3.73 |
| 23 | 3.67 |
| 60 | 4.9 |

Example 11 (Dynamically Allocating Field Name)

(This example was suggested by Bill Hobbs.) Suppose you have a directory containing members of multiple clubs. The CSV file (say, `clubs.csv`) may look something like:

```
First Name,Surname,Rockin,Single
John,"Smith, Jr",member,
Jane,Brown,,friend
Andy,Brown,friend,member
Z\"oe,Adams,member,member
Roger,Brady,friend,friend
Clare,Verdon,member,
```

(Blank entries indicate that the person is not a member of that club.) The data can be loaded as follows:

```
\DTLloaddb{clubs}{clubs.csv}
```

Suppose at the beginning of your document you have specified which club you are interested in (Rockin or Single) and store it in `\DIdent`:

```
\newcommand{\DIdent}{Rockin}
```

You can now display the members for this particular club as follows:

```
\begin{table}[htbp]
\caption{Club Membership}
\centering
\begin{tabular}{lll}
\bfseries First Name & \bfseries Surname & \bfseries Status
\DTLforeach*[\not\DTLiseq{\status}{}]{clubs}
{\\firstname=First Name,\surname=Surname,\status=\DIdent}{%
\\ \firstname & \surname & \status
}%
\end{tabular}
\end{table}
```

The result is shown in [Table 5.17](#).

Table 5.17: Club Membership

| First Name | Surname | Status |
|------------|-----------|--------|
| John | Smith, Jr | member |
| Andy | Brown | friend |
| Zöe | Adams | member |
| Roger | Brady | friend |
| Clare | Verdon | member |

5.5 Null Values

If a database is created using `\DTLnewdb`, `\DTLnewrow` and `\DTLnewdbentry` (rather than loading it from an ASCII file), it is possible for some of the entries to have null values when a value is not assigned to a given key for a given row. (Note that a null value is not the same as an empty value. Empty values can be tested using etoolbox's `\ifdefempty` or similar.)

When you iterate through the database using `\DTLforeach` (described in [section 5.4](#)), if an entry is missing for a given row, the associated command given in the *⟨values⟩* argument will be set to a null value. This value depends on the data type associated with the given key.

`\DTLstringnull`

```
\DTLstringnull
```

This is the null value for a string.

`\DTLnumbernull`

```
\DTLnumbernull
```

This is the null value for a number.

`\DTLifnull`

```
\DTLifnull{⟨cmd⟩}{⟨true part⟩}{⟨false part⟩}
```

This checks if *⟨cmd⟩* is null where *⟨cmd⟩* is a command name, if it is, then *⟨true part⟩* is done, otherwise *⟨false part⟩* is done. This macro is illustrated in [example 12](#) below.

Example 12 (Null Values)

Consider the following (which creates a database called `emailDB`):

```
\DTLnewdb{emailDB}
\DTLnewrow{emailDB}
\DTLnewdbentry{emailDB}{Surname}{Jones}
\DTLnewdbentry{emailDB}{FirstName}{Mary}
\DTLnewdbentry{emailDB}{Email1}{mj@my.uni.ac.uk}
\DTLnewdbentry{emailDB}{Email2}{mj@somewhere.com}
\DTLnewrow{emailDB}
\DTLnewdbentry{emailDB}{Surname}{Smith}
\DTLnewdbentry{emailDB}{FirstName}{Adam}
\DTLnewdbentry{emailDB}{Email1}{as@my.uni.ac.uk}
\DTLnewdbentry{emailDB}{RegNum}{12345}
```

In the above example, the first row of the database contains an entry with the key `Email2`, but the second row doesn't. Whereas the second row contains an entry with the key `RegNum`, but the first row doesn't. The following code puts the information in a tabular environment:

```
\begin{tabular}{lllll}
\bfseries First Name &
\bfseries Surname &
\bfseries Email 1 &
\bfseries Email 2 &
\bfseries Reg Num%
\DTLforeach{emailDB}{\firstname=FirstName, \surname=Surname, %
\emailI=Email1, \emailII=Email2, \regnum=RegNum}{%
\\ \firstname & \surname & \emailI & \emailII & \regnum}%
\end{tabular}
```

This produces the following:

| First Name | Surname | Email 1 | Email 2 | Reg Num |
|-------------------|----------------|-----------------|------------------|----------------|
| Mary | Jones | mj@my.uni.ac.uk | mj@somewhere.com | 0 |
| Adam | Smith | as@my.uni.ac.uk | NULL | 12345 |

Note that on the first row of data, the registration number appears as 0, while on the next row, the second email address appears as NULL. The `datatool` package has identified the key `RegNum` for this database as a numerical key, since all elements in the database with that key are numerical, whereas it has identified the key `Email2` as a string, since there is at least one element in this database with that key that is a string. Null numerical values are set to `\DTLnumbernull (0)`, and null strings are set to `\DTLstringnull (NULL)`.

The following code checks each value to determine whether it is null using `\DTLifnull`. If it is, the text *Missing* is inserted, otherwise the value itself is used:

```
\begin{tabular}{lllll}
\bfseries First Name &
\bfseries Surname &
\bfseries Email 1 &
\bfseries Email 2 &
\bfseries Reg Num%
\DTLforeach{emailDB}{\firstname=FirstName, \surname=Surname, %
\emailI=Email1, \emailII=Email2, \regnum=RegNum}{%
\\ \DTLifnull{\firstname}{\emph{Missing}}{\firstname} &
\DTLifnull{\surname}{\emph{Missing}}{\surname} &
\DTLifnull{\emailI}{\emph{Missing}}{\emailI} &
\DTLifnull{\emailII}{\emph{Missing}}{\emailII} &
\DTLifnull{\regnum}{\emph{Missing}}{\regnum}}%
\end{tabular}
```


This produces the following:

| First Name | Surname | Email 1 | Email 2 | Reg Num |
|-------------------|----------------|-----------------|------------------|----------------|
| Mary | Jones | mj@my.uni.ac.uk | mj@somewhere.com | <i>Missing</i> |
| Adam | Smith | as@my.uni.ac.uk | <i>Missing</i> | 12345 |

If you want to do this, you may find it easier to define a convenience command that will display some appropriate text if an entry is missing, for example:

```
\newcommand*{\checkmissing}[1]{\DTLifnull{#1}{---}{#1}}
```

Then instead of typing, say,

```
\DTLifnull{\regnum}{---}{\regnum}
```

you can instead type:

```
\checkmissing{\regnum}
```

Now suppose that instead of defining the database using `\DTLnewdb`, `\DTLnewrow` and `\DTLnewdbentry`, you have a file with the contents:

```
Surname,FirstName,RegNum,Email1,Email2
Jones,Mary,,mj@my.uni.ac.uk,mj@somewhere.com
Smith,Adam,12345,as@my.uni.ac.uk,
```

and you load the data from this file using `\DTLloaddb` (defined in [section 5.2](#)). Now the database has no null values, but has an empty value for the key `RegNum` on the first row of the database, and an empty value for the key `Email2` on the second row of the database. Now, the following code

```
\begin{tabular}{lllll}
\bfseries First Name &
\bfseries Surname &
\bfseries Email 1 &
\bfseries Email 2 &
\bfseries Reg Number%
\DTLforeach{emailDB}{\firstname=FirstName,\surname=Surname,%
\emailI=Email1,\emailII=Email2,\regnum=RegNum}{%
\\ \DTLifnull{\firstname}{\emph{Missing}}{\firstname} &
\DTLifnull{\surname}{\emph{Missing}}{\surname} &
\DTLifnull{\emailI}{\emph{Missing}}{\emailI} &
\DTLifnull{\emailII}{\emph{Missing}}{\emailII} &
\DTLifnull{\regnum}{\emph{Missing}}{\regnum}}%
\end{tabular}
```

produces:

| First Name | Surname | Email 1 | Email 2 | Reg Number |
|------------|---------|-----------------|------------------|------------|
| Mary | Jones | mj@my.uni.ac.uk | mj@somewhere.com | |
| Adam | Smith | as@my.uni.ac.uk | | 12345 |

5.6 Editing Database Rows

A row can be removed from a data base using:

`\DTLremoverow`

```
\DTLremoverow{<db name>}{<row index>}
```

where *<row index>* is the index of the unwanted row. For example:

```
\DTLremoverow{scores}{2}
```

will delete the second row in the database labelled “scores”. There is also a starred version that doesn’t check for the existence of the database.

The following commands may be used in the body of the `\DTLforeach` loop,³ to edit the current row of the loop. (See also [subsection 5.11.1](#).)

`\DTLappendtorow`

```
\DTLappendtorow{<key>}{<value>}
```

This appends a new entry with the given *<key>* and *<value>* to the current row. (*<value>* is expanded.)

`\DTLreplaceentryforrow`

```
\DTLreplaceentryforrow{<key>}{<value>}
```

This replaces the entry for *<key>* with *<value>*. (*<value>* is expanded.)

`\DTLremoveentryfromrow`

```
\DTLremoveentryfromrow{<key>}
```

This removes the entry for *<key>* from the current row.

`\DTLremovecurrentrow`

```
\DTLremovecurrentrow
```

This removes the current row from the database.

³Only the unstarred version of `\DTLforeach`; the starred version is read-only.

Example 13 (Editing Database Rows)

In this example I have a CSV file called `marks.csv` that contains student marks for three assignments:

```
Surname,FirstName,StudentNo,Assignment 1,Assignment
2,Assignment 3
"Smith, Jr",John,102689,68,57,72
"Brown",Jane,102647,75,84,80
"Brown",Andy,103569,42,52,54
"Adams",Z\oe,105987,52,48,57
"Brady",Roger,106872,58,60,62
"Verdon",Clare,104356,45,50,48
```

First load this into a database called marks:

```
\DTLloaddb{marks}{marks.csv}
```

Suppose now I want to compute the average mark for each student, and append this to the database. I can do this as follows:

```
\DTLforeach{marks}{%
\assignI=Assignment 1,%
\assignII=Assignment 2,%
\assignIII=Assignment 3}{%
\DTLmeanforall{\theMean}{\assignI,\assignII,\assignIII}%
\DTLappendtorow{Average}{\theMean}}
```

For each row in the marks database, I now have an extra key called **Average** that contains the average mark over all three assignments for a given student. I can now put this data into a table:

```
\begin{table}[htbp]
\caption{Student marks}
\centering
\begin{tabular}{llcccc}
\bfseries Surname & \bfseries First Name &
\bfseries Assign 1 &
\bfseries Assign 2 &
\bfseries Assign 3 &
\bfseries Average Mark%
\DTLforeach{marks}{\surname=Surname,\firstname=FirstName,\average
=Average,\assignI=Assignment 1,\assignII=Assignment 2,\assignIII
=Assignment 3}{\\ \surname
& \firstname & \assignI & \assignII & \assignIII &
\DTLround{\average}{\average}{2}\DTLclip{\average}\average}\relax
\end{tabular}
\end{table}
```

This produces [Table 5.18](#).

Note that if I only wanted the averages for the table and nothing else, I could simply have computed the average in each row of the table and displayed it without adding the information to the database, however I am going to reuse this information in [example 33](#), so adding it to the database means that I don't need to recompute the mean.

Table 5.18: Student marks

| Surname | First Name | Assign 1 | Assign 2 | Assign 3 | Average Mark |
|-----------|------------|----------|----------|----------|--------------|
| Smith, Jr | John | 68 | 57 | 72 | |
| Brown | Jane | 75 | 84 | 80 | |
| Brown | Andy | 42 | 52 | 54 | |
| Adams | Zöe | 52 | 48 | 57 | |
| Brady | Roger | 58 | 60 | 62 | |
| Verdon | Clare | 45 | 50 | 48 | |

5.7 Arithmetical Computations on Database Entries

The commands used in [chapter 3](#) can be used on database entries. You can, of course, directly use the commands provided by the `fp` package if you know that the values are in the correct format (i.e. no currency symbols, no number group separators and a full stop as the decimal point) but if this is not the case, then you should use the commands described in [chapter 3](#). If you want to use a command provided by the `fp` package, that does not have a wrapper function in `datatool`, then you will need to convert the value using `\DTLconverttodecimal`, and convert it back using either `\DTLdecimaltolocale` or `\DTLdecimaltocurrency`.

Example 14 (Arithmetical Computations)

In this example, I am going to produce a table similar to [Table 5.4](#), except that I want to add an extra row at the end which contains the average score.

```
\begin{table}[htbp]
\caption{Student scores}\label{tab:mean}
\centering
\def\total{0}%
\begin{tabular}{llr}
\bfseries First Name &
\bfseries Surname &
\bfseries Score (\%)%

```

```

\DTLforeach{scores}{%
\firstname=FirstName,\surname=Surname,\score=Score}{%
\\
\firstname & \surname &
\DTLgadd{\total}{\score}{\total}%
\score
}\\
\multicolumn{2}{l}{\bfseries Average Score} &
\DTLsavelastrowcount{\n}%
\DTLdiv{\average}{\total}{\n}%
\DTLround{\average}{\average}{2}%
\average
\end{tabular}
\end{table}

```

This produces **Table 5.19. Notes:**

- I had to use `\DTLgadd` rather than `\DTLadd` since it occurs within a tabular environment which puts each entry in a local scope.
- I used `\DTLsavelastrowcount` to store the number of rows produced by `\DTLforeach` in the control sequence `\n`.
- I used `\DTLround` to round the average score to 2 decimal places.

Table 5.19: Student scores

| First Name | Surname | Score (%) |
|----------------------|-----------|-----------|
| John | Smith, Jr | 68 |
| Jane | Brown | 75 |
| Andy | Brown | 42 |
| Zöe | Adams | 52 |
| Roger | Brady | 58 |
| Clare | Verdon | 45 |
| Average Score | | 56.67 |

`\DTLsumforkeys`

```

\DTLsumforkeys [ <condition> ] [ <assign list> ] { <db list> } { <key
list> } { <cmd> }

```

This command sums all the entries over all the databases listed in the comma separated list of database names `<db list>` for each key in `<key list>` where the condition given by `<condition>` is true. The second optional

argument *⟨assign list⟩* is the same as the assignment list used by `\DTLforeach`, so that you can use the information in *⟨condition⟩*. The result is stored in *⟨cmd⟩* which must be a control sequence. For example:

```
\DTLsumforkeys{scores}{Score}{\total}
```

sets `\total` to the sum of all the scores in the database called `scores`.

`\DTLsumcolumn`

```
\DTLsumcolumn{⟨db⟩}{⟨key⟩}{⟨cmd⟩}
```

This is a faster version of `\DTLsumforkeys` that only sums the entries in a single column (specified by *⟨key⟩*) for a single database (specified by *⟨db⟩*) and doesn't provide any filtering. The result is stored in *⟨cmd⟩* which must be a control sequence.

`\DTLmeanforkeys`

```
\DTLmeanforkeys [⟨condition⟩] [⟨assign list⟩] {⟨db list⟩} {⟨key list⟩} {⟨cmd⟩}
```

This command computes the arithmetic mean of all the entries over all the databases listed in *⟨db list⟩* for all keys in *⟨key list⟩* where the condition given by *⟨condition⟩* is true. The second optional argument *⟨assign list⟩* is the same as the assignment list used by `\DTLforeach`, so that you can use the information in *⟨condition⟩*. The result is stored in *⟨cmd⟩* which must be a control sequence. For example:

```
\DTLmeanforkeys{scores}{Score}{\average}
```

sets `\average` to the mean of all the scores in the database called `scores`.

`\DTLmeanforcolumn`

```
\DTLmeanforcolumn{⟨db⟩}{⟨key⟩}{⟨cmd⟩}
```

This is a faster version of `\DTLmeanforkeys` that only computes the mean for a single column (specified by *⟨key⟩*) for a single database (specified by *⟨db⟩*) and doesn't provide any filtering. The result is stored in *⟨cmd⟩* which must be a control sequence.

`\DTLvarianceforkeys`

```
\DTLvarianceforkeys [⟨condition⟩] [⟨assign list⟩] {⟨db list⟩} {⟨key list⟩} {⟨cmd⟩}
```

This command computes the variance of all the entries over all the databases listed in *⟨db list⟩* for all keys in *⟨key list⟩* where the condition

given by *condition* is true. The second optional argument *assign list* is the same as the assignment list used by `\DTLforeach`, so that you can use the information in *condition*. The result is stored in *cmd* which must be a control sequence.

`\DTLvarianceforcolumn`

```
\DTLvarianceforcolumn{<db>}{<key>}{<cmd>}
```

This is a faster version of `\DTLvarianceforkeys` that only computes the variance for a single column (specified by *key*) for a single database (specified by *db*) and doesn't provide any filtering. The result is stored in *cmd* which must be a control sequence.

`\DTLsdforkeys`

```
\DTLsdforkeys [<condition>] [<assign list>] {<db list>} {<key list>} {<cmd>}
```

This command computes the standard deviation of all the entries over all the databases listed in *db list* for all keys in *key list* where the condition given by *condition* is true. The second optional argument *assign list* is the same as the assignment list used by `\DTLforeach`, so that you can use the information in *condition*. The result is stored in *cmd* which must be a control sequence.

`\DTLsdforcolumn`

```
\DTLsdforcolumn{<db>}{<key>}{<cmd>}
```

This is a faster version of `\DTLsdforkeys` that only computes the standard deviation for a single column (specified by *key*) for a single database (specified by *db*) and doesn't provide any filtering. The result is stored in *cmd* which must be a control sequence.

`\DTLminforkeys`

```
\DTLminforkeys [<condition>] [<assign list>] {<db list>} {<key list>} {<cmd>}
```

This command determines the minimum value over all entries for all keys in *key list* over all the databases listed in *db list* where *condition* is true. The second optional argument *assign list* is the same as the assignment list used by `\DTLforeach`, so that you can use the information in *condition*. The result is stored in *cmd*, which must be a control sequence. For example

```
\DTLminforkeys{scores}{Score}{\theMin}
```

sets `\theMin` to the minimum score in the database.

`\DTLminforcolumn`

```
\DTLminforcolumn{<db>}{<key>}{<cmd>}
```

This is a faster version of `\DTLminforkeys` that only computes the minimum for a single column (specified by `<key>`) for a single database (specified by `<db>`) and doesn't provide any filtering. The result is stored in `<cmd>` which must be a control sequence.

`\DTLmaxforkeys`

```
\DTLmaxforkeys[<condition>][<assign list>]{<db list>}{<key list>}{<cmd>}
```

This command determines the maximum value over all entries for all keys in `<key list>` over all the databases listed in `<db list>` where `<condition>` is true. The second optional argument `<assign list>` is the same as the assignment list used by `\DTLforeach`, so that you can use the information in `<condition>`. The result is stored in `<cmd>`, which must be a control sequence. For example

```
\DTLminforkeys{scores}{Score}{\theMax}
```

sets `\theMax` to the minimum score in the database.

`\DTLmaxforcolumn`

```
\DTLmaxforcolumn{<db>}{<key>}{<cmd>}
```

This is a faster version of `\DTLmaxforkeys` that only computes the maximum for a single column (specified by `<key>`) for a single database (specified by `<db>`) and doesn't provide any filtering. The result is stored in `<cmd>` which must be a control sequence.

`\DTLcomputebounds`

```
\DTLcomputebounds{<db list>}{<x key>}{<y key>}{<minX cmd>}{<minY cmd>}{<maxX cmd>}{<maxY cmd>}
```

Computes the maximum and minimum x and y values over all the databases listed in `<db list>` where the x value is given by `<x key>` and the y value is given by `<y key>`. The results are stored in `<minX cmd>`, `<minY cmd>`, `<maxX cmd>` and `<maxY cmd>`.

Example 15 (Mail Merging)

This example uses the database given in [example 3](#) and uses `\DTLmeanforkeys` to determine the average score. A letter is then

created for each student to inform them of their score and the class average.

```
\documentclass{letter}

\usepackage{datatool}

\begin{document}
% load database
\DTLloaddb{scores}{studentscores.csv}
% compute arithmetic mean for key 'Score'
\DTLmeanforkeys{scores}{Score}{\average}
% Round the average to 2 decimal places
\DTLround{\average}{\average}{2}
% Save the highest score in \maxscore
\DTLmaxforkeys{scores}{Score}{\maxscore}

\DTLforeach{scores}{\firstname=FirstName, \surname=Surname, %
\score=Score}{%
\begin{letter}{}
\opening{Dear \firstname\ \surname}

\DTLifnumgt{\score}{60}{Congratulations you}{You} achieved a score
of \score\% which was \DTLifnumgt{\score}{\average}{above}{below}
the average of \average\%. \DTLifnumeq{\score}{\maxscore}{You
achieved the highest score}{The top score was \maxscore}.

\closing{Yours Sincerely}
\end{letter}
}
\end{document}
```

To determine a person's gender when mail merging, see [chapter 10](#).

5.8 Sorting a Database

`\DTLsort`

```
\DTLsort [⟨replacement key list⟩] {⟨sort criteria⟩} {⟨db name⟩}
```

`\DTLsort*`

```
\DTLsort* [⟨replacement key list⟩] {⟨sort criteria⟩} {⟨db name⟩}
```

This will sort the database called `⟨db name⟩` according to the criteria given by `⟨sort criteria⟩`, which must be a comma separated list of keys and

optionally = $\langle order \rangle$, where $\langle order \rangle$ is either ascending or descending. If the order is omitted, ascending is assumed. The database keeps track of the data type for a given key, and uses this to determine whether an alphabetical or numerical sort is required. (String comparisons are made using the command `\dtlcompare` or `\dtlicompare` described in [subsection 1.6.1.](#))

The optional argument $\langle replacement\ key\ list \rangle$ is a list of keys to use if the current key given in $\langle sort\ criteria \rangle$ is null for a given entry. Null keys are unlikely to occur if you have loaded the database from an external ASCII file, but may occur if the database is created using `\DTLnewdb`, `\DTLnewrow` and `\DTLnewdbentry`. For example:

```
\DTLsort [Editor, Organization] {Author} {mydata}
```

will sort according to the `Author` key, but if that key is missing for a given row of the database, the `Editor` key will be used, and if the `Editor` key is missing, it will use the `Organization` key. Note that this is not the same as:

```
\DTLsort {Author, Editor, Organization} {mydata}
```

which will first compare the `Author` keys, but if the author names are the same, it will then compare the `Editor` keys, and if the editor names are also the same, it will then compare the `Organization` keys. The unstarred version uses a case sensitive comparison for strings, whereas the starred version ignores the case when comparing strings. Note that the case sensitive comparison orders uppercase characters before lowercase characters, so the letter `B` is considered to be lower than the letter `a`.

Example 16 (Sorting a Database)

This example uses the database called `scores` defined in [example 3](#). First, I am going to sort the database according to the student scores in descending order (highest to lowest) and display the database in a table

```
\begin{table} [htbp]
\caption{Student scores (sorted by score)}
\centering
\DTLsort {Score=descending} {scores}%
\begin{tabular} {llr}
\bfseries First Name &
\bfseries Surname &
\bfseries Score (\%)%
\DTLforeach {scores} {%
\firstname=FirstName, \surname=Surname, \score=Score} {%
\\
\firstname & \surname & \score}
```

```
\end{tabular}  
\end{table}
```

This produces [Table 5.20](#).

Table 5.20: Student scores (sorted by score)

| First Name | Surname | Score (%) |
|-------------------|----------------|------------------|
| Jane | Brown | 75 |
| John | Smith, Jr | 68 |
| Roger | Brady | 58 |
| Zöe | Adams | 52 |
| Clare | Verdon | 45 |
| Andy | Brown | 42 |

Now I am going to sort the database according to surname and then first name, and display it in a table. Note that since I want to sort in ascending order, I can omit the `=ascending` part of the sort criteria. I have also decided to reverse the first and second columns, so that the surname is in the first column.

```
\begin{table}[htbp]  
\caption{Student scores (sorted by name)}  
\centering  
\DTLsort{Surname,FirstName}{scores}%  
\begin{tabular}{llr}  
\bfseries Surname &  
\bfseries First Name &  
\bfseries Score (\%)%  
\DTLforeach{scores}{%  
\firstname=FirstName, \surname=Surname, \score=Score}{%  
\s  
\surname & \firstname & \score}  
\end{tabular}  
\end{table}
```

This produces [Table 5.21](#).

Table 5.21: Student scores (sorted by name)

| Surname | First Name | Score (%) |
|----------------|-------------------|------------------|
| Adams | Zöe | 52 |
| Brady | Roger | 58 |
| Brown | Andy | 42 |
| Brown | Jane | 75 |
| Smith, Jr | John | 68 |
| Verdon | Clare | 45 |

Now suppose I add two new students to the database:

```
\DTLnewrow{scores}%
\DTLnewdbentry{scores}{Surname}{van der Mere}%
\DTLnewdbentry{scores}{FirstName}{Henk}%
\DTLnewdbentry{scores}{Score}{71}%
\DTLnewrow{scores}%
\DTLnewdbentry{scores}{Surname}{de la Mere}%
\DTLnewdbentry{scores}{FirstName}{Jos}%
\DTLnewdbentry{scores}{Score}{58}%
```

and again I try sorting the database, and displaying the contents as a table:

```
\begin{table}[htbp]
\caption{Student scores (case sensitive sort)}
\centering
\DTLsort{Surname,FirstName}{scores}%
\begin{tabular}{llr}
\bfseries Surname &
\bfseries First Name &
\bfseries Score (\%)%
\DTLforeach{scores}{%
\firstname=FirstName, \surname=Surname, \score=Score}{%
\\
\surname & \firstname & \score}
\end{tabular}
\end{table}
```

This produces [Table 5.22](#). Notice that the surnames aren't correctly ordered. This is because a case-sensitive sort was used. Changing `\DTLsort` to `\DTLsort*` in the above code produces [Table 5.23](#).

Table 5.22: Student scores (case sensitive sort)

| Surname | First Name | Score (%) |
|--------------|------------|-----------|
| Adams | Zöe | 52 |
| Brady | Roger | 58 |
| Brown | Andy | 42 |
| Brown | Jane | 75 |
| Smith, Jr | John | 68 |
| Verdon | Clare | 45 |
| de la Mere | Jos | 58 |
| van der Mere | Henk | 71 |

Table 5.23: Student scores (case ignored when sorting)

| Surname | First Name | Score (%) |
|--------------|------------|-----------|
| Adams | Zöe | 52 |
| Brady | Roger | 58 |
| Brown | Andy | 42 |
| Brown | Jane | 75 |
| de la Mere | Jos | 58 |
| Smith, Jr | John | 68 |
| van der Mere | Henk | 71 |
| Verdon | Clare | 45 |

Example 17 (Influencing the sort order)

Consider the data displayed in [Table 5.23](#), suppose that you want the names “van der Mere” and “de la Mere” sorted according to the actual surname “Mere” rather than by the “von part”. There are two ways you can do this: firstly, you could store the von part in a separate field, and then sort by surname, then von part, then first name, or you could define a command called, say, `\switchargs`, as follows:

```
\newcommand*{\switchargs}[2]{#2#1}
```

then store the data as:

```
FirstName, Surname, StudentNo, Score
John, "Smith, Jr", 102689, 68
Jane, Brown, 102647, 75
Andy, Brown, 103569, 42
Z\ "oe, Adams, 105987, 52
Roger, Brady, 106872, 58
Clare, Verdon, 104356, 45
Henk, \switchargs{Mere}{van der }, 106789, 71
Jos, \switchargs{Mere}{de la }, 104256, 58
```

Now sort the data, and put it in table (this is the same code as in the previous example):

```
\begin{table}[htbp]
\caption{Student scores (influencing the sort order)}
\centering
\DTLsort*{Surname, FirstName}{scores}%
\begin{tabular}{llr}
\bfseries Surname &
\bfseries First Name &
\bfseries Score (\%)%
\DTLforeach{scores}{%
\firstname=FirstName, \surname=Surname, \score=Score}{%
```

```

\\
\surname & \firstname & \score}
\end{tabular}
\end{table}

```

This produces [Table 5.24](#).

Table 5.24: Student scores (influencing the sort order)

| Surname | First Name | Score (%) |
|--------------|------------|-----------|
| Adams | Zöe | 52 |
| Brady | Roger | 58 |
| Brown | Andy | 42 |
| Brown | Jane | 75 |
| de la Mere | Jos | 58 |
| van der Mere | Henk | 71 |
| Smith, Jr | John | 68 |
| Verdon | Clare | 45 |

5.9 Saving a Database to an External File

`\DTLsavedb`

```
\DTLsavedb{<db name>}{<filename>}
```

This writes the database called *<db name>* to a file called *<filename>*. The separator and delimiter characters used are as given by

`\DTLsetseparator` (or `\DTLsettabseparator`) and `\DTLsetdelimiter`. For example:

```

\DTLsettabdelimiter
\DTLsavedb{scores}{scores.txt}

```

will create a file called `scores.txt` and will save the data in a tab separated format. (The delimiters will only be used if a given entry contains the separator character.)

`\DTLsavetexdb`

```
\DTLsavetexdb{<db name>}{<filename>}
```

This writes the database called *<db name>* to a \LaTeX file called *<filename>*, where the database is stored as a combination of `\DTLnewdb`, `\DTLnewrow` and `\DTLnewdbentry` commands.

5.10 Deleting or Clearing a Database

A database can be cleared or deleted when its contents are no longer required.

`\DTLcleardb`

```
\DTLcleardb{<db name>}
```

Clears the database given by `<db name>`. The database is emptied but remains defined.

`\DTLdeletedb`

```
\DTLdeletedb{<db name>}
```

Deletes (undefines) the database given by `<db name>`.

5.11 Advanced Database Commands

This section describes more advanced commands. Further details can be found in the documented code (`datatool.pdf`).

`\DTLgetdatatype`

```
\DTLgetdatatype{<cs>}{<db>}{<key>}
```

Gets the data type for the given key `<key>` for the database given by `<db>`. The data type is stored in `<cs>` which must be a command name. The type will be one of:

- `\DTLunsettype` • `\DTLunsettype` (not set),
- `\DTLstringtype` • `\DTLstringtype` (string),
- `\DTLinttype` • `\DTLinttype` (integer),
- `\DTLrealtype` • `\DTLrealtype` (real number) or
- `\DTLcurrencytype` • `\DTLcurrenttype` (currency).

`\dtlforeachkey`

```
\dtlforeachkey(<key cs>, <col cs>, <type cs>, <header cs>)\in{<db>}\do{<body>}
```

This iterates through all the keys in the database given by `<db>`. In each iteration, `<key cs>` is set to the key, `<col cs>` is set to the column index, `<type`

cs is set to the data type (as for `\DTLgetdatatype`), *header cs* is set to the header for that column, and then *body* is done. Note that *key cs*, *col cs*, *type cs* and *header cs* must all be control sequences. No check is performed to determine if that control sequence already exists, and the control sequences are defined globally (since it's likely that `\dtlforeachkey` may be used within a tabular environment), so you need to make sure you don't override an existing command of the same name.

`\dtlforcolumn`

```
\dtlforcolumn{<cs>}{<db>}{<key>}{<body>}
```

This iterates through the column given by *key* in the database given by *db* and applies *body*. In each iteration, *cs* (which must be a control sequence) is set to the current element in the column and may be used in *body*. Alternatively, if you want to identify the column by its index rather than its key, use:

`\dtlforcolumnindex`

```
\dtlforcolumnindex{<cs>}{<db>}{<col index>}{<body>}
```

`\DTLifdbexists`

```
\DTLifdbexists{<db name>}{<true part>}{<false part>}
```

Determines if the database given by *db name* exists.

`\DTLifhaskey`

```
\DTLifhaskey{<db name>}{<key>}{<true part>}{<false part>}
```

This determines if the database given by *db name* has any entries with the key given by *key*. If so, it does *true part* otherwise it does *false part*.

Each key has an associated column index. This can be obtained using:

`\DTLgetcolumnindex`

```
\DTLgetcolumnindex{<cs>}{<db>}{<key>}
```

where *cs* is a command name, *db* is the database label and *key* is the key. The column index is stored in *cs*.

You can also do the reverse and find the key associated with a given column index:

`\DTLgetkeyforcolumn`


```
\DTLgetkeyforcolumn{<key cs>}{<db>}{<column index>}
```

The key is stored in *<key cs>* (which must be a command name). There is also a full expandable way of obtaining the column index, but note that no check is performed to determine if the database exists, or if it contains the given key:

\dtlcolumnindex

```
\dtlcolumnindex{<db name>}{<key>}
```

\DTLgetkeydata

```
\DTLgetkeydata{<key>}{<db>}{<col cs>}{<type cs>}{<header cs>}
```

Gets data for given key in database *<db>*: the column index is stored in *<col cs>* (as `\DTLgetcolumnindex`), the type is stored in *<type cs>* (as `\DTLgetdatatype`) and the header is stored in *<header cs>*.

\DTLgetvalue

```
\DTLgetvalue{<cs>}{<db>}{<r>}{<c>}
```

This gets the value for row given by index *<r>* and column given by *<c>* for the database *<db>* and stores it in *<cs>* which must be a command name. If you want to get the value by key rather than column index you can use `\dtlcolumnindex`. For example, the following gets the value for row 3 with key Surname from the database `data` and stores in `\myval`:

```
\DTLgetvalue{\myval}{data}{3}{\dtlcolumnindex{data}{Surname}}
```

\DTLgetlocation

```
\DTLgetlocation{<row cs>}{<column cs>}{<database>}{<value>}
```

Assigns *<row cs>* and *<column cs>* to the indices of the first entry in *<database>* that matches *<value>*.

\DTLgetvalueforkey

```
\DTLgetvalueforkey{<cmd>}{<key>}{<db name>}{<ref key>}{<ref value>}
```

This (globally) sets *<cmd>* (a control sequence) to the value of the key specified by *<key>* in the first row of the database called *<db name>* which contains the key *<ref key>* which has the value *<value>*.

`\DTLassign`

```
\DTLassign{<db name>}{<row idx>}{<assign list>}
```

This (globally) assigns the list of commands in *<assign list>* for row *<row idx>* in database *<db name>*, where *<assign list>* has the same format as in `\DTLforeach`.

Two rows can be swapped using:

`\DTLswaprows`

```
\DTLswaprows{<db name>}{<row1 index>}{<row2 index>}
```

where *<row1 index>* and *<row2 index>* are the indices of the rows to be swapped. For example:

```
\DTLswaprows{scores}{3}{5}
```

will swap the third and fifth rows.

`\DTLifinlist`

```
\DTLifinlist{<element>}{<list>}{<>true part>}{<>false part>}
```

If *<element>* is contained in the comma-separated list given by *<list>*, then do *<>true part>* otherwise do false part. (Does a one level expansion on *<list>*, but no expansion on *<element>*.)

`\DTLnumitemsinlist`

```
\DTLnumitemsinlist{<list>}{<cmd>}
```

Counts the number of non-empty elements in *<list>* and stores result in *<cmd>*, which must be a control sequence.

Example 18 (Two Database Rows Per Tabular Row (Column-Wise))

This example adapts [example 8](#) so that the list is ordered vertically rather than horizontally.

```
\begin{table}[htbp]
\caption{Two database rows per tabular row (column-wise)}
\centering
% store half number of rows
\edef\maxrows{\DTLrowcount{scores}}%
\DTLdiv{\halfrowidx}{\maxrows}{2}
\begin{tabular}{llc}
\bfseries First Name &
\bfseries Surname &
```

```

\bfseries Score (\%) &
\bfseries First Name &
\bfseries Surname &
\bfseries Score (\%)%
\DTLforeach*\value{DTLrowi}<\halfrowidx]{scores}%
{\firstname=FirstName,\surname=Surname,\score=Score}%
{%
  \\%
  \firstname & \surname & \score
  &
  \edef\currentrowidx{\arabic{DTLrowi}}%
  \DTLadd{\rowidxII}{\halfrowidx}{\currentrowidx}%
  \DTLassign{scores}{\rowidxII}%
  {\firstnameII=FirstName,\surnameII=Surname,\scoreII=Score}%
  \firstnameII & \surnameII & \scoreII
}%
\end{tabular}
\end{table}

```

This produces [Table 5.25](#).

Table 5.25: Two database rows per tabular row (column-wise)

| First Name | Surname | Score (%) | First Name | Surname | Score (%) |
|------------|---------|-----------|------------|--------------|-----------|
| Zöe | Adams | 52 | Jos | de la Mere | 58 |
| Roger | Brady | 58 | John | Smith, Jr | 68 |
| Andy | Brown | 42 | Henk | van der Mere | 71 |
| Jane | Brown | 75 | Clare | Verdon | 45 |

5.11.1 Operating on Current Row

If you want to select from or edit a particular row in a database without having to iterate through the database using `\DTLforeach`, you can use the commands described in this section.

`\dtlgetrow`

```
\dtlgetrow{<db name>}{<row idx>}
```

Gets the row with index `<row idx>` from the database `<db name>`. The required row is stored in the token register

`\dtlcurrentrow`

```
\dtlcurrentrow
```

the preceding rows are stored in the token register

`\dtlbeforerow`

```
\dtlbeforerow
```

the following rows are stored in the token register

`\dtlafterrow`

```
\dtlafterrow
```

the row index, $\langle row\ idx \rangle$, is stored in the register

`\dtlrownum`

```
\dtlrownum
```

and the database name is stored in the control sequence

`\dtldbname`

```
\dtldbname
```

No check is made in `\dtlgetrow` to see if the database exists or if the row index is valid. You will probably get a “Missing { inserted” error if you misspell the database name and a “Runaway argument” error if you specify a row index that is out of range.

You can use the commands below to access or edit `\dtlcurrentrow`, but they won't change the database. Instead, once you've finished editing `\dtlcurrentrow`, you need to reconstruct the database token by recombining `\dtlbeforerow`, `\dtlcurrentrow` and `\dtlafterrow` using:

`\dtlrecombine`

```
\dtlrecombine
```

Alternatively, to recombine omitting the current row:

`\dtlrecombineomitcurrent`

```
\dtlrecombineomitcurrent
```

(This removes the current row from the database, shifting the row indices in `\dtlafterrow`.) Note that these recombining commands assume that you haven't altered `\dtlrownum`, `\dtldbname`, `\dtlbeforerow` and `\dtlafterrow`.

`\dtlcurrentrow` stores the row information using `datatool`'s internal row syntax, described in the documented code (`datatool.pdf`). Don't explicitly modify `\dtlcurrentrow` unless you have a good understanding of the syntax.

`\dtlgetentryfromcurrentrow`

```
\dtlgetentryfromcurrentrow{<cs>}{<col idx>}
```

Gets the value from `\dtlcurrentrow` for the column given by `<col idx>` (an integer) and stores in `<cs>`, which must be a control sequence.

`\dtlreplaceentryincurrentrow`

```
\dtlreplaceentryincurrentrow<new value>{<col idx>}
```

Replaces the value in `\dtlcurrentrow` for the column given by `<col idx>` (an integer) with `<new value>`.

The new value doesn't get expanded.

`\dtlremoveentryincurrentrow`

```
\dtlremoveentryincurrentrow{<col idx>}
```

Removes the value in `\dtlcurrentrow` for the column given by `<col idx>`.

`\dtlswapentriesincurrentrow`

```
\dtlswapentriesincurrentrow{<col1 idx>}{<col2 idx>}
```

Swaps entries in columns `<col1 idx>` and `<col2 idx>` in `\dtlcurrentrow` (where `<col1 idx>` and `<col2 idx>` are the column indices).

`\dtlappendentrytocurrentrow`

```
\dtlappendentrytocurrentrow{<key>}{<value>}
```

Appends `<value>` to the current row for column given by `<key>`. (Note this is the only command in this section to reference by key rather than by index.)

6 Pie Charts (datapie package)

The datapie package is not loaded by the datatool package, so you need to explicitly load datapie if you want to use any of the commands defined in this section. You will also need to have the pgf/tikz packages installed.

The datapie package may be given the following options:

color=datapie Colour option (default).

gray=datapie Grey scale option.

rotateinner=datapie Rotate inner labels so that they are aligned with the pie chart radial axis.

norotateinner=datapie Don't rotate inner labels (default).

rotateouter=datapie Rotate outer labels so that they are aligned with the pie chart radial axis.

norotateouter=datapie Don't rotate outer labels (default).

Numerical information contained in a database created by the datatool package can be converted into a pie chart using

`\DTLpiechart`

```
\DTLpiechart [<condition>] {<settings list>} {<db name>} {<values>}
```

where *<db name>* is the name of the database, and *<condition>* has the same form as the optional argument to `\DTLforeach` described in [section 5.4](#). If *<condition>* is false, that information is omitted from the construction of the pie chart. The argument *<values>* is a comma separated list of *<cmd>=<key>* pairs, the same as that required by the penultimate argument of `\DTLforeach`. The *<settings list>* is a comma separated list of *<setting>=<value>* pairs, where *<setting>* can be any of the following:

variable This specifies the control sequence to use that contains the value used to construct the pie chart. The control sequence must be one of the control sequences to appear in the assignment list *<values>*. This setting is required.

start This is the starting angle of the first segment. The value is 0 by default.

radius This is the radius of the pie chart. The default value is 2cm.

innerratio The distance from the centre of the pie chart to the point where the inner labels are placed is given by this value multiplied by the ratio. The default value is 0.5.

outerratio The distance from the centre of the pie chart to the point where the outer labels are placed is given by this value multiplied by the ratio. The default value is 1.25.

cutawayratio The distance from the centre of the pie chart to the point of cutaway segments is given by this value multiplied by the ratio. The default value is 0.2.

inneroffset This is the absolute distance from the centre of the pie chart to the point where the inner labels are placed. You should use only one or other of `innerratio` and `inneroffset`, not both. If you also want to specify the radius, you must use `ratio` before `inneroffset`. If omitted, the inner offset is obtained from the ratio multiplied by the `innerratio` value.

outeroffset This is the absolute distance from the centre of the pie chart to the point where the outer labels are placed. You should use only one or other of `outerratio` and `outeroffset`, not both. If you also want to specify the radius, you must use `ratio` before `outeroffset`. If omitted, the outer offset is obtained from the ratio multiplied by the `outerratio` value.

cutawayoffset This is the absolute distance from the centre of the pie chart to the point of the cutaway segments. You should use only one or other of `cutawayratio` and `cutawayoffset`, not both. If you also want to specify the radius, you must use `ratio` before `cutawayoffset`. If omitted, the cutaway offset is obtained from the ratio multiplied by the `cutawayratio` value.

cutaway This is a list of cutaway segments. This should be a comma separated list of individual numbers, or number ranges (separated by a dash). For example `cutaway={ 1, 3 }` will separate the first and third segments from the rest of the pie chart, offset by the value of the `cutawayoffset` setting, whereas `cutaway={ 1-3 }` will separate the first three segments from the rest of the pie chart. If omitted, the pie chart will be whole.

innerlabel The value of this is positioned in the middle of each segment at a distance of `inneroffset` from the centre of the pie chart. The default is the same as the value of `variable`.

outerlabel The value of this is positioned at a distance of `outeroffset` from the centre of the pie chart. The default is empty.

rotateinner This is a boolean setting, so it can only take the values `true` and `false`. If the value is omitted `true` is assumed. If `true`, the inner labels are rotated along the spokes of the pie chart, otherwise the inner labels are not rotated. There are analogous package options `rotateinner=datapie` and `norotateinner=datapie`.

rotateouter This is a boolean setting, so it can only take the values `true` and `false`. If the value is omitted `true` is assumed. If `true`, the outer labels are rotated along the spokes of the pie chart, otherwise the outer labels are not rotated. There are analogous package options `rotateouter=datapie` and `norotateouter=datapie`.

Example 19 (A Pie Chart)

This example loads data from a file called `fruit.csv` which contains the following:

```
Name,Quantity
"Apples",30
"Pears",25
"Lemons,Limes",40.5
"Peaches",34.5
"Cherries",20
```

First load the data:

```
\DTLloaddb{fruit}{fruit.csv}
```

Now create a pie chart in a figure:

```
\begin{figure}[htbp]
\centering
\DTLpiechart{variable=\quantity}{fruit}{\name=Name,\quantity=Quantity}
\caption{A pie chart}
\end{figure}
```

This creates [Figure 6.1](#).

There are no outer labels by default, but they can be set using the `outerlabel` setting. The following sets the outer label to the value of the `Name` key:

```
\begin{figure}[htbp]
\centering
\DTLpiechart{variable=\quantity,outerlabel=\name}{fruit}{%
\name=Name,\quantity=Quantity}
\caption{A pie chart (outer labels set)}
\end{figure}
```





Figure 6.1: A pie chart




Figure 6.2: A pie chart (outer labels set)

This creates **Figure 6.2**.

You may prefer the labels to be rotated. The following switches on the rotation for the inner and outer labels:

```
\begin{figure} [htbp]
\centering
\DTLpiechart{variable=\quantity,outerlabel=\name,%
rotateinner,rotateouter}{fruit}{%
\name=Name,\quantity=Quantity}
\caption{A pie chart (rotation enabled)}
\end{figure}
```

This creates **Figure 6.3**.




Figure 6.3: A pie chart (rotation enabled)

Example 20 (Separating Segments from the Pie Chart)

You may want to separate one or more segments from the pie chart, perhaps to emphasize them. You can do this using the `cutaway` setting. The following separates the first and third segments from the pie chart:

```
\begin{figure} [htbp]
\centering
\DTLpiechart{variable=\quantity,outerlabel=\name,%
cutaway={1,3}}{fruit}{%
\name=Name,\quantity=Quantity}
\caption{A pie chart (rotation enabled)}
\end{figure}
```

```

\name=Name, \quantity=Quantity}
\caption{A pie chart with cutaway segments}
\end{figure}

```

This produces **Figure 6.4**.




Figure 6.4: A pie chart with cutaway segments

Alternatively I can specify a range of segments. The following separates the first two segments:

```

\begin{figure} [htbp]
\centering
\DTLpiechart{variable=\quantity,outerlabel=\name,%
cutaway={1-2}}{fruit}{%
\name=Name, \quantity=Quantity}
\caption{A pie chart with cutaway segments (\texttt{cutaway=\{1-2\}})}
\end{figure}

```

This produces **Figure 6.5**.

Notice the difference between **Figure 6.5** and **Figure 6.6** which was produced using:

```

\begin{figure} [htbp]
\centering
\DTLpiechart{variable=\quantity,outerlabel=\name,%
cutaway={1,2}}{fruit}{%
\name=Name, \quantity=Quantity}
\caption{A pie chart with cutaway segments (\texttt{cutaway=\{1,2\}})}
\end{figure}

```




Figure 6.5: A pie chart with cutaway segments (`cutaway={1-2}`)




Figure 6.6: A pie chart with cutaway segments (`cutaway={1, 2}`)

6.1 Pie Chart Variables

`\DTLpievariable`

```
\DTLpievariable
```

This command is set to the variable given by the variable setting in the *<settings list>* argument of `\DTLpiechart`. The `innerlabel` is set to `\DTLpievariable` by default.

`\DTLpiepercent`

```
\DTLpiepercent
```

This command is set to the percentage value of `\DTLpievariable`. The percentage value is rounded to *<n>* digits, where *<n>* is the value of the \LaTeX counter `DTLproundvar`.

`DTLproundvar`

Example 21 (Changing the Inner and Outer Labels)

This example uses the database defined in [example 19](#). The inner label is now set to the percentage value, rather than the actual value, and the outer label is set to the name with the actual value in parentheses.

```
\begin{figure} [htbp]
\centering
\DTLpiechart{variable=\quantity,%
innerlabel={\DTLpiepercent\%},%
outerlabel={\name\ (\DTLpievariable)}}{fruit}{%
\name=Name,\quantity=Quantity}
\caption{A pie chart (changing the labels)}
\end{figure}
```

This produces [Figure 6.7](#).

6.2 Pie Chart Label Formatting

`\DTLdisplayinnerlabel`

```
\DTLdisplayinnerlabel{<text>}
```

This governs how the inner label is formatted, where *<text>* is the text of the inner label. The default is to just do *<text>*.

`\DTLdisplayouterlabel`




Figure 6.7: A pie chart (changing the labels)

```
\DTLdisplayouterlabel{<text>}
```

This governs how the outer label is formatted, where *<text>* is the text of the outer label. The default is to just do *<text>*.

Example 22 (Changing the Inner and Outer Label Format)

This example extends [example 21](#). The inner and outer labels are now both typeset in a sans-serif font:

```
\begin{figure} [htbp]
\centering
\renewcommand*{\DTLdisplayinnerlabel}[1]{\textsf{#1}}
\renewcommand*{\DTLdisplayouterlabel}[1]{\textsf{#1}}
\DTLpiechart{variable=\quantity,%
innerlabel={\DTLpiepercent\%},%
outerlabel={\name\ (\DTLpievariable)}}{fruit}{%
\name=Name,\quantity=Quantity}
\caption{A pie chart (changing the label format)}
\end{figure}
```

This produces [Figure 6.8](#).

6.3 Pie Chart Colours

The `datapie` package predefines colours for the first eight segments of the pie chart. If you require more than eight segments or if you want to change the default colours, you will need to use




Figure 6.8: A pie chart (changing the label format)

`\DTLsetpiesegmentcolor`

```
\DTLsetpiesegmentcolor{<n>}{<color>}
```

The first argument $\langle n \rangle$ is the segment index (starting from 1), and the second argument $\langle color \rangle$ is a colour specifier as used in commands such as `\color`.

It is a good idea to set the colours so that each segment colour is somehow relevant to whatever the segment represents. For example, in the previous examples of pie charts depicting fruit, some of default colours were inappropriate. Whilst red is appropriate for apples and green is appropriate for pears, blue doesn't really correspond to lemons or limes.

`\DTLdopiesegmentcolor`

```
\DTLdopiesegmentcolor<n>
```

This sets the current text colour to that of the $\langle n \rangle$ th segment.

`\DTLdocurrentpiesegmentcolor`

```
\DTLdocurrentpiesegmentcolor
```

This sets the current text colour to that of the current pie segment. This command may only be used within a pie chart, or within the body of `\DTLforeach`.

`\DTLpieoutlinecolor`

```
\DTLpieoutlinecolor
```

This sets the outline colour for the pie chart. The default is black.

`\DTLpieoutlinewidth`

`\DTLpieoutlinewidth`

This is a length that governs the line width of the outline. The default value is 0pt, but can be changed using `\setlength`. The outline is only drawn if `\DTLpieoutlinewidth` is greater than 0pt.

Example 23 (Pie Segment Colours)

This example extends [example 22](#). It sets the outline thickness to 2pt, and the outer label is now set in the same colour as the fill colour of the segment to which it belongs. The third segment (lemons and limes) is set to yellow and the fourth segment (peaches) is set to pink. In addition, a legend is created using `\DTLforeach`.

```
\begin{figure} [htbp]
\centering
\setlength{\DTLpieoutlinewidth}{2pt}
\DTLsetpiesegmentcolor{3}{yellow}
\DTLsetpiesegmentcolor{4}{pink}
\renewcommand*{\DTLdisplayinnerlabel}[1]{\textsf{#1}}
\renewcommand*{\DTLdisplayouterlabel}[1]{%
\DTLdocurrentpiesegmentcolor
\textsf{\shortstack{#1}}}
\DTLpiechart{variable=\quantity,%
innerlabel={\DTLpiepercent\%},%
outerlabel={\name\\(\DTLpievariable)}}{fruit}{%
\name=Name,\quantity=Quantity}
\begin{tabular} [b] {ll}
\DTLforeach{fruit}{\name=Name}{\DTLiffirstrow}{\\}%
\DTLdocurrentpiesegmentcolor\rule{10pt}{10pt} &
\name
}
\end{tabular}
\caption{A pie chart (using segment colours and outline)}
\end{figure}
```

This produces [Figure 6.9](#). (The format of the outer label has been changed to use `\shortstack` to prevent the outer labels from taking up so much horizontal space. The `outerlabel` setting has also been modified to use `\\` after the name to move the percentage value onto the next row.)




Figure 6.9: A pie chart (using segment colours and outline)

6.4 Adding Extra Commands Before and After the Pie Chart

The pie charts created using `\DTLpiechart` are placed inside a `tikzpicture` environment (defined by the `tikz` package).

```
\DTLpieatbegintikz
```

```
\DTLpieatbegintikz
```

The macro `\DTLpieatbegintikz` is called at the start of the `tikzpicture` environment, allowing you to change the `tikzpicture` settings. By default `\DTLpieatbegintikz` does nothing, but you can redefine it to, say, scale the pie chart (but be careful not to distort the chart).

```
\DTLpieatendtikz
```

```
\DTLpieatendtikz
```

The macro `\DTLpieatendtikz` is called at the end of the `tikzpicture` environment, allowing you add additional graphics to the pie chart. This does nothing by default.

Example 24 (Adding Information to the Pie Chart)

This example modifies [example 19](#). It redefines `\DTLpieatendtikz` to add an annotated arrow.

```
\begin{figure} [htbp]
\centering
\renewcommand*{\DTLpieatendtikz}{%
\draw[<-] (45:1.5cm) -- (40:2.5cm) node[right]{Apples};}
\DTLpiechart{variable=\quantity}{fruit}{%
\name=Name,\quantity=Quantity}
\caption{An annotated pie chart}
\end{figure}
```

This produces [Figure 6.10](#). (Note that the centre of the pie chart is the origin of the TikZ picture.)




Figure 6.10: An annotated pie chart

7 Scatter and Line Plots (dataplot package)

The dataplot package provides commands for creating scatter or line plots from databases. It uses the pgf/TikZ plot handler library to create the plots. See the pgf manual for more detail on pgf streams and plot handles. The dataplot package is not loaded by datatool so if you want to use it you need to load it explicitly using `\usepackage{dataplot}`.

`\DTLplot`

```
\DTLplot [<condition>] {<db list>} {<settings>}
```

This command creates a plot (inside a `tikzpicture` environment) of all the data given in the databases listed in *<db list>*, which should be a comma separated list of database names. The optional argument *<condition>* is the same as that for `\DTLforeach`. The *<settings>* argument is a comma separated list of *<setting>*=*<value>* pairs. There are two settings that must be specified `x` and `y`. The other settings are optional. Note that any value that contains a comma, must be enclosed in braces. For example `colors={red,cyan,blue}`. Note where any setting requires a number, or list of numbers (such as bounds) the number must be supplied in standard decimal notation (i.e. no currency, no number groups, and a full stop as the decimal point). Available settings are as follows:

- x** The database key that specifies the *x* co-ordinates. This setting is required.
- y** The database key that specifies the *y* co-ordinates. This setting is required.
- markcolors** A comma separated list of colour names for the markers. An empty value will use the current colour.
- linecolors** A comma separated list of colour names for the plot lines. An empty value will use the current colour.
- colors** A comma separated list of colour names for the lines and markers.
- marks** A comma separated list of code to generate plot marks. (This should typically be a list of `\pgfuseplotmark` commands, see the

pgf manual for further details.) You may use `\relax` as an element of the list to suppress markers for the corresponding plot. For example: `marks={\pgfuseplotmark{o},\relax}` will use an open circle marker for the first database, and no markers for the second database listed in *<db list>*.

lines A comma separated list of line style settings. (This should typically be a list of `\pgfsetdash` commands, see the pgf manual for further details on how to set the line style.) An empty value will use the current line style. You may use `\relax` as an element of the list to suppress line for the corresponding plot. For example:

`lines={\relax,\pgfsetdash{}{0pt}}` will have no lines for the first database, and a solid line for the second database listed in *<db list>*.

width The width of the plot. This must be a length. The plot width does not include outer tick marks or labels.

height The height of the plot. This must be a length. The plot height does not include outer tick marks or labels.

style This setting governs whether to use lines or markers in the plot, and may take one of the following values: `both` (lines and markers), `lines` (only lines) or `markers` (only markers). The default is `markers`.

axes This setting governs whether to display the axes, and may take one of the following values: `both`, `x`, `y` or `none`. If no value is specified, `both` is assumed.

box This setting governs whether or not to surround the plot in a box. It is a boolean setting, taking only the values `true` and `false`. If no value is specified, `true` is assumed.

xtics This setting governs whether or not to display the *x* tick marks. It is a boolean setting, taking only the values `true` and `false`. If no value is specified `true` is assumed. If the `axes` setting is set to `both` or `x`, this value will automatically be set to `true`, otherwise it will be set to `false`.

ytics This setting governs whether or not to display the *y* ticks. It is a boolean setting, taking only the values `true` and `false`. If no value is specified `true` is assumed. If the `axes` setting is set to `both` or `y`, this value will automatically be set to `true`, otherwise it will be set to `false`.

xminor This setting governs whether or not to display the x minor tick marks. It is a boolean setting, taking only the values `true` and `false`. If no value is specified `true` is assumed. This setting also sets the x major tick marks on if the value is `true`.

yminor This setting governs whether or not to display the y minor tick marks. It is a boolean setting, taking only the values `true` and `false`. If no value is specified `true` is assumed. This setting also sets the y major tick marks on if the value is `true`.

xticdir This sets the x tick direction, and may only take the values `in` or `out`.

yticdir This sets the y tick direction, and may only take the values `in` or `out`.

ticdir This sets the x and y tick direction, and may only take the values `in` or `out`.

bounds The value must be in the form $\langle \text{min } x \rangle, \langle \text{min } y \rangle, \langle \text{max } x \rangle, \langle \text{max } y \rangle$. This sets the graph bounds to the given values. If omitted the bounds are computed from the maximum and minimum values of the data. For example

```
\DTLplot{data1,data2}{x=Height,y=Weight,bounds={0,0,10,20}}
```

Note that the `bounds` setting overrides the `minx`, `maxx`, `miny` and `maxy` settings.

minx The value is the minimum value of the x axis.

miny The value is the minimum value of the y axis.

maxx The value is the maximum value of the x axis.

maxy The value is the maximum value of the y axis.

xticpoints The value must be a comma separated list of decimal numbers indicating where to put the x tick marks. If omitted, the x tick marks are placed at equal intervals along the x axis such that each interval is not less than the length given by `\DTLmintickgap`. This setting overrides `xticgap`.

xticgap This value specifies the gap between the x tick marks.

yticpoints The value must be a comma separated list of decimal numbers indicating where to put the y tick marks. If omitted, the y tick marks are placed at equal intervals along the y axis such that each interval is not less than the length given by `\DTLmintickgap`. This setting overrides `yticgap`.

yticgap This value specifies the gap between the y tick marks.

grid This is a boolean value that specifies whether or not to display the grid. If no value is given, `true` is assumed. The minor grid lines are only displayed if the minor tick marks are set.

xticlabels The value must be a comma separated list of labels for each x tick mark. If omitted, the labels are the value of the x tick position, rounded $\langle n \rangle$ digits after the decimal point, where $\langle n \rangle$ is given by the value of the counter `DTLplotroundXvar`.

yticlabels The value must be a comma separated list of labels for each y tick mark. If omitted, the labels are the value of the y tick position, rounded $\langle n \rangle$ digits after the decimal point, where $\langle n \rangle$ is given by the value of the counter `DTLplotroundYvar`.

xlabel The value is the label for the x axis. If omitted, the axis has no label.

ylabel The value is the label for the y axis. If omitted, the axis has no label.

legend This setting governs whether or not to display the legend, and where it should be displayed. It may take one of the following values `none` (don't display the legend), `north`, `northeast`, `east`, `southeast`, `south`, `southwest`, `west` or `northwest`. If the value is omitted, `northeast` is assumed.

legendlabels The value must be a comma separated list of labels for the legend. If omitted, the database names are used.

Example 25 (A Basic Graph)

Suppose you have a file called `groupa.csv` that contains the following:

```
Height,Weight
1.55,45.4
1.54,48.0
1.56,58.0
1.56,50.2
1.57,46.0
1.58,48.3
1.59,56.5
1.59,58.1
1.60,60.9
1.62,56.3
```

First load this into a database called groupa:

```
\DTLloaddb{groupa}{groupa.csv}
```

The data can now be converted into a scatter plot as follows:

```
\begin{figure} [htbp]
\centering
\DTLplot{groupa}{x=Height,y=Weight}
\caption{A scatter plot}
\end{figure}
```

This produces **Figure 7.1**.




Figure 7.1: A scatter plot

Alternatively, you can use the style setting to change it into a line plot:

```
\begin{figure} [htbp]
\centering
\DTLplot{groupa}{x=Height,y=Weight,style=lines}
\caption{A line plot}
\end{figure}
```

This produces **Figure 7.2**.




Figure 7.2: A line plot

Example 26 (Plotting Multiple Data Sets)

In this example, I shall use the database called `groupa` defined in [example 25](#), and another database called `groupb` which is loaded from the file `groupb.csv` which contains the following:

```
Height,Weight
1.54,48.4
1.54,42.0
1.55,64.0
1.56,58.2
1.56,49.0
1.57,40.3
1.58,51.5
1.58,63.1
1.59,74.9
1.59,59.3
```

First load this into a database called `groupb`:

```
\DTLloaddb{groupb}{groupb.csv}
```

I can now plot both groups in the same graph, but I want a smaller graph than [Figure 7.1](#) and [Figure 7.2](#), so I am going to set the plot width and height to 3in:

```
\begin{figure}[htbp]
\centering
\DTLplot{groupa,groupb}{x=Height,y=Weight,width=3in,height=3in}
\caption{A scatter plot}
\end{figure}
```

This produces [Figure 7.3](#).

Now let's add a legend using the `legend` setting, with the legend labels `Group A` and `Group B`, and set the x tick intervals using `xticpoints` setting. I am also going to set the x axis label to `Height (m)` and the y axis label to `Weight (kg)`, and place a box around the plot.

```
\begin{figure}[htbp]
\centering
\DTLplot{groupa,groupb}{x=Height,y=Weight,
width=3in,height=3in,legend,legendlabels={Group A,Group B},
xlabel={Height (m)},ylabel={Weight (kg)},box,
xticpoints={1.54,1.55,1.56,1.57,1.58,1.59,1.60,1.61,1.62}}
\caption{A scatter plot}
\end{figure}
```

This produces [Figure 7.4](#).




Figure 7.3: A scatter plot




Figure 7.4: A scatter plot

7.1 Adding Information to the Plot

The `datatool` package provides two hooks used at the beginning and end of the `tikzpicture` environment:

```
\DTLplotatbegintikz
```

```
\DTLplotatbegintikz
```

and

```
\DTLplotatendtikz
```

```
\DTLplotatendtikz
```

They are both defined to do nothing by default, but can be redefined to add commands to the image. The unit vectors are set prior to using these hooks, so you can use the same co-ordinates as those in the data sets.

```
\DTLaddtoplotlegend
```

```
\DTLaddtoplotlegend{\langle marker \rangle}{\langle line style \rangle}{\langle text \rangle}
```

This adds a new row to the plot legend where $\langle marker \rangle$ is code to produce the marker, $\langle line style \rangle$ is code to set the line style and $\langle text \rangle$ is a textual label. You can use `\relax` to suppress the marker or line. For example:

```
\DTLaddtoplotlegend{\pgfuseplotmark{x}}{\relax}{Some Data}
```

Note that the legend is plotted before `\DTLplotatendtikz`, so if you want to add information to the legend you will need to do the in `\DTLplotatstarttikz`.

Example 27 (Adding Information to a Plot)

Returning to the plots created in [example 26](#), suppose I now want to annotate the plot, say I want to draw your notice to a particular point, say the point (1.58,48.3), then I can redefine `\DTLplotatendtikz` to draw an annotated arrow to that point:

```
\renewcommand*\DTLplotatendtikz{%  
\draw[<- , line width=1pt] (1.58,48.3) -- (1.6,43)  
node[below]{interesting point};  
}
```

So [Figure 7.4](#) now looks like [Figure 7.5](#). (Obviously, `\DTLplotatendtikz` needs to be redefined before using `\DTLplot`.)




Figure 7.5: A scatter plot

7.2 Global Plot Settings

7.2.1 Lengths

This section describes the lengths that govern the appearance of the plot created using `\DTLplot`. These lengths can be changed using `\setlength`.

`\DTLplotwidth`

`\DTLplotwidth`

This length governs the length of the x axis. Note that the plot width does not include any outer tick marks or labels. The default value is 4in.

`\DTLplotheight`

`\DTLplotheight`

This length governs the length of the y axis. Note that the plot height does not include any outer tick marks or labels. The default value is 4in

`\DTLticklength`

`\DTLticklength`

This governs the length of the tick marks. The default value is 5pt.

`\DTLminorticklength`

```
\DTLminorticklength
```

This governs the length of the minor tick marks. The default value is 2pt.

`\DTLticklabeloffset`

```
\DTLticklabeloffset
```

This governs the distance from the axis to the tick labels. The default value is 8pt.

`\DTLmintickgap`

```
\DTLmintickgap
```

This is the minimum distance allowed between tick marks. If the plot width or height is less than this distance there will only be tick marks at either end of the axis. The default value is 20pt.

`\DTLlegendxoffset`

```
\DTLlegendxoffset
```

This is the horizontal distance from the border of the plot to the outer border of the legend. The default value is 10pt.

`\DTLlegandyoffset`

```
\DTLlegandyoffset
```

This is the vertical distance from the border of the plot to the outer border of the legend. The default value is 10pt.

7.2.2 Counters

These counters govern the appearance of plots created using `\DTLplot`. The value of the counters can be changed using `\setcounter`.

`DTLplotroundXvar`

```
DTLplotroundXvar
```

Unless you specify your own tick labels, the x tick labels will be given by the tick points rounded to $\langle n \rangle$ digits after the decimal point, where $\langle n \rangle$ is the value of the counter `DTLplotroundXvar`.

`DTLplotroundYvar`

`DTLplotroundYvar`

Unless you specify your own tick labels, the y tick labels will be given by the tick points rounded to $\langle n \rangle$ digits after the decimal point, where $\langle n \rangle$ is the value of the counter `DTLplotroundYvar`.

7.2.3 Macros

These macros govern the appearance of plots created using `\DTLplot`. They can be changed using `\renewcommand`.

`\DTLplotmarks`

`\DTLplotmarks`

This must be a comma separated list of pgf code to create the plot marks. `\DTLplot` cycles through this list for each database listed. The pgf package provides convenient commands for generating plots using `\pgfuseplotmark`. See the pgf manual for more details.

`\DTLplotmarkcolors`

`\DTLplotmarkcolors`

This must be a comma separated list of defined colours to apply to the plot marks. `\DTLplot` cycles through this list for each database listed. If this macro is set to empty, the current colour will be used instead.

`\DTLplotlines`

`\DTLplotlines`

This must be a comma separated list of pgf code to set the style of the plot lines. `\DTLplot` cycles through this list for each database listed. Dash patterns can be set using `\pgfsetdash`, see the pgf manual for more details. If `\DTLplotlines` is set to empty the current line style will be used instead.

`\DTLplotlinecolors`

`\DTLplotlinecolors`

This must be a comma separated list of defined colours to apply to the plot lines. `\DTLplot` cycles through this list for each database listed. If this macro is set to empty, the current colour will be used instead. The default is the same as `\DTLplotmarkcolors`.

`\DTLXAxisStyle`

`\DTLXAxisStyle`

This governs the style of the x axis. It is passed as the optional argument to the TikZ `\draw` command. By default it is just `-` which is a solid line style with no start or end arrows. The x axis line starts from the bottom left corner of the plot and extends to the bottom right corner of the plot. So if you want the x axis to have an arrow head at the right end, you can do:

```
\renewcommand*{\DTLXAxisStyle}{->}
```

`\DTLYAxisStyle`

```
\DTLYAxisStyle
```

This governs the style of the y axis. It is analogous to `\DTLXAxisStyle` described above.

`\DTLmajorgridstyle`

```
\DTLmajorgridstyle
```

This specifies the format of the major grid lines. It may be set to any TikZ setting that you can pass to the optional argument of `\draw`. The default value is `color=gray,-` which indicates a grey solid line.

`\DTLminorgridstyle`

```
\DTLminorgridstyle
```

This specifies the format of the minor grid lines. It may be set to any TikZ setting that you can pass to the optional argument of `\draw`. The default value is `color=gray,loosely dotted` which indicates a grey dotted line.

`\DTLformatlegend`

```
\DTLformatlegend{<legend>}
```

This formats the entire legend, which is passed as the argument. The default is to set the legend with a white background, a black frame.

7.3 Adding to a Plot Stream

`\DTLplotstream`

```
\DTLplotstream[<condition>]{<db name>}{<x key>}{<y key>}
```

This adds points to a stream from the database called `<db name>` where the x co-ordinates are given by the key `<x key>` and the y co-ordinates are

given by the key $\langle y \text{ key} \rangle$. (`\DTLconverttodecimal` is used to convert locale dependent values to a standard decimal that is recognised by the `pgf` package.) The optional argument $\langle condition \rangle$ is the same as that for `\DTLforeach`.

Example 28 (Adding to a Plot Stream)

Suppose you have a CSV file called `data.csv` containing the following:

```
x,y
0,0
1,1
2,0.5
1.5,0.3
```

First load the file into a database called `data`:

```
\DTLloaddb{data}{data.csv}
```

Now create a figure containing this data:

```
\begin{figure}[tbhp]
\centering
\begin{tikzpicture}
\pgfplotshandlermark{\pgfuseplotmark{o}}
\pgfplotstreamstart
\DTLplotstream{data}{x}{y}%
\pgfplotstreamend
\pgfusepath{stroke}
\end{tikzpicture}
\caption{Adding to a plot stream}
\end{figure}
```

This produces **Figure 7.6**.




Figure 7.6: Adding to a plot stream

Example 29 (Plotting Multiple Keys in the Same Database)

Suppose I have conducted two time to growth experiments. For each experiment, I have recorded the log count at set times, and I have recorded this information in the same data file called, say, `growth.csv` which contains the following:


```

Time, Experiment 1, Experiment 2
0, 3.73, 3.6
23, 3.67, 3.7
60, 4.9, 3.8

```

I can load the data into a database using:

```
\DTLloaddb{growth}{growth.csv}
```

However, I'd like to plot both results on the same graph. Since they are contained in the same database, I can't use the method I used in [example 26](#). Instead I can use a combination of `\DTLplot` and

`\DTLplotstream`:

```

\begin{figure}[tbhp]
\centering
% computer bounds
\DTLminforkeys{growth}{Time}{\minX}
\DTLminforkeys{growth}{Experiment 1,Experiment 2}{\minY}
\DTLmaxforkeys{growth}{Time}{\maxX}
\DTLmaxforkeys{growth}{Experiment 1,Experiment 2}{\maxY}
% round x tick labels
\setcounter{DTLplotroundXvar}{0}
% redefine \DTLplotatbegintikz to plot the data for Experiment 1
\renewcommand*\DTLplotatbegintikz{%
% set plot mark
\pgfplotshandlermark{\color{green}\pgfuseplotmark{x}}
% start plot stream
\pgfplotstreamstart
% add data from Experiment 1 to plot stream
\DTLplotstream{growth}{Time}{Experiment 1}%
% end plot stream
\pgfplotstreamend
% stroke path
\pgfusepath{stroke}
% add information to legend (no line is require so use \relax)
\DTLaddtoplotlegend{\color{green}%
\pgfuseplotmark{x}}{\relax}{Experiment 1}
}
% now plot the data for Experiment 2
\DTLplot{growth}{x=Time,y=Experiment 2,legend,
width=3in,height=3in,bounds={\minX,\minY,\maxX,\maxY},
xlabel={Time},ylabel={Log Count},
legendlabels={Experiment 2}}
\caption{Time to growth data}
\end{figure}

```

This produces [Figure 7.7](#). Notes:

- I redefined `\DTLplotatbegintikz` in order to add the new plot to the legend, since `\DTLplotatendtikz` is used after the legend

is plotted. The x and y unit vectors are set before `\DTLplotatbegin tikz` so I don't need to worry about the co-ordinates.

- I set the counter `DTLplotroundXvar` to zero otherwise the x axis would have looked too cluttered.
- I have used `\DTLminforkeys` and `\DTLmaxforkeys` to determine the bounds since `\DTLplot` won't take the data for Experiment 1 into account when computing the bounds.




Figure 7.7: Time to growth data

8 Bar Charts (databar package)

The databar package provides commands for creating bar charts. It is not loaded by the datatool package, so if you want to use it you will need to load it explicitly using `\usepackage{databar}`. You must also have the pgf package installed.

Bar charts can either be vertical or horizontal, the default is vertical. In this section the x axis refers to the horizontal axis when plotting a vertical bar chart and to the vertical axis when plotting a horizontal bar chart.

The x axis units are in increments of one bar. The y axis refers to the vertical axis when plotting a vertical bar chart and to the horizontal axis when plotting a horizontal bar chart. The y axis uses the same co-ordinates as the data. The bars may have an upper and lower label. In a vertical bar chart, the lower label is placed below the x axis and the upper label is placed above the top of the bar. In a horizontal bar chart, the lower label is placed to the left of the x axis and the upper label is placed to the right of the end of the bar. (This is actually a misnomer as it is possible for the “upper” label to be below the “lower” label if a bar has a negative value, however the bars are considered to be anchored on the x axis, and the other end of the bar is considered to be the “upper” end, regardless of its direction.)

The databar package options are as follows:

color=databar Created coloured bar charts (default).

gray=databar Created grey scale bar charts.

vertical=databar Created vertical bar charts (default).

horizontal=databar Created horizontal bar charts.

`\DTLbarchart`

```
\DTLbarchart [<condition>] {<db name>} {<settings>} {<values>}
```

`\DTLmultibarchart`

```
\DTLmultibarchart [<condition>] {<db name>} {<settings>} {<values>}
```

These commands both create a bar chart from the information in the database *<db name>*, where *<condition>* is the same as the optional

argument for `\DTLforeach` described in [section 5.4](#), and $\langle values \rangle$ is the same as the penultimate argument of `\DTLforeach`. The $\langle settings \rangle$ argument is a $\langle setting \rangle = \langle value \rangle$ list of settings. The first command, `\DTLbarchart`, will draw a bar chart for a given column of data in the database, whereas the second command, `\DTLmultibarchart`, will draw a bar chart that is divided into groups of bars where each bar within a group represents data from several columns of a given row in the database.

The variable setting is required for `\DTLbarchart` and the variables, the other settings are optional (though some may only be used for one of `\DTLbarchart` and `\DTLmultibarchart`), and are as follows:

variable This specifies the control sequence to use that contains the value used to construct the bar chart. The control sequence must be one of the control sequences to appear in the assignment list $\langle values \rangle$. This setting is required for `\DTLbarchart`, and is unavailable for `\DTLmultibarchart`.

variables This specifies a list of control sequences to use which contain the values used to construct the bar chart. Each control sequence must be one of the control sequences to appear in the assignment list $\langle values \rangle$. This setting is required for `\DTLmultibarchart`, and is unavailable for `\DTLbarchart`.

max This specifies the maximum value on the y axis. (This should be a standard decimal value.)

length This specifies the overall length of the y axis, and must be a dimension.

maxdepth This must be a zero or negative number. It specifies the maximum depth of the y axis. (This should be a standard decimal value.)

axes This setting specifies which axes to display. This may take one of the following values: `both`, `x`, `y` or `none`.

barlabel This setting specifies the lower bar label. When used with `\DTLmultibarchart` it indicates the group label.

multibarlabels This setting should contain a comma separated list of labels for each bar within a group for `\DTLmultibarchart`. This setting is not available for `\DTLbarchart`.

upperbarlabel This setting specifies the upper bar label. This setting is not available for `\DTLmultibarchart`.

uppermultibarlabels This setting must be a comma separated list of upper bar labels for each bar within a group. This setting is not available for `\DTLbarchart`.

yticpoints This must be a comma separated list of tick locations for the y axis. (These should be standard decimal values.) This setting overrides `yticgap`.

yticgap This specifies the gap between the y tick marks. (This should be a standard decimal value.)

yticlabels This must be a comma separated list of tick labels for the y axis.

ylabel This specifies the label for the y axis.

groupgap This specifies the gap between groups when using `\DTLmultibarchart`. This value is given as a multiple of the bar width. The default value is 1, which indicates a gap of one bar width. This setting is not available for `\DTLbarchart`.

verticalbars This is a boolean setting, so it can only take the values `true` (do a vertical bar chart) or `false` (do a horizontal bar chart). If the value is omitted, `true` is assumed.

Example 30 (A Basic Bar Chart)

Recall [example 19](#) defined a database called `fruit`. This example will be using that database to plot a bar chart. The following plots a basic vertical bar chart:

```
\begin{figure} [htbp]
\centering
\DTLbarchart{variable=\theQuantity}{fruit}{\theQuantity=Quantity}
\caption{A basic bar chart}
\end{figure}
```

This produces [Figure 8.1](#).

8.1 Changing the Appearance of a Bar Chart

`\DTLbarchartlength`

`\DTLbarchartlength`




Figure 8.1: A basic bar chart

This specifies the total length of the y axis. You must use `\setlength` to change this value. The default value is 3in.

`\DTLbarwidth`

`\DTLbarwidth`

This specifies the width of each bar. You must use `\setlength` to change this value. The default value is 1cm.

`\DTLbarlabeloffset`

`\DTLbarlabeloffset`

This specifies the distance from the x axis to the lower bar label. You must use `\setlength` to change this value. The default value is 10pt.

`DTLbarroundvar`

`DTLbarroundvar`

The y tick labels are rounded to $\langle n \rangle$ digits after the decimal point, where $\langle n \rangle$ is given by the value of the counter `DTLbarroundvar`. You must use `\setcounter` to change this value.

`\DTLsetbarcolor`

```
\DTLsetbarcolor{⟨n⟩}{⟨color⟩}
```

This sets the $\langle n \rangle$ th bar colour to $\langle color \rangle$. Only the first eight bars have a colour defined by default. If you need more than eight bars, you will need to define more bar colours. It is recommended that you set the colour of each bar to correspond with whatever the bar represents.

`\DTLdobarcolor`

```
\DTLdobarcolor{⟨n⟩}
```

This sets the current colour to the colour of the $\langle n \rangle$ th bar.

`\DTLbaroutlinecolor`

```
\DTLbaroutlinecolor
```

This macro contains the colour of the bar outlines. This defaults to black.

`\DTLbaroutlinewidth`

```
\DTLbaroutlinewidth
```

This length specifies the line width for the bar outlines. If it is `0pt`, the outline is not drawn. The default value is `0pt`.

`\DTLbaratbegintikz`

```
\DTLbaratbegintikz
```

This specifies any additional commands to add to the start of the plot. It defaults to nothing, and is called after the unit vectors are set.

`\DTLbaratendtikz`

```
\DTLbaratendtikz
```

This specifies any additional commands to add to the end of the plot. It defaults to nothing.

`\DTLeverybarhook`

```
\DTLeverybarhook
```

This specifies code to apply at every bar. Within the definition of

`\DTLstartpt` (the start of the bar), `\DTLmidpt` (the mid point of the bar) and `\DTLendpt` (the end of the bar). For example (using the earlier `fruit` database):

```
\renewcommand*{\DTLeverybarhook}{%
```

```

\pgftext[at=\DTLmidpt]{\insertName\space(\insertValue)}%
}
\DTLbarchart{variable=\insertValue,axes=both,
ylabel=Quantity,max=50,verticalbars=false
}%
{fruit}{\insertValue=Value,\insertName=Name}

```

This puts the name followed by the quantity in brackets in the middle of the bar.

`\ifDTLverticalbars`

```
\ifDTLverticalbars
```

This conditional governs whether the chart uses vertical or horizontal bars.

`\DTLbarXlabelalign`

```
\DTLbarXlabelalign
```

This specifies the text alignment of the lower bar labels. This defaults to `left`, `rotate=-90` if you use the `vertical=databar` package option or the `verticalbars` setting, and defaults to `right` if you use the `horizontal=databar` package option or the `verticalbars=false` setting.

`\DTLbarYticklabelalign`

```
\DTLbarYlabelalign
```

This specifies the text alignment of the y axis labels. This defaults to `right` for vertical bar charts and `center` for horizontal bar charts.

`\DTLbardisplayYticklabel`

```
\DTLbardisplayYticklabel{<text>}
```

This specifies how to display the y tick label. The argument is the tick label.

`\DTLdisplaylowerbarlabel`

```
\DTLdisplaylowerbarlabel{<text>}
```

This specifies how to display the lower bar label for `\DTLbarchart` and the lower bar group label for `\DTLmultibarchart`. The argument is the label.

`\DTLdisplaylowermultibarlabel`

```
\DTLdisplaylowermultibarlabel{<text>}
```


This specifies how to display the lower bar label for `\DTLmultibarchart`. The argument is the label. This command is ignored by `\DTLbarchart`.

`\DTLdisplayupperbarlabel`

```
\DTLdisplayupperbarlabel{<text>}
```

This specifies how to display the upper bar label for `\DTLbarchart` and the upper bar group label for `\DTLmultibarchart`. The argument is the label.

`\DTLdisplayuppermultibarlabel`

```
\DTLdisplayuppermultibarlabel{<text>}
```

This specifies how to display the upper bar label for `\DTLmultibarchart`. The argument is the label. This command is ignored by `\DTLbarchart`.

Example 31 (A Labelled Bar Chart)

This example extends [example 30](#) so that the chart is a bit more informative (which is after all the whole point of a chart). This chart now has a label below each bar, as well as a label above the bar. The lower label uses the value of the `Name` key, and the upper label uses the quantity. I have also set the outline width so each bar has a border.

```
\begin{figure} [htbp]
\setlength{\DTLbaroutlinewidth}{1pt}
\centering
\DTLbarchart{variable=\theQuantity,barlabel=\theName,%
upperbarlabel=\theQuantity}{fruit}{%
\theQuantity=Quantity,\theName=Name}
\caption{A bar chart}
\end{figure}
```

This produces [Figure 8.2](#).

Example 32 (Profit/Loss Bar Chart)

Suppose I have a file called `profits.csv` that looks like:

```
Year,Profit
2000,\pounds2,535
2001,\pounds3,752
2002,-\pounds1,520
2003,\pounds1,270
```




Figure 8.2: A bar chart

First I can load this file into a database called profits:

```
\DTLloaddb{profits}{profits.csv}
```

Now I can plot the data as a bar chart:

```
\begin{figure} [htbp]
\centering
% Set the width of each bar to 10pt
\setlength{\DTLbarwidth}{10pt}
% Set the outline width to 1pt
\setlength{\DTLbaroutlinewidth}{1pt}
% Round the $y$ tick labels to integers
\setcounter{DTLbarroundvar}{0}
% Adjust the tick label offset
\setlength{\DTLticklabeloffset}{20pt}
% Change the y tick label alignment
\renewcommand*{\DTLbarYticklabelalign}{left}
% Rotate the y tick labels
\renewcommand*{\DTLbardisplayYticklabel}[1]{\rotatebox{-45}{#1}}
% Set the bar colours depending on the value of \theProfit
\DTLforeach{profits}{\theProfit=Profit}{%
\ifthenelse{\DTLislt{\theProfit}{0}}
{\DTLsetbarcolor{\DTLcurrentindex}{red}}
{\DTLsetbarcolor{\DTLcurrentindex}{blue}}}
% Do the bar chart
\DTLbarchart{variable=\theProfit,upperbarlabel=\theYear,
ylabel={Profit/Loss (\pounds)},verticalbars=false,
maxdepth=-2000,max=4000}{profits}
{\theProfit=Profit,\theYear=Year}
\caption{Profits for 2000--2003}
\end{figure}
```

This produces **Figure 8.3**. Notes:

1. This example uses `\rotatebox`, so the `graphics` or `graphicx` package is required.
2. The y tick labels are too wide to fit horizontally so they have been rotated to avoid overlapping with their neighbour.
3. Rotating the y tick labels puts them too close to the y axis, so `\DTLticklabeloffset` is made larger to compensate.
4. Remember not to use `\year` as an assignment command as this command already exists!
5. Before the bar chart is created I have iterated through the database, setting the bar colour to red or blue depending on the value of `\theProfit`.

Both `\DTLbarchart` and `\DTLmultibarchart` set the following macros, which may be used in `\DTLbaratbegintikz` and `\DTLbaratendtikz`:

`\DTLbarchartwidth`

`\DTLbarchartwidth`

This is the overall width of the bar chart. In the case of `\DTLbarchart` this is just the number of bars. In the case of `\DTLmultibarchart` it is computed as:

$$m \times n + (m - 1) \times g$$

where m is the number of bar groups (i.e. the number of rows of data), n is the number of bars within a group (i.e. the number of commands listed in the variables) setting and g is the group gap (as specified by the `groupgap` setting).

`\DTLnegextent`

`\DTLnegextent`

This is set to the negative extent of the bar chart. (This value may either be zero or negative, and corresponds to the `maxdepth` setting.)

`\DTLbarmax`

`\DTLbarmax`

This is set to the maximum extent of the bar chart. (This value corresponds to the `max` setting.)




Figure 8.3: Profits for 2000–2003

Example 33 (A Multi-Bar Chart)

This example uses the `marks` database described in [example 13](#). Recall that this database stores student marks for three assignments. The keys for the assignment marks are `Assignment 1`, `Assignment 2` and `Assignment 3`, respectively. I can convert this data into a bar chart using the following:

```

\begin{figure} [htbp]
\centering
\DTLmultibarchart{variables={\assignI,\assignII,\assignIII},
barwidth=10pt,uppermultibarlabels={\assignI,\assignII,\assignIII},
barlabel={\firstname\ \surname}}{marks}{%
\surname=Surname,\firstname=FirstName,\assignI=Assignment 1,%
\assignII=Assignment 2,\assignIII=Assignment 3}
\caption{Student marks}
\end{figure}

```

This produces **Figure 8.4**. Notes:

1. I used `variables={\assignI,\assignII,\assignIII}` to set the variable to use for each bar within a group. This means that there will be three bars in each group.
2. I have set the bar width to 10pt, otherwise the chart will be too wide.
3. I used `uppermultibarlabels={\assignI,\assignII,\assignIII}` to set the upper labels for each bar within a group. This will print the assignment mark above the relevant bar.
4. I used `barlabel={\firstname\ \surname}` to place the student's name below the group corresponding to that student.

Recall that **example 13** computed the average score over for each student, and saved it with the key `Average`. This information can be added to the bar chart. It might also be useful to compute the average over all students and add this information to the chart. This is done as follows:

```

\begin{figure} [htbp]
\centering
% compute the overall mean
\DTLmeanforkeys{marks}{Average}{\overallmean}
% round it to 2 decimal places
\DTLround{\overallmean}{\overallmean}{2}
% draw a grey dotted line indicating the overall mean
% covering the entire width of the bar chart
\renewcommand*{\DTLbaratendtikz}{%
\draw[lightgray,loosely dotted] (0,\overallmean) --
(\DTLbarchartwidth,\overallmean)
node[right,black]{Average (\overallmean)}; }
% Set the lower bar labels to draw a brace across the current
% group, along with the student's name and average score
\renewcommand*{\DTLdisplaylowerbarlabel}[1]{%
\tikz[baseline=(current bounding box.center)]{
\draw[snake=brace,rotate=-90] (0,0) -- (\DTLbargroupwidth,0); }

```




Figure 8.4: Student marks

```

\DTLround{\theMean}{\theMean}{2}%
\shortstack{#1\\(Average: \theMean)}}
% draw the bar chart
\DTLmultibarchart{variables={\assignI,\assignII,\assignIII},
barwidth=10pt,uppermultibarlabels={\assignI,\assignII,\assignIII},
barlabel={\firstname\ \surname}}{marks}
{\surname=Surname,\firstname=FirstName,\assignI=Assignment 1,%
\assignII=Assignment 2,\assignIII=Assignment 3,\theMean=Average}
\caption{Student marks}
\end{figure}

```

which produces **Figure 8.5**. Notes:

1. I've used the TikZ snake library to create a brace, so I need to put

```
\usetikzlibrary{snakes}
```

in the preamble. See the pgf manual for more details on how to use this library.

2. I used `\DTLbargroupwidth` to indicate the width of each bar group.
3. I used `\DTLbarchartwidth` to indicate the width of the entire bar chart




Figure 8.5: Student marks

9 Converting a BIB_TE_X database into a datatool database (databib package)

The databib package provides the means of converting a BIB_TE_X database into a datatool database. The database can then be sorted using `\DTLsort`, described in [section 5.8](#). For example, you may want to sort the bibliography in reverse chronological order. Once you have sorted the bibliography, you can display it using `\DTLbibliography`, described in [section 9.3](#), or you can iterate through the database using `\DTLforeachbib`, described in [section 9.5](#). Note that the databib package is not automatically loaded by datatool, so if you want to use it, you must load it using `\usepackage{databib}`.

The purpose of this package is to provide a means for authors to format their own bibliography style where there is no bibliography style file available that produces the desired results. The `\DTLsort` macro uses a much less efficient sorting algorithm than BIB_TE_X, and loading the bibliography as a datatool database is much slower than loading a standard `bb1` file. If you have a large database, and you are worried that L^AT_EX may have become stuck, try using the `verbose` option to datatool or use the command `\dtlverbosettrue`. This will print informative messages to the console and transcript file, to let you know what's going on.

9.1 BIB_TE_X: An Overview

This document assumes that you have at least some passing familiarity with BIB_TE_X, but here follows a brief refresher.

BIB_TE_X is an external application used in conjunction with L^AT_EX. When you run BIB_TE_X, you need to specify the name of the document's auxiliary file (without the `aux` extension). BIB_TE_X then reads this file and looks for the commands `\bibstyle` (which indicates which bibliography style (`bst`) file to load), `\bibdata` (which indicates which bibliography database (`bib`) files to load) and `\citation` (produced by `\cite` and `\nocite`, which indicates which entries should be included in the bibliography). BIB_TE_X then creates a file with the extension `bb1` which

contains the bibliography, formatted according to the layout defined in the bibliography style file.

In general, given a document called, say, `mydoc.tex`, you will have to perform the following steps to ensure that the bibliography and all citations are up-to-date:

1. `latex mydoc`

This writes the citation information to the auxiliary file. The bibliography currently doesn't exist, so it isn't displayed. Citations will appear in the document as ?? since the internal cross-references don't exist yet.

2. `bibtex mydoc`

This reads the auxiliary file, and creates a file with the extension `bb1` which typically contains the typeset bibliography.

3. `latex mydoc`

Now that the `bb1` file exists, the bibliography can be input into the document. The internal cross-referencing information for the bibliography can now be written to the auxiliary file.

4. `latex mydoc`

The cross-referencing information can be read from the auxiliary file.

9.1.1 BIB_TE_X database

The bibliographic data required by BIB_TE_X must be stored in a file with the extension `bib`, where each entry is stored in the form:

```
@<entry_type>{<cite_key>,  
<field_name> = "<value>",  
:  
<field_name> = "<value>"  
}
```

Note that curly braces `{` and `}` may be used instead of `"` and `"`.

The entry type, given by `<entry_type>` above, indicates the type of document. This may be one of: `article`, `book`, `booklet`, `inbook`, `incollection`, `inproceedings`¹, `manual`, `mastersthesis`, `misc`, `phdthesis`, `proceedings`, `techreport` or `unpublished`.

¹Note that `conference` is a synonym for `inproceedings`.

The `<cite_key>` above is a unique label identifying this entry, and is the label used in the argument of `\cite` or `\nocite`. The available fields depends on the entry type, for example, the field `journal` is required for the `article` entry type, but is ignored for the `inproceedings` entry type. The standard fields are: `address`, `author`, `booktitle`, `chapter`, `edition`, `editor`, `howpublished`, `institution`, `journal`, `key`, `month`, `note`, `number`, `organization`, `pages`, `publisher`, `school`, `series`, `title`, `type`, `volume` and `year`.

Author and editor names must be entered in one of the following ways:

1. `<First names>` `<von part>` `<Surname>`, `<Jr part>`

The `<von part>` is optional and is identified by the name(s) starting with lowercase letters. The final comma followed by `<Jr part>` is also optional. Examples:

```
author = "Henry James de Vere"
```

In the above, the first names are Henry James, the “von part” is de and the surname is Vere. There is no “junior part”.

```
author = "Mary-Jane Brown, Jr"
```

In the above, the first name is Mary-Jane, there is no von part, the surname is Brown and the junior part is Jr.

```
author = "Peter {Murphy Allen}"
```

In the above, the first name is Peter, and the surname is Murphy Allen. Note that in this case, the surname must be grouped, otherwise Murphy would be considered part of the forename.

```
author = "Maria Eliza {\uppercase{d}e La} Cruz"
```

In the above, the first name is Maria Eliza, the von part is De La, and the surname is Cruz. In this case, the von part starts with an uppercase letter, but specifying

```
author = "Maria Eliza De La Cruz"
```

would make `BIBTEX` incorrectly classify “Maria Eliza De La” as the first names, and the von part would be empty. Since `BIBTEX` doesn’t understand `LATEX` commands, using `{\uppercase{d}e La}` will trick `BIBTEX` into thinking that it starts with a lower case letter.

2. *<von part>* *<Surname>*, *<Forenames>*

Again the *<von part>* is optional, and is determined by the case of the first letter. For example:

```
author = "de Vere, Henry James"
```

Multiple authors or editors should be separated by the key word `and`, for example:

```
author = "Michel Goossens and Frank Mittlebach and Alexander Samarin"
```

Below is an example of a book entry:

```
@book{latexcomp,  
  title      = "The \LaTeX\ Companion",  
  author     = "Michel Goossens and Frank Mittlebach and  
              Alexander Samarin",  
  publisher  = "Addison-Wesley",  
  year      = 1994  
}
```

Note that numbers may be entered without delimiters, as in `year = 1994`. There are also some predefined strings, including those for the month names. You should always use these strings instead of the actual month name, as the way the month name is displayed depends on the bibliography style. For example:

```
@article{Cawley2007b,  
  author = "Gavin C. Cawley and Nicola L. C. Talbot",  
  title  = "Preventing over-fitting in model selection via {B}ayesian  
          regularisation of the hyper-parameters",  
  journal = "Journal of Machine Learning Research",  
  volume  = 8,  
  pages   = "841--861",  
  month   = APR,  
  year    = 2007  
}
```

You can concatenate strings using the `#` character, for example:

```
month = JUL # "~31~---~" # AUG # "~4",
```

Depending on the bibliography style, this may be displayed as: July 31 – August 4, or it may be displayed as: Jul 31 – Aug 4. For further information, see [1].

9.2 Loading a databib database

The databib package always requires the `databib.bst` bibliography style file (which is supplied with this bundle). You need to use `\cite` or `\nocite` as usual. If you want to add all entries in the `bib` file to the `datatool` database, you can use `\nocite{*}`.

`\DTLloadbbl`

```
\DTLloadbbl [⟨bbl name⟩] {⟨db name⟩} {⟨bib list⟩}
```

This command performs several functions:

1. it writes the following line in the auxiliary file:

```
\bibstyle{databib}
```

which tells `BIBTEX` to use the `databib.bst` `BIBTEX` style file,

2. it writes `\bibdata{⟨bib list⟩}` to the auxiliary file, which tells `BIBTEX` which `bib` files to use,
3. it creates a `datatool` database called `⟨db name⟩`,
4. it loads the file `⟨bbl name⟩` if it exists. (The value defaults to `\jobname.bbl`, which is the usual name for a `bbl` file.) If the `bbl` file doesn't exist, the database `⟨db name⟩` will remain empty.

You then need to run your document through `LATEX` (or `PDFLATEX`) and then run `BIBTEX` on the auxiliary file, as described in [section 9.1](#). This will create a `bbl` file which contains all the commands required to add the bibliography information to the `datatool` database called `⟨db name⟩`. The next time you `LATEX` your document, this file will be read, and the information will be added to `⟨db name⟩`.

Note that `\DTLloadbbl` doesn't generate any text. Once you have loaded the data, you can display the bibliography using `\DTLbibliography` (described below) or you can iterate through it using `\DTLforeachbibentry` described in [section 9.5](#).

Note that the `databib.bst` `BIBTEX` style file provides the following additional fields: `isbn`, `doi`, `pubmed`, `url` and `abstract`. However these fields are ignored by the three predefined `databib` styles (`plain`, `abbrv` and `alpha`). If you want these fields to be displayed in the bibliography you will need to modify the bibliography style (see [subsection 9.4.1](#)).

9.3 Displaying a databib database

A databib database which has been loaded using `\DTLloadbbl` (described in [section 9.2](#)) can be displayed using:

`\DTLbibliography`

```
\DTLbibliography[<conditions>]{<db name>}
```

where *<db name>* is the name of the database.

Within the optional argument *<condition>*, you may use any of the commands that may be used within the optional argument of `\DTLforeach`. In addition, you may use the following commands:

`\DTLbibfieldexists`

```
\DTLbibfieldexists{<field label>}
```

This tests whether the field with the given label exists for the current entry. The field label may be one of: Address, Author, BookTitle, Chapter, Edition, Editor, HowPublished, Institution, Journal, Key, Month, Note, Number, Organization, Pages, Publisher, School, Series, Title, Type, Volume, Year, ISBN, DOI, PubMed, Abstract, Url or Eprints.

For example, suppose you have loaded a databib database called `mybib` using `\DTLloadbbl` (described in [section 9.2](#)) then the following bibliography will only include those entries which have a `Year` field:

```
\DTLbibliography[\DTLbibfieldexists{Year}]{mybib}
```

`\DTLbibfieldiseq`

```
\DTLbibfieldiseq{<field label>}{<value>}
```

This tests whether the value of the field given by *<field label>* equals *<value>*. If the field doesn't exist for the current entry, this evaluates to false. For example, the following will produce a bibliography which only contains entries which have the `Year` field set to 2004:

```
\DTLbibliography[\DTLbibfieldiseq{Year}{2004}]{mybib}
```

`\DTLbibfieldcontains`

```
\DTLbibfieldcontains{<field label>}{<sub string>}
```

This tests whether the value of the field given by *<field label>* contains *<sub string>*. For example, the following will produce a bibliography which only contains entries where the author field contains the name Knuth:

```
\DTLbibliography[\DTLbibfieldcontains{Author}{Knuth}]{mybib}
```

```
\DTLbibfieldislt
```

```
\DTLbibfieldislt{<field label>}{<value>}
```

This tests whether the value of the field given by *<field label>* is less than *<value>*. If the field doesn't exist for the current entry, this evaluates to false. For example, the following will produce a bibliography which only contains entries whose `Year` field is less than 1983:

```
\DTLbibliography[\DTLbibfieldislt{Year}{1983}]{mybib}
```

```
\DTLbibfieldisle
```

```
\DTLbibfieldisle{<field label>}{<value>}
```

This tests whether the value of the field given by *<field label>* is less than or equal to *<value>*. If the field doesn't exist for the current entry, this evaluates to false. For example, the following will produce a bibliography which only contains entries whose `Year` field is less than or equal to 1983:

```
\DTLbibliography[\DTLbibfieldisle{Year}{1983}]{mybib}
```

```
\DTLbibfieldisgt
```

```
\DTLbibfieldisgt{<field label>}{<value>}
```

This tests whether the value of the field given by *<field label>* is greater than *<value>*. If the field doesn't exist for the current entry, this evaluates to false. For example, the following will produce a bibliography which only contains entries whose `Year` field is greater than 1983:

```
\DTLbibliography[\DTLbibfieldisgt{Year}{1983}]{mybib}
```

```
\DTLbibfieldisge
```

```
\DTLbibfieldisge{<field label>}{<value>}
```

This tests whether the value of the field given by *<field label>* is greater than or equal to *<value>*. If the field doesn't exist for the current entry, this evaluates to false. For example, the following will produce a bibliography which only contains entries whose `Year` field is greater than or equal to 1983:

```
\DTLbibliography[\DTLbibfieldisge{Year}{1983}]{mybib}
```

Note that `\DTLbibliography` uses `\DTLforeachbibentry` (described in [section 9.5](#)) so you may also use test the value of the counter `DTLbibrow` within *conditions*. You may also use the boolean commands defined by the `ifthen` package, such as `\not`.

Example 34 (Creating a list of publications since a given year)

Suppose my boss has asked me to produce a list of my publications in reverse chronological order, but doesn't want any publications published prior to the year 2000. I have a file called `nlct.bib` which contains all my publications which I keep in the directory `$HOME/texmf/bibtex/bib/`. I could look through this file, work out the labels for all the publications whose year field is greater or equal to 2000, and create a file with a `\nocite` command containing all those labels in a comma separated list in reverse chronological order, but I really can't be bothered to do that. Instead, I can create the following document:

```
\documentclass{article}
\usepackage{databib}
\begin{document}
\nocite{*}
\DTLloadbbl{mybib}{nlct}
\DTLsort{Year=descending,Month=descending}{mybib}
\DTLbibliography[\DTLbibfieldisge{Year}{2000}]{mybib}
\end{document}
```

Suppose I save this file as `mypubs.tex`, then I need to do:

```
latex mypubs
bibtex mypubs
latex mypubs
```

Notes:

1. `\nocite{*}` is used to add all the citations in the bibliography file (`nlct.bib` in this case) to the `databib` database.
2. `\DTLloadbbl{mybib}{nlct}` does the following:
 - a) writes the line

```
\bibstyle{databib}
```

to the auxiliary file. This tells `BIBTEX` to use `databib.bst` (which is supplied with this package). You therefore shouldn't use `\bibliographystyle`.
 - b) writes the line

```
\bibdata{nlct}
```


to the auxiliary file. This tells $\text{BIB}\text{T}_{\text{E}}\text{X}$ that the bibliography data is stored in the file `nlct.bib`. Since I have placed this file in $\text{T}_{\text{E}}\text{X}$'s search path, $\text{BIB}\text{T}_{\text{E}}\text{X}$ will be able to find it.

- c) creates a `datatool` database called `mybib`.
 - d) if the `bb1` file (`mypubs.bb1` in this example) exists, it loads this file (which adds the bibliography data to the database), otherwise it does nothing further.
3. In my $\text{BIB}\text{T}_{\text{E}}\text{X}$ database (`nlct.bib` in this example), I have remembered to use the $\text{BIB}\text{T}_{\text{E}}\text{X}$ month macros: `jan`, `feb` etc. This means that the months are stored in the database in the form `\DTLmonthname{<nn>}`, where `<nn>` is a two digit number from 01 to 12. `\DTLsort` ignores command names when it compares strings, which means I can not only sort by year, but also by month².
 4. Once I have loaded and sorted my database, I can then display it using `\DTLbibliography`. This uses the style given by the `datbib style=datbib` package option, or the `\DTLbibliographystyle` command, both of which are described in [section 9.4](#).
 5. I have filtered the bibliography using the optional argument `[\DTLbibfieldisge{Year}{2000}]`, which checks if the year field of the current entry is greater than or equal to 2000. (Note that if an entry has no year field, the condition evaluates to false, and the entry will be omitted from the bibliography.)
 6. If the bibliography database is large, sorting and creating the bibliography may take a while. Using `datbib` is much slower than using a standard $\text{BIB}\text{T}_{\text{E}}\text{X}$ style file.

Example 35 (Creating a list of my 10 most recent publications)

Suppose now my boss has asked me to produce a list of my ten most recent publications (in reverse chronological order). As in the previous example, I have a file called `nlct.bib` which contains all my publications. I can create the required document as follows:

```
\documentclass{article}
\usepackage{datbib}
\begin{document}
```

²as long as I haven't put anything before the month name in the bibliography file, e.g. `month = 2 # apr` will sort by 2 03, instead of 03

```

\nocite{*}
\DTLloadbbl{mybib}{nlct}
\DTLsort{Year=descending,Month=descending}{mybib}
\DTLbibliography[\value{DTLbibrow}<10]{mybib}
\end{document}

```

9.4 Changing the bibliography style

The style of the bibliography produced using `\DTLbibliography` depends on the `style=databib` package option, or can be set using

```
\DTLbibliographystyle
```

```
\DTLbibliographystyle{<style>}
```

Note that this is *not* the same as `\bibliographystyle`, as the `databib` package uses its custom `databib.bst` bibliography style file.

Example:

```
\usepackage[style=plain]{databib}
```

This sets the plain bibliography style. This is, in fact, the default style, so it need not be specified.

Available styles are: `plain`, `abbrv` and `alpha`. These are similar to the standard `BIBTEX` styles of the same name, but are by no means identical. The most notable difference is that these styles do not sort the bibliography. It is up to you to sort the bibliography using `\DTLsort` (described in [section 5.8](#)).

9.4.1 Modifying an existing style

This section describes some of the commands which are used to format the bibliography. You can choose whichever predefined style best fits your required style, and then modify the commands described in this section. A description of the remaining commands not listed in this section can be found in [section 5.4](#), [section 5.5](#) and [section 5.6](#).

```
\DTLformatauthor
```

```
\DTLformatauthor{<von part>}{<surname>}{<jr part>}{<forenames>}
```

```
\DTLformateditor
```

```
\DTLformateditor{<von part>}{<surname>}{<jr part>}{<forenames>}
```

These commands are used to format an author/editor's name, respectively. The list of authors and editors are stored in the databib database as a comma separated list of $\{\langle von\ part\rangle\}\{\langle surname\rangle\}\{\langle jr\ part\rangle\}\{\langle forenames\rangle\}$ data. This ensures that when you sort on the Author or Editor field, the names will be sorted by the first author or editor's surname.

Within `\DTLformatauthor` and `\DTLformateditor`, you may use the following commands:

`\DTLformatforenames`

```
\DTLformatforenames{\forenames}
```

This is used by the `plain` style to display the author's forenames³.

`\DTLformatabbrvforenames`

```
\DTLformatabbrvforenames{\forenames}
```

This is used by the `abbrv` style to display the author's initials (which are determined from $\langle forenames\rangle$). Note that if any of the authors has a name starting with an accent, the accented letter must be grouped in order for this command to work. For example:

```
author = "{\'}E}lise {\"}E}awyn Edwards",
```

The initials are formed using `\DTLstoreinitials` described in [chapter 4](#), so if you want to change the way the initials are displayed (e.g. put a space between them) you will need to redefine the commands used by `\DTLstoreinitials` (such as `\DTLbetweeninitials`).

`\DTLformatsurname`

```
\DTLformatsurname{\surname}
```

This displays its argument by default⁴.

`\DTLformatvon`

```
\DTLformatvon{\von part}
```

If the $\langle von\ part\rangle$ is empty, this command does nothing, otherwise it displays its argument followed by a non-breakable space.

`\DTLformatjr`

³It also checks whether $\langle forenames\rangle$ ends with a full stop using `\DTLcheckendsperiod` to prevent a sentence ending full stop from following an abbreviation full stop

⁴It also checks whether the surname ends with a full stop using `\DTLcheckendsperiod`

```
\DTLformatjr{<jr part>}
```

If the *<jr part>* is empty, this command displays nothing, otherwise it displays a comma followed by its argument⁵.

For example, suppose you want the author's surname to appear first in small capitals, followed by a comma and the forenames. This can be achieved by redefining `\DTLformatauthor` as follows:

```
\renewcommand*{\DTLformatauthor}[4]{%
\textsc{\DTLformatvon{#1}}%
\DTLformatsurname{#2}\DTLformatjr{#3}},
\DTLformatforenames{#4}%
}
```

DTLmaxauthors

```
DTLmaxauthors
```

The counter `DTLmaxauthors` is used to determine the maximum number of authors to display for a given entry. If the entry's author list contains more than that number of authors, `\etalname` is used, the definition of which is given in [section 5.4](#). The default value of `DTLmaxauthors` is 10.

DTLmaxeditors

```
DTLmaxeditors
```

The `DTLmaxeditors` counter is analogous to the `DTLmaxauthors` counter. It is used to determine the maximum number of editor names to display. The default value of `DTLmaxeditors` is 10.

Within a list of author or editor names, `\DTLlandlast` is used between the last two names, otherwise `\DTLlandnotlast` is used between names. However, if there are only two author or editor names, `\DTLtwoand` is used instead of `\DTLlandlast`.

The command `\DTLendbibitem` is a hook provided to add additional information at the end of each bibliography item. This does nothing by default, but if you want to display the additional fields provided by the `datbib.bst` style file, you can redefine `\DTLendbibitem` so that it displays a particular field, if it is defined. Within this command, you may use the commands `\DTLbibfield`, `\DTLifbibfieldexist` and `\DTLifanybibfieldexist`, which are described in [section 9.5](#). For example, if you have used the `abstract` field in any of your entries, you can display the abstract as follows:

```
\renewcommand{\DTLendbibitem}{%
```

⁵again, it also checks *<jr part>* to determine if it ends with a full stop

```
\DTLifbibfieldexists{Abstract}{\DTLpar\textbf{Abstract}}
\begin{quote}\DTLbibfield{Abstract}\end{quote}}{}}
```

(Note that `\DTLpar` needs to be used instead of `\par`.)

Example 36 (Compact bibliography)

Suppose I don't have much space in my document, and I need to produce a compact bibliography. Firstly, I can use the bibliography style `abbrv`, either through the package option:

```
\usepackage[style=abbrv]{datbib}
```

or using:

```
\DTLbibliographystyle{abbrv}
```

Once I have set the style, I can further modify it thus:

```
\renewcommand*\andname{\&}
\renewcommand*\editorname{ed.}
\renewcommand*\editorsname{eds.}
\renewcommand*\pagesname{pp.}
\renewcommand*\pagename{p.}
\renewcommand*\volumename{vol.}
\renewcommand*\numbername{no.}
\renewcommand*\editionname{ed.}
\renewcommand*\techreportname{T.R.}
\renewcommand*\mscthesistname{MSc thesis}
```

Now I can load⁶ and display the bibliography:

```
% create a database called mybib from the information given
% in mybib1.bib and mybib2.bib
\DTLloadbbl{mybib}{mybib1,mybib2}
% display the bibliography
\DTLbibliography{mybib}
```

Example 37 (Highlighting a given author)

Suppose my boss wants me to produce a list of all my publications (which I have stored in the file `nlct.bib`, as in [example 34](#)). Most of my publications have multiple co-authors, but suppose my boss would like me to highlight my name so that when he skims through the document, he can easily see my name in the list of co-authors. I can do this by

⁶I can load the bibliography earlier, but obviously the bibliography should only be displayed after the bibliography styles have been set, otherwise they will have no effect

redefining `\DTLformatauthor` so that it checks if the given surname matches mine. (This assumes that none of the other co-author's share my surname.)

```
\renewcommand*\DTLformatauthor}[4]{%
{\DTLifstringeq{#2}{Talbot}{\bfseries }}}%
\DTLformatforenames{#4}
\DTLformatvon{#1}%
\DTLformatsurname{#2}%
\DTLformatjr{#3}}
```

Notes:

1. I have used `\DTLifstringeq` (described in [section 2.1](#)) to perform the string comparison.
2. If one or more of my co-authors shared the same surname as me, I would also have had to check the first name, however there is regrettably a lack of consistency in my bib file when it comes to my forenames. Sometimes my name is given as Nicola L. C. Talbot, sometimes the middle initials are omitted, Nicola Talbot, or sometimes, just initials are used, N. L. C. Talbot. This can cause problems when checking the forenames, but as long as the other authors who share the same surname as me, don't also share the same first initial, I can use `\DTLifStartsWith` or `\DTLisPrefix`, which are described in [section 2.1](#) and [section 2.2](#), respectively. Using the first approach I can do:

```
\renewcommand*\DTLformatauthor}[4]{%
{\DTLifstringeq{#2}{Talbot}{\DTLifStartsWith{#4}{N}{\bfseries }}}}}%
\DTLformatforenames{#4}
\DTLformatvon{#1}%
\DTLformatsurname{#2}%
\DTLformatjr{#3}}
```

Using the second approach I can do:

```
\renewcommand*\DTLformatauthor}[4]{%
{\ifthenelse{\DTLiseq{#2}{Talbot}\and
\DTLisPrefix{#4}{N}}{\bfseries }}}%
\DTLformatforenames{#4}
\DTLformatvon{#1}%
\DTLformatsurname{#2}%
\DTLformatjr{#3}}
```

3. I have used a group to localise the effect of `\bfseries`.

9.5 Iterating through a databib database

`\DTLbibliography` (described in [section 9.3](#)) may still not meet your needs. For example, you may be required to list journal papers and conference proceedings in separate sections. In which case, you may find it easier to iterate through the bibliography using:

`\DTLforeachbib`

```
\DTLforeachbib[<condition>]{<db name>}{<text>}
```

`\DTLforeachbib*`

```
\DTLforeachbib*[<condition>]{<db name>}{<text>}
```

This iterates through the databib database called *<db name>* and does *<text>* if *<condition>* is met. As with `\DTLforeach`, the starred version is read-only.

For each row of the database, the following commands are set:

- `\DBIBCitekey` This is the unique label which identifies the current entry (as used in the argument of `\cite` and `\nocite`).
- `\DBIBentrytype` This is the current entry type, and will be one of: `article`, `book`, `booklet`, `inbook`, `incollection`, `inproceedings`, `manual`, `mastersthesis`, `misc`, `phdthesis`, `proceedings`, `techreport` or `unpublished`. (Note that even if you used the entry type `conference` in your bib file, its entry type will be set to `inproceedings`).

The remaining fields may be accessed using:

`\DTLbibfield`

```
\DTLbibfield{<field label>}
```

where *<field label>* may be one of: `Address`, `Author`, `BookTitle`, `Chapter`, `Edition`, `Editor`, `HowPublished`, `Institution`, `Journal`, `Key`, `Month`, `Note`, `Number`, `Organization`, `Pages`, `Publisher`, `School`, `Series`, `Title`, `Type`, `Volume`, `Year`, `ISBN`, `DOI`, `PubMed`, `Abstract` or `Url`.

You can determine if a field exists for a given entry using

`\DTLifbibfieldexists`

```
\DTLifbibfieldexists{<field label>}{<>true part>}{<>false part>}
```

If the field given by *<field label>* exists for the current bibliography entry, it does *<>true part>*, otherwise it does *<>false part>*.

`\DTLifbibanyfieldexists`

```
\DTLifanybibfieldexists{<field label list>}{<>true part>}{<>false part>}
```

This is similar to `\DTLifbibfieldexists` except that the first argument is a list of field names. If one or more of the fields given in *<field label list>* exists for the current bibliography item, this does *<>true part>*, otherwise it does *<>false part>*.

`\DTLformatbibentry`

```
\DTLformatbibentry
```

This formats the bibliography entry for the current row. It checks for the existence of the command `\DTLformat<entry type>`, where *<entry type>* is given by `\DBIBentrytype`. These commands are defined by the bibliography style.

`\DTLcomputewidestbibentry`

```
\DTLcomputewidestbibentry{<conditions>}{<db name>}{<bib label>}{<cmd>}
```

This computes the widest bibliography entry over all entries satisfying *<conditions>* in the database *<db name>*, where the label is given by *<bib label>*, and the result is stored in *<cmd>*, which may then be used in the argument of the `thebibliography` environment.

`DTLbibrow` The counter `DTLbibrow` keeps track of the current bibliography entry. This is reset at the start of each `\DTLforeachbib` and is incremented if *<conditions>* is met.

Within the optional argument *<condition>*, you may use any of the commands that may be used within the optional argument of `\DTLbibliography`, described in [section 9.3](#).

Example 38 (Separate List of Journals and Conference Papers)

Suppose now my boss has decided that I need to produce a list of all my publications, but they need to be separated so that all the journal papers appear in one section, and all the conference papers appear in another section. The journal papers need to be labelled [J1], [J2] and so on, while the conference papers need to be labelled [C1], [C2] and so on. (My boss isn't interested in any of my other publications!) Again, all my publications are stored in the `BIBTEX` database `nlct.bib`. The following creates the required document:

```
\documentclass{article}
\usepackage{datbib}
```



```

\begin{document}
\nocite{*}
\DTLloadbbl{mybib}{nlct}

\renewcommand*{\refname}{Journal Papers}
\DTLcomputewidestbibentry{\equal{\DBIBentrytype}{article}}
{mybib}{J\theDTLbibrow}{\widest}

\begin{thebibliography}{\widest}
\DTLforeachbibentry[\equal{\DBIBentrytype}{article}]{mybib}{%
\bibitem[J\theDTLbibrow]{\DBIBcitekey} \DTLformatbibentry}
\end{thebibliography}

\renewcommand*{\refname}{Conference Papers}
\DTLcomputewidestbibentry{\equal{\DBIBentrytype}{inproceedings}}
{mybib}{C\theDTLbibrow}{\widest}

\begin{thebibliography}{\widest}
\DTLforeachbibentry[\equal{\DBIBentrytype}{inproceedings}]{mybib}{%
\bibitem[C\theDTLbibrow]{\DBIBcitekey} \DTLformatbibentry}
\end{thebibliography}

\end{document}

```

9.6 Multiple Bibliographies

It is possible to have more than one bibliography in a document, but it then becomes necessary to have a separate auxiliary file for each bibliography, and each auxiliary file must then be passed to $\text{BIB}_{\text{T}}\text{X}$. In order to do this, you need to use

`\DTLmultibibs`

```
\DTLmultibibs{name list}
```

where *name list* is a comma separated list of names, *name*. For each *name*, this command creates an auxiliary file called *name*.aux (note that this command may only be used in the preamble).

When you want to cite an entry for a given bibliography named in `\DTLmultibibs`, you must use:

`\DTLcite`

```
\DTLcite[text]{mbib}{cite key list}
```

This is analogous to `\cite[text]{cite key list}`, but writes the

`\citation` command to `\mbib`.aux instead of to the document’s main auxiliary file. It also ensures that the cross-referencing labels are based on `\mbib`, to allow you to have the same reference in more than one bibliography without incurring a “multiply defined” warning message. Note that you can still use `\cite` to add citation information to the main auxiliary file.

If you want to add an entry to the bibliography without producing any text, you can use

`\DTLnocite`

```
\DTLnocite{\mbib}{\cite key list}
```

which is analogous to `\nocite{\cite key list}`, where again the citation information is written to `\mbib`.aux instead of the document’s main auxiliary file.

Note that for both `\DTLcite` and `\DTLnocite` the `\mbib` part must be one of the names listed in `\DTLmultibibs`.

`\DTLloadmdbl`

```
\DTLloadmdbl{\mbib}{\db name}{\bib list}
```

This is analogous to `\DTLloaddbbl{\db name}{\bib list}` described in [section 9.2](#). (Again `\mbib` must be one of the names listed in `\DTLmultibibs`.) This creates a new datatool database called `\db name` and loads the bibliography information from `\mbib`.bbl (if it exists).

`\DTLmbibliography`

```
\DTLmbibliography[condition]{\mbib}{\db name}
```

This is analogous to `\DTLbibliography[condition]{\db name}`, but is required when displaying a bibliography in which elements have been cited using `\DTLcite` and `\DTLnocite`.

Example 39 (Multiple Bibliographies)

Suppose I need to create a document which contains a section listing all my publications, but I also need to have separate sections covering each of my research topics, with a mini-bibliography at the end of each section. As in the earlier examples, all my publications are stored in the file `n1ct.bib` which is somewhere on `TEX`’s path. Note that there will be some duplication as the references in the mini-bibliographies will also appear in the main bibliography at the end of the document, but using `\DTLcite` and `\DTLmbibliography` ensures that all the

cross-referencing labels (and hyperlinks if they are enabled) are unique.

```
\documentclass{article}
\usepackage{datbib}
\DTLmultibibs{kernel,food}
\begin{document}
\section{Kernel methods}
In this section I'm going to describe some research work into
kernel methods, and in the process I'm going to cite some related
papers \DTLcite{kernel}{Cawley2007a,Cawley2006a}.

\DTLloadmdbl{kernel}{kernelDB}{n1ct}
\DTLbibliography{kernel}{kernelDB}

\section{Food research}

In this section I'm going to describe some research work
in the area of food safety, and in the process, I'm going
to cite some related papers \DTLcite{food}{Peck1999,Barker1999a}

\DTLloadmdbl{food}{foodDB}{n1ct}
\DTLbibliography{food}{foodDB}

\cite{*}
\renewcommand{\refname}{Complete List of Publications}
\DTLloadbbl{fullDB}{n1ct}
\DTLbibliography{fullDB}
\end{document}
```

Notes:

1. This will create the files `kernel.aux` and `food.aux`. These will have to be passed to $\text{BIB}\text{T}\text{E}\text{X}$, in addition to the documents main auxiliary file. So, if my document is called `researchwork.tex`, then I need to do:

```
latex researchwork
bibtex researchwork
bibtex kernel
bibtex food
latex researchwork
latex researchwork
```

2. `\cite{*}` is used to add all the entries in the bib file to the main bibliography database. As before, `\DTLloadbbl` and `\DTLbibliography` are used to load and display the main bibliography.

Don't try to directly input the .bbl file using `\input` (or `\include`) instead of using `\DTLloadbbl` or `\DTLloadmdbl` as these commands store the name of the required database and initialise the database before loading the .bbl file. Similarly, don't just copy the contents of the .bbl file into your document without first defining the database using `\DTLnewdb` and setting `\DTLBIBdbname` to the name of the database.

10 Referencing People (person package)

Sometimes when mail-merging, it may be necessary to reference a person by their pronoun which can lead to the cumbersome and impersonal “he/she” construct. The person package allows you to define a person by their full name, familiar name and gender. You can then use the commands described in [section 10.2](#) to produce the appropriate pronoun. This can also be useful for other types of documents, such as an order of service for a baptism or funeral. Since the document is much the same from one person to the next, documents of this nature are frequently simply copied and a search and replace edit is used to change the relevant text. However this can lead to errors (especially if the previous person’s name was Mary!) With the person package, you need only change the definition of the person by modifying the arguments of `\newperson`.

10.1 Defining and undefining People

A person is defined (globally) using the command:

`\newperson`

```
\newperson[<label>] {<full name>} {<familiar name>} {<gender>}
```

The optional argument is a unique label identifying this person, in the event that there is more than one person. If *<label>* is omitted `anon` is used. (This is also the case for subsequent commands that take an optional label.) The gender may be any of those given by

`\malelabels`

```
\malelabels
```

or

`\femalelabels`

```
\femalelabels
```

The default definition of `\malelabels` is `male, Male, MALE, M, m` and the default definition of `\femalelabels` is `female, Female, FEMALE, F, f`. You can add extra identifiers using

`\addmalelabel`

```
\addmalelabel{<identifier>}
```

or

`\addfemalelabel`

```
\addfemalelabel{<identifier>}
```

For example:

```
\addmalelabel{boy}  
\addfemalelabel{girl}
```

The total number of defined people is given by:

`\thepeople`

```
\thepeople
```

A person can be undefined using:

`\removeperson`

```
\removeperson[<label>]
```

where the person is given by *<label>*.

If more than one person has been defined, they can all be removed using:

`\removeallpeople`

```
\removeallpeople
```

or you can remove a subset using:

`\removepeople`

```
\removepeople{<list>}
```

where *<list>* is a comma-separated list of labels.

10.2 Displaying Information

Once a person has been defined, you can display their name using:

`\personfullname`

```
\personfullname[<label>]
```

where *<label>* is the unique label used in the optional argument to `\newperson`. The person's familiar name is displayed using:

`\personname`

```
\personname [ <label> ]
```

The person's pronoun ("he" or "she") is displayed using:

`\personpronoun`

```
\personpronoun [ <label> ]
```

The objective pronoun ("him" or "her") is displayed using:

`\personobjpronoun`

```
\personobjpronoun [ <label> ]
```

The possessive adjective ("his" or "her") is displayed using:

`\personpossadj`

```
\personpossadj [ <label> ]
```

The possessive pronoun "his" or "hers" is displayed using:

`\personposspronoun`

```
\personposspronoun [ <label> ]
```

The person's relationship to their parent ("son" or "daughter") is displayed using:

`\personchild`

```
\personchild [ <label> ]
```

The person's relationship to their child ("mother" or "father") is displayed using:

`\personparent`

```
\personparent [ <label> ]
```

The person's relationship to their sibling ("brother" or "sister") is displayed using:

`\personsibling`

```
\personsibling [ <label> ]
```

If the word occurs at the start of a sentence, you will need one of the following commands, which are as the above, except the first letter is converted to upper case:

`\Personpronoun`

```
\Personpronoun[<label>]
```

`\Personobjpronoun`

```
\Personobjpronoun[<label>]
```

`\Personpossadj`

```
\Personpossadj[<label>]
```

`\Personposspronoun`

```
\Personposspronoun[<label>]
```

`\Personchild`

```
\Personchild[<label>]
```

`\Personparent`

```
\Personparent[<label>]
```

`\Personsibling`

```
\Personsibling[<label>]
```

Example 40 (Order of Service (Memorial))

This example is for a memorial order of service.

```
\documentclass{article}
```

```
\usepackage{person}
```

```
\newperson{Jane Doe}{Jane}{female}
```

```
\begin{document}
```

```
\begin{center}
```

```
\Large
```

```
In Memory of \personfullname
```

```
\end{center}
```

```
We are gathered here to remember our \personsibling\ \personname.
```

```
\Personpronoun\ will be much missed, and \personpossadj\ family are in our prayers.
```

```
\end{document}
```


In Memory of Jane Doe

We are gathered here to remember our sister Jane. She will be much missed, and her family are in our prayers.

If there is more than one person, you will need to use the optional argument *<label>* to `\newperson` to uniquely identify each person. You can then list all of the people's full or familiar names using:

`\peoplefullname`

```
\peoplefullname
```

`\peoplename`

```
\peoplename
```

Note that if there is only one person defined, these commands behave the same as `\personfullname[<label>]` and `\personname[<label>]`. Similarly for the pronouns:

`\peoplepronoun`

```
\peoplepronoun
```

`\Peoplepronoun`

```
\Peoplepronoun
```

`\peopleobjpronoun`

```
\peopleobjpronoun
```

`\Peopleobjpronoun`

```
\Peopleobjpronoun
```

`\peoplepossadj`

```
\peoplepossadj
```

`\Peoplepossadj`

```
\Peoplepossadj
```

`\peopleposspronoun`

```
\peopleposspronoun
```

```
\Peopleposspronoun
```

```
\Peopleposspronoun
```

where, again, if only one person has been defined, each of these commands is equivalent to `\person... [⟨label⟩]` or `\Person... [⟨label⟩]`. If more than one person has been defined, these commands will display they/them/their/theirs or They/Them/Their/Theirs, as appropriate. Likewise for relationship commands:

```
\peoplechild
```

```
\peoplechild
```

```
\Peoplechild
```

```
\Peoplechild
```

```
\peopleparent
```

```
\peopleparent
```

```
\Peopleparent
```

```
\Peopleparent
```

```
\peoplesibling
```

```
\peoplesibling
```

```
\Peoplesibling
```

```
\Peoplesibling
```

Example 41 (Order of Service (Baptism))

In this example two people are defined.

```
\documentclass{article}

\usepackage{person}

\newperson[john]{John Joseph}{John}{male}
\newperson[jane]{Jane Mary}{Jane}{female}

\begin{document}
```

```

\begin{center}
\Large
Baptism of \peoplefullname.
\end{center}

```

```

Today we welcome \peoplename\ into God's family, may He guide
and protect \peopleobjpronoun.
\end{document}

```

This produces the following text:

Baptism of John Joseph and Jane Mary.

Today we welcome John and Jane into God's family, may He guide and protect them.

Example 42 (Mail Merging Using Appropriate Gender)

In this example I have a CSV file called `students.csv` containing the following:

```

FirstName, Surname, Gender, Parent, Address
John, "Smith, Jr", M, Mr and Mrs Smith, 1 The Street\\Newtown
Jane, Brown, F, Ms Brown, 2 The Avenue\\Oldtown
Andy, Brown, male, Mr Brown and Miss Sepia, 3 The Road\\Newtown
Z\oe, Adams, f, Mr and Mrs Adams, 5 The Street\\Newtown
Roger, Brady, m, Mrs Brady, 6 The Avenue\\Oldtown
Clare, Vernon, female, Mr Vernon, 7 The Close\\Anytown

```

Suppose I have to write to each student's parents regarding their child. I can load the information using `\DTLloaddb` (described in [section 5.2](#)). I can then iterate through the database and define the student as a person and use the commands defined in the person package to display the correct gender related text. I could give each person a unique label based on the row count (`\DTLcurrentindex`), but since I don't need to reuse the information, I can use the default `anon` label and undefine the person when no longer required.

Note that in the CSV file, the gender label isn't consistent. For some students the gender is identified by a single letter ("m" or "f") and for others the gender is identified by a complete word ("male" or "female"). There's also no regard for case. This doesn't matter to `\newperson` as all the identifiers used are listed in `\malelabels` and `\femalelabels`. The following is an example letter sent to all parents:

```

\documentclass{letter}

```

```

\usepackage{person}

load student information from file "students.csv"
\DTLloaddb{students}{students.csv}
\begin{document}
Iterate through the student database:
\DTLforeach{students}{\FirstName=FirstName, \Surname=Surname, %
\Gender=Gender, \Parent=Parent, \Address=Address}{%
Define "anon":
\newperson{\FirstName\space\Surname}{\FirstName}{\Gender}%
Do the letter:
\begin{letter}{\Parent\\\Address}
\opening{Dear \Parent}
Your \personchild\ \personname\ has been awarded a
place. We look forward to seeing \personobjpronoun\
on \personpossadj\ arrival.
\closing{Yours Sincerely}
\end{letter}
Undefine "anon":
\removeperson
}
\end{document}

```

The body of the first letter appears as follows:

Your son John has been awarded a place. We look forward to seeing him on his arrival.

Whereas the body of the second letter appears as follows:

Your daughter Jane has been awarded a place. We look forward to seeing her on her arrival.

10.3 Advanced Commands

This section describes additional commands provided by the `person` package. More detail can be found in the documented code (`datatool.pdf`).

10.3.1 Conditionals

`\ifpersonexists`

`\ifpersonexists{<label>}{<true part>}{<>false part>}`

Tests if the person identified by *<label>* has been defined. If true, do *<true part>* otherwise do *<>false part>*.

`\ifmale`

```
\ifmale{<label>}{<true part>}{<>false part>}
```

Test if the person identified by *<label>* is male. If true, do *<true part>* otherwise do *<>false part>*.

`\iffemale`

```
\iffemale{<label>}{<true part>}{<>false part>}
```

Test if the person identified by *<label>* is female. If true, do *<true part>* otherwise do *<>false part>*.

`\ifallmale`

```
\ifallmale[<label list>]{<true part>}{<>false part>}
```

Tests if all the people listed in *<label list>* are male. If true, do *<true part>* otherwise do *<>false part>*. If *<label list>* is omitted, applied to all defined people.

`\ifallfemale`

```
\ifallfemale[<label list>]{<true part>}{<>false part>}
```

Likewise to test if all the people tested are female.
To determine if a string is an allowed male label:

`\ifmalelabel`

```
\ifmalelabel{<identifier>}{<true part>}{<>false part>}
```

where *<identifier>* is the string to be tested. If true, do *<true part>* otherwise do *<>false part>*. For example:

```
\def\gender{M}  
\ifmalelabel{\gender}{male}{not male}
```

Similarly to for an allowed female label:

`\iffemalelabel`

```
\iffemalelabel{<identifier>}{<true part>}{<>false part>}
```

For example:

```
\ifmalelabel{\gender}{Male}{%}
```

```

\iffemalelabel{\gender}{Female}%
{Undefined Gender}%
}

```

10.3.2 Iterating Through Defined People

You can iterate through all defined people using:

`\foreachperson`

```

\foreachperson(\name cs), \full name cs, \gender cs, \label
cs) \do{\body}

```

At each iteration, `\name cs`, `\full name cs`, `\gender cs` and `\label cs` are set to the current person's name, full name, gender and label, respectively. (These arguments must all be command names.) Note that the gender is set to the definition of `\malename` or `\femalename`, as appropriate.¹

`\malename`
`\femalename`

Once these commands are set, `\body` is applied.

If you only want to iterate through a subset of defined people, you can use:

```

\foreachperson(\name cs), \full name cs, \gender cs, \label
cs) \in{\list} \do{\body}

```

where `\list` is a comma-separated list of labels.

10.3.3 Accessing Individual Information

`\getpersongender`

```

\getpersongender{\cs} {\label}

```

Gets the gender of the person identified by `\label` and stores in `\cs` (which must be a command name). This sets `\cs` to the definition of `\malename` or `\femalename` as appropriate.

`\getpersonname`

```

\getpersonname{\cs} {\label}

```

Gets the name of the person identified by `\label` and stores in `\cs` (which must be a command name).

¹Predefined names provided by the person package are described in the documented code (datatool.pdf).

\getpersonfullname

```
\getpersonfullname{cs}{label}
```

Gets the full name of the person identified by *label* and stores in *cs* (which must be a command name).

Bibliography

- [1] Michel Goossens, Frank Mittelbach, and Alexander Samarin. *The L^AT_EX Companion*. Addison-Wesley, 1994.

Acknowledgements

Many thanks to Morten Høgholm for suggesting a much more efficient way of storing the information in databases which has significantly improved the time it takes to \LaTeX documents containing large databases.

Index

| | |
|--|---|
| A | |
| <code>\addfemalelabel</code> | 150 |
| <code>\addmalelabel</code> | 150 |
| B | |
| <code>booktabs</code> package | 47 |
| <code>\bottomrule</code> | 47 |
| C | |
| <code>colortbl</code> package | 55 |
| counters: | |
| <code>DTLbarroundvar</code> | 118 |
| <code>DTLbibrow</code> | 144 |
| <code>DTLmaxauthors</code> | 140 |
| <code>DTLmaxeditors</code> | 140 |
| <code>DTLpieroundvar</code> | 93 |
| <code>DTLplotroundXvar</code> | 109 |
| <code>DTLplotroundYvar</code> | 109 |
| <code>DTLrowi</code> | 50 |
| <code>DTLrowii</code> | 50 |
| <code>DTLrowiii</code> | 50 |
| D | |
| <code>databar</code> package | i, 2, 3, 115 |
| <code>databib</code> package | i, 2, 3, 129, 133, 134, 136–139, 143 |
| <code>datapie</code> package | i, 2, 3, 86, 94 |
| <code>dataplot</code> package | i, 2, 3, 99 |
| <code>datatool</code> package . | i, 2, 3, 24, 25, 27, 32, 35, 37, 42, 51, 64, 68, 85, 86, 99, 107, 115, 129, 133, 137, 146 |
| <code>datatool-base</code> package . | i, 2, 4, 5, 22, 23 |
| <code>datatool-fp</code> package | i, 2, 3 |
| <code>datatool-pgfmath</code> package | i, 2, 3 |
| <code>\DBIBCitekey</code> | 143 |
| <code>\DBIBentrytype</code> | 143 |
| <code>\DTLabs</code> | 26 |
| <code>\DTLadd</code> | 23, 69 |
| <code>\DTLaddall</code> | 24 |
| <code>\DTLaddentryforrow</code> | 37 |
| <code>\DTLaddtopplotlegend</code> | 107 |
| <code>\dtlaftercols</code> | 45 |
| <code>\DTLafterinitialbeforehyphen</code> | 34 |
| <code>\DTLafterinitials</code> | 34 |
| <code>\dtlafterrow</code> | 84 |
| <code>\DTLandlast</code> | 140 |
| <code>\DTLandnotlast</code> | 140 |
| <code>\dtlappendentrytocurrentrow</code> | 85 |
| <code>\DTLappendtorow</code> | 66 |
| <code>\DTLassign</code> | 82 |
| <code>\DTLbaratbegintikz</code> | 119 |
| <code>\DTLbaratendtikz</code> | 119 |
| <code>\DTLbarchart</code> | 115 |
| <code>\DTLbarchart options</code> | |
| <code>axes</code> | 116 |
| <code>barlabel</code> | 116 |
| <code>length</code> | 116 |
| <code>max</code> | 116, 124 |
| <code>maxdepth</code> | 116, 124 |
| <code>upperbarlabel</code> | 116 |
| <code>variable</code> | 116 |
| <code>verticalbars</code> | 117, 120 |
| <code>ylabel</code> | 117 |
| <code>yticgap</code> | 117 |
| <code>yticlabels</code> | 117 |
| <code>yticpoints</code> | 117 |
| <code>\DTLbarchartlength</code> | 117 |
| <code>\DTLbarchartwidth</code> | 124, 127 |
| <code>\DTLbardisplayYticklabel</code> | 120 |
| <code>\DTLbargroupwidth</code> | 127 |
| <code>\DTLbarlabeloffset</code> | 118 |
| <code>\DTLbarmax</code> | 124 |
| <code>\DTLbaroutlinecolor</code> | 119 |
| <code>\DTLbaroutlinewidth</code> | 119 |
| <code>DTLbarroundvar (counter)</code> ... | 118 |
| <code>\DTLbarwidth</code> | 118 |
| <code>\DTLbarXlabelalign</code> | 120 |
| <code>\DTLbarYticklabelalign</code> .. | 120 |
| <code>\dtlbeforecols</code> | 45 |

| | | | |
|---|---------|--|--------|
| <code>\dtlbeforerow</code> | 84 | <code>\DTLdiv</code> | 26 |
| <code>\dtlbetweencols</code> | 45 | <code>\DTLdobarcolor</code> | 119 |
| <code>\DTLbetweeninitials</code> | 34 | <code>\DTLdocurrentpiesegmentcolor</code> | 95 |
| <code>\DTLBIBdbname</code> | 148 | <code>\DTLdopiesegmentcolor</code> | 95 |
| <code>\DTLbibfield</code> | 143 | <code>\DTLendbibitem</code> | 140 |
| <code>\DTLbibfieldcontains</code> | 134 | <code>\DTLendpt</code> | 119 |
| <code>\DTLbibfieldexists</code> | 134 | <code>DTLenvforeach (environment)</code> | 49, 49 |
| <code>\DTLbibfieldiseq</code> | 134 | <code>DTLenvforeach* (environment)</code> | 49, 49 |
| <code>\DTLbibfieldisge</code> | 135 | <code>\DTLeverybarhook</code> | 119 |
| <code>\DTLbibfieldisgt</code> | 135 | <code>\dtlexpandnewvalue</code> | 37 |
| <code>\DTLbibfieldisle</code> | 135 | <code>\dtlforcolumn</code> | 80 |
| <code>\DTLbibfieldislt</code> | 135 | <code>\dtlforcolumnindex</code> | 80 |
| <code>\DTLbibliography</code> | 134 | <code>\DTLforeach</code> . 48, 50–53, 60, 66, 69–72, 82, 86, 95, 96, 99, 112, 116 | |
| <code>\DTLbibliographystyle</code> ... | 138 | <code>\DTLforeach*</code> | 48 |
| <code>DTLbibrow (counter)</code> | 144 | <code>\DTLforeachbib</code> | 143 |
| <code>DTLbibrow counter</code> | 136 | <code>\DTLforeachbib*</code> | 143 |
| <code>\dtlbreak</code> | 51 | <code>\dtlforeachkey</code> | 79 |
| <code>\DTLcite</code> | 145 | <code>\DTLforeachkeyinrow</code> | 51 |
| <code>\DTLcleardb</code> | 79 | <code>\DTLformatabbrvforenames</code> | 139 |
| <code>\DTLclip</code> | 31 | <code>\DTLformatauthor</code> | 138 |
| <code>\DTLcolumncount</code> | 36 | <code>\DTLformatbibentry</code> | 144 |
| <code>\dtlcolumnindex</code> | 81 | <code>\DTLformatbibtentry</code> | 138 |
| <code>\DTLcomputebounds</code> | 72 | <code>\DTLformateditor</code> | 138 |
| <code>\DTLcomputewidestbibentry</code> | 144 | <code>\DTLformatforenames</code> | 139 |
| <code>\DTLconverttodecimal</code> 22, 68, 112 | | <code>\DTLformatjr</code> | 139 |
| <code>\dtlcurrencyalign</code> | 45 | <code>\DTLformatlegend</code> | 111 |
| <code>\dtlcurrencyformat</code> | 46 | <code>\DTLformatsurname</code> | 139 |
| <code>\DTLcurrencytype</code> | 79 | <code>\DTLformatvon</code> | 139 |
| <code>\DTLcurrentindex</code> | 50, 155 | <code>\DTLgabs</code> | 26 |
| <code>\dtlcurrentrow</code> | 83 | <code>\DTLgadd</code> | 24, 69 |
| <code>\dtldbname</code> | 84 | <code>\DTLgaddall</code> | 24 |
| <code>\DTLdecimaltocurrency</code> .. 23, 68 | | <code>\DTLgclip</code> | 31 |
| <code>\DTLdecimaltolocale</code> 22, 68 | | <code>\DTLgdiv</code> | 26 |
| <code>\dtldefaultkey</code> | 39 | <code>\DTLgetcolumnindex</code> | 80 |
| <code>\DTLdeletedb</code> | 79 | <code>\DTLgetdatatype</code> | 79 |
| <code>\dtldisplayafterhead</code> | 46 | <code>\dtlgetentryfromcurrentrow</code> | 85 |
| <code>\DTLdisplaydb</code> | 42 | <code>\DTLgetkeydata</code> | 81 |
| <code>\dtldisplayendtab</code> | 46 | <code>\DTLgetkeyforcolumn</code> | 80 |
| <code>\DTLdisplayinnerlabel</code> | 93 | <code>\DTLgetlocation</code> | 81 |
| <code>\DTLdisplaylongdb</code> | 42 | <code>\dtlgetrow</code> | 83 |
| <code>\DTLdisplaylowerbarlabel</code> | 120 | <code>\DTLgetvalue</code> | 81 |
| <code>\DTLdisplaylowermultibarlabel</code> | 120 | <code>\DTLgetvalueforkey</code> | 81 |
| <code>\DTLdisplayouterlabel</code> | 93 | <code>\DTLgmax</code> | 28 |
| <code>\dtldisplaystartrow</code> | 47 | <code>\DTLgmaxall</code> | 28 |
| <code>\dtldisplaystarttab</code> | 46 | <code>\DTLgmeanall</code> | 29 |
| <code>\DTLdisplayupperbarlabel</code> | 121 | | |
| <code>\DTLdisplayuppermultibarlabel</code> | 121 | | |

| | | | |
|--------------------------------------|--------|--|-------------|
| <code>\DTLgmin</code> | 27 | <code>\DTLlifstringclosedbetween</code> | 12 |
| <code>\DTLgminall</code> | 28 | <code>\DTLlifstringclosedbetween*</code> | 12 |
| <code>\DTLgmul</code> | 25 | <code>\DTLlifstringeq</code> | 9 |
| <code>\DTLgneg</code> | 26 | <code>\DTLlifstringeq*</code> | 9 |
| <code>\DTLground</code> | 30 | <code>\DTLlifstringgt</code> | 11 |
| <code>\DTLgforall</code> | 30 | <code>\DTLlifstringgt*</code> | 11 |
| <code>\DTLgsqrt</code> | 27 | <code>\DTLlifstringlt</code> | 10 |
| <code>\DTLgsub</code> | 25 | <code>\DTLlifstringlt*</code> | 10 |
| <code>\DTLgtrunc</code> | 30 | <code>\DTLlifstringopenbetween</code> | 13 |
| <code>\DTLgvarianceforall</code> | 29 | <code>\DTLlifstringopenbetween*</code> | 13 |
| <code>\dtlheaderformat</code> | 45 | <code>\DTLlifSubString</code> | 15 |
| <code>\DTLifAllLowerCase</code> | 15 | <code>\DTLinitialhyphen</code> | 34 |
| <code>\DTLifAllUpperCase</code> | 14 | <code>\DTLinitials</code> | 33 |
| <code>\DTLifbibanyfieldexists</code> | 144 | <code>\dtlintalign</code> | 45 |
| <code>\DTLifbibfieldexists</code> | 143 | <code>\dtlintformat</code> | 46 |
| <code>\DTLifcasedatatype</code> | 8 | <code>\DTLinttype</code> | 79 |
| <code>\DTLifclosedbetween</code> | 13 | <code>\DTLisclosedbetween</code> | 19 |
| <code>\DTLifclosedbetween*</code> | 13 | <code>\DTLiscurrency</code> | 17 |
| <code>\DTLifcurrency</code> | 6 | <code>\DTLiscurrencyunit</code> | 17 |
| <code>\DTLifcurrencyunit</code> | 7 | <code>\DTLiseq</code> | 19 |
| <code>\DTLifdbempty</code> | 35 | <code>\DTLisFPclosedbetween</code> | 21 |
| <code>\DTLifdbexists</code> | 80 | <code>\DTLisFPeq</code> | 21 |
| <code>\DTLifeq</code> | 9 | <code>\DTLisFPgt</code> | 20 |
| <code>\DTLifeq*</code> | 9 | <code>\DTLisFPgteq</code> | 20 |
| <code>\DTLiffirstrow</code> | 51 | <code>\DTLisFPplt</code> | 20 |
| <code>\DTLifFPclosedbetween</code> | 14 | <code>\DTLisFPlteq</code> | 20 |
| <code>\DTLifFPopenbetween</code> | 14 | <code>\DTLisFPopenbetween</code> | 21 |
| <code>\DTLifgt</code> | 12 | <code>\DTLisgt</code> | 18, 53 |
| <code>\DTLifgt*</code> | 12 | <code>\DTLisiclosedbetween</code> | 19 |
| <code>\DTLifhaskey</code> | 80 | <code>\DTLisieq</code> | 19 |
| <code>\DTLifinlist</code> | 82 | <code>\DTLisigt</code> | 19 |
| <code>\DTLifint</code> | 5 | <code>\DTLisilt</code> | 18 |
| <code>\DTLiflt</code> | 11 | <code>\DTLisint</code> | 18 |
| <code>\DTLiflt*</code> | 11 | <code>\DTLisiopenbetween</code> | 20 |
| <code>\DTLifnull</code> | 63 | <code>\DTLislt</code> | 18 |
| <code>\DTLifnumclosedbetween</code> | 12 | <code>\DTLisnumerical</code> | 17 |
| <code>\DTLifnumeq</code> | 8 | <code>\DTLisopenbetween</code> | 20 |
| <code>\dtlifnumeq</code> | 8 | <code>\DTLisPrefix</code> | 21 |
| <code>\DTLifnumerical</code> | 7 | <code>\DTLisreal</code> | 18 |
| <code>\DTLifnumgt</code> | 11 | <code>\DTLisstring</code> | 16 |
| <code>\DTLifnumlt</code> | 10 | <code>\DTLisSubString</code> | 21 |
| <code>\dtlifnumlt</code> | 10 | <code>\DTLlegendxoffset</code> | 109 |
| <code>\DTLifnumopenbetween</code> | 13 | <code>\DTLlegendyoffset</code> | 109 |
| <code>\DTLifoddrow</code> | 51, 56 | <code>\DTLloadbbl</code> | 133 |
| <code>\DTLifopenbetween</code> | 14 | <code>\DTLloaddb</code> | 38, 40, 155 |
| <code>\DTLifopenbetween*</code> | 14 | <code>\DTLloaddb options</code> | |
| <code>\DTLifreal</code> | 5 | headers | 39, 59 |
| <code>\DTLifStartsWith</code> | 16 | keys | 38 |
| <code>\DTLifstring</code> | 8 | | |

| | | | |
|---------------------------|-------------|--------------------------|-----------------------|
| noheader | 38 | \dtlnoexpandnewvalue | 37 |
| noheaders | 43 | \DTLnumbernull | 63 |
| omitlines | 39 | \DTLnumitemsinlist | 82 |
| \DTLloadmdbl | 146 | \DTLpar | 37, 42 |
| \DTLloaddrawdb | 40 | \DTLpieatbegintikz | 97 |
| \DTLmajorgridstyle | 111 | \DTLpieatendtikz | 97 |
| \DTLmax | 28 | \DTLpiechart | 86, 97 |
| \DTLmaxall | 28 | \DTLpiechart options | |
| DTLmaxauthors (counter) | 140 | cutaway | 87, 90 |
| DTLmaxeditors (counter) | 140 | cutawayoffset | 87 |
| \DTLmaxforcolumn | 72 | cutawayratio | 87 |
| \DTLmaxforkeys | 72, 114 | innerlabel | 87, 93 |
| \DTLmbibliography | 146 | inneroffset | 87 |
| \DTLmeanforall | 29 | innerratio | 87 |
| \DTLmeanforcolumn | 70 | outerlabel | 88, 96 |
| \DTLmeanforkeys | 70, 72 | outeroffset | 87, 88 |
| \DTLmidpt | 119 | outerratio | 87 |
| \DTLmin | 27 | radius | 87 |
| \DTLminall | 28 | ratio | 87 |
| \DTLminforcolumn | 72 | rotateinner | 88 |
| \DTLminforkeys | 71, 114 | rotateouter | 88 |
| \DTLminorgridstyle | 111 | start | 86 |
| \DTLminorticklength | 109 | variable | 86, 87, 93 |
| \DTLmintickgap | 101, 109 | \DTLpieoutlinecolor | 95 |
| \DTLmul | 25 | \DTLpieoutlinewidth | 96 |
| \DTLmultibarchart | 115 | \DTLpiepercent | 93 |
| \DTLmultibarchart options | | DTLpieroundvar (counter) | 93 |
| axes | 116 | \DTLpievariable | 93 |
| barlabel | 116 | \DTLplot | 99, 108–110, 113, 114 |
| groupgap | 117, 124 | \DTLplot options | |
| length | 116 | axes | 100 |
| max | 116, 124 | bounds | 99, 101 |
| maxdepth | 116, 124 | box | 100 |
| multibarlabels | 116 | colors | 99 |
| uppermultibarlabels | 117 | grid | 102 |
| variables | 116, 124 | height | 100 |
| verticalbars | 117 | legend | 102, 105 |
| ylabel | 117 | legendlabels | 102 |
| yticgap | 117 | linecolors | 99 |
| yticlabels | 117 | lines | 100 |
| yticpoints | 117 | markcolors | 99 |
| \DTLmultibibs | 145 | marks | 99 |
| \DTLneg | 26 | maxx | 101 |
| \DTLnegextent | 124 | maxy | 101 |
| \DTLnewcurrencysymbol | 4, 7 | minx | 101 |
| \DTLnewdb | 35, 78, 148 | miny | 101 |
| \DTLnewdbentry | 36, 38, 78 | style | 100, 103 |
| \DTLnewrow | 36, 78 | ticdir | 101 |
| \DTLnocite | 146 | width | 100 |

| | | | |
|------------------------------|---------------|-----------------------------|----------|
| x | 99 | \dtlrownnum | 84 |
| xlabel | 102 | \DTLsavedb | 78 |
| xminorcols | 101 | \DTLsavelastrowcount | 51, 69 |
| xticdir | 101 | \DTLsavetexdb | 78 |
| xticgap | 101 | \DTLsdforall | 29 |
| xticlabels | 102 | \DTLsdforcolumn | 71 |
| xticpoints | 101, 105 | \DTLsdforkeys | 71 |
| xtics | 100 | \DTLsetbarcolor | 118 |
| y | 99 | \DTLsetdefaultcurrency | 23 |
| ylabel | 102 | \DTLsetdelimiter | 39, 78 |
| yminorcols | 101 | \DTLsetheader | 38 |
| yticdir | 101 | \DTLsetnumberchars | 4 |
| yticgap | 101, 102 | \DTLsetpiesegmentcolor | 95 |
| yticlabels | 102 | \DTLsetseparator | 39, 78 |
| yticpoints | 101 | \DTLsettabseparator | 39, 78 |
| ytics | 100 | \DTLsort | 73 |
| \DTLplotatbeginetikz | 107, 113, 114 | \DTLsort* | 73 |
| \DTLplotatendetikz | 107, 113 | \DTLsplitstring | 32 |
| \DTLplotheight | 108 | \DTLsqrt | 27 |
| \DTLplotlinecolors | 110 | \DTLstartpt | 119 |
| \DTLplotlines | 110 | \DTLstoreinitials | 33 |
| \DTLplotmarkcolors | 110 | \dtlstringalign | 44 |
| \DTLplotmarks | 110 | \dtlstringformat | 46 |
| DTLplotroundXvar (counter) | 109 | \DTLstringnull | 63 |
| DTLplotroundXvar counter | 102, 114 | \DTLstringtype | 79 |
| DTLplotroundYvar (counter) | 109 | \DTLsub | 25 |
| DTLplotroundYvar counter | 102 | \DTLsubstitute | 32 |
| \DTLplotstream | 111, 113 | \DTLsubstituteall | 32 |
| \DTLplotwidth | 108 | \DTLsumcolumn | 70 |
| \DTLdrawmap | 41 | \DTLsumforkeys | 69 |
| \dtlrealalign | 45 | \dtlswapentriesincurrentrow | 85 |
| \dtlrealformat | 46 | \DTLswaprows | 82 |
| \DTLrealtype | 79 | \DTLticklabeloffset | 109, 123 |
| \dtlrecombine | 84 | \DTLticklength | 108 |
| \dtlrecombineomitcurrent | 84 | \DTLtrunc | 30 |
| \DTLremovecurrentrow | 66 | \DTLtwoand | 140 |
| \DTLremoveentryfromrow | 66 | \DTLunsettype | 79 |
| \dtlremoveentryincurrentrow | 85 | \DTLvarianceforall | 29 |
| \DTLremoveover | 66 | \DTLvarianceforcolumn | 71 |
| \DTLreplaceentryforrow | 66 | \DTLvarianceforkeys | 70 |
| \dtlreplaceentryincurrentrow | 85 | \DTLXAxisStyle | 110 |
| \DTLround | 30, 69 | \DTLYAxisStyle | 111 |
| \DTLrowcount | 36 | | |
| DTLrowi (counter) | 50 | E | |
| DTLrowi counter | 54, 55 | environments: | |
| DTLrowii (counter) | 50 | DTLenvforeach | 49, 49 |
| DTLrowiii (counter) | 50 | DTLenvforeach* | 49, 49 |
| | | longtable | 42, 43 |

table [43](#)
 tabular [42, 43](#),
 [45, 46, 48, 56–59, 64, 69, 80](#)
 thebibliography [144](#)
 tikzpicture [97, 99, 107](#)
 verbatim [49](#)
 etoolbox package [63](#)

F

\femalelabels [149, 155](#)
 \femalename [158, 158](#)
 file types
 aux [129](#)
 bbl [129, 130, 133, 137](#)
 bib [129, 130, 133, 142, 143](#)
 bst [129](#)
 \foreachperson [158](#)
 fp package [i, ii, 2, 22, 23, 68](#)

G

\getpersonfullname [159](#)
 \getpersongender [158](#)
 \getpersonname [158](#)
 graphics package [123](#)
 graphicx package [123](#)

I

\ifallfemale [157](#)
 \ifallmale [157](#)
 \ifdefempty [63](#)
 \ifDTLverticalbars [120](#)
 \iffemale [157](#)
 \iffemalelabel [157](#)
 \ifmale [157](#)
 \ifmalelabel [157](#)
 \ifpersonexists [156](#)
 ifthen package [16, 48, 136](#)

L

longtable (environment) ... [42, 43](#)
 longtable package [42, 43](#)

M

\malelabels [149, 155](#)
 \malename [158, 158](#)
 \midrule [47](#)

N

\newperson [149, 155](#)
 \not [136](#)

P

package options:

color
 databar [115](#)
 datapie [86](#)
 delimiter [2](#)
 gray
 databar [115](#)
 datapie [86](#)
 horizontal
 databar [115, 120](#)
 math [2, 3](#)
 fp [2, 3](#)
 pgfmath [2, 3](#)
 norotateinner
 datapie [86, 88](#)
 norotateouter
 datapie [86, 88](#)
 rotateinner
 datapie [86, 88](#)
 rotateouter
 datapie [86, 88](#)
 separator [2](#)
 style
 databib [137, 138](#)
 verbose [2, 3, 129](#)
 true [2, 3](#)
 vertical
 databar [115, 120](#)
 \Peoplechild [154](#)
 \peoplechild [154](#)
 \peoplefullname [153](#)
 \peoplename [153](#)
 \Peopleobjpronoun [153](#)
 \peopleobjpronoun [153](#)
 \Peopleparent [154](#)
 \peopleparent [154](#)
 \Peoplepossadj [153](#)
 \peoplepossadj [153](#)
 \Peopleposspronoun [154](#)
 \peopleposspronoun [153](#)
 \Peoplepronoun [153](#)
 \peoplepronoun [153](#)
 \Peoplesibling [154](#)
 \peoplesibling [154](#)
 person package .. [i, 149, 155, 156, 158](#)
 \Personchild [152](#)
 \personchild [151](#)
 \personfullname [150](#)

| | | | |
|---------------------------------------|---------------------------------|--|--|
| <code>\personname</code> | 151 | | |
| <code>\Personobjpronoun</code> | 152 | | |
| <code>\personobjpronoun</code> | 151 | | |
| <code>\Personparent</code> | 152 | | |
| <code>\personparent</code> | 151 | | |
| <code>\Personpossadj</code> | 152 | | |
| <code>\personpossadj</code> | 151 | | |
| <code>\Personposspronoun</code> | 152 | | |
| <code>\personposspronoun</code> | 151 | | |
| <code>\Personpronoun</code> | 152 | | |
| <code>\personpronoun</code> | 151 | | |
| <code>\Personsisibling</code> | 152 | | |
| <code>\personsisibling</code> | 151 | | |
| pgf package | 3, | | |
| | 86, 99, 100, 110, 112, 115, 127 | | |
| pgfmath package | i, ii, 2, 22, 23 | | |
| R | | | |
| <code>\removeallpeople</code> | 150 | | |
| <code>\removepeople</code> | 150 | | |
| <code>\removeperson</code> | 150 | | |
| S | | | |
| siunitx package | 45 | | |
| substr package | 32 | | |
| T | | | |
| table (environment) | 43 | | |
| tabular (environment) .. | 42, 43, | | |
| | 45, 46, 48, 56–59, 64, 69, 80 | | |
| textcase package | 15 | | |
| textcomp package | 6 | | |
| thebibliography (environment) | | | |
| | 144 | | |
| <code>\thepeople</code> | 150 | | |
| tikz package | 86, 97 | | |
| tikzpicture (environment) ... | | | |
| | 97, 99, 107 | | |
| <code>\toprule</code> | 47 | | |
| V | | | |
| verbatim (environment) | 49 | | |