

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *		Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC					
Commercial name *	Lenovo B40-80					
Model number *	20395;80F6;80LS					
Issue date *	2014-11-30					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\square$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Lenovo B40-80		
Issue date *	2014-11-30	Logo	lenovo

Product	Product environmental attributes - Legal requirements						
Item		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)						
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\square$					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-						
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$					
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$					
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).						
	Comment: Legal reference has no maximum concentration values.						
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)						
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).						
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\square$					
1 1.5	microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.						
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	$\square$					
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains						
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$					
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)						
P3	Safety, EMC connection to the telephone network and labeling						
P3.1*	The product complies with legally required safety standards as specified (see legal reference).						
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).						
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	; 🛛					
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$					
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).						
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀					
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀					
	Comment: Legal reference has no maximum concentration values.						

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo B40-80							
Issue da	nte *		ogo	leno	vo.				
Produc	tenviron	mental attributes - Market requirements - Environmental conscious de	sian R	equire	ment	mei			
Item		atory to fill in. Additional information regarding each item may be found under P14.	sign it	Yes	No	n.a			
P6		nt information							
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).		$\square$					
P7	Design Disasse	mbly, recycling							
P7.1*	Parts that	at have to be treated separately are easily separable		$\boxtimes$					
P7.2*	Plastic n	naterials in covers/housing have no surface coating.				Г			
P7.3*	Plastic p		$\square$						
P7.4*	Plastic p	Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.							
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tools.		Ē				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).								
		lifetime							
P7.7*		ig can be done e.g. with processor, memory, cards or drives		$\square$		Г			
P7.8*	Upgrading can be done using commonly available tools								
P7.9.	Spare pa	arts are available after end of production for: <b>5</b> years Service shall be able to supp and service after end of production for 5 years upon material availability in the							
P7.10	Service i and ser	s available after end of production for: <b>5</b> years Service shall be able to support the vice after end of production for 5 years upon material availability in the marke	e spare parts						
P7.11*		and substance requirements cover/housing material type:							
7.11		type: BAYER FR3021 Material type: Material t	vpe:						
P7.12		I cable insulation materials of power cables are PVC free.	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		$\boxtimes$				
P7.13		I cable insulation materials of signal cables are PVC free							
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				-			
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC612	249-2-21. (See						
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		$\square$					
P7.17	Alt. 1 Chemica	additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	s):						
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >2: 3-4: Brominated Epoxy Resin See P14	5g according						
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/p ations above 0.1%:	preparations in			C			
	1. Chem 2. Chem 3. Chem Alt. 2	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:							
P7.19		Il specifications of flame retardants in plastic parts >25g according ISO 1043-4: arts >25g are free from flame retardant substances/ preparations above 0.1% classif	ied as R45						
P7.19	R40, R4	6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	100 00 IN <del>1</del> 0,						
P7.20		blastic parts' weight >25g, recycled material content is <b>5.23%</b> . blastic parts' weight >25g, biobased material content is <b>0%</b> .							
P7.22	Light sou	ry is used specify: Number of lamps: and max. mercury content per lamp:	mg						
P8	Batterie		Ŭ.						
P8.1*	Battery of	chemical composition: Li-ion							
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				Ē			

Annex B of ECMA-370 4<sup>th</sup> edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Leno	vo B40-80					
Issue date *	2014-11-3				Logo lene	DVO.	
Product enviro	nmental attr	ributes - Market	requirements (	continued)	Regui	rement m	net
Item				•	Yes		ı.a.
	gy consumption						
9.1 For th	e product the f	following power leve		-			
Energy mode *		Power level at 100 V AC	Power level at <b>115</b> V AC	Power level at 230 V AC	Reference / Standard for energy modes a method *	and test	
Peak (On-max)		<mark>65</mark> W	65 W	<mark>65</mark> W	Full load		
Category I1							
Short Idle State -	- WOL Enable	d 6.21492 W	6.357 W	6.43572 W	Use for ENERGY STAR V6 registration	I (P <sub>idle</sub> )	
Long Idle State -	WOL Enabled	d 3.9756W	<b>3.87372</b> W	4.44768W	Use for ENERGY STAR V6 registration	I (P <sub>idle</sub> )	
Sleep (S3) - WOL	Enabled	0.556536W	0.560448 W	0.621204 W	Use for ENERGY STAR V6 registration	I(P <sub>sleep</sub> )	
Sleep (S3) - WOL	Disabled	0.556536 W	0.560448W	0.621204W	Reference	[	
Off (S5) - WOL E	nabled	0.198972 W	0.202032 W	0.263316 W	Use for ENERGY STAR V6 registration	I(P <sub>off</sub> )	$\overline{}$
Off (S5) - WOL Disabled		0.198972 W	0.202032 W	0.263316W	Use for EuP		Ē
Category I2							_
Short Idle State	WOI Enable	d			Use for ENERGY STAR V6 registration		
Long Idle State -					Use for ENERGY STAR V6 registration	-	$\exists$
-					•		╡
Sleep (S3) - WOL					Use for ENERGY STAR V6 registration	(P <sub>sleep</sub> )	
Sleep (S3) - WOL					Reference	L	
Off (S5) - WOL E					Use for ENERGY STAR V6 registration	I(P <sub>off</sub> )	
Off (S5) - WOL D	isabled				Use for EuP		
EPS No-load (External power s plugged in the wa disconnected fron	Il outlet but		<i>0.080</i> W	0.152W			
PTEC * Typical Energy Co	onsumption						
TEC * Typical Energy Co	onsumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Co	onsumption	<b>21.96</b> W	<b>22.26</b> W	<b>23.29</b> W	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> + P <sub>long_Idle</sub> x 0.10+ P <sub>short_Idle</sub> x 0.30)	x 0.35 [	
		Poff: Off Mode(S!	5) - WOL Enabled: 1	Sleep: Sleep Model	S3) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Ena	abled	
Display resolution	* : <b>1366*768</b>		,, ,				
Print Speed *	: Ima	ges per minute				1	$\boxtimes$
		e mode: 25 minutes					
		e energy save function		th the product			╡
		he energy requirem	•	•			
ENER		ersion: Version 6.1			Product category:		
P10 Emiss							
P10.1 Mode		Declared according to ode description	to ISO 9296	Declared	Declared A-weighted		
Wide		ue ueschpilon		A-weighted sound power level $L_{WAd}$ (	d     sound pressure level $L_{pAm}$ (df       (B)     Operator position $\boxtimes$ Bystander p       Desktop $\boxtimes$ (only if production $\boxtimes$ )	ositions ct is not	
Idle	*	HDD:Idle		* 2.9	24.5		
Opera	ation *	HDD: Operating		* 3.0	24.9		Η
	mode						_
Meas	ured according		ECMA-74				
		Other				n)	_
P10.2 The p	roduct meets t	he acoustic noise re	equirements of the	e tollowing volunt	ary program/s:		$\boxtimes$

Model nu	mber *	Lenovo B40-80			
Issue dat	:e *	2014-11-30 Logo	lend	DVO.	
	environr	nental attributes - Market requirements (continued)	Requir		met
Item			Yes	No	n.a.
	Chemic	al emissions from printing products			
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify:			$\square$
P10.4	Typical e	emission rate (print phase) is (mg/h):			$\boxtimes$
		Dust         Ozone         Styrene         Benzene         TVOC           al emission requirements of the following voluntary program/s         are met for :			
P10.5	Chemica [				
	Electron	nagnetic emissions			
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s:	$\square$		
P11	Consun	hable materials for printing products			
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements 1.	of 🗌		$\square$
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			$\boxtimes$
P12	Ergono	nics for computing products			
P12.1*	•	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\square$		
P13		ng and documentation			
P13.1*	Product Product	packaging material type(s):       Corrugated Carton       weight (kg): 0.318         packaging material type(s):       Polyethylene Cushions       weight (kg): 0.053         packaging material type(s):       Others       weight (kg): 0.123			
P13.2*	Product	plastic packaging is free from PVC.	$\square$		
P13.3*		media for user and product documentation (tick box): ic 🔀, Paper 🔀, Other 🗌			
P13.4*	For pape fiber: 0	er user and product documentation, please specify contained percentage of post-consumer recycled			
P14		nal information (See Note B4)			
	informat knowled provided informat		sed on su ion. The	ipplier's informa	;
<b>P</b> 9		ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=C	0		
<u> </u>			-		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo B40-80	Logo
Model Number	20395,80F6,80LS	
Issue Date	2014/12/10	lenovo
Additional information		

(d)	year of ma	anufacture:				2014		
(e)		E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:						
(f)		E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled: Cat B						
(g)	idle state	idle state power demand (Watts);						
(h)	sleep moo	le power dem	and (Watts);			0.65		
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);							
(j)	off mode power demand (Watts);							
(k)	off mode v	with WOL ena	bled power de	emand (Watts)	(where enabled);	NA		
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
	10%	20%	50%	100%	Average			
(m)	external p	ower supply e	fficiency (if ap	plicable):				
	10%	20%	50%	100%	Average 65W: 87.58%;87.60%;88.32%;89.04%	;89.92%;89.18%;		
	or Level:	/						
(0)	the minim	um number of	loading cycle	s that the batte	eries can withstand (applies only to notebook compute	ers): 300 cycles		
(f)	the electri		stem, — inforr		n V and frequency in Hz, — total harmonic distortion o sumentation on the instrumentation, set-up and circuit			

(p-1)	the r efficie		nent methodology used to determine information mentioned in points (I) - internal PSU	
		-	NA	
(p-2)	the n efficie		ent methodology used to determine information mentioned in points (m) - external PSU	
	childre	Jiloy.	Energy-star requirement	
(p-3)	the n batte		nent methodology used to determine information mentioned in points (o) - loadingcycles	
			IEC 61960 measurement methodology	
(p-4)			ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:	
			Energy-star requirement	
(q)	seque	ence of st	eps for achieving a stable condition with respect to power demand::	
			Based on user manual	
(r)	descr	iption of h	now sleep and/or off mode was selected or programmed:	
			Based on user manual	
(s)	seque		vents required to reach the mode where the equipment automatically changes to sleep and/or	
			Based on user manual	
(t)			f idle state condition before the computer automatically reaches sleep mode, or another in does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)			ime after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	NA
(v)	the le	ength of t	ime before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	inforn	nation on	the energy-saving potential of power management functionality:	
			Based on user manual	
(x)	user i	informatio	n on how to enable the power management functionality:	
			Based on user manual	
(z)			s for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of upply system, — information and documentation on the instrumentation, set-up and circuits	
		,	cal testing:	
			230V/50Hz, Total Harmonic Distortion <2 %	
Additio	n Notebo	ok Batte	ry Information:	
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a user.	non-professional
			The battery[ies] in this product cannot be easily replaced by users them	selves
1	1	1		

Additional information