

WARRANTY CARD

Warranty time : within one year from the date of purchase

Date of purchase: day month year

Name Of Customer :

Address :

Telephone :

Dealer :


Address :

Telephone :

Warranty matters

- 1.Carried on accords to the national "three guarantees" provisions.
- 2.If failure occurs in the normal operating conditions, our company will apply warranty service in the limitation of one year from the date of purchase.
- 3.Please pay the fee of transportation and postage when it sent to be fixed .
- 5.Please forgive us that we can't afford replacement and maintenance free even in the period of warranty if the situations occur as follow:
 - Failure caused by misuse , abuse and improper operation
 - Failure caused by disasters like flood, fire, earthquake .
 - Failure caused by own repair, alteration or installation .
 - Failure, scratches and damage caused by moving or falling .
 - Exchange of consumables and accessories .
 - Unrecorded the date of purchase, the dealer's stamp on this card .
- 5.All warranty matters, product functions, color and specifications changed whenever necessary ,forgive us not to notice again .
- 6.Please keep it safely for it can't be reissued when lost .


Air Purifier



User Manual

Please study this manual before using
Thank you

Introduction of parts of the machine



1



Technology indexes

Power: DC12V
 Power consumption : 6W
 The output amount of anion : 300 million
 Amount of wind: 8.8-10.5m³/min
 Output of USB interface: DC5V
 Weight :375g
 Size:188*130*65mm

Accessory listing description

Household type	Vehicle type
household power 1pcs	Cigarette lighter cable 1pcs
Compound highly -efficient filter 1set	Compound highly -efficient filter 1set
User manual 1pcs	Magic button 1set
	User manual 1pcs

Introduction of parts of the machine



Note! To avoid leakage of oil, please add 2-3 drops of an essential oil should not be excessive.

2

Purification technology


Purification technology		Technology features
First effect filter		Can filter big particles like hair, pets hair.
Electrostatic Precipitator (ESP) Air Filter		Dust-centralization principles : this device make negative-charge dust particles adopted by positive -charge dust-centralized net through high-voltage discharge , and kill the virus by high voltage electric field, thus reach the effect of purification
Compound highly-efficient filter	Activated carbon filter	Strongly adopt formaldehyde, benzene , ammonia and other harmful chemicals as well as remove peculiar smells
	HEPA highly-efficient filter	Use highly-efficient nanometer-rank filter , filtering those more than 0.3um fine particles
Botanic essential oils		Prevail in kind
Anion purification		Produce 300 million anions

*Are reserved functions of the OED version, prevailing in kind

Operation introduction

- Insert the power plug provided by the device into the input interface of the device power , press the power switch, when the power LED lights, this device begins working.
- When it has access to the power, the USB output interface can be used by the cell phone and other products .


Schematic diagram of fixed installation of the products



Magic button

magic button paste slot


- Machine: there is built-in anion generator, which adopt dust often , please wipe the surface with a soft cloth wetted by water with a little detergent regularly and clean the import and export of wind with a brush.
- Tear off the stickers on the hook surface , the stick the magic button in the Side tank of the icon location in the back of the product .




- Stick the rough surface right in the hook surface ,tear off the stickers , then put the magic button in the proper location, pressing with hands to make sure the 3M paste on the rough surface smooth and firm .
- When it needed to be removed ,open the product from the single side. (attention: please install the product on a plane)

Replacement and installation of the filter



Pull back the filter cover




Pick up the filter cover




Remove the filter needed to be replaced or washed



3




5




Replacement and installation of the filter

5

Insert the card position in the cover into the corresponding slot



6



Pull forward the filter cover in place (attention : if not installed in place , it won't work)

Daily maintenance

- Machine: there is built-in anion generator, which adopt dust often , please wipe the surface with a soft cloth wetted by water with a little detergent regularly and clean the import and export of wind with a brush.
- Electrostatic Precipitator (ESP) Air Filter: recommend to clean it every 1-3 months, using water or neutral detergent solution. The aluminum mesh part can be scrubbed lightly with a brush, put it back when dry.
- Compound filter : recommend to update the filter every three months according to the use (can be bought from the dealer)

6