

Smartek LED Strobe Controller Family

User Manual

Document version 1.1, last changed: 2012-06-22



IPSC1



IPSC2



IPSC4

Table of Contents

1 Overview.....	1
1.1.Precautions.....	1
1.2.Description.....	2
1.3.Family models.....	2
2 IPSC1.....	3
2.1.Key benefits and features.....	3
2.2.Connections.....	3
2.2.1.Power connector.....	4
2.2.2.Output connector.....	4
2.2.3.Trigger input connectors.....	5
2.2.3.1 Internal scheme for trigger input.....	5
2.3.Mechanical and electrical specifications.....	6
2.4.Dimensions.....	7
3 IPSC2.....	8
3.1.Key benefits and features.....	8
3.2.Connections.....	8
3.2.1.Power connector.....	9
3.2.2.Output connector.....	9
3.2.3.Trigger input connectors.....	10
3.2.3.1 Internal scheme for trigger input.....	10
3.3.Mechanical and electrical specifications.....	11
3.4.Dimensions.....	12
4 IPSC4.....	13
4.1.Key benefits and features.....	13
4.2.Connections.....	13
4.2.1.Connecting scheme.....	13
4.2.2.RS-232 connector.....	14
4.2.3.Power connector.....	15
4.2.4.Output connector.....	15
4.2.5.Trigger input connectors.....	16
4.2.5.1 Internal scheme for trigger input.....	16
4.3.Mechanical and electrical specifications.....	17
4.4.Dimensions.....	18
5 Common specifications and features for all IPSC controllers.....	19
5.1.Status LEDs.....	19
5.2.Ethernet connector.....	20

5.2.1.Ethernet status.....	20
5.3.Software specifications.....	20
5.4.Trigger input specifications.....	21
5.4.1.Connecting optocoupled camera's digital output to IPSC's trigger input.....	21
6 ScLibSDK library for Windows.....	22
6.1.ScLibSDK library installation.....	22
6.2.Connecting strobe controller.....	25
6.2.1.Connecting peer to peer with Ethernet cable.....	25
6.2.2.Connecting ScLibClient with the strobe controller.....	27
7 ScLibClient features.....	30
7.1.Controller status.....	30
7.2.Communication with controller.....	30
7.3.Running modes.....	31
7.3.1.Off mode.....	31
7.3.2.External Trigger mode.....	31
7.3.3.Software Trigger mode.....	31
7.3.4.Continuous mode.....	32
7.3.5.External Switch mode.....	32
7.4.Physical outputs.....	32
7.4.1.Safe Operating Area Region physical output limitations for IPSC1.....	32
7.4.2.Safe Operating Area Region physical output limitations for IPSC2.....	33
7.4.3.Safe Operating Area Region physical output limitations for IPSC4.....	33
7.4.4.Setting physical output parameters.....	34
7.4.4.1 IPSC1 parameters.....	35
7.4.4.2 IPSC2 parameters.....	35
7.4.4.3 IPSC4 parameters.....	35
7.5.Test your illumination.....	36
7.6.Trigger input.....	37
7.6.1.Setting trigger input parameters.....	37
7.6.1.1 Preforming a test pulse.....	38
7.7.Lightheads.....	39
7.8.Digital lighthead signature (optional).....	39
7.8.1.Circuits.....	41
7.8.2.User custom LED lighthead connection diagram.....	42
7.8.3.Electrical model (ideal diode, one LED).....	43
7.8.3.1 U – I Characteristics.....	43
7.8.3.2 Pulse mode limitations.....	44
7.8.4.Thermal model.....	46


7.8.5.ID Check Mode and Analog ID (optional).....	47
7.9.Firmware update.....	48
7.10.Other features.....	50
7.10.1.Description.....	50
7.10.2.Log.....	50
7.10.3.Status.....	50
8 Web Server.....	51
9 FAQ - Frequently asked questions.....	52
10 CE Conformity declaration.....	53
11 Smartek information.....	54

1 Overview

1.1. Precautions



To maintain optimal working temperature mount the device on a metal surface. Thermal generation depends on the output parameters used by controller.



Do not attempt to disassemble this device. There are sensitive parts inside. Tampering with it could lead to permanent damage.



Do not expose this device to rain or moisture. This device is not intended to work under water.



Handle this device with the maximum care. Do not throw it, there are fragile parts inside.



Operate this device only from the type of power source indicated on it. Operating the device exceeding specifications can damage the device permanently (see *Mechanical and electrical specifications for every type of device*).



LED illumination should never be connected or disconnected to the strobe controller when the power is on. Always turn the device off when changing LED illumination.

1.2. Description

Strobe controllers are used for strobing LED illuminations in *machine vision* applications. Very high power pulses are aligned to external trigger with high accuracy. Precise current overdrive and very small camera image exposition are used for acquisition of high-speed motion objects. User adjustable output voltage provides high efficiency and low power consumption.

The IPSC strobe controller provides repeatable intensity control of LED lighting, it includes the power supply, intensity control, timing and triggering functions required for *machine vision* systems. LED lighting needs a constant current supply as small variations in voltage can cause large variations in light output.

1.3. Family models

	IPSC1	IPSC2	IPSC4
Output channels	1	2	4
Control	Ethernet	Ethernet	Ethernet, RS-232
Output voltage	5V to 200V	5V to 200V	24V to 200V
Max current pulse per channel	20A @ 200V	10A @ 200V	8A @ 200V
Max continuous current per channel	2A @ 30V	1A @ 30V	570mA @ 30V
Power supply	12V – 24V DC	12V – 24V DC	24V DC
Trigger inputs	1	2	4
External dimensions (H / W / L)	39 x 88 x 103 [mm] 1,54 x 3,46 x 4,06 [in]	39 x 88 x 103 [mm] 1,54 x 3,46 x 4,06 [in]	56 x 130 x 142 [mm] 2,2 x 5,13 x 5,59 [in]
Weight	approx. 285g (10 oz)	approx. 285g (10 oz)	approx. 680g (24 oz)

2 IPSC1

2.1. Key benefits and features

- 1 Output channel
- Control over Ethernet interface
- Internal switching power supply with step-up (boost) or step-down (buck) function
- Adjustable output voltage from 5V to 200V
- Max current pulse 20A @ 200V
- Max continuous current 2A @ 30V
- Pulse width 1 μ s to 1000ms
- Online current and voltage measurements
- Digital EEPROM lighthouse coding
- Temperature sensor
- 1 Trigger input, 5V to 24V level
- 12V – 24V DC power supply
- 12V – 24V(depends on power supply) DC output for lighthouse cooling fan
- Analog ID (AID) and AID check mode
- High frame rates
- Very small trigger latency ~2 microseconds
- Input power measurement
- Improved 10-bit D/A converter for current control
- Optional 48V output voltage limitation

2.2. Connections





Figure 1: Connecting scheme

2.2.1. Power connector

The input power connector is located near the lower right corner of the IPSC1's front panel. The IPSC1 requires an external 12V – 24V DC supply for operation(see 2.3. *Mechanical and electrical specifications*).

2.2.2. Output connector

Output connector



Pin no.	Signal
1	-Ch1, Channel 1
2	Not connected (reserved for channel 2)
3	Not connected (reserved for channel 3)
4	Not connected (reserved for channel 4)
5	Not connected (reserved for channel 5)
6	Not connected (reserved for channel 6)
7	Analog ID
8	Signal GND (GND for signals 7,9,10)
9	Trigger Output Digital Signal, 3.3V LVTTTL level
10	Digital ID (1-Wire EEPROM interface, 3.3V LVTTTL level)
A1	12V – 24V (depends on power supply) DC, max 0.5A (for lighthouse cooling fan)
A2	Power GND
A3	+V, Common output voltage

Table 1: Output connector assignment





Figure 2: Connecting scheme for output

2.2.3. Trigger input connectors



One trigger connector is provided for trigger input 1. Pin marked with plus “+” is trigger signal and minus “-” is trigger input ground.

2.2.3.1 Internal scheme for trigger input





Figure 3: Input scheme for IPSC1

2.3. Mechanical and electrical specifications

External dimensions (H / W / L)	39 x 88 x 103 [mm] 1,54 x 3,46 x 4,06 [in]
Housing	Black aluminum case
Weight	approx. 285g (10 oz)
Storage temperature	-30 °C .. +80 °C (-22 °F .. +176 °F)
Operating temperature	-5 °C .. +50 °C (+23 °F .. +122 °F)
Operating relative humidity	25% .. 80% (no condensation)
Power requirements	12V – 24V DC (min 11V, max 26V)
Power consumption	Max 3A @ 24V (72W) without cooling fan on output Max 3.5A @ 24V (84W) with cooling fan on output
Output channels	1
Max current pulse (depends on pulse width)	20A @ 200V
Max continuous current	2A @ 30V
Pulse output range	1µs to 1000ms in 1µs increments
Trigger input	0 – 5V or 0 – 24V level positive or negative edge
Control	Ethernet (10BaseT)

Table 2: Mechanical and electrical specifications

2.4. Dimensions



All dimensions are in mm [inch].

3 IPSC2

3.1. Key benefits and features

- 2 Output channels
- Control over Ethernet interface
- Internal switching power supply with step-up (boost) or step-down (buck) function
- Adjustable output voltage from 5V to 200V
- Max current pulse 10A @ 200V per channel
- Max continuous current 1A @ 30V per channel
- Pulse width 1 μ s to 1000ms
- Online current and voltage measurements
- Digital EEPROM lighthouse coding
- Temperature sensor
- 2 Trigger inputs, 5V to 24V level
- 12V – 24V DC power supply
- 12V – 24V(depends on power supply) DC output for lighthouse cooling fan
- Analog ID (AID) and AID check mode
- High frame rates
- Very small trigger latency ~2 microseconds
- Input power measurement
- Improved 10-bit D/A converter for current control
- Optional 48V output voltage limitation

3.2. Connections





Figure 4: Connecting scheme

3.2.1. Power connector

The input power connector is located near the lower right corner of the IPSC2's front panel. The IPSC2 requires an external 12V – 24V DC supply for operation(see 3.3. *Mechanical and electrical specifications*).

3.2.2. Output connector

Output connector



Pin no.	Signal
1	-Ch1, Channel 1
2	-Ch2, Channel 2
3	Not connected (reserved for channel 3)
4	Not connected (reserved for channel 4)
5	Not connected (reserved for channel 5)
6	Not connected (reserved for channel 6)
7	Analog ID
8	Signal GND (GND for signals 7,9,10)
9	Trigger Output Digital Signal, 3.3V LVTTTL level
10	Digital ID (1-Wire EEPROM interface, 3.3V LVTTTL level)
A1	12V – 24V (depends on power supply) DC, max 0.5A (for lighthouse cooling fan)
A2	Power GND
A3	+V, Common output voltage

Table 3: Output connector assignment





Figure 5: Connecting scheme for output

3.2.3. Trigger input connectors



One trigger connector is provided for trigger input 1 and 2. Pins marked with “1,2” are trigger signals and minus “-” are trigger input grounds.

3.2.3.1 Internal scheme for trigger input





Figure 6: Input scheme for IPSC2

3.3. Mechanical and electrical specifications

External dimensions (H / W / L)	39 x 88 x 103 [mm] 1,54 x 3,46 x 4,06 [in]
Housing	Black aluminum case
Weight	approx. 285g (10 oz)
Storage temperature	-30 °C .. +80 °C (-22 °F .. +176 °F)
Operating temperature	-5 °C .. +50 °C (+23 °F .. +122 °F)
Operating relative humidity	25% .. 80% (no condensation)
Power requirements	12 – 24V DC (min 11V, max 26V)
Power consumption	Max 3A @ 24V (72W) without cooling fan on output Max 3.5A @ 24V (84W) with cooling fan on output
Output channels	2
Max current pulse (depends on pulse width)	10A @ 200V for each channel (20A total)
Max continuous current	1A @ 30V for each channel (2A total)
Pulse output range	1µs to 1000ms in 1µs increments
Trigger input	0 – 5V or 0 – 24V level positive or negative edge
Control	Ethernet (10BaseT)

Table 4: Mechanical and electrical specifications

3.4. Dimensions



All dimensions are in mm [inch].

4 IPSC4

4.1. Key benefits and features

- 4 Output channels
- Control over Ethernet and RS-232
- Max current pulse 8A @ 200V per channel
- Max continuous current 570mA @ 30V per channel
- Pulse width 1 μ s to 1000ms
- Online current and voltage measurements
- Digital EEPROM lighthouse coding
- Temperature sensor
- 4 Trigger inputs, 5V to 24V level
- 24V DC Power supply
- 24V DC Output for lighthouse cooling fan
- Analog ID (AID) and AID check mode
- High frame rates
- Very small trigger latency ~2 microseconds
- Optional 48V output voltage limitation

4.2. Connections

4.2.1. Connecting scheme





Figure 7: Connecting scheme

4.2.2. RS-232 connector

The RS-232 connector is located to the upper left of the IPSC4's front panel. Connect the RS-232 cable to the RS-232 port on the IPSC4 and to a serial port on your PC.

RS-232 connector



Pin no.	Signal
2	TX
3	RX
5	GND
1,4,6,7,8,9	Not connected


Table 5: RS-232 connector assignment

4.2.3. Power connector

The input power connector is located near the lower right corner of the IPSC4's front panel. The IPSC4 requires an external 24V DC supply for operation(see 4.3. *Mechanical and electrical specifications*).

4.2.4. Output connector

Output connector



Pin no.	Signal
1	-Ch1, Channel 1
2	-Ch2, Channel 2
3	-Ch3, Channel 3
4	-Ch4, Channel 4
5	Not connected (reserved for channel 5)
6	Not connected (reserved for channel 6)
7	Analog ID
8	Signal GND (GND for signals 7,9,10)
9	Trigger Output Digital Signal, 3.3V LVTTTL level
10	Digital ID (1-Wire EEPROM interface, 3.3V LVTTTL level)
A1	+24V DC, max 0.5A (for lighthouse cooling fan)
A2	Power GND
A3	+V, Common Output voltage

Table 6: Output connector assignment





Figure 8: Connecting scheme for output

4.2.5. Trigger input connectors



Two input trigger connectors are provided. The BNC connector is for trigger input 1, and metal housing of connector is ground. The other trigger input connector is for trigger inputs 1,2,3 and 4, and pins marked with minus “-” are common trigger input grounds. Trigger input 1 (top center) and trigger input 1 (lower center) are internally connected.

4.2.5.1 Internal scheme for trigger input





Figure 9: Input scheme for IPSC4

4.3. Mechanical and electrical specifications


External dimensions (H / W / L)	56 x 130 x 142 [mm] 2,2 x 5,13 x 5,59 [in]
Housing	Black anodized aluminum case
Weight	approx. 680g (24 oz)
Storage temperature	-30 °C .. +80 °C (-22 °F .. +176 °F)
Operating temperature	-5 °C .. +50 °C (+23 °F .. +122 °F)
Operating relative humidity	25% .. 80% (no condensation)
Power requirements	+24V DC (Min 22V, Max 26V)
Power consumption	Max 3.5A @ 24V (84W) without cooling fan on Output Max 4A @ 24V (96W) with cooling fan on Output
Output channels	4
Max current pulse (depends on pulse width)	8A @ 200V for each channel (32A total)
Max continuous current	570mA @ 30V for each channel (2.3A total)
Pulse output range	1µs to 1000ms in 1µs increments
Trigger input	0 – 5V or 0 – 24V level positive or negative edge
Control	Ethernet (10BaseT), RS-232

Table 7: Mechanical and electrical specifications

4.4. Dimensions



All dimensions are in mm [inch].



5 Common specifications and features for all IPSC controllers

5.1. Status LEDs

There are 4 status LEDs on the front panel of the strobe controller.

1. POWER on IPSC4, PWR on IPSC1, P on IPSC2
2. FAULT on IPSC4, ERR on IPSC1, E on IPSC2
3. STROBE on IPSC4, STR on IPSC1, S on IPSC2
4. ARMED on IPSC4, ARM on IPSC1, A on IPSC2

When powering the device, POWER (green) and STROBE (yellow) LEDs are solid on, and the FAULT (red) LED is blinking for 5 seconds.

After the startup process is done, only the POWER (green) LED stays solid on.

Different LED statuses are explained in the table below:

POWER (green) LED	Status
Solid on	Controller is powered

FAULT (red) LED	Status
Blinking in specific intervals	System has a failure
Blinking (in combination with STROBE (Yellow) LED)	Controller is starting up, setting controller's IP address, updating firmware. The controller is in reboot mode

STROBE (yellow) LED	Status
Blinking	Indicates the pulse coming from the IPSC's output. The duration of the LED being turned on depends of the pulse length
Solid on	The controller is either in <i>Continuous</i> or <i>External Switch</i> mode. IPSC is driving outputs with continuous currents

ARMED (yellow) LED	Status
Solid on	Indicates voltage on output (ready for triggering pulses or in continuous mode)

Table 8: LED status

5.2. Ethernet connector

Standard protocols supported are HTTP, UDP, TCP via 10Base-T.

Ethernet connector	RJ45, Ethernet 10 Base-T, 803.2 compliant
Pin no.	Signal
1	TX+
2	TX-
3	RX+
6	RX-

Table 9: Ethernet connector assignment

5.2.1. Ethernet status

Ethernet connector comes with yellow and green LED. Green LED indicates link, and yellow one indicates activity.

Green LED (left one)	Status
Off	No link
Solid on	Link on / Ethernet link exist

Yellow LED (right one)	Status
Off	No activity
Blinking	Indicates ongoing activity

Table 10: Ethernet status

5.3. Software specifications

Firmware update	Over Ethernet
ScLibSDK PC Client software	Windows XP, Vista, Windows 7, 32 and 64bit Linux 32 and 64bit

Table 11: Software specifications


5.4. Trigger input specifications

The voltage that indicates logical 0	0 to 0.5V DC
Region where the transition threshold occurs, the logical state is not defined in this region	+0.5V to 3V DC
The voltage that indicates a logical 1	+3V to 24V DC

Table 12: Input specifications

5.4.1. Connecting optocoupled camera's digital output to IPSC's trigger input

To connect optocoupled digital output on camera to IPSC, just connect them like in figure below. Camera optocoupler should be able to supply min. 20mA current and be rated for min. 24V voltage. Pull down 1K2 resistor should be rated for min. 0.5W power.




6 ScLibSDK library for Windows

6.1. ScLibSDK library installation


For strobe controller to work, *ScLibSDK* library must be installed on PC properly. Follow these steps in order to install the software on your PC:

Step 1: To start the installation run the Smartek *ScLibSDK* library installation.


Step 2: Setup screen appears, click **Next**.




Step 3: Click **Browse** to select the destination folder, or just click **Next** to install the software in the default folder.




Step 4: Select which components to install on the drop down menu, or click **Next** to continue with full installation.




Step 5: Click **Browse** to select different folder, or click **Next** to install to the default *Start menu* folder.



Step 6: To install software click **Install**.



Step 7: To complete the installation click **Finish** and wait for your PC to reboot.




6.2. Connecting strobe controller


Now that everything is installed, connect the IPSC to PC. It can be connected to PC either with serial cable (if RS-232 connector exists on IPSC) or peer to peer with Ethernet cable, or you can connect controller to network via Ethernet switch. Make sure your firewall settings are not blocking communications with controller. If that is the case, firewall must be turned off. In order to turn off the firewall in Windows, find *Windows Firewall* under *Control Panel* and turn it off.

6.2.1. Connecting peer to peer with Ethernet cable


Make sure that the *Local Area Connection* in your *Network Connections* settings to which the IPSC is connected is enabled. Now PC will try to acquire network address, in case your IP address is not fixed the following message will appear.




This means that an IP address should be provided manually. To provide IP address manually, right-click on the *Local Area Connection* to which the IPSC is connected and press **Properties** button.



Now select *Internet Protocol [TCP/IP]* and press **Properties** button.



Enable *Use the following IP address* and type in, for example the numbers that are shown in the figure below. Note: In order for strobe controller to be connectable, the IP address that is provided manually should be on the same subnet as the strobe controller's IP address.




6.2.2. Connecting *ScLibClient* with the strobe controller

Run the *ScLibClient* and click **Find** icon to start searching for devices.



To search for all devices check all boxes, or make search more specific.



Depending on what type of connection is used toward strobe controller, result of search will be different. If no controller has been found check your hardware and software settings. Make sure everything is plugged properly and your firewall settings are not blocking. If you still experience problem please contact Smartek support.

If controller is connected with serial cable, or is connected peer to peer with Ethernet cable or via Ethernet router that has DHCP server installed and everything is OK, search results can be something like in pictures below.




If controller is connected peer to peer with Ethernet cable or via Ethernet router and no DHCP server is installed, search result can look something like in picture below. IPSC are shipped in DHCP mode and in case DHCP server does not exist, IP address of device is set to invalid IP address "0.0.0.0". Change IP address of the device to be on the same subnet as the IP address in *Local Area Connection* settings. To change the IP address of the IPSC click on the **Set Address** icon.



New window will open. Here you can set the new IP address, subnet mask and name of the controller. Make sure you don't provide the same IP address to controller as in *Local Area Connection*.



If the IP address on *Local Area Connection* settings is the same as the IP address on the controller the following message will appear.



To fix this problem change the IP address either on the controller or in *Local Area Connection* settings.

Select the IPSC device that is found and click on the **Connect** icon to connect to controller.



7 ScLibClient features

7.1. Controller status

When connection between *ScLibClient* and controller is established, all fields are read out in controller status. Controller status is defined in the left part of the *ScLibClient* software:

- *Controller Model* – shows the model of the strobe controller.
- *User defined name* – shows the name of the strobe controller, it can be changed by the user.
- *Lighthouse Model* – shows the model of the lighthouse connected to the controller. If the lighthouse does not have a digital ID, or it is not connected to the controller, the field will be empty
- *Unique Address* – shows the mac address of the strobe controller.
- *Temperature [°C]* – shows the internal temperature of the strobe controller. At the beginning this field is zero. Controller temperature sensor needs a few seconds to read the exact temperature. Normal internal temperature is from -5°C to +50°C (+23°F to +122°F).
- *Fault Code* – internal error code. If this code is not zero, please contact our sales partners or contact Smartek support.
- *Input Voltage [V]* – shows the controller input power supply voltage.
- *Max Input Power [W]* – shows the maximal power of input power supply.





Figure 10: IPSC status

7.2. Communication with controller



The *ScLibClient* has read and send functions. **Read** button is used for reading the current parameters on the controller, and **Send** button is used for sending the desired parameters to the controller. After changing the desired parameters, click on the **Send** button to send new parameters to controller.

7.3. Running modes

Controller works in different modes, pulse controlled output and DC controlled output modes.




Figure 11: Running modes configuration

In pulse controlled output modes, controller generates electrical impulses on the output. The output pulses in this mode can be triggered by external trigger or software trigger. These modes are intended for over-driving LED lighthoods. When the device reacts to one of the trigger signals, all other incoming triggers are ignored. The trigger signals are processed sequentially. These modes are *External Trigger* and *Software Trigger* mode.

In DC controlled output modes controller operates as a DC current source. Those modes are intended for continuous currents on the output. These modes are *Continuous* and *External Switch* mode.

7.3.1. Off mode

Controller is in idle mode and does not respond to input triggers. There is no voltage on output, output is off and controller is not waiting for trigger input. When strobe controller is in the *Off* mode only POWER (green) LED is solid on.

7.3.2. External Trigger mode

In this mode, device is ready to accept external trigger input and generate an output pulse. *External Trigger* mode is the most precise mode of the IPSC. This is because there is very low (min. ~2 microseconds) latency between the arriving trigger input and the output pulse coming from IPSC. When strobe controller is in the *External Trigger* mode, POWER (green) LED and ARMED (yellow) LED are turned solid on. In this process, the STROBE (yellow) LED blinks when the device sends a pulse on the output.

7.3.3. Software Trigger mode

In this mode the device is ready to accept software trigger input and generate an output pulse. Controller does not respond to external trigger inputs but does to the software trigger via RS-232 cable or Ethernet cable. *Software Trigger* mode is not precise as the *External Trigger* or *External Switch* mode. This is because of the delay between the device and the PC. When strobe controller is in the

Software Trigger mode, POWER (green) LED and ARMED (yellow) LED are turned solid on. In this process, the STROBE (yellow) LED blinks when the device sends a pulse on the output. Also, in *Software Trigger* mode a test can be performed to generate a output pulse (see 7.6.1.1. *Performing a test pulse*).

7.3.4. Continuous mode

In the *Continuous* mode the output is a continuous current. Controller operates as a DC current source. After the parameters are configured and sent to the IPSC, voltage is applied to the output. The timing parameters are not used in this mode. When strobe controller is in the *Continuous* mode, POWER (green) LED, STROBE (yellow) LED and ARMED (yellow) LED are solid on.

7.3.5. External Switch mode

In this mode the device acts like an switch. IPSC is armed and ready for generating output pulses. If a trigger has arrived, the device will send continuous current on the output as long as the trigger is active. In the *External Switch* mode the output is a continuous current. The timing parameters are not used in this mode. When strobe controller is in the *External Switch* mode, POWER (green) LED, and ARMED (yellow) LED are solid on. STROBE (yellow) LED is on as long as trigger signal is active.

7.4. Physical outputs

Safe Operating Area Region (SOAR) is defined as region where voltage and current conditions do not make damage on operating device. Formulas used to determine those conditions in different modes are written below:

7.4.1. Safe Operating Area Region physical output limitations for IPSC1

- Pulse mode:

$$P_{\max} = 70W ; U_{out_{\max}} = 200V ; U_{out_{\min}} = 5V ; t_{on_{\min}} = 1\mu s$$

$$\frac{1}{\sum_{n=1} i_{out_n}} \leq \frac{P_{\max}}{U_{out_{\max}}} ; t_{on_{\max}} \leq \frac{0.12 \times U_{out} \times 200 \times 10^{-6}}{\frac{1}{\sum_{n=1} i_{out_n}}}$$

- Continuous mode:

$$P_{\max} = 70W ; U_{out_{\max}} = 55V ; U_{out_{\min}} = 5V$$

$$\frac{1}{\sum_{n=1} i_{out_n}} \leq \frac{P_{\max}}{U_{out_{\max}}} ; \sum_{n=1} i_{out_n} \leq 2A$$

7.4.2. Safe Operating Area Region physical output limitations for IPSC2

- Pulse mode:

$$P_{\max} = 70W ; U_{out_{\max}} = 200V ; U_{out_{\min}} = 5V ; t_{on_{\min}} = 1\mu s$$

$$\sum_{n=1}^2 i_{out_n} \leq \frac{P_{\max}}{U_{out_{\max}}} ; t_{on_{\max}} \leq \frac{0.12 \times U_{out} \times 200 \times 10^{-6}}{\sum_{n=1}^2 i_{out_n}}$$

- Continuous mode:

$$P_{\max} = 70W ; U_{out_{\max}} = 55V ; U_{out_{\min}} = 5V$$

$$\sum_{n=1}^2 i_{out_n} \leq \frac{P_{\max}}{U_{out_{\max}}} ; \sum_{n=1}^2 i_{out_n} \leq 2A$$

7.4.3. Safe Operating Area Region physical output limitations for IPSC4

- Pulse mode:

$$P_{\max} = 70W ; U_{out_{\max}} = 200V ; U_{out_{\min}} = 24V ; t_{on_{\min}} = 1\mu s$$

$$\sum_{n=1}^6 i_{out_n} \leq \frac{P_{\max}}{U_{out_{\max}}} ; t_{on_{\max}} \leq \frac{0.12 \times U_{out} \times 330 \times 10^{-6}}{\sum_{n=1}^6 i_{out_n}}$$

- Continuous mode:

$$P_{\max} = 70W ; U_{out_{\max}} = 55V ; U_{out_{\min}} = 24V$$

$$\sum_{n=1}^6 i_{out_n} \leq \frac{P_{\max}}{U_{out_{\max}}} ; \sum_{n=1}^6 i_{out_n} \leq 2.3A$$

7.4.4. Setting physical output parameters




Figure 12: Physical output configuration

By setting the output parameters, current and voltage power can be configured. Be careful with output parameters because bad settings can damage the LED illumination.

For example: If *Max Voltage* is set to 50V and *Optimal Autosense* is enabled, voltage that is applied on the output is 50V, but needed voltage for optimal performance is 28V (*Measured Voltage [V]*). Now when the optimal voltage is known, it is faster to set the desired parameters and not use *Optimal Autosense* option. This feature is provided by the voltage and current gauges located inside the IPSC.

Optimal Autosense is used to determine optimal output voltage for the current settings. When *Optimal Autosense* check box is enabled, the device corrects the desired voltage to lower voltage so that the dissipation on the output MOSFETs is reduced and maximal dissipation for IPSC1 is 10W, and for IPSC2 and IPSC4 is 5W per channel.

7.4.4.1 IPSC1 parameters

Current – current can be set between 0 – 20A for pulse controlled mode and between 0 – 2A for DC controlled mode.

- *Max Voltage* – voltage can be set between 5 – 200V for pulse controlled modes and between 5 – 55V for DC controlled modes.
- *Trigger* – select which trigger will be used for external triggering of output channel.

IPSC1 has improved 10-bit D/A converter, which gives more scaling accuracy while controlling current. Scale up to 500mA has step accuracy 1mA, and from 500mA and above step accuracy is 20mA.

7.4.4.2 IPSC2 parameters

Current – current can be set between 0 – 10A on each channel for pulse controlled modes and between 0 – 1A on each channel for DC controlled modes.

- *Max Voltage* – voltage can be set between 5 – 200V on each channel for pulse controlled modes and between 5 – 55V on each channel for DC controlled modes.
- *Trigger* – select which trigger will be used for external triggering of output channels.

IPSC2 has improved 10-bit D/A converter, which gives more scaling accuracy while controlling current. Scale up to 250mA has step accuracy 1mA, and from 250mA and above step accuracy is 10mA.


7.4.4.3 IPSC4 parameters

Current – current can be set between 0 – 8A on each channel for pulse controlled modes and between 0 – 570mA on each channel for DC controlled modes.

- *Max Voltage* – voltage can be set between 24 – 200V on each channel for pulse controlled modes and between 24 – 55V on each channel for DC controlled modes.
- *Trigger* – select which trigger will be used for external triggering of output channels.

7.5. Test your illumination

Provide the desired current(1) and voltage(2) settings. Make sure that settings don't exceed the limits of strobe controller and connected illumination, use *Optimal Autosense* to determine optimal output voltage. Set *Running mode* to *Continuous* and click on **Send** button.



The strobe controller now continuously drives current to the lighthouse. The lighthouse should now illuminate.

7.6. Trigger input

7.6.1. Setting trigger input parameters




Figure 13: Setting trigger input parameters

Trigger Inputs parameters are not used if controller is in *Continuous*, *External Switch* or *Off* mode. With these parameters, timing and triggering options of LED illuminations are configured. Parameters have resolution of 1μs:

- *Trigger Edge* – configuration of controller's input trigger edge. If the trigger edge is not the same between camera and strobe controller, asynchronization may occur between them.
- *Delay Time* – time interval between the receipt of a trigger signal and the initiation of an output pulse. Minimal delay time is 2μs and cannot be shorter because there is a minimal response time of the hardware which is a fixed value (hardware latency). Input trigger response jitter is ±0.1μs.
- *On Time* – definition of the impulse length of the input. This is the most important parameter, lighthouse illuminates over this time. Please be careful with *On Time* parameter. Too high value of *On Time* can damage the lighthouses.
- *Off Time* – the time when no trigger is accepted, internal strobing capacitors are recharged.
- *Trigger 1, 2, 3, 4* – enable or disable trigger.




Figure 14: Process of generating pulses

7.6.1.1 Performing a test pulse





Figure 15: Test pulse configuration

To perform a test pulse, the device has to be in *Software Trigger*(1). Select a *Single Pulse* or a *Repeated 10Hz*(2) option. After the parameters are set and sent to IPSC, click on **Fire**(3) button to perform the test. Notice how the *Event Counter*(4) field is counting the number of pulses that IPSC sends. Make sure that parameters in *Physical Output* and *Trigger Input* fields doesn't overload strobe controller and connected illumination, to be on the safe side make sure that *Optimal Autosense* check box is enabled. *Repeated 10Hz* pulse is the same as the *Single Pulse*, except that the device repeatable sends impulses to the lighthouse.

IPSC1 and IPSC2 comes with improved current controlling. *Measured Current[mA]*(5) gives measure value depending of *Current* value and *On Time* value. For impulses shorter than 10μs measuring is not valid, to change length of impulse change value of *On Timer*(6), please be careful with *On Time* parameter. Too high value of *On Time* can damage the illumination.

7.7. Lighthoods

To access the lighthoods options click on the **Lighthoods** tab.



By using the **Auto Detect** button additional information is provided about the currently connected lighthoods. Only the lighthoods with digital lighthouse signature can provide additional information. Digital lighthouse signature is an optional feature. If digital lighthouse signature exists, *Vendor*, *Model*, *Serial Number* and *Unique ID* are read out. While connecting custom illumination, be careful with limitations of LEDs. Bad settings can damage the illumination permanently.

7.8. Digital lighthouse signature (optional)

Digital EEPROM lighthouse signature is a feature which is used for protecting the lighthoods from damaging and provides additional information about the lighthoods. Currents driven through LEDs exceeding the specifications can damage LEDs. Digital lighthouse signature is stored on the EEPROM of the lighthouse and is accessed through IPSC controller over 1-Wire protocol.




Figure 16: Connection scheme for Digital EEPROM lighthouse signature

EEPROM that is supported by the IPSC is *Dallas, Maxim DS2433 4Kb 1-Wire EEPROM*. The lighthouse can be with or without digital lighthouse signature/EEPROM.

Digital lighthouse signature of the lighting device is accessed by pressing the *F4* key on keyboard. In the *Digital Lighthouse Signature* window, additional information is provided about strobe controller and lighthouse.




Figure 17: Additional information about strobe controller and lighthouse

Controller – these parameters are changed when changing IP address of the strobe controller. These parameters are also read out in the *controller status* field:


- *Connection* – IP address of the strobe controller.
- *Model* – model of the strobe controller.
- *User Name* – name that's given when changing IP address of the strobe controller or a default name.
- Unique ID – unique ID of the lighthouse.

Unique ID – unique ID of the lighthouse.

Lighthouse Signature Data – these parameters are changed when writing new digital signature. These parameters are also read out in the **Lighthouses** tab:

- *Vendor* – vendor of the lighthouse.
- *Model* – model of the lighthouse.
- *Serial Number* – serial number of the lighthouse.

7.8.1. Circuits



A new circuit is added by selecting the **Append New Circuit**(1) button. Parameters for circuits are defined under *Circuit* tab. To save current parameters click **Save File**(2) button. To update signature in EEPROM with current parameters click on **Write EEPROM**(3) button. To see current parameters in raw hex format go to **Raw EEPROM Signature Data**(4) tab.

Single Circuit Definition defines parameter for single circuit:

- *Circuit Description* – defines the name of circuit.
- *User Data* – circuit user data.
- *LED Serial Count* – number of LEDs connected in series.
- *LED Parallel Count* – number of LEDs connected in parallel.
- *Joined Channels Count* – number of connected channels in custom illumination.

Single LED Data Definition section defines parameters for the single LED:

- *LED Type ID* – user configurable, with a value between 0 – 66535.
- *LED Wavelength* – wavelength of the LED determines the color of the LED, with a value between 0 – 255[x10nm].
- *Forward Voltage (Uf)* – maximum forwarded voltage on a LED, with a value between 0.00 – 600.00[V]. This value should be read out from the specifications of the LED.
- *Dynamic Resistance (Rf)* – LEDs electrical resistance when it is in operation, with a value between 0.00 – 600.00[Ohm]. This value should be read out from the specifications of the LED.
- *Max DC Current (Built in lighthouse)* – maximal allowable current trough LED when built in lighthouse with a value between 1 – 65535[mA].
- *Max Pulsed Current* – maximal allowable current trough LED when the device is in pulse mode, with a value between 1 – 65535[mA] (see 7.8.3.2. *Pulse mode limitations*).
- *Max DC Power (LED only)* – maximal DC power which can run through single LED, with a value between 0 – 65535[mW]. This value should be read out from the specifications of the LED.
- *RC Thermal* – time constant obtained by multiplication of thermal capacity and thermal resistance, with a value between 0 – 655350[us]. This value is obtained from the LED datasheet.
- *Max On Time* – maximum value for *On Time* when in the pulse controlled mode, with a value between 0 – 655350[us] (see 7.8.3.2. *Pulse mode limitations*).

7.8.2. User custom LED lighthouse connection diagram




Figure 18: Parallel & serial LED connections

The figure below is an example how the LEDs can be connected on one channel.

7.8.3. Electrical model (ideal diode, one LED)

Electrical modeling of diodes refers to the mathematical models used to approximate the actual behavior of real diodes to enable calculations and circuit analysis. In calculation the real diode behavior can be approximated with mathematical model.




Figure 19: Real diode model approximation




Figure 20: Real diode model

7.8.3.1 $U - I$ Characteristics

- Calculating voltage:

$$U[V] = U_f + R_f \cdot I$$

- Calculating current:

$$I[A] = \frac{-U_f + \sqrt{U_f^2 + 4 \cdot R_f \cdot P}}{2 \cdot R_f}$$

- Calculating power:

$$P[W] = U_f \cdot I + R_f \cdot I^2$$

Forward voltage $U_f[V]$ and dynamic resistance $R_f[\Omega]$ are constants.

7.8.3.2 Pulse mode limitations

In the figure below is shown the Safe Operating Area of an diode. The maximum input power curve can be calculated with the formula below:




Figure 21: Safe Operating Area of an diode

- Calculating maximum value for power:

$$P_{pul_max}[W] = P_{dc_max} \cdot \frac{1 - e^{-\frac{t_{on} + t_{off}}{RC_{th}}}}{1 - e^{-\frac{t_{on}}{RC_{th}}}}$$

- Calculating maximum value for On Time:

$$t_{on}[s] = -\ln \left(\frac{1 - \frac{P_{pul_max}}{P_{dc_max}}}{e^{-\frac{t_{off}}{RC_{th}}} - \frac{P_{pul_max}}{P_{dc_max}}} \right) \cdot RC_{th}$$

- Calculating minimum value for *Off Time*:

$$t_{off}[s] = -\ln \left(\frac{1 - \frac{P_{pul_max}}{P_{dc_max}}}{e^{-\frac{t_{on}}{RC_{th}}}} + \frac{P_{pul_max}}{P_{dc_max}} \right) \cdot RC_{th}$$

To make calculation on diode with it's parameters use following example:

- Thermal resistance $R_{th} = 700$
- Thermal capacity $C_{th} = 52$
- Diode forward voltage $U_f[V] = 1,9V$
- Dynamic resistance $R_f[\Omega] = 4\Omega$
- Maximal DC power $P_{dc_max}[W] = 78,6mW$
- Time constant $RC_{th}[s] = 36,4ms$

$P_{pul_max}[W]$	$I_{max}[A]$	$U[V]$	$t_{on}[s]$	$t_{off}[s]$
233,7990	7,411	31,55	1,00E-005	6,19E-002
116,9227	5,174	22,6	2,00E-005	6,19E-002
58,4846	3,594	16,27	4,00E-005	6,19E-002
29,2655	2,478	11,81	8,00E-005	6,19E-002
23,4217	2,194	10,68	1,00E-004	6,19E-002
11,7341	1,492	7,87	2,00E-004	6,19E-002
4,1475	0,808	5,13	5,70E-004	6,19E-002
3,9424	0,783	5,03	6,00E-004	6,19E-002
2,3841	0,570	4,18	1,00E-003	6,19E-002
1,2155	0,363	3,35	2,00E-003	6,19E-002
0,6314	0,225	2,8	4,00E-003	6,19E-002
0,3398	0,138	2,45	8,00E-003	6,19E-002
0,2817	0,119	2,37	1,00E-002	6,19E-002
0,1663	0,076	2,2	2,00E-002	6,19E-002
0,1107	0,052	2,11	4,00E-002	6,19E-002
0,0830	0,040	2,06	1,00E-001	6,19E-002
0,0786	0,038	2,05	1,00E+000	6,19E-002

7.8.4. Thermal model

Diagram of thermal mode shows the temperature increase of LED silicon die. When LED diode is on, it has a tendency to develop heat. *On Time* represents the time the current is passing through the LED. Temperature of the LED silicon die should never pass the Q_{max} . Also, there is some minimum time interval t_{off}

required to allow LED to cool down. This is shown in the diagram below.




Figure 22: Temperature increase of LED

In order to maintain a low temperature to keep good performance of an LED, releasing heat from LEDs should be considered. In the figure below is a typical thermal model of an LED.





Figure 23: Thermal model of an LED

- R_{th} = thermal resistance
- C_{th} = thermal capacity

7.8.5. ID Check Mode and Analog ID (*optional*)




IPSC1, IPSC2 and IPSC4 with firmware version 1.2 and up provide optional features. ID Check Mode is used to preform checking of Digital ID and Analog ID. To change setting for ID Check Mode, please contact our sales partner or Smartek support.

ID Check Mode – gives information for ID Check Mode setting:

- 0 – IPSC does not perform any checking
- 1 – IPSC checks for AID at startup
- 2 and 3 – IPSC checks for AID continuously all the time
- 4 – IPSC checks for DID at startup
- 5 – IPSC checks for DID and AID at startup
- 6 and 7 – IPSC checks for DID at startup and AID continuously all the time

Analog ID is optional feature to check if lighthouse is connected to IPSC. Pins 7 and 8 on IPSC output are connected with 1K resistor.




Analog ID – reads status of AID for lighthouse:

- 128 ± 8 – Lighthouse is not connected
- 97 ± 8 – Lighthouse is connected
- 68 ± 8 – AID output is connected to GND


7.9. Firmware update

Firmware update is done via Ethernet, in order to update the firmware, the IP address of controller has to be permanent not in DHCP mode (see 6.2.2 *Connecting ScLibClient with the strobe controller* how to set permanent IP address on controller), and controller needs to be in *Off mode* (see 7.3.1. *Off mode*). To update the firmware follow these steps:


Go to **Status** tab and press **Firmware Update** button.




Click on the **Browse** button to select a firmware to install.




Find and open a firmware to install. After opening a firmware, click on the **Check firmware file** button to run a compatibility test between the device and firmware.



If the selected firmware is compatible, “PASSED” is indicated in text window and **Upload new firmware to device** button will become available. Click on **Upload new firmware to device** button to start updating the firmware.




During this process, POWER (green) LED and STROBE (yellow) LED are solid on, while the FAULT (red) LED is blinking. After programming is done, “PASSED” is indicated in text window. This process can take a couple of minutes. When updating of new firmware finishes, simply close the dialog box.



7.10. Other features


7.10.1. Description

Go to **Description** tab to see major features, specifications and maximum ratings of controller that is connected to *ScLibClient*.




7.10.2. Log

To see actual logging information go to **Log** tab. To save actual log, just click **Save to File** button and save it on disk.



7.10.3. Status

To see actual status information about controller go to **Status** tab.



8 Web Server

IPSC strobe controllers are accessible through web interface. To gain access just enter IP address(1) of IPSC in web browser. Use Web Server to read and send parameters to device(2), or use it to change IP address of controller(3).

Smartek IPStrobeController2 - IPSC2 - Windows Internet Explorer

http://192.168.0.117/index.htm

File Edit View Favorites Tools Help

Smartek IPStrobeController2 - IPSC2

Smartek

IPStrobeController2 - IPSC2 Web Server

Parameters IP Configuration

User Defined Name: STROBE

MAC Address: 00:50:C2:70:8B:01

Fault Code: 0

Temperature: 41 [°C]

Input Voltage: 23.11 [V]

Firmware Version: 1.2

Read Params Send New Params

Running Mode: Software Trigger Trigger Edge: Negative

Trigger Inputs	Delay Time[μs]	On Time[μs]	Off Time[μs]	Test	Event Counter
Trigger 1	2	40	200	Fire!	3
Trigger 2	2	50	200	Fire!	4

Physical Output	Current [mA]	Trigger	Load Current [mA]	Load Voltage [V]
Channel 1	500	Trigger 1	496.6	59.0
Channel 2	500	Trigger 2	496.6	57.7

Voltage Output 1	Max Voltage [V]	Optimal Autosense	Output Voltage [V]	Measured Voltage [V]
200	200	Enable	64	64.6

Copyright © 2011 Smartek d.o.o.

9 FAQ - Frequently asked questions

10 CE Conformity declaration

We,

Smartek d.o.o.
Ziskovec 141, HR-40000 Cakovec, Croatia
Contact Person: Mr. Damir Dolar
Email: info@smartek.hr

Hereby declare that:

Product: Internet Protocol Strobe controller
Type Family: Smartek Strobe Controller
Type: IPSC1, IPSC2, IPSC4

Is in compliance with the essential requirements and other relevant provisions of the following EC directives.

Reference No.	Title
89/336/EEC, 92/31/EEC	Electromagnetic Compatibility (EMC directive)

Following standards or normative documents:

EN 55022:1994 Class A + A1:1995 + A2:1997,
EN 61326:1997 Class A + A1:1998 + A2:2001 + A3:2003,
EN 55024:1998 + A1:2001 + A2:2003

The product specified above was tested conforming to the applicable Rules under the most accurate measurement standards possible, and that all the necessary steps have been taken and are in force to assure that production units of the same product will continue comply with the requirements.



2012-06-22

Damir Dolar
Dipl. Ing. Hardware Engineer
Smartek d.o.o.

11 Smartek information

Published by:

Smartek d.o.o.
Ziskovec 141,
HR-40000 Cakovec
Croatia

www.smartek.hr

Email: info@smartek.hr
Tel: ++385 40 86 57 32
Fax : ++385 40 86 57 31

Copyright © 2011 by Smartek d.o.o. All rights reserved.
For further information please contact our sales partners.