

King Pigeon GSM Alarm System

Unique Stay/Watchdog/24 hours/SOS zone

SMS Alarm and auto dialer with Gas/Fire/Smoke/Water flood/Door contact/PIR sensors



Android & iOS APP *iKeypad* Available Now!!!



Make control easier!



KING PIGEON HI-TECH.CO.,LTD

>>>Simple menu:

- ♦ Intelligent GSM home alarm system
- ♦ Watchdog guardian alarm
- UP TO 16 Wireless + UP TO 20 Wired zones
- ♦ Home DIY security alarm
- ♦ Two-way intercom alarm
- 2 Output Relay Switch, *LCD display + Keypad setting
- ♦ Top quality GSM Alarm system!

>>>> King Pigeon S100/S110/S120/S160 features:

- Two-way Voice communication or wiretap are available;
- LCD displays the entire setup menu;
- > Armed, Partial Armed(At House or Stay), Disarmed, SOS are available;
- Armed delay, alarm delay, siren work or not, more other functions are Programmable by user;
- Watchdog,24Hours Zone, SOS zone are available;
- > <u>1 Relay Switch ON OFF</u> by Wired or Wireless Detectors & Sensors Activation.
- 1 Relay Switch ON OFF by SMS Text Command(Password+CC for CLOSE, Password+DD for OPEN)
- Up to 100 Events Log for review Alarm records.
- Substrate Status and GSM Signal status. Siren status and GSM Signal status.
- Auto-detect and report, GSM Signal WEAK alarm, SMS Switch is available.
- AC Power down alert.

>>>>King Pigeon GSM alarm system model list:

ITEM \ MODEL	S100	S110	S120(*New)	S160(*New)	S3523	S3526	S3524A
GSM Frequency	Quad-Band,GSM850/900/1800/1900 900/1800				GSM900/180 or 850/1900		
Wireless Zones	16	16	16	16	8	8	16
Wired Zones	/	8	20	1	2	2	/
Relay control	2	2	2	/	1	1	/
Watchdog Zone	Yes. eg. Alarm if elderly hasn't went to living room from 6:00AM to 9:00AM.					/	
24 Hours Zone	Yes. Alarm when Sensors has been triggered all the time. Eg. Gas, Smoke, Water leakage				2	/	/
Stay Zone	Yes. No alarm when sensors triggered if you stay at home.				/	/	1
SOS Zone	Yes. Alarm when push the Panic Button any time, but siren will not sound.						
Setup Model	Keyboard + LCD, Icon Indicate.			SMS	SMS	SMS	Keyboard
SMS Alert Number	3			6	3		
Auto Dial Number	5			6	5		
LCD Display	English/Czech/Spanish/Dutch/Polish /Danish/Portuguese/Italian			/	/		Yes
2way Communication	Yes, Micr	ophone and	d Speaker inside	Wiretap	monitoring when Alarm		Hand set
Backup Power	Rechargeable Li-ion Battery						



KING PIGEON HI-TECH.CO.,LTD

>>>>Specifications of main alarm control panel:

- ♦ Rated Voltage : DC9~12V /2A
- ♦ Standby current : 30-40mA
- ♦ Siren Output Voltage : 12VDC
- ♦ GSM Frequency : Quad-Band 850/900/1800/1900MHz or Dual-band 900/1800, 850/1900MHz
- ♦ Communication protocol: GSM PHASE 2/2+ (include data service)
- ✤ Wireless sensor permission quantity: up to 16 zones
- Wired sensor permission quantity: up to 20zones
- Relay Output : 2, Dry Contact, 240V/3A
- Remote Control permission: 5Pcs
- Wireless frequency: 433.92 MHz (PT2260 PT2262 PT2264 PT2240B)
- ♦ Effective distance wireless of remote control: 30~100m
- ♦ Back Up Battery: Built-in lithium-ion battery, 3.7V 900mAH
- Standby Time : Approx.12~24+hours (depending on the network condition)
- ♦ Working temperature : $-10^{\circ}C \sim +60^{\circ}C$
- ♦ Storage temperature : -20°C ~+60°C
- ♦ Relative humidity : 10-90%, No condensation
- ♦ Size: 180mm x 125mm x 30mm (LxWxH)
- ♦ Net Weight: 0.5Kg

>>> Standard packing list (*S110, other models please refer to the price list):

- ✓ S110 Mainframe x1
- ✓ Remote control (RM-02) x2
- ✓ Wireless PIR Motion Sensor(PIR-100B) x1
- ✓ Wireless Door magnetic Sensor(DM-100C) x1
- ✓ Wired Siren(SR-02) x1
- ✓ GSM Antenna x1
- ✓ AC100~240V to DC 12V/2A power Adaptor x1, UK/EU/USA/AU type plug available
- ✓ User Manual x1
- ✓ Size: 290mm x 260mm x 85mm (LxWxH)
- ✓ Gross Weight: 1.8Kg by dimensions, 5pcs per carton, carton size: 47*32*30CM

>>>Optional accessories (Wireless/Wired):

Combined Light and Siren, PIR Motion Sensor, Glass Break Sensor, Magnetic Window Sensor, Magnetic Steel Scrolling Door Sensor, Infrared Photoelectric

Beam Fence, Wireless Strobe Siren, Our Other Wireless Sensors

>>>>>Why KING PIGEON?

King Pigeon is a professional GSM Alarm system, GSM elderly guarder system, GSM SMS Controller, GSM Automation system, GPRS Data Logger, GPRS Temperature Logger; Power Monitoring System, Wireless GSM Home Alarm system, GSM M2M products Manufacturer!

Based on 7years rich experiences of design and manufacture GSM alarm, GSM SMS controller, GPRS RTU,GSM elderly guarder alarm, GSM gate opener, etc. Our products are newest and top-sales for the market, with attractive functions, reliable quality and competitive price. Welcome OEM/ODM Service

Print your own Logo and package Available!

Your any requests would be much appreciated, please do not hesitate to contact us.

