PCCharge Client

Electronic Payment Processing Software Setup Guide and User's Manual



Copyright 2010, VeriFone Inc. PCC-5-9-3

Notice

Copyright 2010, VeriFone Inc. All rights reserved. VeriFone, the VeriFone Iogo, PAYware, PAYware PC, PAYware PC, and PCCharge are registered trademarks of VeriFone Inc. Other brand names or trademarks associated with VeriFone products and services are trademarks of VeriFone, Inc. All other brand names and trademarks appearing in this manual are the property of their respective holders

VeriFone has attempted to ensure the accuracy of the contents of this Program Guide. However, this Program Guide may contain errors or omissions. This Program Guide is supplied "as-is," without any warranty of any kind, either expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose

In no event shall VeriFone be liable for any indirect, special, incidental, or consequential damages, including without limitation damages for loss of business, profits, or the like, even if VeriFone or its representatives have been advised of the possibility of such damages.

© VeriFone Inc.

8001 Chatham Center Drive Suite 500 Savannah, Georgia 31405 General Fax: (912) 527-4533

Technical Support: (877) 659-8981 Technical Support Fax: (727) 953-4110

www.verifone.com

Printed in the United States of America.

No part of this publication may be copied, distributed, stored in a retrieval system, translated into any human or computer language, transmitted in any form or by any means without prior written consent of VeriFone, Inc.

Software License

IMPORTANT

PCCHARGE AND PAYWARE PC END USER LICENSE AGREEMENT

CAREFULLY REVIEW THIS AGREEMENT BEFORE CONTINUING THE INSTALLATION OR USE OF VERIFONE'S PROPRIETARY SOFTWARE PROVIDED TO YOU ("VERIFONE SOFTWARE"). THIS AGREEMENT IS A LEGAL AGREEMENT BETWEEN YOU ("LICENSEE") AND THE VERIFONE ENTITY THAT PROVIDED YOU WITH THE VERIFONE SOFTWARE ("VERIFONE"). ALL REFERENCES HEREIN TO "YOU" AND "LICENSEE" MEAN YOU AND THE COMPANY OR OTHER LEGAL ENTITY YOU REPRESENT. BY ACCEPTING THIS AGREEMENT, YOU ARE BINDING SUCH ENTITY; YOU HEREBY REPRESENT THAT YOU HAVE THE AUTHORITY TO BIND SUCH ENTITY.

IF YOU DO NOT AGREE TO THE TERMS OF THIS AGREEMENT, TERMINATE THIS INSTALLATION AND PROMPTLY RETURN ALL SOFTWARE TO VERIFONE. BY ACCEPTING THESE TERMS, BY DOWNLOADING THE SOFTWARE AND/OR OPENING THE SOFTWARE PACKET(S) AND/OR USING THE SOFTWARE, YOU ACKNOWLEDGE THAT YOU HAVE READ THIS AGREEMENT, UNDERSTAND IT AND AGREE TO BE BOUND BY ITS TERMS. THE SOFTWARE ALSO INCLUDES THE MEDIA ON WHICH THE SOFTWARE IS RECORDED, AS WELL AS ANY PRINTED MATERIALS OR "ONLINE" OR ELECTRONIC DOCUMENTATION PROVIDED TO YOU BY VERIFONE.

NOTWITHSTANDING THE FOREGOING, IF YOU HAVE SIGNED A LICENSE AGREEMENT WITH VERIFONE FOR YOUR USE OF THE SOFTWARE, THIS AGREEMENT SHALL NOT APPLY; YOUR USE OF THE SOFTWARE SHALL BE GOVERNED BY SUCH SIGNED LICENSE AGREEMENT.

- 1. GRANT OF LICENSE. Subject to the terms and conditions of this Agreement, and Licensee's payment of the applicable license fees, VeriFone hereby grants to Licensee a limited, non-transferable, non-exclusive license to use the VeriFone Software solely (i) in object (executable) code form, (ii) on a single computer (the "Computer"), and (iii) for your internal use only. You understand that You must comply with the VeriFone Software registration policies and the failure to comply with those policies may result in the disablement of the VeriFone Software. The VeriFone Software is in "use" on a computer when it is loaded into temporary memory (i.e. RAM) or installed into permanent memory (e.g. hard disk, CD-ROM, or other storage device) of a computer. Licensee acknowledges that the VeriFone Software is designed for use only in connection with supported VeriFone terminal products.
- OWNERSHIP. The VeriFone Software and all copies provided to you are licensed and not sold. All title to the VeriFone Software resides and remains in VeriFone and its licensors. The VeriFone Software is protected by U.S. copyright laws and international copyright treaties.
- 3. RESTRICTIONS. Licensee shall not use or copy the VeriFone Software except for the purposes set forth in Section 1 above. Licensee shall not disclose or publish any results of any benchmark tests run on the VeriFone Software. Licensee may not copy the VeriFone Software onto any public network. Licensee shall have no right to obtain source code for the VeriFone Software by any means. Licensee shall not reverse engineer, decompile, disassemble, translate, modify, alter or change the VeriFone Software, or any part thereof, without the prior express written consent of VeriFone, except to the extent that the foregoing restriction is expressly prohibited

by applicable law. Licensee shall have no right to market, distribute, sell, assign, pledge, sublicense, lease, deliver or otherwise transfer the VeriFone Software. Licensee shall not obfuscate or remove from the VeriFone Software, or alter, any of VeriFone's trademarks, trade names, logos, patent or copyright notices, or other notices or markings, or add any other notices or markings to the VeriFone Software, without the prior express written consent of VeriFone. Licensee shall duplicate all such proprietary rights notices on all copies of the VeriFone Software permitted to be made hereunder.

- 4. SUPPORT. You must purchase support for the VeriFone Software at time of initial purchase. Support services shall commence on the earlier of: (a) the date of initial activation of the VeriFone Software, or (b) one (1) year from date of original shipment of the VeriFone Software by VeriFone to you or your reseller, if you have purchased through a reseller. Support shall be provided in accordance with VeriFone's then current support policies and procedures. Any upgrades or updates to the VeriFone Software, if any, provided to you under support shall be subject to this Agreement, including the license rights and restrictions set forth herein.
- 5. MEDIA WARRANTY. VeriFone represents and warrants that the media and the encoding of the VeriFone Software on the media will be free from defects in materials and workmanship for a period of ninety (90) days from the date of original shipment of the VeriFone Software by VeriFone to you or your reseller, if you have purchased through a reseller. To the maximum extent permitted by applicable law, in the event of a breach of the foregoing limited warranty, Licensee's sole and exclusive remedy shall be to return the media to VeriFone, postage prepaid. VeriFone shall, at its option: (a) provide a replacement in exchange for the defective media; or (b) correct the defective media. Any replacement media will be warranted for ninety (90) days.
- 6. DISCLAIMER OF WARRANTIES. EXCEPT FOR THE LIMITED WARRANTY PROVIDED UNDER SECTION 5 ABOVE, THE VERIFONE SOFTWARE IS PROVIDED "AS IS", WITH ALL FAULTS AND, TO THE MAXIMUM EXTENT PERMITTED BY LAW, WITHOUT ANY WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, VERIFONE DOES NOT WARRANT AND MAKES NO ASSURANCES THAT THE OPERATION OF THE VERIFONE SOFTWARE WILL BE SECURE, UNINTERRUPTED OR ERROR FREE AND HEREBY DISCLAIMS ALL LIABILITY ON ACCOUNT THEREOF. UNDER NO CIRCUMSTANCES DOES VERIFONE REPRESENT OR WARRANT THAT ALL PROGRAM ERRORS IN THE VERIFONE SOFTWARE CAN BE REMEDIED.
- 7. LIMITATIONS OF LIABILITY. NOTWITHSTANDING ANYTHING TO THE CONTRARY CONTAINED IN THIS AGREEMENT, EXCEPT TO THE EXTENT PROHIBITED BY LAW: (A) VERIFONE SHALL HAVE NO LIABILITY TO LICENSEE OR ANY THIRD PARTY FOR SPECIAL, INCIDENTAL, INDIRECT, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, GOODWILL OR SAVINGS, DOWNTIME, OR DAMAGE TO, LOSS OF OR REPLACEMENT OF SOFTWARE AND DATA) RELATING IN ANY MANNER TO THE VERIFONE SOFTWARE (WHETHER ARISING FROM CLAIMS BASED IN WARRANTY. CONTRACT, TORT OR OTHERWISE), EVEN IF VERIFONE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH CLAIM OR DAMAGE; (B) IN ANY CASE, VERIFONE'S ENTIRE LIABILITY RELATING IN ANY MANNER TO THE VERIFONE SOFTWARE, REGARDLESS OF THE FORM OR NATURE OF THE CLAIM, SHALL BE LIMITED IN THE AGGREGATE TO THE FEES ACTUALLY PAID BY LICENSEE FOR LICENSING THE VERIFONE SOFTWARE UNDER THIS AGREEMENT, OR \$1000 IF NO FEES WERE PAID; AND (C) VERIFONE SHALL NOT BE LIABLE FOR ANY CLAIMS OF THIRD PARTIES RELATING TO THE VERIFONE SOFTWARE, AND LICENSEE SHALL DEFEND VERIFONE FROM, AND INDEMNIFY AND HOLD VERIFONE HARMLESS AGAINST, ALL SUCH CLAIMS. THE LIMITATIONS CONTAINED IN SECTION 6

ABOVE AND THIS SECTION 7 ARE A FUNDAMENTAL PART OF THE BASIS OF VERIFONE'S BARGAIN HEREUNDER, AND VERIFONE WOULD NOT LICENSE THE VERIFONE SOFTWARE TO LICENSEE ABSENT SUCH LIMITATIONS.

- 8. TERMINATION. VeriFone may terminate this Agreement upon notice to Licensee if Licensee breaches any of the terms in this Agreement, fails to pay the applicable license fees for the VeriFone Software or upon termination of Licensee's business. Upon termination for any reason whatsoever, Licensee's license rights shall terminate and Licensee shall immediately destroy or return to VeriFone the VeriFone Software, together with all copies in any form. Upon request of VeriFone, Licensee agrees to certify in writing that the VeriFone Software and all such copies have been destroyed or returned. Notwithstanding anything to the contrary contained in this Agreement, Sections 2, 3, 4, 6, 7, 8, 9, 10 and 11 shall survive any expiration or termination of this Agreement.
- 9. U.S. GOVERNMENT RESTRICTED RIGHTS. If the VeriFone Software is acquired by or on behalf of a unit or agency of the U.S. government, this provision applies. Licensee agrees that the VeriFone Software is delivered as "Commercial computer software" as defined in DFARS 252.227-7013 (Oct 1998), DFARS 252.211-7015 (May 1991) or DFARS 252.227-7014 (Jun 1987), or as a "commercial item" as defined in FAR 2.101(a), or as "Restricted computer software" as defined in FAR 52.227-19 (Jun 1987), whichever is applicable. Licensee agrees that all the VeriFone Software is adequately marked when the Restricted Rights legend is included on or encoded in the VeriFone Software. Licensee further agrees that the VeriFone Software has been developed entirely at private expense.
- 10. EXPORT/LAWS. Licensee shall fully comply with all laws and regulations of the United States and other countries relating to the export, import and use of the VeriFone Software. Export or re-export to certain countries may be prohibited. Licensee will defend, indemnify and hold harmless VeriFone and its affiliates from and against any and all claims, proceedings, losses, damages, liabilities, fines, penalties, costs, and fees (including reasonable attorneys' fees) arising in connection with any violation of any regulation of any United States or other governmental authority relating to the export, import or use of the VeriFone Software by Licensee.
- 11. **GENERAL**. Except as set forth above with regard to a signed license agreement, this Agreement constitutes the entire agreement between VeriFone and Licensee and supersedes all prior or contemporaneous communications and proposals, whether electronic, oral or written, relating to the subject matter hereof. This Agreement will be governed by the laws of the State of California, without regard to its conflict Licensee hereby acknowledges and agrees that the U.N. of law provisions. Convention on Contracts for the International Sale of Goods shall not apply to this The parties also agree that the Uniform Computer Information Transactions Act or any version thereof, adopted by any state, in any form ("UCITA"), shall not apply to this Agreement. To the extent that UCITA is applicable, the parties agree to opt out of the applicability of UCITA pursuant to the opt-out provision(s) contained therein. Each party consents to the exclusive jurisdiction and venue of the appropriate courts in Santa Clara County, California for all disputes arising out of or relating to this Agreement. The official text of this Agreement shall be in English. In the event of any dispute concerning the interpretation or construction of this Agreement, reference shall be made only to this Agreement as written in English. The failure of a party to exercise or enforce any right or provision of this Agreement will not constitute a waiver of such right or provision. Licensee may not assign this Agreement, in whole or in part, without VeriFone's prior written consent. Subject to the preceding sentence, this Agreement shall bind Licensee and its permitted successors and assigns. VeriFone may assign or delegate this Agreement, or any of its rights or obligations hereunder, in its sole discretion.

If any provision of this Agreement is found by a court of competent jurisdiction to be invalid, the parties agree that the court should endeavor to give the maximum effect to the parties' intentions as reflected in the provision, and that the other provisions of the Agreement shall remain in full force and effect. All notices, demands, or consents required or permitted hereunder shall be in writing and shall be delivered in person or sent via overnight delivery or certified mail to the respective parties. Notices for VeriFone shall be sent to VeriFone's General Counsel at 2099 Gateway Place, Suite 600, San Jose, CA 95110 or such other address as shall have been given to Licensee in writing. Notices for Licensee shall be sent to the address in VeriFone's customer database, or such other address as shall have been given to VeriFone in writing. Such notices shall be deemed effective upon the earliest to occur of: (a) actual delivery; or (b) three days after mailing, addressed and postage prepaid, return receipt requested.

Rev Date: 2/25/10

Table of Contents

Notice	2
Software License	3
Introduction	9
Important Security Notice	10
Introduction and Scope	10
Applicability	
Distribution and Updates	
What Does PA-DSS Mean to You?	11
Third Party Applications	
PA-DSS Guidelines	
More Information	18
System Requirements	19
Installation	20
Windows 7, Vista, and 2008 Server Users	
Welcome!	
License Agreement	
Setup Type	
Choose Destination Location	
Select Features	
Ready to Install!	27
Installing	28
Installation Completed!	29
Setup Process	30
Starting PCCharge Client	21
Setup Wizard	
PCCharge Path	
Credit Card Processing Company Setup	
Debit Card Processing Company Setup	
Check Services Company Setup	
Gift Card Processing Company Setup	39
End of Setup Wizard	40
Client User Setup	41
Client Receipt Printer Setup	
Client Report Printer Setup	45
Client Card Reader Setup	46
Client Check Reader Setup	
Client PIN Pad Setup	
1 of forming 1 ost 11 disactions	
User's Guide	59
Main Window	60
Processing Transactions	

Credit Card Transactions	
Using Credit Card Processing	
Credit Card Transaction Types	. 66
About Book & Ship Transaction Processing	. 68
Using Book and Ship Transaction Processing	
About Restaurant Transaction Processing	. 70
Using Restaurant Transaction Processing	. 71
About Commercial Card Processing	. 72
Using Commercial Card Processing	. 73
Offline Processing	
Processing an Import File	. 75
Debit Card Transactions	. 76
Debit Card Transaction Types	
Debit Card Processing.	76
Check Services Transactions	
Check Services Processing.	
All about Check Verification/Guarantee	. / 7
All about Check Conversion/Truncation	. 00
Gift Card Transactions	
Gift Card Transaction Types	. 82
Gift Card Processing	
Cashier Privileges	
Log On	. 85
Manager Override Password	. 86
Customer Database	
Customer Info	
Credit Card Info	. 90
Customer Transactions	. 92
Processing a Customer Transaction	. 92
Reports	
Viewing a Report	. 97
Daily Transaction Summary	99
Credit Card Detail	
AVS	
Book	
Ship	
Customer Transaction.	
Batch Pre-Settle	
Batch Post-Settle	
Check Summary	107
Check Detail	
Debit Summary	109
EBT Summary	
Periodic Payments by Expired Contracts	
Periodic Payments by Account	112
Periodic Payments by Date	113
Reprint Receipts	
Audit	
Restaurant Pre-Settle	117
Restaurant Detail	118
Gift Card	119
Frequently Asked Questions	20

Introduction

This Client software can be used in conjunction with PCCharge Pro or PCCharge Payment Server (PS) to form a client-server relationship when used on a Windows NT or Peer-to-Peer network. Several users can process transactions using one merchant account. Please consult the PCCharge Pro User's Manual or the PCCharge Payment Server User's Manual for more information on specific functionality.

Feel free to direct any comments or suggestions regarding your PCCharge documentation to pccharge_manuals@verifone.com. Please note that this address is not a source for technical support. Any such requests should be directed to the normal support channels.

Using This Manual

As you use this manual, you'll come across the following text boxes. These are meant to draw your attention to certain concepts, and are easily identifiable by their icons.



Simple Explanation: The simple explanations found in this manual will provide you with an easy-to-digest summary of the information in that section. If you want to get through the manual as quickly and easily as possible, pay special attention to the simple explanations.



Note: A note is important information that either helps to explain a concept or draws attention to ideas that should be kept in mind. We recommend that you carefully review the notes you encounter.



WARNING: We **HIGHLY** recommend that you read **ALL** warnings in the sections of the manual that you read. These warnings will help to prevent serious issues from occurring.



Technical Details: These technical details give more in-depth explanations of concepts described in this manual. These extra bits of information are often useful, but are not necessarily pertinent to all users.

PCCharge Appendices

PCCharge includes some extra documentation that isn't found in this manual. This documentation, the PCCharge Appendices, contains specific information on the various payment processing companies. You'll need to refer to this information as you use the PCCharge manual. We recommend that you print out those sections related to your payment processing company.

To access the PCCharge Appendices (available at the Server location), click the Windows Start button, then Programs (or All Programs), then PCCharge Pro (or PCCharge Payment Server), then PCCharge Appendices.

Important Security Notice

Introduction and Scope

The Payment Card Industry Payment Application Data Security Standard (PCI PA-DSS) is comprised of fourteen requirements that support the Payment Card Industry Data Security Standard (PCI DSS). The PCI Security Standards Council (PCI SSC), which was founded by the major card brands in June 2005, set these requirements in order to protect cardholder payment information. The standards set by the council are enforced by the payment card companies who established the Council: American Express, Discover Financial Services, JCB International, MasterCard Worldwide, and Visa, Inc.

PCI PA-DSS is an evolution of Visa's Payment Application Best Practices (PABP), which was based on the Visa Cardholder Information Security Program (CISP). In addition to Visa CISP, PCI DSS combines American Express' Data Security Operating Policy (DSOP), Discover Network's Information Security and Compliance (DISC), and MasterCard's Site Data Protection (SDP) into a single comprehensive set of security standards. The transition to PCI PA-DSS was announced in April 2008. In early October 2008, PCI PA-DSS Version 1.2 was released to align with the PCI DSS Version 1.2, which was released on October 1, 2008.

Applicability

The PCI PA-DSS applies to any payment application that stores, processes, or transmits cardholder data as part of authorization or settlement, unless the application would fall under the merchant's PCI DSS validation. If your application runs on Windows XP, you are required to turn off Windows XP System Restore Points. PAYware PC, PAYware Transact, PAYware SIM, and PCCharge (collectively the "PAYware NA Payment Applications") were developed by VeriFone for use by third parties, and therefore are subject to PA-DSS validation. PAYware Connect (also included under "PAYware NA Payment Applications") falls under PCI DSS. See the PCI PA-DSS Program Guide to determine if PCI PA-DSS validation is required for any other payment applications used at the merchant location. It is important to note that PA-DSS validated payment applications alone do not guarantee PCI DSS compliance. The validated payment application must be implemented in a PCI DSS compliant environment.

Distribution and Updates

This guide will be provided to VeriFone's customers including processors, resellers, ISOs, and integrators along with the PAYware NA payment applications. It is the responsibility of these parties to ensure the information contained in this guide is passed on to their customers (the merchant), in order to illustrate the requirements for complying with PCI DSS.

Additional information about PA-DSS and VeriFone's PA-DSS Training can be found on our website at www.verifone.com/padss.

What Does PA-DSS Mean to You?

VeriFone submits its PAYware NA payment applications to an annual PA-DSS audit in order to maintain PA-DSS validation. In addition, if any major version change is made in any PAYware NA payment applications, VeriFone submits that application for a full PA-DSS audit again. An example of a major version change would be PCCharge 5.8 moving to PCCharge 5.9. For minor changes, such as PCCharge 5.8.1 to 5.8.2, an attestation form for minor change revisions is required. These minor change revisions are submitted to VeriFone's Qualified Security Assessor (QSA), which creates a report to submit to PCI SSC. applications PCI validated are listed on the SSC https://www.pcisecuritystandards.org/security_standards/vpa/

The following table provides opening points to cover in any discussion with merchants on data storage and why a merchant should use PAYware PC, PAYware Transact, PAYware SIM, PAYware Connect, or PCCharge to assist in maintaining PCI-DSS compliance.

	Data Element	Storage Permitted	Protection Required	PCI DSS Req. 3, 4
Cardholder Data	Primary Account Number	Yes	Yes	Yes
	Cardholder Name ¹	Yes	Yes 1	No
	Service Code ¹	Yes	Yes 1	No
	Expiration Date 1	Yes	Yes 1	No
Sensitive Authentication Data ²	Full Magnetic Stripe Data ³	No	N/A	N/A
	CAV2/CID/CVC2/CVV2	No	N/A	N/A
	PIN/PIN Block	No	N/A	N/A

¹ - These data elements must be protected if stored in conjunction with the PAN. This protection should be per PCI DSS requirements for general protection of the cardholder environment. Additionally, other legislation (for example, related to consumer personal data protection, privacy, identity theft, or data security) may require specific protection of this data, or proper disclosure of a company's practices if consumer-related personal data is being collected during the course of business. PCI DSS, however, does not apply if PANs are not stored, processed, or transmitted.

Third Party Applications

A PAYware NA payment application validation does not extend to any external third party application that has integrated such PAYware NA payment application as the payment engine. The end-to-end transaction process, beginning with entry into the third party application until the response from the payment engine is returned, must meet the same level of compliance. In order to claim the third party application is end-to-end compliant, the application would need to be submitted to a QSA for a full PA-DSS audit.

The use of a PAYware NA payment application also does not exempt a third party integrator's application from a PA-DSS audit. The end user and/or P.O.S. developer can integrate and be compliant in the processing portion of a payment transaction. A brief review (given below) of the PA-DSS environmental variables that impact the end user merchant can help the end user merchant obtain and/or maintain PA-DSS compliance.

² - Do not store sensitive authentication data after authorization (even if encrypted).

³ - Full track data from the magnetic stripe, magnetic-stripe image on the chip, or elsewhere.

Environmental variables that could prevent passing an audit include without limitation issues involving a secure network connection(s), end user setup location security, users, logging and assigned rights.

PA-DSS Guidelines

The following PA-DSS Guidelines are being provided by VeriFone as a convenience to our customers. These PA-DSS Guidelines were copied from PCI DSS Program Guide as of March 31, 2009. Customers should not rely on these PA-DSS Guidelines, but should instead always refer to the most recent PCI DSS Program Guide published by PCI SSC.

1. Sensitive Date Storage Guidelines.

Do not retain full magnetic stripe, card validation code or value (CAV2, CID, CVC2, CVV2), or PIN block data.

- $1.1\ \ Do$ not store sensitive authentication data after authorization (even if encrypted):
 - Sensitive authentication data includes the data as cited in the following Requirements 1.1.1 through 1.1.3. PCI Data Security Standard Requirement 3.2

Note: By prohibiting storage of sensitive authentication data after authorization, the assumption is that the transaction has completed the authorization process and the customer has received the final transaction approval. After authorization has completed, this sensitive authentication data cannot be stored.

1.1.1 After authorization, do not store the full contents of any track from the magnetic stripe (located on the back of a card, contained in a chip, or elsewhere). This data is alternatively called full track, track, track 1, track 2, and magnetic-stripe data.

In the normal course of business, the following data elements from the magnetic stripe may need to be retained:

- The accountholder's name,
- Primary account number (PAN),
- Expiration date, and
- Service code
- To minimize risk, store only those data elements needed for business.

Note: See PCI DSS and PA-DSS Glossary of Terms, Abbreviations, and Acronyms for additional information. PCI Data Security Standard Requirement 3.2.1

1.1.2 After authorization, do not store the card-validation value or code (three-digit or four-digit number printed on the front or back of a payment card) used to verify card-not-present transactions.

Note: See PCI DSS and PA-DSS Glossary of Terms, Abbreviations, and Acronyms for additional information. PCI Data Security Standard Requirement 3.2.2

1.1.3 After authorization, do not store the personal identification number (PIN) or the encrypted PIN block.

Note: See PCI DSS and PA-DSS Glossary of Terms, Abbreviations, and Acronyms for additional information. PCI Data Security Standard Requirement 3.2.3

1.1.4 Securely delete any magnetic stripe data, card validation values or codes, and PINs or PIN block data stored by previous versions of the payment application, in accordance with industry-accepted standards for secure deletion, as defined, for example by the list of approved products maintained by the National Security Agency, or by other State or National standards or regulations. PCI Data Security Standard Requirement 3.2

Note: This requirement only applies if previous versions of the payment application stored sensitive authentication data.

1.1.5 Securely delete any sensitive authentication data (pre-authorization data) used for debugging or troubleshooting purposes from log files, debugging files, and other data sources received from customers, to ensure that magnetic stripe data, card validation codes or values, and PINs or PIN block data are not stored on software vendor systems. These data sources must be collected in limited amounts and only when necessary to resolve a problem, encrypted while stored, and deleted immediately after use. PCI Data Security Standard Requirement 3.2

2. Protect stored cardholder data

- 2.1 Software vendor must provide guidance to customers regarding purging of cardholder data after expiration of customer-defined retention period. PCI Data Security Standard Requirement 3.1
- 2.2 Mask PAN when displayed (the first six and last four digits are the maximum number of digits to be displayed).

Notes:

- This requirement does not apply to those employees and other parties with a legitimate business need to see full PAN;
- This requirement does not supersede stricter requirements in place for displays of cardholder data—for example, for point-of-sale (POS) receipts. PCI Data Security Standard Requirement 3.3
- 2.3 Render PAN, at a minimum, unreadable anywhere it is stored, (including data on portable digital media, backup media, and in logs) by using any of the following approaches:
 - One-way hashes based on strong cryptography
 - Truncation
 - Index tokens and pads (pads must be securely stored)
 - Strong cryptography with associated key management processes and procedures.

The MINIMUM account information that must be rendered unreadable is the PAN. PCI Data Security Standard Requirement 3.4

The PAN must be rendered unreadable anywhere it is stored, even outside the payment application.

Note: "Strong cryptography" is defined in the PCI DSS and PA-DSS Glossary of Terms, Abbreviations, and Acronyms.

- 2.4 If disk encryption is used (rather than file- or column-level database encryption), logical access must be managed independently of native operating system access control mechanisms (for example, by not using local user account databases). Decryption keys must not be tied to user accounts. PCI Data Security Standard Requirement 3.4.1
- 2.5 Payment application must protect cryptographic keys used for encryption of cardholder data against disclosure and misuse. PCI Data Security Standard Requirement 3.5
- 2.6 Payment application must implement key management processes and procedures for cryptographic keys used for encryption of cardholder data. PCI Data Security Standard Requirement 3.6
- 2.7 Securely delete any cryptographic key material or cryptogram stored by previous versions of the payment application, in accordance with industry-accepted standards for secure deletion, as defined, for example the list of approved products maintained by the National Security Agency, or by other State or National standards or regulations. These are cryptographic keys used to encrypt or verify cardholder data. PCI Data Security Standard Requirement 3.6

Note: This requirement only applies if previous versions of the payment application used cryptographic key materials or cryptograms to encrypt cardholder data.

3. Provide secure authentication features

3.1 The "out of the box" installation of the payment application in place at the completion of the installation process, must facilitate use of unique user IDs and secure authentication (defined at PCI DSS Requirements 8.1, 8.2, and 8.5.8-8.5.15) for all administrative access and for all access to cardholder data. PCI Data Security Standard Requirements 8.1, 8.2, and 8.5.8-8.5.15

Note: These password controls are not intended to apply to employees who only have access to one card number at a time to facilitate a single transaction. These controls are applicable for access by employees with administrative capabilities, for access to servers with cardholder data, and for access controlled by the payment application. This requirement applies to the payment application and all associated tools used to view or access cardholder data.

- 3.2 Access to PCs, servers, and databases with payment applications must require a unique user ID and secure authentication. PCI Data Security Standard Requirements 8.1 and 8.2
- 3.3 Render payment application passwords unreadable during transmission and storage, using strong cryptography based on approved standards

Note: "Strong cryptography" is defined in PCI DSS and PA-DSS Glossary of Terms, Abbreviations, and Acronyms. PCI Data Security Standard Requirement 8.4

4. Log payment application activity

4.1 At the completion of the installation process, the "out of the box" default installation of the payment application must log all user access (especially users with administrative privileges), and be able to link all activities to individual users. PCI Data Security Standard Requirement 10.1

4.2 Payment application must implement an automated audit trail to track and monitor access. PCI Data Security Standard Requirements 10.2 and 10.3

5. Develop secure payment applications

- 5.1 Develop all payment applications in accordance with PCI DSS (for example, secure authentication and logging) and based on industry best practices and incorporate information security throughout the software development life cycle. These processes must include the following: PCI Data Security Standard Requirement 6.3
 - 5.1.1 Testing of all security patches and system and software configuration changes before deployment, including but not limited to testing for the following.
 - 5.1.1.1 Validation of all input (to prevent cross-site scripting, injection flaws, malicious file execution, etc.)
 - 5.1.1.2 Validation of proper error handling
 - 5.1.1.3 Validation of secure cryptographic storage
 - 5.1.1.4 Validation of secure communications
 - 5.1.1.5 Validation of proper role-based access control (RBAC)
 - 5.1.2 Separate development/test, and production environments
 - 5.1.3 Separation of duties between development/test, and production environments
 - 5.1.4 Live PANs are not used for testing or development.
 - 5.1.5 Removal of test data and accounts before production systems become active
 - 5.1.6 Removal of custom payment application accounts, user IDs, and passwords before payment applications are released to customers
 - 5.1.7 Review of payment application code prior to release to customers after any significant change, to identify any potential coding vulnerability.

Note: This requirement for code reviews applies to all payment application components (both internal and public-facing web applications), as part of the system development life cycle required by PA-DSS Requirement 5.1 and PCI DSS Requirement 6.3. Code reviews can be conducted by knowledgeable internal personnel or third parties.

- 5.2 Develop all web payment applications (internal and external, and including web administrative access to product) based on secure coding guidelines such as the Open Web Application Security Project Guide. Cover prevention of common coding vulnerabilities in software development processes, to include:
 - 5.2.1 Cross-site scripting (XSS).
 - 5.2.2 Injection flaws, particularly SQL injection. Also consider LDAP and Xpath injection flaws, as well as other injection flaws.
 - 5.2.3 Malicious file execution
 - 5.2.4 Insecure direct object references.
 - 5.2.5 Cross-site request forgery (CSRF).
 - 5.2.6 Information leakage and improper error handling
 - 5.2.7 Broken authentication and session management
 - 5.2.8 Insecure cryptographic storage
 - 5.2.9 Insecure communications
 - 5.2.10 Failure to restrict URL access.

Note: The vulnerabilities listed in PA-DSS Requirements 5.2.1 through 5.2.10 and in PCI DSS at 6.5.1 through 6.5.10 were current in the OWASP guide when PCI DSS v1.2 was published. However, if and when the OWASP guide is updated, the current version must be used for these requirements. PCI Data Security Standard Requirement 6.5

- 5.3 Software vendor must follow change control procedures for all product software configuration changes. PCI Data Security Standard Requirement 6.4. The procedures must include the following:
 - 5.3.1 Documentation of impact
 - 5.3.2 Management sign-off by appropriate parties
 - 5.3.3 Testing of operational functionality
 - 5.3.4 Back-out or product de-installation procedures
- 5.4 The payment application must not use or require use of unnecessary and insecure services and protocols (for example, NetBIOS, file-sharing, Telnet, unencrypted FTP, etc.). PCI Data Security Standard Requirement 2.2.2

6. Protect wireless transmissions

- 6.1 For payment applications using wireless technology, the wireless technology must be implemented securely.
- PCI Data Security Standard Requirements 1.2.3 & 2.1.1
- 6.2 For payment applications using wireless technology, payment application must facilitate use of industry best practices (for example, IEEE 802.11i) to implement strong encryption for authentication and transmission.

Payment applications using wireless technology must facilitate the following regarding use of WEP:

- For new wireless implementations, it is prohibited to implement WEP after March 31, 2009.
- For current wireless implementations, it is prohibited to use WEP after June 30, 2010. PCI Data Security Standard Requirement 4.1.1

7. Test payment applications to address vulnerabilities

- 7.1 Software vendors must establish a process to identify newly discovered security vulnerabilities (for example, subscribe to alert services freely available on the Internet) and to test their payment applications for vulnerabilities. Any underlying software or systems that are provided with or required by the payment application (for example, web servers, 3rd-party libraries and programs) must be included in this process. PCI Data Security Standard Requirement 6.2
- 7.2 Software vendors must establish a process for timely development and deployment of security patches and upgrades, which includes delivery of updates and patches in a secure manner with a known chain-of-trust, and maintenance of the integrity of patch and update code during delivery and deployment.

8. Facilitate secure network implementation

8.1 The payment application must be able to be implemented into a secure network environment. Application must not interfere with use of devices, applications, or configurations required for PCI DSS compliance (for example, payment application cannot interfere with anti-virus protection, firewall configurations, or any other device, application, or configuration required for PCI DSS compliance). PCI Data Security Standard Requirements 1, 3, 4, 5, and 6.6

9. Cardholder data must never be stored on a server connected to the Internet

9.1 The payment application must be developed such that the database server and web server are not required to be on the same server, nor is the database server required to be in the DMZ with the web server. PCI Data Security Standard Requirement 1.3.2

10. Facilitate secure remote software updates

10.1 If payment application updates are delivered via remote access into customers' systems, software vendors must tell customers to turn on remote-access technologies only when needed for downloads from vendor, and to turn off immediately after download completes. Alternatively, if delivered via VPN or other high-speed connection, software vendors must advise customers to properly configure a firewall or a personal firewall product to secure "always-on" connections. PCI Data Security Standard Requirements 1 and 12.3.9

11. Facilitate secure remote access to payment application

- 11.1 The payment application must not interfere with use of a two-factor authentication mechanism. The payment application must allow for technologies such as RADIUS or TACACS with tokens, or VPN with individual certificates. PCI Data Security Standard Requirement 8.3
- 11.2 If the payment application may be accessed remotely, remote access to the payment application must be authenticated using a two-factor authentication mechanism. PCI Data Security Standard Requirement 8.3
- 11.3 If vendors, resellers/integrators, or customers can access customers' payment applications remotely, the remote access must be implemented securely. PCI Data Security Standard Requirement 8.3

12. Encrypt sensitive traffic over public networks

12.1 If the payment application sends, or facilitates sending, cardholder data over public networks, the payment application must support use of strong cryptography and security protocols such as SSL/TLS and Internet protocol security (IPSEC) to safeguard sensitive cardholder data during transmission over open, public networks.

Examples of open, public networks that are in scope of the PCI DSS are:

- The Internet
- Wireless technologies
- Global System for Mobile Communications (GSM)
- General Packet Radio Service (GPRS)

PCI Data Security Standard Requirement 4.1

12.2 The payment application must never send unencrypted PANs by end-user messaging technologies (for example, e-mail, instant messaging, chat). PCI Data Security Standard Requirement 4.2

13. Encrypt all non-console administrative access

13.1 Instruct customers to encrypt all non-console administrative access using technologies such as SSH, VPN, or SSL/TLS for web-based management and other non-console administrative access. Telnet or rlogin must never be used for administrative access. PCI Data Security Standard Requirement 2.3

14. Maintain instructional documentation and training programs for customers, resellers, and integrators

- 14.1 Develop, maintain, and disseminate a PA-DSS Implementation Guide(s) for customers, resellers, and integrators that accomplishes the following:
 - 14.1.1 Addresses all requirements in this document wherever the PA-DSS Implementation Guide is referenced.
 - 14.1.2 Includes a review at least annually and updates to keep the documentation current with all major and minor software changes as well as with changes to the requirements in this document.
- 14.2 Develop and implement training and communication programs to ensure payment application resellers and integrators know how to implement the payment application and related systems and networks according to the PA-DSS Implementation Guide and in a PCI DSS-compliant manner.
 - 14.2.1 Update the training materials on an annual basis and whenever new payment application versions are released.

More Information

VeriFone, Inc. highly recommends that merchants contact the card association(s) or their processing company and find out exactly what they mandate and/or recommend. Doing so may help merchants protect themselves from fines and fraud. For more information related to security, visit:

- http://www.pcisecuritystandards.org
- http://www.visa.com/cisp
- http://www.sans.org/resources
- http://www.microsoft.com/security/default.asp
- https://sdp.mastercardintl.com/
- http://www.americanexpress.com/merchantspecs

CAPN questions: mailto:capninfocenter@aexp.com



WARNING: Although VeriFone, Inc. has designed PCCharge to properly secure credit card cardholder information according to PCI guidelines, *it is ultimately the merchant's responsibility to secure the system on which PCCharge resides and the environment in which it is used.*

System Requirements

YOU MUST HAVE THE FOLLOWING:

- PC with one of the following versions of Microsoft Windows installed:
 - Windows Vista Business Edition (32-bit or 64-bit)
 - Windows XP Professional Edition (32-bit)
 - o Windows 7 Professional (32-bit or 64-bit)
 - Windows 7 Ultimate (32-bit or 64-bit)
 - Windows 7 Enterprise (32-bit or 64-bit)
 - o Windows 2008 Server Enterprise Edition (32-bit or 64-bit)
 - Windows 2003 Server Edition (32-bit or 64-bit)
- 256 MB minimum of RAM, 512 MB preferred
- 50 MB of available hard-disk space, 100 MB recommended
- CD-ROM drive
- 600 MHz or higher processor
- Latest Microsoft service pack updates installed
- Merchant Account with a PCCharge-certified processor
- Latest version of Microsoft's Internet Explorer (version 6 or later)



Technical Details: We require that you install the latest version of Microsoft's Internet Explorer no matter how you connect to your processor. Some processors require Internet Explorer version 6 or later to be installed in order to process transactions. Internet Explorer is more than just an Internet browser; it actually upgrades your operating system.

- Each Client location must have a Windows Networking connection (2000, NT, or Peer-to-Peer) to the computer on which PCCharge Pro/PS is installed.
- Each Client location must have FULL (read/write) access to the PCCharge Pro/PS application folder.



Note: If you intend to process transactions from the Server location of PCCharge, install the Client software on that same machine and use that instead of the PCCharge Pro/PS interface. Do not process transactions at the Server location using the PCCharge Pro/PS interface.

THE FOLLOWING ARE OPTIONAL:

- Track I & II reader
- Check Reader/Scanner
- Debit Card PIN pad
- Windows compatible receipt printer

CLIENT LICENSES

 A user license is required for each Client location. At least two users are necessary (one is included with PCCharge Pro/PS, and one additional user license is required for each Client location).

Installation



Simple Explanation: Basically, one computer is used as the "Server". This computer would have the standard software installation. The computers that would connect to this Server would have a copy of the "Client" software installed. These Client machines would then accept transactions and pass them to the Server location to be processed. The Server does not have to be the actual network server, but it must be able to connect to your credit card processing company (via modem, TCP/IP, etc.).



Note: As with most other software installations, you should be logged into Windows as a user with administrator access in order to install or launch PCCharge. If you do not have administrator access to Windows (or are not sure of what that means), contact one of the following:

- Whoever maintains your business' computer systems
- The technical support department of your computer's manufacturer.

Before you get started, you'll need some information to set up this Client location:

- The name of the payment processing company in the Server location that will be accessed from this Client location
- The merchant account numbers for that payment processing company
- The network address of the PCCharge Server location

Once you've obtained this information and have it ready, complete the following steps.

1. Insert the PCCharge Installation CD into the CD-ROM drive of your computer. The PCCharge Installation Menu should automatically appear.



Note: If the PCCharge Installation Menu does not automatically appear, your copy of Windows may be set up to not allow auto-run of CD-ROMs. If so, you'll need to manually access the PCCharge Installation Menu.

Click your Windows Start button, and then click Run. Click the Browse button. Click the drop-down list to the right of the Look In: field. Select your CD-ROM drive. Double-click the file CD_Start.exe. The PCCharge Installation Menu will appear.


- 2. Once you can access the PCCharge Installation Menu, click the PCCharge Client button. Next, click the Install PCCharge Client button.
- 3. The PCCharge Client installation process will begin. The following sections explain each screen displayed during the installation process.

Windows 7, Vista, and 2008 Server Users

PCCharge has been successfully tested on Windows Vista Business Edition (32-bit and 64-bit), Windows 7 Professional (32-bit and 64-bit), Windows 7 Ultimate (32-bit and 64-bit), Windows 7 Enterprise (32-bit and 64-bit), and Windows 2008 Server Enterprise Edition (32-bit and 64-bit). However, these operating systems require that certain steps be performed for proper installation. Please carefully review the document VISTA_7_2008_README.pdf (found in the Pro, Client, and Payment Server directories on your PCCharge installation CD) prior to installing PCCharge.


Welcome!

Click **Next** > to proceed to the next step in the installation process.



License Agreement

Select I accept the terms of the license agreement and click Next > to proceed to the next step in the installation process.



Setup Type




Simple Explanation: Most users should simply select Complete and click Next > to proceed to the next step in the installation process. You may then skip ahead to the section Ready To Install (see page 26).

You may select either Complete setup or Custom setup. Select Complete setup if you want to install all PCCharge program files and features. If you select Custom setup, you will be able to:

- Specify the PCCharge installation directory
- Specify which PCCharge utilities are installed

After you've selected a setup type, click Next > to proceed to the next step in the installation process. If you have selected Complete setup, you may then skip ahead to the section Ready To Install (see page 26). Otherwise, continue on to the next section.



Choose Destination Location




Simple Explanation: If you selected **Complete** as your setup type, you may skip this section.

This window allows you to specify where on your local hard drive you'd like to install PCCharge Client. If you're upgrading PCCharge, use the Browse... button to specify the location of your existing installation directory. Most users should click Next > to proceed to the next step in the installation process.



WARNING: If you change the destination directory, it is vitally important that you install to your computer's local hard drive. You should not install PCCharge across a network to another computer's local hard drive. PCCharge uses system files that must be on the local computer's hard drive.






Technical Details: PCCharge Client replaces/updates some Windows system files. This directory is where the original copies of those files are placed. If it should become necessary to restore your computer to its state before the install, these files would be retrieved. This would only be effective if no other programs had been installed since the installation of PCCharge Client. The installation of other programs may replace/update some of the same Windows system files, and restoring older versions of those files could result in disrupted functionality of those other programs.

Select Features




Simple Explanation: If you selected **Complete** as your setup type, you may skip this section.

This window allows you to specify which PCCharge features you'd like to install. You can uncheck a feature if you do not want that feature to be installed. Most users should click **Next** > to proceed to the next step in the installation process.




Ready to Install!

You are now ready to install PCCharge Client. Click Next > to proceed to the next step in the installation process.




Installing

 $\operatorname{PCCharge}$ is now being installed to your system. This process should only take a few minutes.



Installation Completed!

The installation process is complete. You may now remove the PCCharge Installation CD from your computer. Click Finish to proceed to The Setup Process.



Setup Process

During your first use of PCCharge Client, you will go through a setup process. If you need to make changes to the following settings at any time after the initial software setup, you can access all of the setup parameters from the Setup menu.

The following sections explain each window displayed during the PCCharge Client setup process.

Starting PCCharge Client



Simple Explanation: The following instructions explain how to start up PCCharge Client for the first time.

- Click the Windows Start button (its default location is the bottom-left of your screen).
- Click Programs (or Program Files).
- Click PCCharge Client.
- 4. The following shortcuts are available:
 - PCCharge Client Help File -- Also available within PCCharge
 - PCCharge Client Manual -- The PCCharge manual in PDF format
 - PCCharge Client Read Me -- Readme shown during installation
 - PCCharge Client -- The PCCharge executable
 - Uninstall PCCharge Client -- Uninstalls PCCharge Client
- 5. Click PCCharge Client to start PCCharge Client.



Technical Details: If you chose to not have PCCharge Client added to the Windows Start Menu, you'll need to manually start PCCharge Client. You can do so by browsing to the PCCharge Client installation directory via Windows Explorer. The default location of the PCCharge Client executable is C:\Program Files\PCCWClient\PCCWClient.exe.



Note: You should be logged in to Windows as a user with administrator access in order to launch PCCharge.

Setup Wizard

Click **Next** > to proceed to the next step in the installation process.





Note: If changes are may to any payment processing account information in the Server location of PCCharge Pro/Payment Server, you should revisit this Setup Wizard to make sure that PCCharge Client has the most recent configuration information.

PCCharge Path




Simple Explanation: PCCharge Client needs to know where to find the "executable" file for the Server location of PCCharge. This window allows you to specify where that file is installed.



Note: You may need the assistance of a network administrator (or someone else familiar with your local computer network) in order to complete the following steps.



Note: If changes are may to any payment processing account information in the Server location of PCCharge Pro/Payment Server, you should revisit this Setup Wizard to make sure that PCCharge Client has the most recent configuration information.



- You must specify the location of the main executable file for the Server location of PCCharge. Enter the filename and its path into the field labeled PCCharge Path, or use the Browse button to specify the location of your PCCharge executable.
 - The PCCharge Pro executable is: pccw.exe
 - The default PCCharge Pro path is: C:\Program Files\pccw
 - The PCCharge Payment Server executable is: Active-Charge.exe
 - The default PCCharge Payment Server path is: C:\Program Files\
 Active-Charge



Note: The example shows a path where Client is installed on the same machine as the server application. If the Client is not on the same machine as the server application, the installer will need to browse across the network to the machine that has the server application installed or use a UNC path. The installation directory of the server application MUST be shared out so that the Client can recognize it.


2. Click the Configure IP Settings button to access the Integration Configuration screen. As of 5-8-0, Client uses a Secure TCP/IP (SSL) connection to send transactions to the server. Not only do merchants have to set the path to the server application (so that they can run reports or access the customer database), but they need to enter the IP Address (Default = 127.0.0.1) of the server machine and the Listen On Port (Default = 31405) used for the secure TCP/IP connection.



Note: The default address will only work if the Client and the server application are installed on the same machine. Otherwise, the installer will need to know the address of the server machine.

From the Certificate section, the merchant can select the Store Location and Store Name from the combo box. Click on Display Store to list all of the certificates under the selected location. The certificate details can be viewed by clicking the View Details button.

Click **OK** to set the certificate, or click **Cancel** to cancel the operation. If the installer cancels out of selecting the certificate, **Client** will not work.



3. Enter a Transaction Timeout (in seconds) to specify how long the Client will wait for the Server to respond to an attempted transaction. We recommend that most users set this to 60 initially, but you'll be able to adjust this value more precisely once you've had some experience with your processing company.

- 4. Enter a Card Swipe Timeout (in seconds) to specify how long the Client will wait for a card swipe device to completely transmit card information. We recommend that most users set this to 9 initially, but you'll be able to adjust this value more precisely once you've had some experience with your processing company.
- 5. Click **Next** > to proceed to the next step in the installation process.


Credit Card Processing Company Setup



Simple Explanation: This window allows you to set up your credit card processing account number in the Client software. If you don't need this ability, click the Next button and skip ahead to the section Debit Card Processing Company Setup (see page 37).



Note: If changes are may to any payment processing account information in the Server location of PCCharge Pro/Payment Server, you should revisit this Setup Wizard to make sure that PCCharge Client has the most recent configuration information.



- The Credit Card Processing Company drop-down list shows the credit card processing companies that have been set up at the Server location of PCCharge. Select the credit card processing company that will be accessed from this Client location.
- 2. Select the Credit Card Company Number that will be accessed from this Client location.
- 3. Click Next > to proceed to the next step in the installation process.


Debit Card Processing Company Setup



Simple Explanation: This window allows you to set up your debit card processing account number in the Client software. If you don't need this ability, click the Next button and skip ahead to the section Check Services Company Setup (see page 37).



Note: If changes are may to any payment processing account information in the Server location of PCCharge Pro/Payment Server, you should revisit this Setup Wizard to make sure that PCCharge Client has the most recent configuration information.



- The Debit Card Processing Company drop-down list shows the debit card processing companies that have been set up at the Server location of PCCharge. Select the debit card processing company that will be accessed from this Client location.
- 2. Select the Debit Card Company Number that will be accessed from this Client location.
 - If you've selected Paymentech (GSAR) as your debit card processing company for Canadian debit cards, you will be prompted to enter your assigned threedigit Paymentech Client Terminal ID. This is a unique Terminal ID tied to a specific PIN pad serial number for your client workstation.
- 3. Click Next > to proceed to the next step in the installation process.

Check Services Company Setup



Simple Explanation: This window allows you to set up your check processing account number in the Client software. If you don't need this ability, click the Next button and skip ahead to the section Gift Card Processing Company Setup (see page 39).



Note: If changes are may to any payment processing account information in the Server location of PCCharge Pro/Payment Server, you should revisit this Setup Wizard to make sure that PCCharge Client has the most recent configuration information.



- 1. The Check Services Company drop-down list shows the check services companies that have been set up at the Server location of PCCharge. Select the check services company that will be accessed from this Client location.
- Select the Check Services Site ID that will be accessed from this Client location.
- 3. Click Next > to proceed to the next step in the installation process.

Gift Card Processing Company Setup



Simple Explanation: This window allows you to set up your debit card processing account number in the Client software. If you don't need this ability, click the Next button and skip ahead to the section End of Automated Client Setup (see page 40).



Note: If changes are may to any payment processing account information in the Server location of PCCharge Pro/Payment Server, you should revisit this Setup Wizard to make sure that PCCharge Client has the most recent configuration information.



- The Gift Card Processing Company drop-down list shows the gift card processing companies that have been set up at the Server location of PCCharge. Select the gift card processing company that will be accessed from this Client location.
- Select the Gift Card Processing Company Numbers that will be accessed from this Client location.
- 3. Click Next > to proceed to the next step in the installation process.

End of Setup Wizard

The automated setup process is complete. Click **Finish** to proceed to the final setup steps.




Client User Setup



Simple Explanation: This window allows you to specify which PCCharge user (from the Server location) you'll use to process transactions.



WARNING: You *must* have more than one user to properly use the Client software. Using User1 to process multiple Client transactions will result in loss of data and/or program functionality.



- 1. Each Client location needs to have a different User. This window displays the users set up at the Server location of PCCharge.
- 2. Select the User for the current Client location by clicking on that User name.



Note: When Show at Startup option is checked, this Select User window will be displayed when the Client software starts up.

Select the User for the current Client location by clicking on that User name. Click OK to confirm your selection and continue on to the next section.

Client Receipt Printer Setup




Simple Explanation: The Receipt Printer Setup window allows you to select the printer you'll use to print receipts from this Client location. This window is separate from the Receipt Printer Setup window at the Server location. You may choose to set up (or not set up) receipt printing from either location (Server and/or Client).

If you do not have a printer or you simply do not want to print receipts, leave this window set to its default settings (as shown below), click **OK**, and skip ahead to the section **Client Report Printer Setup** (see page 44).



Note: You will be required to log in as **System**, **Manager**, or a Cashier with Hardware Configuration privileges in order to set up this feature.



Click the small drop-down arrow button to the right of the Printer field. Select the
printer that Client will use to print receipts. Optional: You may configure your
printer's settings by clicking the Configure button on the right side of this window.

- 2. Select the Orientation that you want for your printed receipts. You may select a Portrait or Landscape orientation.
- 3. In the section labeled Receipt Options, specify the # of Copies you want to print.
- 4. You now have the option to uncheck the box labeled Print Receipts for Pre-Auths/Books. Pre-auth and book transactions "set money aside" on a customer's credit card without actually initiating the transfer of funds from the customer's account to your account. These transaction types are often used when the exact final amount of the transaction is not known. Unchecking this box makes PCCharge not print out receipts for these two transaction types.
- 5. If you want the credit card number on all receipts to be "masked" (covered with X's), put a check in the box labeled Secure Receipts.
- 6. Set your Margins. The values for the margins are displayed in twips. There are 1440 twips in an inch, so the default setting of 720 twips is equal to one-half of an inch. The margin settings allow you to place the receipt information in different areas of the page to permit the use of preprinted invoices. We recommend that you leave these settings at their default values. You should wait until you see your printed receipts before you modify these values.
- 7. Click the Comments button. Client will display the Receipt Comment Setup window. This feature allows you to include a customized message at the end of your receipt. The comment section can be up to five (5) lines long, with each line being no longer than forty (40) characters. Click OK to save your comments.
- 8. Click the OK button. Client will display its main window. Proceed to the next section, Client Report Printer Setup.

Tested Receipt Printers

We test Client with a wide range of hardware in a variety of conditions. If you have hardware not shown on this list and are able use it successfully with your copy of Client, please contact us at feedback@pccharge.com and inform us of your results.

Set up each device as specified in the **Notes** column. If no additional information is given (other than the device to be selected from the drop-down list in **Client**), use the default settings listed above.



Note: Windows' generic text printer drivers were used for all printers that were tested on Windows 2003.

Manufacturer	Product	2000	ХР	2003	Vista	2008	7	Notes
Citizen	CBM 1000	Х	Χ	Χ				Manual tear-off. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.
Citizen	iDP 3550	Х	Χ	Χ				Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.

Manufacturer	Product	2000	ХР	2003	Vista	2008	7	Notes
Citizen	CPM 10 (without card reader)	Х	Х					Thermal printer. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.
Star Micronics	SP2000	Χ	Χ	Χ				Manual tear-off. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.
Star Micronics	TSP143U	Х	Х	Х				Automatically cut-off. Thermal printer. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.
Star Micronics	TSP643C	Х	Χ	Х				Automatically cut-off. Thermal printer. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40.
Star Micronics	TSP700	Х	Χ	Χ	Χ	Χ	Χ	Automatically cut-off. Thermal printer. Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 40. All Windows 64- bit Users: see Note at end of table.
Epson	M129C TM- T88IIIP	Х	Х					Drivers available online. Set up in PCCharge as Roll Printer. Set the Column Width to 39.
Epson	TM-T90	Х	Χ					Set up in PCCharge as Roll Printer. Set the Column Width to 39.
Epson	TMU220B	Х	Χ					Set up in PCCharge as Roll Printer. Set the Column Width to 45.
VeriFone	PC Charge Partner	х	X	X	х			Set up in PCCharge as PCCharge Partner. This device is a combined PIN pad, card reader, and receipt printer. You must set up the PIN pad functionality of this device prior to setting up any other functionality. Consult the documentation included with this device to determine how to set it up.



Note for All Windows 64-bit Users: The Star Micronics TSP700 printer was tested using with Windows' Generic Text Printer drivers. There are no 64-bit device drivers for this printer available from the manufacturer.



Note: The automatic tear-off feature (available with certain Star Micronics receipt printers) is only accessible when using Star Micronics' printer drivers. The feature is not accessible when using Windows' generic text printer drivers.

Client Report Printer Setup




Simple Explanation: This window allows you to set up a standard Windows-compatible printer to print reports from this Client location. This window is separate from the Report Printer Setup window at the Server location. You may choose to set up (or not set up) report printing from either location (Server and/or Client).

If you do not have a printer or you simply do not want to print receipts, leave this window set to its default settings (as shown below), click OK, and skip ahead to the section Client Card Reader Setup (see page 46).



Note: You will be required to log in as **System**, **Manager**, or a Cashier with Hardware Configuration privileges in order to set up this feature.



- 1. Click Setup on the menu bar. Click the Printer option. Click the Report option.
- 2. Click the small drop-down arrow button to the right of the Report Printer field. Select the printer that Client will use to print reports and contracts.
- 3. Click the Configure button. Client will cause Windows to display the configuration window for the printer selected in the Report Printer field.
- 4. Review the configuration window and make sure the correct settings have been configured for your printer. You may want to refer to your printer's documentation. Click the Print button when you're done to return to the Report Printer Setup window.
- Click the OK button to return to the main Client window. Proceed to the next section, Client Card Reader Setup.

Client Card Reader Setup



Simple Explanation: This window allows you to set up a card reader to "swipe" cards--that is, to read the data stored on the card's magnetic strip by manually passing it through the card reader. This window is separate from the Card Reader Setup window at the Server location. You may choose to set up (or not set up) this device at either location (Server and/or Client).


If you do not have a card reader installed on your machine, leave this window set to its default setting (as shown below, with **Keyboard Wedge** selected) and skip ahead to the next section, **Client PIN Pad Setup** (see page 51).



Note: If you are processing debit card transactions, you'll need to have a card reader and PIN Pad connected to your computer.



Note: You will be required to log in as **System**, **Manager**, or a Cashier with Hardware Configuration privileges in order to set up this feature.



- Click Setup on the menu bar. Click the Devices option. Click the Card Reader option.
- Click the small drop-down arrow button (to the right of the Card Reader field).Select the type of card reader that you'll use with Client.
 - Serial Reader -- A serial card reader is connected to your computer's COM port by a cord that ends in a 9-pin plug.
 - Keyboard Wedge -- A keyboard wedge reader is usually a card swipe device that connects in between your keyboard and your computer. However, the setting Keyboard Wedge also refers to keyboards with built-in card readers.

- 3. If you've selected **Keyboard Wedge**, complete the following steps:
 - Notice the default Time Out value (4 seconds). This value determines how long
 Client waits for a card swipe to be completed. You should not change the
 default value unless you are experiencing difficulties with your device.
 - Click OK to save these settings and return to the main Client window. You may
 now perform a test transaction using your device (see page 55), or you may
 proceed to the next section, Client PIN Pad Setup (see page 51).
- 4. If you've selected Serial Reader, Review the Tested Card Readers table (at the end of this Card Reader Setup section) to determine if there are any special settings recommended for your card reader. Next, complete the following steps:
 - Select the baud appropriate for your serial card reader (the default value is 9600). This information should be provided by your device's documentation.
 - Select the parity that the serial card reader uses. This information should be provided by your device's documentation.
 - Click the small drop-down arrow button (to the right of the Com Port field).
 Select the COM port of the serial card reader that you'll use with Client. Most users can select Port(Com1), but some users may have plugged the device into port 2 and should select Port(Com2).
 - Select the data bits setting appropriate for your serial card reader (the default value is 8). This information should be provided by your device's documentation.
 - Click OK to save these settings and return to the main Client window. You may
 now perform a test transaction using your device (see page 55), or you may
 proceed to the next section, Client PIN Pad Setup (see page 51).

Tested Card Readers

We test Client with a wide range of hardware in a variety of conditions. If you have hardware not shown on this list and are able use it successfully with your copy of Client, please contact us at feedback@pccharge.com and inform us of your results.

Set up each device as specified in the **Notes** column. If no additional information is given (other than the device to be selected from the drop-down list in **Client**), use the default settings listed above.

Manufacturer	Product	2000	ХР	2003	Vista	2008	7	Notes
Cherry	Cherry Keyboard MY 7000	Х	Х					Set up in Client as Keyboard Wedge. Review the Note at the end of this table and refer to your Cherry manual to determine how to configure the following settings: • Enable Header for track 1 and set to
Cherry	Cherry Keyboard MY 8000	х						 Enable Terminator for track 1 and set to? Enable Header for track 2 and set to; Enable Terminator for track 2 and set to?
IDTech	MiniMag Reader Model# IDMB- 334112B	Х	Χ	Х	Х			USB wedge reader. Set up in Client as Keyboard Wedge.
IDTech	MiniMag Reader Model# IDMB- 333112B	Х	Χ	Х	Х			Keyboard Wedge (connects via PS/2 keyboard). Set up in Client as Keyboard Wedge.
IDTech	Serial Model # WCR3321- 12	Х	Х	х				Set up in Client as Serial Reader. • Baud = 9600 • Parity = Even • Data Bits = 7
IDTech	USB Model # IDT3331-12U	Х	Χ	Х	Х			Set up in Client as Keyboard Wedge.
IDTech	VersaKey Keyboard Model# IDKA- 334333B	Х	Х	Х	Х	Х	Х	USB Keyboard. Set up in Client as Keyboard Wedge.
IDTech	Model IDMB- 334133B	Х	Χ	Х	Х	Х	Х	Set up in PCCharge as Keyboard Wedge.
IDTech	VersaKey Keyboard Model# IDKA- 234112B	x	X	x	x			USB Keyboard. Set up in Client as Keyboard Wedge. For Windows Server 2003, download drivers from http://idtechproducts.com . For Windows Vista, you must boot computer with a different keyboard attached and then plug in and Vista will automatically install the drivers.
IDTech	VersaKey Keyboard Model# IDKA- 233112W	Х	Х	Х	Х			PS/2 Keyboard. Set up in Client as Keyboard Wedge.

Manufacturer	Product	2000	ХР	2003	Vista	2008	7	Notes
MagTek	Maxi Micr	Х	Х	Х	Х			Check and card swipe device. Set up in Client as Keyboard Wedge.
MagTek	Mini Micr	Х	Х	Х	Х			Check and card swipe device. Set up in Client as Keyboard Wedge.
SEMTEK	Model 9272USB	Χ	Х	Х				Set up in Client as Keyboard Wedge.
Uniform Industrial	USB Model MSR210U- 33AUBN	Х	Х	Х	Х	Х	Х	Set up in Client as Keyboard Wedge.
VeriFone	MX830	Х	Х	Х	Х	Х	Х	Set up in PCCharge as Keyboard Wedge. This device is a combined PIN pad and card reader. You must set up the PIN pad functionality of this device prior to setting up any other functionality.
VeriFone	PCCharge Partner	х	х	х	х			Set up in Client as Keyboard Wedge. This device is a combined PIN pad, card reader, and receipt printer. You must set up the PIN pad functionality of this device prior to setting up any other functionality. Consult the documentation included with this device to determine how to set it up.
VeriFone	PCCharge Performer [SC 5000 (MAC or DUKPT)]	х	х	х	х	х	х	Set up in Client as Keyboard Wedge. This device is a combined PIN pad and card reader. You must set up the PIN pad functionality of this device prior to setting up any other functionality. Smart card reader functionality is not supported. Windows 7 was only tested with SC 5000 DUKPT.
VeriFone	VSP200	Х	Х	Х	Х	Х	Х	Set up in PCCharge as Keyboard Wedge. This device is a combined PIN pad and card reader. You must set up the PIN pad functionality of this device prior to setting up any other functionality.
VeriFone	VX810(MAC or DUKPT)	х	х	х	х	х	х	Set up in Client as Keyboard Wedge. This device is a combined PIN pad and card reader. You must set up the PIN pad functionality of this device prior to setting up any other functionality. Smart card reader functionality is not supported.



Note: The following example text shows the correct format of a swiped transaction after a Cherry keyboard device has been properly configured. You can use Microsoft's Notepad to view a swiped transaction.

%B6011000998980019^DISCOVERY / JD^0412123456? ;6011000998980019=0412123456?

Additionally, Cherry Electronics has created a page on their website that details the setup of the Cherry Keyboard MY 7000/8000.

http://support.cherry.de/english/new_faqkb.asp?faqkbid=237

Client Check Reader Setup



Simple Explanation: No additional setup is required for Check Reader devices. Once a device is set up as a Card Reader, it can also be used as a Check Reader.



Note: You will be required to log in as **System**, **Manager**, or a Cashier with Hardware Configuration privileges in order to set up this feature.

Tested Check Readers

We test **Client** with a wide range of hardware in a variety of conditions. If you have hardware not shown on this list and are able use it successfully with your copy of **Client**, please contact us at feedback@pccharge.com and inform us of your results.

Set up each device as specified in the Notes column.

Manufacturer	Product	2000	XP	2003	Vista	2008	7	Notes
MagTek	Maxi Micr	Χ	Χ	Χ	Χ			Check and card swipe device. Set up in Client as Keyboard Wedge.
MagTek	Mini Micr	Х	Χ	Χ	Х			Check and card swipe device. Set up in Client as Keyboard Wedge.

Client PIN Pad Setup




Simple Explanation: This window allows you to set up a PIN Pad for accepting debit transactions. If you do not have a PIN Pad installed on your machine, leave this window set to its default setting (as shown below, with NONE selected) and skip ahead to the next section, **Performing Test Transactions** (see page 55).



Note: If you plan to process debit card transactions, you'll need to have a card reader and PIN Pad connected to your computer.



Note: You will be required to log in as **System**, **Manager**, or a Cashier with Hardware Configuration privileges in order to set up this feature.



- 1. Click Setup on the menu bar. Click the Devices option. Click the Pin Pad option.
- 2. Review the Tested PIN Pads table (at the end of this PIN Pad Setup section) to determine if there are any special settings recommended for your PIN pad.
- Click the small drop-down arrow button to the right of the PIN Pad field. Select the PIN Pad that you'll use with Client. Depending on the PIN Pad selected, you may not need to set up all (or any) of the following fields.
 - Click the small drop-down arrow button to the right of the Com Port field.
 Select the COM port of the PIN pad that you'll use with Client. Most users can select Port(Com1), but some users may have plugged the device into port 2 and should select Port(Com2).
 - Select the baud appropriate for your PIN pad (the default value is 1200). This information should be provided by your device's documentation.
 - Notice the default Time Out value (4 seconds). This value determines how long Client waits for input from the PIN pad. You should not change the default value unless you are experiencing difficulties with your device.

- Select the parity that the PIN pad uses (the default setting is Even). This information should be provided by your device's documentation.
- Select the data bits setting appropriate for your PIN pad (the default setting is 7). This information should be provided by your device's documentation.
- If you've selected the VeriFone SC 5000 (MAC) or VeriFone V^X810 (MAC) as your PinPad, select the appropriate debit card processor and then click the Key Change button that appears under the Cancel button. PCCharge will contact your processing company and synchronize your PIN pad's key with what your processing company has set up for your debit account. Your Canadian debit account must be the active merchant number at the time of the Key Change request.
- 4. Click **OK** to save these settings and return to the main **Client** window. You may now perform a test transaction using your device (see page 55), or you may proceed to the section **User's Guide** (see page 59).

Tested PIN Pads

We test Client with a wide range of hardware in a variety of conditions. If you have hardware not shown on this list and are able use it successfully with your copy of Client, please contact us at feedback@pccharge.com and inform us of your results.

Set up each device as specified in the **Notes** column. If no additional information is given (other than the device to be selected from the drop-down list in **Client**), use the default settings listed above.



Note: Some PIN pads will only work with certain payment processing companies. Check with your processing company and/or merchant service provider to determine which PIN pads are available for you to use.

Manufacturer	Product	2000	XP	2003	Vista	2008	7	Notes
Ingenico	3010	Χ	Χ	Χ				Set up in Client as Ingenico 3010.
Ingenico	eN-Crypt 2100	Х	Х	Х				Set up in Client as eN-Crypt 2100.
VeriFone	1000	Х	Х	Х	Х			Set up in Client as VeriFone 101/1000. Baud = 1200 Parity = Even Data Bits = 7 Time Out = 4
VeriFone	1000 SE	х	Х	х	х	х	х	Set up in Client as VeriFone 101/1000. Windows 7/2008 and all Windows 64- bit Users: see Note at end of table. • Baud = 1200 • Parity = Even • Data Bits = 7 • Time Out = 4

Manufacturer	Product	2000	XP	2003	Vista	2008	7	Notes
VeriFone	1000 SE USB	x	X	x	X	X	X	Set up in PCCharge as VeriFone 101/1000. Windows 7/2008 and all Windows 64-bit Users: see Note at end of table. • Baud = 1200 • Parity = Even • Data Bits = 7 • Time Out = 4
VeriFone	2000	Х	X	Х				Set up in Client as VeriFone 2000. • Baud = 1200 • Parity = Even • Data Bits = 7 • Time Out = 4
VeriFone	Everest	Х	Χ	Х				Set up in Client as VeriFone Everest. Device must be on COM port 1. Requires device drivers from VeriFone.
VeriFone	Everest Plus	Х	Х	Х				Set up in Client as VeriFone Everest. Device must be on COM port 1. Requires device drivers from VeriFone.
VeriFone	MX830	х	Х	х	Х	Х	Х	Serial only device. Set up in PCCharge as MX830. • Baud = 115200 • Parity = None • Data Bits = 8 • Time Out = 9
VeriFone	PCCharge Partner	х	X	х	X			Set up in PCCharge as PCCharge Partner. This device is a combined PIN pad, card reader, and receipt printer. You must set up the PIN pad functionality of this device prior to setting up any other functionality. Consult the documentation included with this device for setup.
VeriFone	PCCharge Performer [SC 5000 (MAC)]	Х	Х	Х	Х	Х	Х	Set up in PCCharge as VeriFone SC5000 (MAC). Canadian debit processing only. • Baud = 9600 • Parity = None • Data Bits = 8 • Time Out = 4
VeriFone	PCCharge Performer [SC 5000 (DUKPT)]	х	Х	х	Х	Х	х	Set up in PCCharge as VeriFone SC5000 (DUKPT). American debit processing only. • Baud = 1200 • Parity = Even • Data Bits = 7 • Time Out = 4

Manufacturer	Product	2000	ХР	2003	Vista	2008	7	Notes
VeriFone	VSP200	X	x	x	x	X	X	This device is only compatible with the Elavon payment processing network. Set up in PCCharge as VeriFone V ^x 810. American debit processing only. • Baud = 9600 • Parity = Even • Data Bits = 7 • Time Out = 4
VeriFone	V ^x 810 (MAC)	X	Х	х	Х	Х	X	Set up in PCCharge as VeriFone V ^X 810 (MAC). Canadian debit processing only. • Baud = 9600 • Parity = None • Data Bits = 8 • Time Out = 4
VeriFone	V ^x 810	Χ	Х	х	Х	Х	Х	Set up in PCCharge as VeriFone V ^X 810. American debit processing only. • Baud = 9600 • Parity = Even • Data Bits = 7 • Time Out = 4



Note for Windows 7 and 2008 Users: Windows 7 and 2008 have been tested to work with all VeriFone PP1000se devices with part numbers higher than 170. Example: P003-180-02-USA. Windows 7 and 2008 have also been tested to work with VeriFone PP1000se USB (P/N P003-190-02-WWE). This device is powered solely by the USB cable, unlike other PP1000se devices.



Note for All Windows 64-bit Users: Only VeriFone PP1000se P/N P003-180-02-USA was tested. There is currently no 64-bit driver for the USB powered VeriFone PP1000se P/N P003-190-02-WWE device (as of 06/07/10).

Performing Test Transactions



Simple Explanation: These test transactions will help you to determine if your modem is set up properly and working with your payment processing company. Since these test transactions will be performed using a live credit card number, actual funds will be transferred to and from your account. If you get an appropriate response from these transactions (as described below), you'll be ready to begin processing "live" transactions using PCCharge.



Note: The copy of PCCharge Pro/Payment Server at the Server location must be running and functioning correctly in order to process the transactions sent from PCCharge Client.

 Client should be displaying the Credit Card Sale window. It will look similar to the window displayed below, but will may vary slightly from what you see in your copy of Client (since different credit card processing companies offer different abilities).



- You'll need a credit card with an active account (use one that has adequate funds for testing purposes). We suggest that you use your own credit card, since you'll be transferring funds from that card's account to your business' merchant account. Enter the credit card's number into the Credit Card Number field. Make sure that you enter the number without spaces or dashes.
- 3. Click in the white space next to the words Card Member and type in the cardholder name exactly as show on the credit card. Look at the Card Issuer field. It should now display the type of card being processed (VISA, MC, DISC, etc.). If UnKn is displayed, it means that the card number you've entered is incorrect and that you'll need to re-enter it. After you've re-entered it, click in the white space next to the words Card Member. PCCharge should display the correct card type in the Card Issuer field.
- 4. Enter the card's four-digit expiration date into the Exp. Date (MMYY) field without using spaces or dashes.
- 5. Enter the number 1 into the Amount field without a dollar sign or a decimal point. Client will automatically recognize 1 as one dollar. Click the Process button.
- Client may ask if the customer's card is present. Click Yes. You may be asked if you
 want to enter a ticket number. Click No. Finally, Client may ask if you want to
 enter CPS qualifiers (AVS information). Click No.



Technical Details: Client is asking if the card is present to determine if you can provide the CVV2/CVC2 number shown on the back of the card, which would help you to obtain better per-transaction rates. You would normally provide the ticket number and CPS qualifiers (AVS information) during a "live" transaction to obtain better per-transaction rates.

- 7. Watch the status window near the bottom-left of the Client main window. This will display the status of the transaction being processed. Client will make two attempts to contact the processing company and make a transaction request. Once you've received a Result for the transaction, compare it to the four possible scenarios listed below.
 - If the processing company is contacted and the transaction is authorized, Client will display a Result of CAPTURED and some other information related to that transaction. If you receive a Result of CAPTURED, proceed to step 9.
 - If the processing company is contacted and the transaction is not authorized, Client will display a Result of NOT CAPTURED and a Response indicating the reason for the transaction was not captured. This error message may vary, but some of the likely possibilities are shown below. These indicate that you've successfully processed a test transaction, even though the response shows that the transaction was not authorized. If you receive a Result of NOT CAPTURED and one of these responses, proceed to step 13.

Example Responses: Declined, Lost Card, Stolen Card, Hold-Call, Call for Auth, Pick Up Card

If neither attempt at contacting the processing is successful, Client will display
Result of NOT CAPTURED and a communications-related error message for a
Response. This error message may vary, but some of the likely possibilities are
shown below. If you receive a communications-related error message for a
Response, investigate the Server location.

Example Responses: Port Access Error, No Carrier, No Dial Tone, No Answer, Connect Failure, Com Error

- If you received some other error message, you will need to contact Technical Support at (877) 659-8981.
- 8. Since you've received a **Result** of CAPTURED, you know that the **Client** location is properly communicating with the **Server** location. Click **OK** on the **Result** window.



Note: This means that \$1.00 from the credit card has been reserved or "put on hold". This step in transaction processing is called "authorization". The next step in transaction processing is called "settlement".

Settlement is when your payment processing company instructs your business' bank and the cardholder's bank to initiate the transfer of authorized transaction funds. For some processing companies, this happens automatically. For others, it must be manually initiated. In either case, settlement is a HIGHLY IMPORTANT step in payment processing. During "live" processing, you will not receive your funds unless your authorizations are settled. The following steps will take you through settlement of your test transaction.

- Contact the administrator of the PCCharge Server location. Ask the administrator to Void the test transaction you just processed (so that no funds are deducted from the card you used).
- 10. Now that you've successfully processed a test transaction, you may begin processing live transactions. Continue on to the next section, User's Guide, to learn how to use the functionality of Client.



Note: If you think that your account is set up to process other credit card types (American Express, Discover, MasterCard, etc.), you may also perform test transactions using those credit card types. To test a different credit card type, just repeat steps 1-13 (using the new card type).

User's Guide

This section describes how to process single transactions, view reports, and use other options accessible in ${\bf Client}$.

Main Window


The Main Window is the focal point of your Client software. It is the window you will see first when the software is started. You can access any function of the software from the Main Window.



Note: Your **Main Window** may look slightly different, depending on which processing company you're using.



Menu Bar -- (Top of the main window) -- The menu bar is a generic Windows-based menu system. The menu bar allows you to access every feature of Client.



Icon Bar -- (Top of the main window) -- The **Icon Bar** allows you to access six of the main functions of the software: credit card processing, debit card processing, check processing, gift card processing, cashier log on/off, the customer database, and the help file. Simply click the appropriate icon to access the desired function.



Action Selector Row -- The Action Selector Row allows you to select the type of transaction to be performed. As you access different functions of the software, the Action Selector Row changes. The Action Row displays all types of actions that can be performed using the currently selected processor and processing function (Example: Functions available when processing credit card transactions are not all available when processing debit card transactions).



Active Company Display -- (Bottom-middle of the main window) -- This drop-down box displays the currently selected merchant account number and the company name associated with that account. Whatever account is shown here will be used to process all credit card transactions performed from the Credit Card Transactions window.



Processing Transactions

Client was designed to process four types of transactions:

- Credit Card Transactions
- Debit Card Transactions
- Check Services Transactions
- Gift Card Transactions

Before trying to process any transactions, make sure you have followed all the steps in the **Setup Wizard** section of this documentation (see page 31). Next, make sure that the **Server** location is running.

The following sections give specific information on processing each of the four transaction types available in Client.

Credit Card Transactions

Using Credit Card Processing



Note: The following instructions describe a standard Sale transaction. For information on other transaction types, consult the section Credit Card Transaction Types (see page 66).

From the main Client window (see page 60), click the Credit icon to access the Credit Card Transaction window. Or, click **Transactions** on the menu bar, and then click the Credit Card option.




Note: If you are using a PIN pad device with PCCharge, you must click the Credit icon before you can swipe a credit card through your PIN pad (even if the Credit Card window is already onscreen). This will activate the magnetic strip reader and make it ready for use.



- From the Action Selector Row, select the desired transaction type (Sale, Credit, etc.).
- 2. In a RETAIL environment: Swipe the credit card through your card reader. If the card is swiped, the credit card number, card member, and expiration date are immediately masked and X's will be displayed for those fields, as in the example above. The mouse-over hover tooltip will show the first two digits, masking X's, and the last four digits of the card number. If a card reader is not available, type in the Credit Card Number and Exp. Date.
- 3. In a NON-RETAIL environment: Type in the Credit Card Number and Exp. Date. Client will display the Card Issuer (VISA, DISC, AMEX, etc.).
- Enter the dollar Amount of the transaction.
- 5. Enter your invoice number (or some internal reference number) in the **Ticket Number** field. This field is required for some processing companies (check your processor's information in the PCCharge Appendix).
- 6. If you are in a non-retail environment (or are manually entering transactions in a retail environment), type in the cardholder's Street address and Zip code. This information is optional with most payment processing companies, but you'll usually get a better per-transaction rate if you supply it.
- 7. Enter the Card Verification Value if the card has one. This information is optional with most payment processing companies, but you'll usually get a better pertransaction rate if you supply it.
 - Visa / MasterCard / Discover -- enter the last three digits from the long number on the back of the credit card (below the magnetic stripe).
 - American Express -- enter the four digits from above the credit card number on the front of the credit card.





- 8. Click the Process button. Client will connect to the Server location.
- 9. You may be prompted to enter additional information. Input any extra information as instructed by Client.
- 10. The Server location will contact your payment processing company and get a transaction response. Finally, the Server location will return the transaction response to you (at the Client location).



Technical Details: Most responses will be received in 5-20 seconds, depending on whether a modem or TCP/IP connection is used. There is no status message while the transaction is processing, so please allow enough time for the transaction to process (up to 90 seconds) before assuming the transaction didn't process. If the transaction was unsuccessful, the Server location should return a response explaining the problem. If you are concerned about processing duplicate transactions, please enable the Require Duplicate Transactions to be Forced feature at the Server location (consult the section Configure Setup or Preferences in the PCCharge Pro or Payment Server manual, respectively).


FSA/HRA Transactions

The Credit Card Transaction form now has a checkbox for FSA transactions if the Enable FSA/HRA Cards option is enabled in the processor setup. This FSA checkbox, which appears in the lower right side of the Credit Card Transaction form, can be enabled to 'force' the prompting for healthcare amounts in cases where the card is an FSA/HRA card, but the BIN range is not in the BIN table for PCCharge. The BIN ranges for these cards as well as for other card types are changed constantly at the issuer level, so it is impossible for PCCharge to always be completely up to date. This checkbox will allow the user to circumvent the BIN checking and send the proper data for their transaction.



The FSA checkbox will also appear on the Post Auth form once an authorization code has been entered.

When PCCharge recognizes that the card is an FSA/HRA card based upon the BIN range or the FSA checkbox is enabled on the Credit Card Transaction form, the following form will be loaded when the merchant clicks on the Process button:



Total Healthcare Amount: Enter the portion of the transaction amount that is FSA/HRA eligible. This amount cannot be greater than the transaction amount.

The Sub Amount section is a breakdown of the Total Healthcare Amount. Indicate how much of the Total Healthcare Amount can be assigned to each of the healthcare categories: Prescription Amount, Vision Amount, Clinic Amount, and Dental Amount. The total of the amounts submitted for the different categories does not have to add up to the Total Healthcare Amount; however, the total cannot be greater than the Total Healthcare Amount.

Credit Card Transaction Types

Sale -- This action decreases the cardholder's limit to buy. It authorizes a transfer of funds from the cardholder's account to your account.

Credit -- This action increases the cardholder's limit to buy. It authorizes a transfer of funds from your account to the cardholder's account.

Void Sale -- This action removes a sale transaction. No funds will be received from this transaction. Use the **Void Sale** action to correct mistakes and on same-day returns. This action can only be performed before batch settlement/close. With a host based autoclose system, this action has to be performed on the same day.

Pre-Auth -- This action reduces a cardholder's account's limit to buy for a predetermined amount of time. A Pre-Auth is the first half of a sale. A Pre-Auth specifies that amount to be set aside for a potential transfer of funds. The funds are not transfer at batch settlement/close unless a Post-Auth is performed using the Pre-Auth's approval code. As previously mentioned, there is a time limit on a Pre-Auth's usability. The processor determines the time limit, which is usually 7-10 days. You should contact your merchant service provider/credit card processing company for the exact time.

Post Auth -- This action makes an approved Pre-Auth or voice authorized transaction available for batch settlement/close. This action is the second half of a sale.

Void Credit -- This action removes a **Credit** transaction. This action can only be performed before settlement/close. This action can only be performed before batch settlement/close. With a host based auto-close system, the action has to be performed on the same day.

Void Auth -- This action removes a **Post-Auth** transaction. This action can only be performed before re-transmission. With a host-based system, the action has to be performed on the same day. This transaction is not available with all processing companies. If you want to void a **Post-Auth** and the action is not available, use the **Void** action.



Note: You will notice there is no action to void a Pre-Auth. This is because you cannot void a Pre-Auth. To remove a Pre-Auth, you can have the processing company remove the transaction (if your processing company is host-based, they can probably do it). Or, you could follow up the Pre-Auth with a Post-Auth and do a Void Sale. The only other option is to simply wait for the authorization to expire.

Book -- This action is essentially the same as a Pre-Auth; it reduces a cardholder's account's limit to buy for a predetermined amount of time. The Book transaction is used with the Ship transaction to make for an efficient and easy-to-use payment processing solution for MOTO and e-Commerce retailers. A Book transaction is made when the customer places an order, and is followed by a Ship transaction when the order is shipped.



Note: A **Book** transaction's corresponding **Ship** transaction must be performed at the **Server** installation.

The following two tabs are available when your account is set up to process prepaid cards using PCCharge:

Balance Inquiry -- This action is used to determine the balance on a prepaid card.

Reversal -- This action is used to fully reverse a prepaid sale transaction. In a host environment, this can only be done if it is the next transaction after the transaction being reversed.

The following tab is available when your account is set up to process FSA/HRA cards using PCCharge:

Reversal -- This action is used to reverse an FSA transaction. PCCharge will allow the merchant to attempt to process a Reversal on any "voidable" transaction. There are processor-specific rules regarding when Reversal transactions can be performed. In a host environment, this can only be done if it is the next transaction after the transaction being reversed.

About Book & Ship Transaction Processing



Simple Explanation: Client has the ability to process a special type of **Pre-Auth** transaction specifically designed for MOTO and e-Commerce industries: the **Book** transaction.

If your company is not set up as a mail order or e-Commerce business, skip ahead to the section About Restaurant Transaction Processing (see page 70).



Note: The **Book** transaction type is not accessible in **Client** unless the credit card processing company account accessed is setup as **MOTO** or **e-Commerce** at the **Server** location. **Client** must be used in conjunction with **PCC**harge Pro.

A Book transaction performed at the time a customer's order is placed is the same as a Pre-Auth. That transaction is then available for completion at the time of shipment using the Ship transaction type (which is the same as performing a Post-Auth). The Ship transaction type is only available from the Server location.

The real difference between Pre-Auth & Post-Auth and Book & Ship is that when a Client user performs a Book transaction, the user at the Server location has a convenient, easy-to-use drop-down menu in the Ship transaction window. The Server user can select which transactions to perform, in batch, simply and quickly without referring to reports to get the information on the original Book transaction (Pre-Auth).

The user is not allowed to change the amount of the transaction from the **Book** to the **Ship**. The amount shipped HAS to be the amount booked.

With Pre-Auth & Post-Auth, the user can authorize the transaction at one amount and then change that amount when the transaction is posted.

Using Book and Ship Transaction Processing



Simple Explanation: If your company is not set up as a mail order or e-Commerce business, skip ahead to the section **About Restaurant Transaction Processing** (see page 70).

Book & ship transaction processing is handled in much the same way as Pre-Auth and Post-Auth transaction processing. Essentially, a Book transaction is the same as a Pre-Auth, and Ship transaction is the same as a Post-Auth. The Ship transaction must be performed at the Server location. The Client can only perform Book transactions.

Enter all of your transaction information into the Book transaction window. Since the Book transaction type is similar to the Pre-Auth transaction type, you can refer to the section Credit Card Transaction Types for more information on both of the types (see page 66).



Note: As with Sale transactions, processing companies often offer a better per-transaction rate if you enter the ticket number, zip, CVC2/CVV2/CID, and street.

About Restaurant Transaction Processing



Simple Explanation: Client has the ability to process restaurant-based transactions in a way specifically suited for that type of business. Using Client and a processing company that is certified for restaurant transaction processing with the Server location, the user can add a gratuity to the total transaction amount.

If your company is not set up as a restaurant, skip ahead to the section About Commercial Card Processing (see page 72).

Client can process the following types of restaurant transactions:

- A Sale (including an estimated gratuity amount) -- This transaction should be used
 when the actual gratuity amount is not yet known but the total sale amount is
 known at the time of transaction.
- A Sale (including a known gratuity amount) -- This transaction should be used when both the actual gratuity amount and the total sale amount are known at the time of transaction.
- A Pre-auth (including an estimated gratuity amount) -- This transaction should be used when the actual gratuity amount is not yet known, but the total pre-auth amount is known at the time of transaction.
- A Post-auth (including a known gratuity amount) -- This transaction should be used
 when the actual gratuity amount is known after the original corresponding Pre-Auth
 transaction has been processed.
- A Gratuity (after a Sale including an estimated gratuity amount) -- This transaction should be used when the actual gratuity amount is known after the original corresponding Sale (including an estimated gratuity amount) transaction has been processed.

Client can also be configured to require that a two-character Server ID be entered at the time the transaction is processed. The Server ID entered is then associated with that transaction, and can be referenced from the Gratuity or Open Gratuity Reports.

Using Restaurant Transaction Processing



Simple Explanation: If your company is not set up as a restaurant, skip ahead to the section **About Commercial Card Processing** (see page 72).

Restaurant transaction processing is handled in much the same way as normal processing. The major difference is that there is a second step for some types of restaurant-based transactions: establishing the actual gratuity amount. This second step ensures that the correct gratuity amount is transferred from the customer's account to your account.

The different types of restaurant transactions are explained in detail below:

- A Sale (including an estimated gratuity amount) -- This transaction should be used when the actual gratuity amount is not yet known but the total sale amount is known at the time of transaction. This Estimated Gratuity Amount: can be entered simply by typing a value in the Estimated Gratuity Amount: field. This transaction should be followed by a Gratuity transaction.
- A Sale (including a known gratuity amount) -- This transaction should be used when
 both the actual gratuity amount and the total sale amount are known at the time of
 transaction. This Actual Gratuity Amount: can be entered simply by typing a value
 in the Actual Gratuity Amount: field.
- A Pre-auth (including an estimated gratuity amount) -- This transaction should be used when the actual gratuity amount is not yet known but the total pre-auth amount is known at the time of transaction. This Estimated Gratuity Amount: can be entered simply by typing a value in the Estimated Gratuity Amount: field. This transaction type differs from a Sale (including an estimated gratuity amount) in that a Pre-Auth sets money aside in anticipation of a Post-Auth (including a known gratuity amount). A Post-Auth can for less than the original Pre-Auth. A Pre-Auth must be followed by a Post-Auth in order for the funds to be transferred from a customer's account to your account.
- A Post-auth (including a known gratuity amount) -- This transaction should be used
 when the actual gratuity amount is known after the original corresponding Pre-Auth
 transaction has been processed. This Actual Gratuity Amount: can be entered
 simply by typing a value in the Actual Gratuity Amount: field. A Post-Auth (and/or
 Actual Gratuity Amount:) can for less than the original Pre-Auth (and/or Estimated
 Gratuity Amount:). A Pre-Auth must be followed by a Post-Auth in order for the
 funds to be transferred from a customer's account to your account.
- A Gratuity (after a Sale including an estimated gratuity amount) -- This transaction should be used when the actual gratuity amount is known after the original corresponding Sale (including an estimated gratuity amount) transaction has been processed. A Gratuity can for less than the original Estimated Gratuity Amount:. A Sale (including an estimated gratuity amount) must be followed by a Gratuity in order for the amount of the gratuity to be transferred from a customer's account to your account.

About Commercial Card Processing



Simple Explanation: Client has the ability to process commercial card transactions. Commercial cards (also known as corporate cards or purchasing cards) are special credit cards that are given to employees of businesses, governments, etc., for company purchases.

If your company is not set up to accept commercial cards (also known as purchasing or corporate cards), skip ahead to the section Offline Processing (see page 72).

Commercial card transactions record a customer code and a tax amount. The customer code is the code that is assigned to that cardholder (by his/her company), and is typically used for accounting within the cardholder's company. The tax amount is added to the total amount to be charged from that card--it's also kept separate for accounting purposes.

Using Commercial Card Processing



Simple Explanation: If your company is not set up to accept commercial cards (also known as purchasing or corporate cards), skip ahead to the section Offline Processing (see page 72).

Commercial cards are processed in almost the same way as normal credit cards. If your credit card processing company is certified for commercial card processing, Client will allow you to add a tax amount to the total transaction amount and can also include a customer code with the transaction information sent to the credit card processing company.

Client automatically recognizes commercial cards, so no special steps need to be taken to process commercial cards other than inputting the customer code and tax amount at the time of the sale.

Offline Processing



Simple Explanation: Offline processing allows you to enter all the necessary data for each of your transactions without having to connect to the processing company for each transaction immediately. The card information is saved into a new or existing Super DAT (SDT) file and is held there until the credit card processing company is actually contacted.

If you don't think you'll need this ability, skip ahead to the section **Debit Card** Transactions (see page 76).



WARNING: Transactions processed via offline processing have a higher pertransaction rate than swiped transactions. However, you can often achieve better rates by providing the greatest amount of information available for each transaction (Zip, address, etc.). Check with your payment processing company for details on per-transaction rates.

Offline processing saves time because the credit card processing company is not contacted for transaction authorization until after the user has finished inputting all transactions and is ready to process them all as one batch (group). It can also be used should you temporarily lose your connection to the credit card processing company.

How to Process Offline Transactions

- To enable Offline Processing, click Transactions on the menu bar. Click the Credit Card option. Client will display the Credit Card Transactions window. Click the Process Offline button.
- Client will display a New/Edit Existing window, allowing you to create a new SDT file or open an existing one (to add transactions). This Super DAT (SDT) file will contain your offline transactions.
 - If you're creating a new SDT file, enter a filename into the box labeled File name. Click the Open button to create your file, or click the arrow to the right of the Look In drop-down box to browse to a different save location.
 - If you're opening an existing SDT file, select the file you wish to open (you may need to change the Look In location to find your file). Click the Open button to open the file.
- Click OK to create or load your file. Client will return to the Credit Card Transactions window. Notice that the Process Offline button is activated. This indicates that any transactions processed will be recorded in the file displayed at the bottom of this window.



Note: If your connection to the processing company is still available and you're only using offline processing to speed up transaction processing, you can interrupt offline processing and return to normal processing at any time by clicking the **Process Offline** button again to deactivate it.

4. Process any transactions that you want included in the offline batch of transactions. Clicking the Process button saves that transaction to your SDT file, and Client will

update the transaction count at the bottom of the Credit Card Transactions window.

- When you're done entering transactions, click the Process Offline button to close the file and save all the transactions you've just entered. Click Cancel to exit the Credit Card Transactions window.
- To actually have your credit card company process the transactions, you'll need to import your SDT file. Consult the following section, Processing an Import File, for more information on this subject.

Processing an Import File

Import files must be processed from the Server location. This is intended as a security feature, since Client-generated import files are usually created in response to a temporary communications outage. Consult the Server location manual for instructions on importing offline processing files.

Debit Card Transactions

Debit Card Transaction Types

There are two main types of debit card transactions: Sales and Credits. Other debit card transactions (Void Sale, Void Credit, etc.) are variations on these. The different types of transactions are also known as actions. Here is a list with general descriptions:

- Sale -- This action decreases the cardholder's limit to buy. It authorizes a transfer of funds from the cardholder's account to your account.
- 2. Credit (Return) -- This action increases the cardholder's limit to buy. It authorizes a transfer of funds from your account to the cardholder's account.
- 3. Void Sale -- This action removes a sale transaction. No funds will be received from this transaction. Use the Void Sale action to correct mistakes and on same-day returns. This action can only be performed before batch settlement/close. With a host based auto-close system, the action has to be performed on the same day.
- 4. Void Credit (Return) -- This action removes a Credit transaction. This action can only be performed before batch settlement/close. With a host based auto-close system, the action has to be performed on the same day. If you want to void a credit and the action is not available, use the Void action.
- 5. Sale Recovery -- This action removes a Void Sale transaction. The original sale will be processed as if the sale was never voided. This action can only be performed before batch settlement/close. With a host based auto-close system, the action has to be performed on the same day.
- 6. Credit (Return) Recovery -- This action removes a Void Credit (Return) transaction. The original credit will be processed as if the credit was never voided. This action can only be performed before batch settlement/close. With a host based auto-close system, the action has to be performed on the same day.

Debit Card Processing

 From the Client's main window (see page 60), click the Debit icon to access the Debit Card Sale window. Or, click Transactions on the menu bar, and then click the Debit Card option.



Note: If you are using a PIN pad device with PCCharge, you must click the Debit icon before you can swipe a debit card through your PIN pad (even if the Debit Card window is already onscreen). This will activate the magnetic strip reader and make it ready for use.

- 2. Select the transaction type (Sale, Return, etc.) you want to perform. Swipe the debit card through your card reader.
- Depending on your PIN pad and debit card processing company, Client may prompt you to enter addition transaction data (using either your PIN pad or the Client interface).

4. Click the Process button. Your PIN Pad will prompt you to have the customer enter their PIN. After the number is entered, the Server location will contact debit card processing company and this Client location will display the results of the transaction.



Note: The fields shown below may differ from what you see in your copy of the Client software, depending on your debit card processing company and the transaction type being performed.



Debit Card Transaction Fields

Debit Card Number: -- Displays the debit card number captured by your card reader.

Card Member: -- The cardholder's name.

Ticket Number: -- This field allows you to enter an invoice number or some other internal reference number.

Amount \$: -- The dollar amount of the transaction to be processed.

Cash Back \$: -- This field allows you to enter the cash back amount. The cash back is an amount over the amount of purchase. This amount is to be given to the customer. It is basically a service that debit transactions allow you to offer for your customers.

Total \$: -- This field shows the total amount of the transaction to be processed. It is calculated by adding the Amount: and Cash Back \$: field.

Check Services Transactions

Check Services Processing


Check Verification verifies that the check writer has an account that does not have any "negative flags" for that method of check verification (drivers license, MICR, etc.). Check Guarantee guarantees that the check amount will be paid to you regardless of the funds available in the customer's checking account.

To access the Check Services window, click Transactions on the menu bar. Click the Check Services option. Or, click the Check button on the Icon Bar.

A check swipe is available for processing checks. You can contact your merchant service provider for more information.



Note: Your Check Services window may look slightly different depending on which check services company you are using.



Action Tabs

The action tabs allow you to select the desired **Action**: Sale, Credit, etc. Not all **Action** Tabs or fields will be available to every check processing company for every transaction type.



Note: Some of the following fields may not appear in your Check Services window. This is because each check services company offers different options.

Transit Number -- Allows you to enter your customer's transit number.

Phone Number -- Allows you to enter your customer's phone number.

Zip Code -- Allows you to enter your customer's zip code.

Check Number -- Allows you to enter your customer's check number.

Account Number -- Allows you to enter your customer's checking account number.

Driver's License -- Allows you to enter your customer's driver's license number.

Birth Date -- Allows you to enter your customer's birth date from his or her driver's license.

State Code -- Allows you to enter your customer's state code.

Amount \$ -- Allows you to enter the amount of the transaction.

Ticket -- Allows you to enter an internal invoice number.



Note: If you perform check truncation/conversion, you'll need to close your batch at the end of the day. It is necessary to perform this procedure to have funds transferred from the customers' accounts to yours. Consult the section **Truncation Close** for further explanation of this process (consult the **Server** documentation).

All about Check Verification/Guarantee

In verifying/guaranteeing a check, funds are not being moved. Check Verification/Guarantee is only a one step process. There is no need for re-transmission (batch settle/close).

- 1. Check Verification -- Verification allows you to verify that the check writer has an account that does not have any "negative flags" for that method of check verification (driver's license, MICR, etc.).
- 2. Check Guarantee -- Guarantee first performs a Check Verification, and then guarantees that the funds are available, regardless of how much money is actually in the check writer's account.

All about Check Conversion/Truncation

Check Conversion/Truncation is one of the newer developments in electronic payment processing. It is a process by which a checking account is immediately debited electronically.

Processing a check conversion is a two-step process:

- 1. Process whatever check **Sale** transactions you have for that particular day.
- As with credit cards, there is secondary transmission of information needed to complete a transaction. This happens at the Server location and is called Truncation Close.



Note: The important thing to remember is that without re-transmission of the check information, you will not receive your money. Every day that you perform truncations, the **Server** location should perform a truncation close after all transactions are complete.

Check Conversion Up-Close

Check Conversion takes verifying one step further. The first step is to verify/guarantee the check. The second step is to have the funds electronically moved from your customer's checking account to yours.

- Verify -- This action allows you to verify that a checking account exists for your customer and guarantees that the amount of the transaction is available. This action also allows you to perform the first half of a sale transaction. This action does not make information available for re-transmission.
- 2. Sale -- This action reduces the balance of your customers' checking account. A sale actually performs two functions. First, a sale will verify/guarantee a check. Second, it will make the transaction available for re-transmission.
- 3. Void -- This action removes a Sale or Forced transaction from the re-transmission information. You will be deleting the transaction. You will not get the funds from this transaction. Use the Void Sale action to correct mistakes and on same day returns. This action can only be performed before re-transmission.
- 4. Force -- This action makes a verified check transaction available for retransmission. A Verify followed by a Force is equivalent to a Sale.

Gift Card Transactions

Gift Card Transaction Types

There are several gift card processing companies currently supported by Client, each with its own unique transaction types. Consult the PCCharge Appendices for a description of the transaction types available for each processor.

To access the PCCharge Appendices (available at the Server location), click the Windows Start button, then Programs (or All Programs), then PCCharge Pro (or PCCharge Payment Server), then PCCharge Appendices.

Gift Card Processing

From the Main Window (see page 60), click the Gift Card icon to access the Gift Card Transaction window. Or, click **Transactions** on the menu bar, and then click the **Gift Card** option.



Note: If you are using a PIN pad device with PCCharge, you must click the Gift icon before you can swipe a gift card through your PIN pad (even if the Gift Card window is already onscreen). This will activate the magnetic strip reader and make it ready for use.

- From the Action Selector Row, select the desired action (Redemption, Register, etc.).
- 2. Enter the gift card number.
 - In a retail environment, the gift card should be swiped through your card reader. If a card reader is not available, type in the gift card number.
 - In a non-retail environment, type in the gift card number.
- Enter the dollar amount of the transaction.
- Click the Process button.





Note: The fields shown may differ from what you see in your copy of the Client, depending on the processor selected and the transaction being processed.

Gift Card Number: -- Displays the gift card number.

Cashier Privileges



Simple Explanation: In order to use cashier privileges at the Client location, they must be first set up at the Server location (consult the Server documentation for instructions). Cashier privileges are used to control what functions a cashier can access.

The Log On icon will be enabled and there will be a Log Off menu choice under File. The active cashier's User Name is shown at the bottom of the main Client window, next to the Active Company Display (see page 60).

Log On



Simple Explanation: If you encounter the following Log On window, it is usually because you have started up Client. Enter your User Name and Password for your cashier account, then click the Log On button. This information will be available from whoever set up cashier privileges at the Server location.



The Client will display the Log On window at these times:

- when the Client is started
- when the Log On/Off icon is clicked
- when the Log Off option is selected from the File menu
- when the PCCharge Pro/PS path is changed in the Setup Wizard

You may also log in and out of a cashier account by clicking the Log On/Off button on the lcon Bar. This icon is immediately to the left of the help icon.

Manager Override Password



Simple Explanation: The Manager Override Password window is very similar to the Log On window. The difference is that the Manager Override Password window is displayed when a cashier attempts to access a function that he does not have permission to access.

As stated above, the Manager Override Password window is displayed when a cashier (Shelly) attempts to access a function that she has not been given permission to access. The Manager or System user - or even another cashier who has permissions for that particular function -- can override that protection by entering their User Name and Password. The first cashier (Shelly) is granted access to that function for that one instance. If she needs to perform that function again, another override would be required.



Customer Database



Simple Explanation: The Client customer database allows you to store information about your clients, process transactions, and create recurring billing contracts. There are two main sections of the **Customers** window:

- Customer Info -- Allows you to record a customer's personal information
- Credit Card Info -- Allows you to record a customer's credit card information

The Customer Database accessible from the Client is identical to PCCharge Pro's in every way except that the Client Customer Database cannot create or process contracts. This function is reserved for the Server location.

All other functions of the customer database are accessible by Client. The following sections describe how to use the client customer database.




Note: Since the customer database is not available in PCCharge Payment Server, the customer database functions are not available when the Client is used in conjunction with PCCharge Payment Server.

Customer Info



Simple Explanation: The Customer Info section of the Customers window allows you to store, view, and edit a customer's credit card information. This information is stored in the customer database.



Creating a New Customer

- From the main window, click the Customers button on the icon bar. Click the Credit Card Info tab. Note that you can also use the right and left arrows at the bottom of this window to browse through your customers.
- 2. From the Customer Info section of the Customers window, click the New button.
- 3. You can manually create a Customer ID, or Client can auto-create the Customer ID field. If you check the box labeled Auto Assign Customer ID, Client will automatically create a Customer ID when you click the New button.
- 4. Enter your customer's personal information. It is not necessary to use every field. However, you must at least provide a Company Name or First Name & Last Name. If you fill out a First Name and Last Name but not a Company Name, a Company Name will be generated for you.



Note: You must use a letter for the first character of Company Name. Any characters that follow can be letters or numbers. Additionally, all punctuation is prohibited (due to database restrictions).



Note: You'll usually get the best per transaction rate from your credit card processing company if you provide complete name and address information. Check with your processing company for information on how to get the best per transaction rate.

- 5. The Credit Limit field allows you to specify (in dollars) a credit limit for the displayed customer. This field is just a convenient reference; it does not actually affect whether or not the Client software will allow a transaction to be processed.
- 6. After filling out all applicable fields, click the Update button. You will be prompted to commit changes. If you click Yes, your information will be saved. A plus sign should appear next to the corresponding folder (on the left side of the Customers window). A plus sign shows that a folder contains on or more entries. The entries in the database are listed alphabetically by the Company Name field.

Deleting a Customer

The Client Customer Database can delete database entries.


Finding an Existing Customer

Click the Find button to access the Find Customer window and search through customer database entries for a particular customer. The search allows you to use the Customer ID, Company Name, and Last Name fields from the Customers window to find the desired customer. Select the field you would like to use in the search, and enter the information you'd like to find (using the Search For field).

Credit Card Info



Simple Explanation: The Credit Card Info section of the Customers window allows you to store a customer's credit card information in the customer database. You can also use this section to process individual transactions for specific customers.



Recording a Customer's Credit Card Information

- From the main window, click the Customers button on the icon bar. Select the
 customer whose credit card information you wish to view/edit. If you have not
 entered any customers into the customer database, refer the subsection Creating a
 New Customer in the section Customer Info (see page 88).
- Click the Credit Card Info tab to access the Credit Card Info section of the Customers window. The values in the Credit Card Number, Expiration Date, Alt Credit Card Number, and Alt Expiration Date fields are pulled from the Customer Info window. You can also use the right and left arrows at the bottom of this window to browse through your customers.
- 3. Enter the customer's Credit Card Number and Expiration Date. If an alternate credit card number is available for customer, enter that information into Alt Credit Card Number and Alt Expiration Date. This information can be used to create recurring billing contracts, and can also be used to process individual transactions from the Customer Transactions window (see page 92). The Alt Credit Card Number and Alt Expiration Date fields may be left blank.

- 4. You can enter an Amount if you expect to constantly manually process transactions for this customer for the same amount (instead of using automatic recurring billing). This field may be left blank.
- 5. If you're performing a commercial card transaction and your processing company is set up to process commercial cards, enter the cardholder's Customer Code, Tax amount, and Ship To Zip. These fields are not available for editing unless you're processing a commercial card. Refer to the section All about Commercial Card Processing for more information on commercial cards (see page 72).
- 6. Click the Update button, and your customer's credit card information will be saved to the customer database. After you click Update, only the first four and last four digits of the credit card number will be displayed (for security reasons), but the entire number is stored in the customer database.

Editing a Customer's Credit Card Information

- To edit an existing customer's credit card information, you must first select a customer using the folder on the left of the Customers window. If you have not entered any customers into the customer database, refer the subsection Creating a New Customer in the section Customer Info (see page 88).
- 2. Make any changes as necessary.
- Click the Update button, and your customer's credit card information will be saved to the customer database. After you click Update, only the first four and last four digits of the credit card number will be displayed (for security reasons), but the entire number is stored in the customer database.

Processing a Customer Transaction

Using the folder on the left of the Customers window, select the customer for whom you wish to process a transaction. Click the Process button to access the Customer Transaction window and process a transaction for the selected customer (see page 92).


Finding an Existing Customer

Click the Find button to access the Find Customer window and search through customer database entries for a particular customer. The search allows you to use the Customer ID, Company Name, and Last Name fields from the Customers window to find the desired customer. Select the field you would like to use in the search, and enter the information you'd like to find (using the Search For field).

Customer Transactions



Simple Explanation: The Customer Transactions window allows you to process non-recurring transactions for specific customers. The difference between this window and the main Credit Card Transaction window is that this window provides a convenient way to process transactions for customers recorded in the customer database.



Processing a Customer Transaction



Note: The following instructions apply to processing individual customer transactions using a credit card. If a customer wants to use an alternate form of currency for a contract-based payment, refer to the Manual Payment method described in the subsection Editing a Customer Contract in the section Contracts (in the Server manual).

- To access the Customer Transactions window, click Customers on the menu bar. Click the Customers option. Select the customer for whom you wish to process a transaction. Click the Credit Card Info tab. Click Process to access the Customer Transactions window.
- 2. Client will automatically fill out this window with the transaction, customer, and card information from the Customer Info and Credit Card Info sections of the Customers window. You can manually modify some of the values listed in the Customer Transactions window), but any changes made in this window will not affect the customer's recorded information. To make permanent changes to the customer's information, use the Customer Info (see page 88) and Credit Card Info (see page 90) sections of the Customers window.

- Using the Credit Card Number drop-down box, select the customer's credit card number you wish to use to process the transaction. The Exp. Date field will automatically display the expiration date associated with the selected credit card number.
- 4. Select the transaction type you wish to process from the Trans Type drop-down box.
- 5. Enter a ticket number for the transaction. This should be some internal reference number you create (invoice number, sales number, etc.).
- If you are performing a Void or a Post-Auth, enter the original transaction's Reference Number.
- 7. If you are performing a commercial card transaction and your processing company is set up to process commercial cards, enter the cardholder's **Customer Code**.
- 8. If you are performing a CitiCorp Private Label Sale or Post-Auth transaction, enter a Promo Code (up to 5 digits).
- 9. You may enter a tax amount in the Tax field whether or not you are performing a commercial card transaction However, the tax amount will not be recorded to the customer database unless you are processing a commercial card and your processing company is set up to process commercial cards.
- 10. By default, the Sub Total will be the same as the value entered in the Amount field in the Credit Card Info section of the Customer window. You can change the Sub Total manually entering a new value into the field. Alternatively, you can enter product/service Descriptions and Amounts, and Client will compute a Sub Total for you.

	Description	Amount
•	-	\$0.00



Note: This information is not stored in the customer database for later retrieval. It is merely a convenience used to itemize purchases at the time of the transaction. This information will not be printed to your receipts.

11. Click **OK** and **Client** will attempt to contact the **Server** location and have it process the transaction.

Reports




Simple Explanation: This section explains how to access each report and find out what transaction information each report presents. You will also learn how to configure your report's data.



Note: This function provides access to all reports accessible at the **Server** location of PCCharge. If you find that a report is not accessible, it usually means that the active processing company does not support that report type.

The Reports menu on PCCharge Client's menu bar has many sub-menus. The reports are categorized by the type of data they display: credit card Transactions, Batches, Check transactions, Debit transactions, etc. When selected, each Reports menu item brings up a window similar to the following:





Note: Not all Reports windows selectable from the Reports menu will have the same options and fields accessible. For example, in the Today's Summary Report, you wouldn't be able to change the Member: and Ticket #: fields. Further, not all processing companies will have access to the same reports. An account using a host based system would, of course, not be able to access the Settled Batch report (host based systems *close* their batches, terminal based systems *settle* their batches).

Report Type

Each Reports menu item will display a different report type in the Report Type: field. You can select a different report type from this list by clicking on the small arrow to the right of the Report Type: field.

Print To

Window -- (Default = Selected) -- Select this option if you want to view the report from within PCCharge. After the report is shown on window, you may print it out by clicking the Print button.

Printer -- (Default = Unselected) -- Select this option if you want to send the report to the printer selected in the Report Printer Setup window (see page 44). If this option is selected, two additional options become available: Portrait and Landscape. Select the page orientation you wish to use.

File -- (Default = Unselected) -- Select this option if you want to send the report to your hard drive as an ASCII text file. After this option is enabled and you click **OK**, you'll need to specify the desired file name and location of the text file.

Report Filters

Start: -- Click the small drop-down arrow button (to the right of the Start: field). Select the start date for report range you wish to view.

End: -- Click the small drop-down arrow button (to the right of the End: field). Select the end date for report range you wish to view.

Member: -- Use this field if you want to generate a report that shows only those transactions processed for a specific card member. Enter the exact card member name used in the original transaction(s).

Card #: -- Use this field if you want to generate a report that shows only those transactions processed for a specific credit card number. Enter the exact credit card number used in the original transaction(s).



Note: Enter the first four digits of the credit card number, eight periods, and then the last four digits of the credit card number.

If the card number contains fewer than 16 digits, then adjust the number of periods between the first four and last four to add up to the total card length.

User ID: -- Use this field if you want to generate a report that shows only those transactions processed by a specific user ID. This report applies only to multi-user version of PCCharge. Enter the exact user ID used to process the original transaction(s).

Ticket #: -- Use this field if you want to generate a report that shows the transaction associated with a particular ticket number. Enter the exact ticket number used in the original transaction.

Merchant #: -- (Default = All) -- Select a merchant number. All transactions processed with the selected merchant number will be used to generate the report. If All is selected as the Merchant #:, then all transactions processed with all merchant numbers registered with PCCharge will be used to generate the report.


Card Type: -- (Default = All) -- Select a card type. All transactions processed with the selected card type will be used to generate the report. If All is selected as the Card Type:, then all transactions processed with all card types will be used to generate the report.

Status: -- (Default = Approved) -- Select the result of a transaction: Approved or Declined. All transactions processed with the selected status will be used to generate the report. If All is selected as the Status:, then all transactions processed - regardless of status - will be used to generate the report.

Batch: -- Enter a batch number. All transactions processed within the selected batch will be used to generate the report. Enter the exact batch number used for the original transaction(s).

Amount: -- Enter an amount. All transactions processed for the selected amount will be used to generate the report. Enter the exact amount used in the original transaction(s).

Viewing a Report





Note: Some reports are larger than your viewable window. Use the scroll bars (located on the right hand side and bottom of the window).


Report Window Buttons

lcon	Description
Ø	Print Click this button to print the report.
	Copy Click this button to copy this report to system memory as an image. You may then paste the image into a graphics editing application.
44	Find Click this button to find a text string within the report.
	Single Page Click this button to view a single report page at a time.
	Multiple Pages Click this button to view multiple report pages at once. You may specify how many pages you wish to view simultaneously.
Θ	Zoom Out Click this button to decrease the current magnification level.
\odot	Zoom In Click this button to increase the current magnification level.
1	Previous Page Click this button to view the previous page in the report.
*	Next Page Click this button to view the next page in the report.
(3)	Move Backward Click this button to move backward in your page view history.
9	Move Forward Click this button to move forward in your page view history.

Daily Transaction Summary

The Daily Transaction Summary is a summary of the transactions that you have processed today.

To access the Daily Transaction Summary report filter, click Reports on the menu bar. Click the Transactions option. Select Daily Transaction Summary from the drop-down list.




In the Report Filters area you can select the User ID that processed the transactions, Status: of the transactions processed, the Start: and End: date, the Batch #:, and the Merchant #. Click the OK button to view/print/save the report.

Because this is a Daily Transaction Summary, the Start: and End: dates default to today's date.

Credit Card Detail

The Credit Card Detail report is a line-by-line view of your credit card transaction history.


To access the Credit Card Detail report filter, click Reports on the menu bar. Click the Transactions option. Select Credit Card Detail from the drop-down list.



AVS

The AVS report shows your transaction history with the AVS response for each transaction.


To access the AVS report filter, click Reports on the menu bar. Click the Transactions option. Select AVS from the drop-down list.



Book

The Book report shows transactions that were performed using the Book Transaction window


To access the Book report filter, click Reports on the menu bar. Click the Transactions option. Select Book from the drop-down list.



Ship

The Ship report shows transactions that were performed using the Ship Transaction window.


To access the Ship report filter, click Reports on the menu bar. Click the Transactions option. Select Ship from the drop-down list.



Customer Transaction

The Customer Transaction report displays transactions that were processed as a payment for a recurring billing contract.

To access the Customer Transaction report filter, click Reports on the menu bar. Click the Transactions option. Select Customer Transaction from the drop-down list.




Batch Pre-Settle

The Batch Pre-Settle report lets you view batches of transactions that are waiting to be settled. As soon as you settle the transactions, the report will be empty. There will be no transactions to view until you process more transactions.



Note: This report is only available when using a terminal-based processing company.

To access the Batch Pre-Settle report filter, click Reports on the menu bar. Click the Batch option. Select Batch Pre-Settle from the drop-down list.



In the Report Filters area you can select the Merchant #: used to process the transactions. The date range is not pertinent to this report. Click the OK button to view/print/save the report.


Batch Post-Settle

The Batch Post-Settle report allows you to view batches of transactions that have been settled.



Note: This report is only available when using a terminal-based processing company.

To access the Batch Post-Settle report filter, click Reports on the menu bar. Click the Batch option. Select Batch Post-Settle from the drop-down list.




Check Summary

The Check Summary report gives a summary of check transactions.



Note: This report is only available in a check-processing environment.

To access the Check Summary report filter, click Reports on the menu bar. Click the Check option. Select Check Summary from the drop-down list.



In the Report Filter area you can select the Start: and End: dates, the Ticket #:, the Amount:, and the Status: of transactions processed. Click the OK button to view/print/save the report.


Check Detail

The Check Detail report is a line-by-line view of your check transaction history.



Note: This report is only available in a check-processing environment.

To access the Check Detail report filter, click Reports on the menu bar. Click the Check option. Select Check Detail from the drop-down list.



In the Report Filter area you can select the Start: and End: dates, the Ticket #:, the Amount:, and the Status: of transactions processed. Click the OK button to view/print/save the report.


Debit Summary

The **Debit Summary** report is a summary of your debit transaction history.



Note: This report is only available in a debit processing environment.

To access the Debit Summary report filter, click Reports on the menu bar. Click the Debit option.



In the Report Filters area you can select the User ID that processed the transactions, the Start: and End: dates, the Ticket #: of the transaction, the Status: of transactions processed, the Batch #:, and the Amount:. Click the OK button to view/print/save the report.


EBT Summary

The EBT Summary report is a summary of your EBT transaction history.



Note: This report is only available in an EBT processing environment.

To access the EBT Summary report filter, click Reports on the menu bar. Click the EBT option..




In the Report Filters area you can select the User ID that processed the transactions, the Start: and End: dates, the Ticket #: of the transaction, the Status: of transactions processed, the Batch #:, and the Amount:. Click the OK button to view/print/save the report.

Periodic Payments by Expired Contracts

This report shows the customer database accounts that will expire within the selected date range.

To access the Account Expiration report filter, click Reports on the menu bar. Click the Periodic Payments option. Click the Summary by Expired Contracts option.



Sort Order:


You may sort by Company name or by Final Date

In the Report Filters area you can select the Start: and End: dates, and a Sort Order:. Click the OK button to view/print/save the report.

Periodic Payments by Account

This report shows a summary of periodic payments based on customer database accounts that were processed within the selected date range.

To access the Periodic Payments by Account report filter, click Reports on the menu bar. Click the Periodic Payments option. Click the Summary by Customer ID option.




In the Report Filters area you can select the Start: & End: date, the card Member:, the Card #:, the User ID: that processed the transactions, the Ticket #:, the Card Type:, the Status: of the transactions processed, the Batch #:, the Amount:, and the Merchant #:. Click the OK button to view/print/save the report.

Periodic Payments by Date

This report shows you a line-by-line report of periodic payment transactions from the customer database that were processed within the selected date range.

To access the Periodic Payments by Date report filter, click Reports on the menu bar. Click the Periodic Payments option. Click the Summary by Date option.




In the Report Filters area you can select the Start: & End: date, the card Member:, the Card #:, the User ID: that processed the transactions, the Ticket #:, the Card Type:, the Status: of the transactions processed, the Batch #:, the Amount:, and the Merchant #:. Click the OK button to view/print/save the report.

Reprint Receipts

The Reprint Receipts function allows you to reprint a receipt. The Report Filter section of this window is similar to the other report filter windows. However, here you must specify a single transaction or a range of transactions for which you wish to reprint receipts.

To access the Reprint Receipts report filter, click Reports on the menu bar. Click the Reprint Receipts option.




- Enter the number of the first receipt in the Start Number: field.
- Enter the number of the last receipt in the End Number: field.
- Click the **OK** button to reprint the receipt(s).

Audit

The Audit report allows you to view actions performed by your cashiers. It shows attempted logons, functions accessed, etc.

To access the Audit report filter, click Reports on the menu bar. Click the Audit option.



- Enter the name of the cashier in the Cashier Name field.
- Or, enter the name of the supervisor in the Supervisor Name field.

In the Report Filters area you can select the Start: & End: date. Click the OK button to view/print/save the report.

Cashier Name

If you specify a Cashier Name, then the audit report will only show the actions performed by that specific cashier.

Supervisor Name

If you specify a **Supervisor Name**, then the audit report will only show the actions authorized by that specific supervisor's override. A supervisor is a cashier (or the system user) that has access to a function and grants access to that function to a cashier that does not have access.


Restaurant Pre-Settle

This report shows a line-by-line report of transactions and gratuity amounts for those transactions. The transactions are grouped by Server ID, if one is specified. This report shows those restaurant transactions waiting to be finalized or completed.



Note: This report is only available when the business type of your processing company's account is set to **Restaurant**.

To access the Restaurant Pre-Settle report filter, click Reports on the menu bar. Click the Restaurant option. Click the Restaurant Pre-Settle option.



In the Report Filters area you can select the Server ID:, the Card #:, the Ticket #:, and the Merchant #:. Click the OK button to view/print/save the report.


Restaurant Detail

This report shows a line-by-line report of transactions and gratuity amounts for those transactions. The transactions are separated by Server ID. This report allows filtering by date, card, and other information.



Note: This report is only available when the business type of your processing company's account is set to **Restaurant**.

To access the Restaurant Detail report filter, click Reports on the menu bar. Click the Restaurant option. Click the Restaurant Detail option.




In the Report Filters area you can select the Start: & End: date, the Server ID:, the Card #:, the User ID: that processed the transactions, the Ticket #:, the Card Type:, the Status:, the Batch #:, the Amount:, and the Merchant #:. Click the OK button to view/print/save the report.

Gift Card

The Gift Card report shows transactions that were performed using the Gift Card Transaction window.

To access the **Gift Card** report filter, click **Reports** on the menu bar. Click the **Transactions** option. Click the **Gift Card** option.



In the Report Filters area you can select the Start: & End: date, the Card #:, the User ID: that processed the transactions, the Card Type:, the Status: of the transactions processed, and the Amount:. Click the OK button to view/print/save the report.

Frequently Asked Questions

Question: Does PCCharge Pro/PS have to be on my actual network server?

Answer: No. PCCharge Pro/PS can be on any computer to which the Client can establish a network connection. The Server must have the ability to connect to the processing company and the ability to share the PCCharge Pro/PS folder to the Client locations.

Question: Will the Client work with the PCCharge Server operate over a Novell network?

Answer: PCCharge Pro/PS and Client were designed to operate on a Windows 9X/NT network. We have had some of our customers tell us they were able to get the relationship to work on a Novell network, but our Technical Support Department cannot support such an arrangement.