

TABLE OF CONTENTS

| 1 | Sun | ummary | | |
|---|--|--|----------------------|--|
| 2 | Soft | oftware requirements | | |
| 3 | Installing the Outlook E-Mail Manager Client | | | |
| | 3.1 | 3.1 Requirements | | |
| | | 3.1.1 Installation for trial customers for cloud-based testing3.1.2 Installing the full version or testing on your own server | 3 | |
| | 3.2 | Plug-In-Installation | 3 | |
| 4 | Setting up the Outlook E-Mail Manager for Alfresco | | 7 | |
| | 4.1 | Connecting to the Alfresco server | 8 | |
| | 4.2 | Email archiving settings 4.2.1 Archiving as links | 9 | |
| | 4.3 | Advanced settings | 11 | |
| | 4.4 | Configuration templates 4.4.1 Format of the configuration template 4.4.2 Initial configuration template 4.4.3 Import configuration template | 12 12 15 15 | |
| | 4.5 | Lizenzverwaltung | 16 | |
| 5 | Email archiving | | 17 | |
| | 5.1 | Drag & Drop E-Mails emails into a folder in Alfresco Explorer | 17 | |
| | 5.2 | Action: Archive emails directly | 18 | |
| | 5.3 | Duplicate check | 20 | |
| | 5.4 | 5.4 Identifying already archived emails | | |
| | 5.5 Displaying already archived emails | | 21 | |
| 6 | Outlook Alfresco Explorer | | | |
| | 6.1 | Drag & Drop From Alfresco | 22 | |

Mail ecm@westernacher.com

Web ecm.westernacher.com

Westernacher Products & Services AG

 Königstraße 26
 Fon +49 711 722595 0

 70173 Stuttgart
 Fax +49 711 722595 99





| | 6.2 | Context menu for folders | |
|---|--|--|----------------------|
| | 6.3 | Context menu for Emails | 25 |
| | 6.4 | Context menu for Email Attachments | 26 |
| | 6.5 | Context menu for Documents | 26 |
| | 6.6 | Search in Alfresco 6.6.1 Simple search 6.6.2 Advanced search 6.6.3 Displaying and using search results | 27 28 29 29 |
| | 6.7 | Workflows 6.7.1 Starting a new workflow 6.7.2 Workflow overview in Outlook Alfresco Explorer | 31 31 33 |
| 7 | Ema | 34 | |
| | 7.1 | Detailed view | 34 |
| | 7.2 | Simple view | 35 |
| | 7.3 | Email filters | 35 |
| | 7.4 | Email detailed view | 35 |
| | 7.5 | Email search in Alfresco | 36 |
| 8 | Email integration settings for administrators 38 | | |
| | 8.1 | Email integration settings | 40 |
| | 8.2 | Automatic configuration of Clients via Admin-console | 40 |
| | 8.3 | Automated Attachment Stripping | 41 |
| | 8.4 | Email access tokens | 42 |
| | 8.5 | Email licenses | 42 |
| a | Siler | nt installation of Alfresco Outlook Client | 11 |



 Königstraße 26
 Fon +49 711 722595 0

 70173 Stuttgart
 Fax +49 711 722595 99



Mail ecm@westernacher.com

Web ecm.westernacher.com



1 SUMMARY

This document describes how to install and configure the Westernacher Outlook E-Mail Manager for Alfresco.

2 SOFTWARE REQUIREMENTS

- ⇒ Operating system: Windows 7 / Windows 8 (incl. 8.1)
- → Microsoft Office 2007 (32/64 Bit), Microsoft Office 2010 (32/64 Bit), Microsoft Office 2013 (32/64 Bit)
- ⇒ Support for Alfresco Enterprise 4.2.2, 4.2.1, 4.2.0, 4.1.3 4.1.8

3 INSTALLING THE OUTLOOK E-MAIL MANAGER CLIENT

3.1 REQUIREMENTS

3.1.1 INSTALLATION FOR TRIAL CUSTOMERS FOR CLOUD-BASED TESTING

For easy testing of our Outlook E-Mail Manager, we provide customers with our cloud-based and preconfigured Alfresco test server. You will receive the server name and your login information in a separate email. Please proceed as described in **3.2 Plug-In installation** and enter the license key as described in **4.5 License Management for the Outlook E-Mail-Manager**.

3.1.2 INSTALLING THE FULL VERSION OR TESTING ON YOUR OWN SERVER

If you have purchased the full version of the Outlook E-Mail Manager or we have provided you with the AMPs for testing our plug-in on your own sever, it is essential that you first install the server side (see Appendix) and enter the license key for the Outlook E-Mail Manager in Alfresco Share before you install the Outlook E-Mail Manager client (see **8.3 Email Licenses**).

3.2 PLUG-IN-INSTALLATION

The Outlook E-Mail Manager client for Alfresco is delivered as a zip archive. After unpacking, the file needs to be executed with the following commands: <unpacked directory>\ install.bat.

The installer first checks whether all required components already exist on the system. If this is not the case, the installer installs these files automatically.

IMPORTANT: In order to install the following components, you need to have local administrator rights:

- → .NET 3.5
- ⇒ Microsoft VS Tools for Office Runtime


When all components are installed on the system, the Westernacher Outlook E-Mail-Manager installer starts.

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99







Step 1: Initiate the installation process



Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99




Mail ecm@westernacher.com

Web ecm.westernacher.com






Step 2: Accept the license agreement




Step 3: Select the language










Step 4: Select installation folder




Step 5: Enter a location for saving user settings

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99







Step 6: Confirm installation

4 SETTING UP THE OUTLOOK E-MAIL MANAGER FOR ALFRESCO

After installation, the Outlook toolbar should display the new "E-Mail Manager (1) tab with the following entries:

- ⇒ Configure
- ⇒ Language
- → Archive in Folder
- → Alfresco Details
- → Help
- → Info

Click "Configure (2)" to open the configuration screen of the Westernacher Outlook E-Mail Manager.



Interface in Outlook 2010


Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99





4.1 CONNECTING TO THE ALFRESCO SERVER



Configuration windows "system settings"


- 1 URL to Alfresco server.
- 2 Name of the Alfresco Explorer web application.
- 3 Name of the Share web application.
- 4 Standard login with username/password.
- 5 If using a 'single sign on' (SSO), NTLM authentication will be used.
- 6 Alfresco server connection test.

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99





4.2 EMAIL ARCHIVING SETTINGS



Configuration window "Email settings"

- 1 Archiving settings various combinations can be selected:
- ⇒ Save attachments as separate documents: Specifies whether email attachments will be saved as separate documents in Alfresco during archiving or not.
- ⇒ Archive MSG file: When this option is selected, the original Outlook MSG file is also stored in Alfresco.
- ⇒ Archive as links: The original emails are saved in Outlook only as links to the content in Alfresco (see **4.2.1 Archiving as links**).
- 2 Email archiving settings one of the following settings can be selected using the radio buttons:
- ⇒ Use default settings: All emails will be saved on the Alfresco server according to the settings specified in the archiving settings (1).
- ⇒ Enter metadata when archiving: This setting specifies whether the emails are to be tagged during archiving (see **5.1 Drag & Drop emails into a folder in Outlook**)
- ⇒ Show settings when archiving: This allows you to select how each individual email should be archived. You will be given the same options as offered here in the archiving settings (1).

4.2.1 ARCHIVING AS LINKS

In order to reduce the size of the inbox, you can archive Outlook emails as links to the content in Alfresco.

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99






In the process the emails:

- ⇒ Are saved in their entirety (original EML file) in Alfresco
- ⇒ Are saved only in part (without text and attachments) in Outlook.

Outlook emails contain (in the text) a link to the original message in Alfresco.

IMPORTANT: After archiving, the original message ONLY exists in Alfresco!



View of an email that is archived as a link

- 1 The subject, sender and recipient (including CC) remain.
- 2 If you click this link, the original email can be loaded from Alfresco and opened and worked with again (reply, forward, etc.) in Outlook.
- 3 The attachments remain visible. In order to open attachments here, you must first load the email from Alfresco.
- 4 Details: Opens the Internet browser and goes directly to the email details web dialog.
- 5 At this point, attachments can be reloaded and displayed directly from Alfresco.

In order to easily view archived emails as links, please see 5.5 Displaying already archived mails.




Königstraße 26 70173 Stuttgart Fon +49 711 722595 0 Fax +49 711 722595 99





4.3 ADVANCED SETTINGS



Configuration window "Advanced Settings"

- 1 Change the UI language: At the moment, only German and English are available.
- 2 Show/hide the Outlook Alfresco window.
- 3 Select whether Outlook Alfresco Explorer should start with "Sites" or "All Alfresco".
- 4 Select whether "My favourite sites", "My sites" or "All public sites" are displayed or whether the settings from Alfresco should be applied for this selection.
- 5 Select whether the default browser should be used to open documents, or
- Turn on/off the preview of Office documents when cleaning out the Outlook E-Mail Manager Explorer.
- 7 Controls the target application for calling up a browser directly from Outlook:
 - Web client: Alfresco Explorer
 - Share: Alfresco Share
- 8 Defines the priority for "Drag & drop from Alfresco":
 - Document: With drag-and-drop, files from Alfresco are attached to the email as binary attachments. With the Strg button held down, files from Alfresco are linked to the email as HTTP links.
 - Link: With drag-and-drop, files from Alfresco are assigned to the email as HTTP links.
 With the Strg button held down, files from Alfresco are added to the email as binary attachments.

Westernacher Products & Services AG

Königstraße 26 70173 Stuttgart Fon +49 711 722595 0 Fax +49 711 722595 99





- PDF document: With drag-and-drop, Office documents from Alfresco are converted to PDF format and attached to the email.
- PDF link: With drag-and-drop, Office documents from Alfresco are converted to PDF format and assigned to the email as HTTP links.

4.4 CONFIGURATION TEMPLATES

Configuration templates simplify configuration of the Outlook E-Mail Manager and, for example, assist during company-wide deployment of the plug-in.

4.4.1 FORMAT OF THE CONFIGURATION TEMPLATE

The configuration template is an XML file in the following format:

| XML element path | Description |
|------------------|--|
| Settings | Root-element |
| settings.server | Alfresco server configuration |
| | ⇒ url: URL to Alfresco server. |
| | ⇒ user: Username |
| | ⇒ password: User password |
| | ⇒ ntlm : "true" if NTLM login, "false" if login with the |
| | username/password is to be used |
| | ⇒ minVersion : The minimum Alfresco server version |
| | supported by the plug-in |
| settings.general | General settings |
| | ⇒ isSitesRoot |
| | → "true" for "Search only sites", |
| | → "false" for "Search repository" |
| | ⇒ sitesExploreMode |
| | Contains the value for the setting, "Navigation to |
| | the sites". |
| | "default": The default settings in Alfresco are used |
| | "private": Displays only sites in which the |
| | user is a member |
| | "public": All public sites are displayed |
| | "favourites": Only the user's favourite sites |
| | are displayed |
| | ⇒ mailNameDisplayPattern |
| | Template for the display of email names. The |
| | following placeholders are supported: |
| | #subject: email subject |
| | o #from: sender |
| | o #to: receiver |

Westernacher Products & Services AG

Königstraße 26 70173 Stuttgart Fon +49 711 722595 0 Fax +49 711 722595 99





| #aanti data aant |
|--|
| #sent: date sent |
| EngUrl |
| to English user manual |
| EngUrl |
| to German user manual |
| ngs |
| FileSize |
| mum size of log file. If the size is exceeded, |
| log files are removed. |
| evel |
| es the level of detail for log files. Supports the |
| ving values: |
| debug: All messages are logged |
| info: All messages except debug messages |
| are logged |
| warning: All messages except debug and |
| information messages are logged |
| error: Only error messages are logged |
| niving settings |
| eFiles |
| rue" for "Store attachments as separate |
| • |
| ments in Alfresco", otherwise "false" |
| adata |
| rue" if the metadata dialog should be displayed |
| g archiving, |
| alse", if it should not displayed |
| eMsg |
| ue" if the Outlook-MSG file should also be |
| d, |
| lse", if it should not be saved |
| eLink |
| rue" if the option "Save Alfresco |
| should be activated, |
| alse", if it should not be activated |
| iveOption |
| ains the value for the setting "Email archiving |
| ngs": |
| default: "Use standard settings" |
| showMetadata: "Enter metadata when |
| archiving" |
| _ |
| |
| for the search parameters of the folder search |
| showMetadata: "Enter metadata when archiving" showOptions: "Enter settings when archiving" |
| |

Westernacher Products & Services AG

Königstraße 26 70173 Stuttgart Fon +49 711 722595 0 Fax +49 711 722595 99





| | (see 6.2 The action: Archive emails directly) | |
|--|---|--|
| settings.explorer-search-properties | Parent element for the search parameters of the search from | |
| | Alfresco Explorer (see 7 Alfresco-Explorer) | |
| settings.[search-properties explorer-search- | Parent element for a search parameter of the folder search | |
| properties].search-property | | |
| settings.[search-properties explorer-search- | Model name of the Alfresco property that is to be used for the | |
| properties].search-property.name | search (e.g. cm:description, cm:author,). | |
| | IMPORTANT! cm:name does not require any additional | |
| | configuration. This is a standard search parameter that is | |
| | always displayed. | |
| settings.[search-properties explorer-search- | Display name if English was selected as the plug-in language | |
| properties].search-property.label-en | | |
| settings.[search-properties explorer-search- | Display name if German was selected as the plug-in language | |
| properties].search-property.label-de | | |
| settings.[search-properties explorer-search- | Type for the validation of the entries. Currently the following | |
| properties].search-property.type | are supported: string, int, date, daterange | |

Example:

<?xml version="1.0" encoding="utf-8"?>

<settings>

<general isSitesRoot="true"</pre>

sitesExploreMode="default"

mailNameDisplayPattern="#subject (#from)"

helpEngUrl="http://opensource.westernacher.com/wp-content/uploads/2012/09/Operating-

manual_E-Mail-Manager_EN.pdf"

helpGerUrl="http://opensource.westernacher.com/wp-

content/uploads/2012/09/Bedienungsanleitung_E-Mail-Manager_DE.pdf" />

<server url="http://localhost:8080" alfrescoUrl="alfresco" shareUrl="share" webApp="0" user="test"
password="" ntlm="false"/>

<logging maxFileSize="0" minLevel="info" />

<storage storeFiles="false" metadata="false" storeMsg="true" storeLink="false"></storage>

<explorer-search-properties>

<search-property>

<name>cm:name</name>

<label-en>Name</label-en>

<label-de>Name</label-de>

<type>string</type>

</search-property>

</explorer-search-properties>

<search-properties>

<search-property>

<name>cm:name</name>

<label-en>Name</label-en>

Westernacher Products & Services AG

Königstraße 26 70173 Stuttgart Fon +49 711 722595 0 Fax +49 711 722595 99






<label-de>Name</label-de>
<type>string</type>
</search-property>
</search-properties>
</settings>

4.4.2 INITIAL CONFIGURATION TEMPLATE

If you would like to automatically import a configuration template when the configuration dialog is called up the first time, you need to store a configuration template in the installation directory of the Outlook E-Mail Manager with the name: default-configuration-template.xml.

4.4.3 IMPORT CONFIGURATION TEMPLATE



Configuration window for "importing a configuration template"

- 1 Select a configuration template
- 2 Import the configuration template.
- 3 During import you can specify whether the old configuration:
 - Should be completely overwritten or
 - Should be added to. In this case, the user is always asked whether a configuration setting should be overwritten.

Westernacher Products & Services AG

Königstraße 26 70173 Stuttgart Fon +49 711 722595 0 Fax +49 711 722595 99






4.5 LIZENZVERWALTUNG

If you installed the full version or a trial version on your own server, the licenses will be managed in Alfresco Share (see **8.3 Email licenses**)

If you are testing a cloud-based, trial version of the plug-in, then please press the "Enter license" button and copy the client trial license into the input field.




Step 1: Calling up the input screen fort he client trial license

Königstraße 26 70173 Stuttgart

Fax +49 711 722595 99







Step 2: Entert he license key

5 EMAIL ARCHIVING

You can archive emails in Alfresco by:

- ⇒ Moving emails into a folder in Outlook Alfresco Explorer (drag & drop).
- ⇒ Using the action: "Archive emails directly" also allows emails to be archived even when Alfresco Explorer is not open in Outlook.

The emails and their subject lines are stored in both Outlook Alfresco Explorer and in Alfresco Share, with some special characters replaced by a "-".

5.1 DRAG & DROP E-MAILS EMAILS INTO A FOLDER IN ALFRESCO EXPLORER

After being dragged and dropped into a folder in Outlook Alfresco Explorer, the email is saved in Alfresco. If entry of metadata was configured, a dialog appears before transfer to Alfresco. Here you can:


- ⇒ Enter keywords (tags)
- ⇒ Enter an additional email description.

Westernacher Products & Services AG

Königstraße 26 70173 Stuttgart Fon +49 711 722595 0 Fax +49 711 722595 99







Window for entering tags and the email description

- 1 Keywords (tags)
- 2 Email description
- 3 Archive with entered metadata
- 4 Archive without additional metadata
- 5 Additional options for how emails should be saved.

5.2 ACTION: ARCHIVE EMAILS DIRECTLY

There are two methods for archiving emails directly:

1 By right-clicking on an email and selecting the "E-Mail Manager" menu and "Archive directly":



Westernacher Products & Services AG

Königstraße 26 Fon 70173 Stuttgart Fax

Fon +49 711 722595 0 Fax +49 711 722595 99






2 or by clicking on the button "Archive in Folder" in the E-Mail Manager toolbar.



"Archive in Folder" button on the E-Mail-Manager toolbar

In both cases, a dialog window will open, in which the Alfresco site can be selected and the archiving settings for emails can be defined.



Dialog "Direct archiving "

- 1 Select an Alfresco site and folder via the structure tree
- 2 Select an Alfresco site and folder from a list of recently used Alfresco directories

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99






- 3 Search for an Alfresco site and folder to select.
- 4 Email archiving settings

5.3 DUPLICATE CHECK

A built-in duplicate check during email archiving facilitates collaborative work in Exchange mailboxes and prevents redundant data. The email ID of each email is checked to determine whether the email has already been saved in the same folder or on the same site. If yes, the following message appears during archiving:



Email conflict warning

- 1 Details about archiving.
- 2 A link to open the Internet browser and go directly to the folder contents web dialog.
- 3 Open: Opens the document with the default program.
- 4 Overwrites the email in Alfresco with the current version. This action is only activated if:
 - the email to be overwritten is saved in the same folder,
 - o and if the overwriting of emails has been enabled in the settings of the Alfresco admin console.

Mail ecm@westernacher.com

Web ecm.westernacher.com


5.4 IDENTIFYING ALREADY ARCHIVED EMAILS

All emails that have already been archived in Alfresco are identified by the following icon in the Outlook inbox. This helps to prevent redundant data in Alfresco.









Outlook E-Mail-Manager icon for already stored emails

5.5 DISPLAYING ALREADY ARCHIVED EMAILS

Emails that were not archived as links, can still be opened by double-clicking on them in Outlook. The emails look the same as before archiving and can be used again.

Emails that were stored as links (see **4.2.1 Archiving as links**), can be loaded into Outlook via the links in the email by using the Alfresco Web App. Alternatively, you can simply right-click to bring up the Alfresco context menu and select menu item 'Details (2)' to open the email again in Outlook.



Alfresco Context menu

- 1 Directly archiving an email (see **5.2 Action: Archive emails directly**)
- 2 Alfresco details: Opens the default browser (or Internet Explorer, according to configuration) and goes directly to the email details web dialog.

6 OUTLOOK ALFRESCO EXPLORER

In the advanced settings, the user can define whether the folder tree of the Outlook Alfresco Explorer displays by default only "Sites" or "All Alfresco".

The Outlook Alfresco Explorer allows the user to conveniently navigate among the Alfresco directories and documents. Through the user's selection of "My favourite sites", "All public sites" and "My sites", they are given a clear overview of sites – even for a wide variety of public sites.

In addition, site content can be further filtered by "Favourite folders", "Favourite documents" and


Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99





"Favourites" (i.e. both favourite documents and favourite folders).



- 1 Outlook Alfresco Explorer starts with "Only sites" or "All Alfresco".
- 2 Select "My favourite sites", "All public sites" or "My sites".
- 3 Filter site content according to "Favourite files", "Favourite documents" or "Favourites".
- 4 Search tab: simple and advanced search for documents, sites and attachments.
- 5 Workflow tab: Start Alfresco workflows (see **6.7 Workflows**)

Outlook Alfresco Explorer within Outlook

6.1 DRAG & DROP FROM ALFRESCO

For drag & drop from Alfresco, the following options are available:

- ⇒ Drag & drop as an Alfresco link
- ⇒ Drag & drop as a PDF (The document format must be supported by Alfresco.)
- ⇒ Drag & drop as a copy (download). Works for Outlook emails (as an attachment), for every file browser as well as for every program that supports file exchange via drag & drop: e.g. Microsoft Office.


Drag & Drop as an Alfresco link – When dragging one or more documents from Alfresco while pressing the Strg key, e.g. in an Outlook email or a Microsoft Word document, an Alfresco link to this document will be placed in the text of the email or in the document.



Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99







Open email window with HTTP link

Drag & Drop as PDF – When dragging one or more documents from Alfresco into an email while pressing the Strg and Shift keys, the document will be added as a PDF attachment. Documents can also be saved as a PDF file to any other place on the system by using the same shortcut keys.

Drag & Drop as a copy – When dragging one or more documents from Alfresco into an Outlook email, the document is added to the email as an actual file attachment. In the same way, you can also place content from Alfresco into a file browser (e.g. Windows Explorer). In the process, local copies, without reference to the Alfresco sources, are created.

Drag & drop also works for every program that supports file exchange via drag & drop: e.g. Microsoft Office and Adobe Creative Suite.

6.2 CONTEXT MENU FOR FOLDERS


The context menu can be called up for every folder and document in Outlook Alfresco Explorer with a right-click.

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99







Context menu for folders

The following actions are available:

- ⇒ **New Folder**: Creates a new folder in Alfresco.
- ⇒ **New document**: Upload a local file in Alfresco.
- ⇒ **Rename**: Rename folder.
- ⇒ Delete: Delete folder.
- ⇒ **Email as Link**: Creates a new email with a HTTP link to this folder.
- ⇒ **Add to favorites**: Bookmarks this folder as a favourite folder.
- ⇒ **Download**: Download the complete folder with all contents and subdirectories.
- ⇒ **Search**: Opens the search in Outlook E-Mail Manager so that a search is conducted only in this folder.
- ⇒ Open: Opens the Internet browser and goes directly to the folder contents web dialog.
- ⇒ Details: Opens the default browser (or Internet Explorer) and goes directly to the folder details web dialog.

The action, 'Email as link' can be used for multiple folders at once. Select the folders while holding down the Shift key or Strg key.

Westernacher Products & Services AG


Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99





6.3 CONTEXT MENU FOR EMAILS

The context menu can be called up for every email in Outlook Alfresco Explorer with a right-click.



Context menu for Emails

The following actions are available:

- ⇒ Delete: Delete document.
- ⇒ **Email as Attachment**: Creates a new email with this email attached.
- ⇒ **Email as Link**: Creates a new email with this email as an HTTP link.
- ⇒ **Add to favorites**: Bookmarks this email as a favorite document.
- Start Workflow: Start a workflow for this document in the E-Mail Manager.
- ⇒ Alfresco Details: Shows, among other details, by whom and when the email was archived.
- ⇒ Download as PDF: Document is converted to PDF format and can be saved locally or attached to a new email.
- ⇒ **Download**: Save document locally.
- → Open: Opens the email in Outlook.
- ⇒ **Details**: Opens the default browser (or Internet Explorer) and goes directly to the document details web dialog.

The actions, 'Email as Attachment' and 'Email as Link' can also be used for multiple emails at once. Select the emails while holding down the Shift key or Strg key.




Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99





6.4 CONTEXT MENU FOR EMAIL ATTACHMENTS

The context menu can be called up for every email attachment in Outlook Alfresco Explorer with a rightclick. Double-click to open an email in the 'Edit online' mode.



Context menu for Email attachments

The following actions are available:

- ⇒ Edit online: as long as an employee is working on a document, it is blocked for other staff.
- ⇒ **Email as Attachment**: Creates a new email with this document attached.
- ⇒ **Email as Link**: Creates a new email with this document as an HTTP link.
- ⇒ **Add to favorites**: Bookmarks this document as a favorite document.
- ⇒ **Start Workflow**: Start a workflow for this document.
- ⇒ Download as PDF: Document is converted to PDF format and can be saved locally or attached to a new email.
- ⇒ Download: Save document locally.
- ⇒ **Open**: Opens the document with the default program.
- ⇒ **Details**: Opens the Internet browser and goes directly to the document details web dialog.

The actions, 'Email as Attachment' and 'Email as Link' can also be used for multiple attachments at once. Select the attachments while holding down the Shift key or Strg key.

6.5 CONTEXT MENU FOR DOCUMENTS

For documents that were loaded into Outlook Alfresco Explorer separately, for example with drag & drop,


Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99





a right-click brings up the same options as for attachments, including the additional options of 'Rename' and 'Delete'.



Context menu for documents

The following actions are available:

- ⇒ Edit online: as long as an employee is working on a document, it is blocked for other staff.
- ⇒ Rename: Assigns a different document name
- ⇒ Delete: Deletes the document
- ⇒ **Email as Attachment**: Creates a new email with this document attached.
- ⇒ Email as Link: Creates a new email with this document as an HTTP link.
- ⇒ **Remove from favorites**: Removes this document from the favorites list.
- ⇒ Start Workflow: Start a workflow for this document.
- ⇒ Download as PDF: Document is converted to PDF format and can be saved locally or attached to a new email.
- ⇒ Download: Save document locally.
- ⇒ **Open**: Opens the document with the default program.
- ⇒ **Details**: Opens the Internet browser and goes directly to the document details web dialog.

6.6 SEARCH IN ALFRESCO

The "Search" tab features convenient searching of the contents or directories in Alfresco. A differentiation is made between

⇒ a simple search and

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99





an advanced search.

6.6.1 SIMPLE SEARCH

The simple search automatically searches the names, titles, descriptions, content and tags of the stored documents and emails. The use of a wildcard "*" is not necessary.


The search works in the same way as the search in Alfresco Share, supports the syntax of Alfresco FTS (full text search) and allows you to:

- ⇒ Search the contents, properties and tags of the Alfresco data
- ⇒ Use logical operators like AND, OR, NOT
- ⇒ Group search conditions within brackets
- ⇒ Carry out search queries similar to Google with mandatory and optional search terms
- ⇒ and much more...

You can find more details in the Alfresco documentation.

Example queries for a simple search:

- ⇒ test: Sucht nach dem Vorkommen des Wortes "test" (im Dokumenteninhalt und den Eigenschaften: Name, Titel, Beschreibung in Dokumenten und Ordnern.)
- ⇒ test1 test2 : Sucht nach dem Vorkommen des Wortes test1 ODER test2
- ⇒ test1 AND test2: Sucht nach dem Vorkommen des Wortes test1 UND test2
- ⇒ (test1 AND test2) OR (test3 AND test4) : Sucht nach dem Vorkommen des Wortes test1 UND test2 ODER test3 UND test4
- ⇒ cm_title:test1 OR cm_description:test2 : Sucht nach dem Vorkommen von dem Text "test1" in der Eigenschaft: Titel und "test2" in der Eigenschaft: Beschreibung



Simple search within the Outlook E-Mail-Manager

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99






- 1 Outlook Alfresco search within the ranges of "All sites" or "All Alfresco" or "Current site", which was selected in the Outlook Alfresco Explorer.
- 2 Outlook Alfresco search displays either "All" or only content marked as "Favourites".
- 3 Input field for the search criterion/criteria.
- 4 Filter search results by "Documents"
- 5 Filter search results by "Documents and folders"
- 6 Filter search results by "Emails".

6.6.2 ADVANCED SEARCH

The advanced search offers the option to search within file names, email contents and subject lines as well as within a specified timeframe under "Sent from ... to".




Advanced search within the Outlook E-Mail-Manager

6.6.3 DISPLAYING AND USING SEARCH RESULTS


For every folder, document or email found using search, the user has multiple actions in the form of icons, as well as drag & drop, at his or her disposal. Of course, the preview also works for search results.

Westernacher Products & Services AG









Search results and their possible uses

- 1 A click on this icon (1) bookmarks the document or folder as a favourite.
- 2 Clicking on this icon (2) automatically opens a new email and inserts the document as an attachment.
- 3 By clicking on this icon (3). the Outlook Alfresco Explorer will open this exact document or folder. All other documents and folder actions remain available.

Mail ecm@westernacher.com


Web ecm.westernacher.com

4 Clicking on this icon (4) automatically opens a new email and inserts the document as a link.










Hover-Preview of search results

6.7 WORKFLOWS

The Westernacher Outlook E-Mail Manager allows you to start the same workflows – as defined in Alfresco Share – directly from Outlook.


6.7.1 STARTING A NEW WORKFLOW



Step 1: Start a new workflow in the Outlook Alfresco Explorer


By default, Alfresco provides a set of workflows that can be expanded according to company needs. Please refer to the Alfresco user manual for more information (click here to view it online)

Westernacher Products & Services AG










Step 2: Select a workflow

Start Workflow: Adhoc Workflow




Step 3: Adhoc Workflow (Example)

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99








Step 4: Select workflow manager (Example)

6.7.2 WORKFLOW OVERVIEW IN OUTLOOK ALFRESCO EXPLORER

Clicking on the "Workflows" tab opens an easily configurable list of workflows.



- ✓ Due
 Today
 Tomorrow
 Next 7 days
 Overdue
 No Date

 ▼ Started
 Last 7 days
 Last 14 days
- 1 Select whether "Started workflows" or "My tasks" should be displayed.
- 2 Workflows can be restricted with various filters.

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99






7 EMAIL MANAGEMENT IN SHARE

As is the case for normal Alfresco sites, there are two special views in Alfresco for archived emails:

- ⇒ Detailed view
- ⇒ Simple view

7.1 DETAILED VIEW



Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99




Mail ecm@westernacher.com

Web ecm.westernacher.com




7.2 SIMPLE VIEW



7.3 EMAIL FILTERS

Email filters allow you to search for the archived emails within sites or globally in Alfresco.



Email filter according to date sent

7.4 EMAIL DETAILED VIEW

In contrast to the default behaviour in Alfresco, HTML and rich text emails, as well as attachments, in Share are displayed as a colour preview in the detailed view.


All emails are displayed the same as a standard Outlook email in a convenient box above the email preview.

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99







In document actions, our plug-in offers the option to attach this document to a new email as a link via the "Email as link (1)" button.

Additionally, if a MSG file is saved, it can be opened via the "MSG file" button in the preview. All other options remain available.



Display Mod file

7.5 EMAIL SEARCH IN ALFRESCO


You can access the email search via an advanced Alfresco search.

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99








Step 2: Select the search criteria, in this example "E-Mails"

Mail ecm@westernacher.com

Web ecm.westernacher.com





Step 3: Search options

8 EMAIL INTEGRATION SETTINGS FOR ADMINISTRATORS

As administrator, you can configure some basic settings in Alfresco Share for the Outlook E-Mail Manager.


Mail ecm@westernacher.com

Web ecm.westernacher.com









Step 1: Open the Email Intergration settings

Here, the following settings are available (see the left side at bottom):

Westernacher E-Mail Integration

E-Mail Integration Settings

E-Mail Access Tokens

E-Mail Licenses

E-Mail System Info

Step 2: Admin areas in the email integration





8.1 EMAIL INTEGRATION SETTINGS

Edit: E-Mail integration settings

| Browse Sites: | All public Sites | 1 |
|--------------------------------|------------------|----------|
| Prevent E-Mail duplication in: | Folder | 2 |
| Allow Overwriting: | ℤ 3 | |
| Limit of returning nodes: | 250 | 4 |
| Module version: 3.0.0 5 | | |
| Apply Cancel | | |

Available options in the settings

- 1 Option to specify the navigation area for Outlook Alfresco Explorer. Select between "All public sites", "My sites" and "Favourite sites". This can be changed by the user at any time for his or her local Outlook Alfresco Explorer.
- 2 Specifies whether the uniqueness of the documents to be stored (see 5.3 Duplicate check) should be checked and at what level this occurs. Select between "None", "All Alfresco", "Site" and "Folder".
- 3 Default setting: whether or not documents can be overwritten (see **5.3 Duplicate check**)
- 4 In order to optimise performance and maintain a clear overview, the number of sites, directories and documents displayed in Outlook Alfresco Explorer can be limited. Entering a value of "0" removes any limit on the number of sites, directories and documents displayed.
- Module version: displays the version of the Outlook E-Mail Manager.

8.2 AUTOMATIC CONFIGURATION OF CLIENTS VIA ADMIN-CONSOLE

The Outlook E-Mail-Manager clients can be configured through the Admin console via push functionality, this applies to both, the initial configuration as well as for changes to the existing settings.

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99





Edit: E-Mail Integration client settings



Settings dialog for the server-side configuration of the Outlook E-Mail Manager clients

8.3 AUTOMATED ATTACHMENT STRIPPING

Attachments used in a mail can be stored automated in a predefined folder in Alfresco. In the e-mail only the link to the attachment is available. External users can be granted a temporary right of access to the file.

Edit: Automated Attachment Stripping



Settzings dialog fort he automated attachment stripping

To further automate this rules can be defined.

1 All recipients are members of a specified domain In the list of recipients a specific mail address is available

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99





8.4 EMAIL ACCESS TOKENS

In the list of access tokens, you can quickly see the number of logged in users and can also disconnect individual users.


E-Mail Access Tokens Remove all 1 khs 00:0C:29:43:BD:0D Remove

List of access tokens

8.5 EMAIL LICENSES

It is important to enter the license for the Outlook E-Mail Manager in Alfresco Share before you install the Outlook E-Mail Manager client. Which AMPs need to be installed and where and where you can download them will be provided in a separate email.

Please click on the "Edit" button to enter the server and client licenses for the Outlook E-Mail Manager.



License management in the Outlook E-Mail-Manager

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99





After you have confirmed this action by clicking the "Save" button, a screen will display your license status, the number of current users, the maximum number of users, the product version of the plug-in and additional important information about your company license.

E-Mail Lizenzen

Server Lizenz

Lizenzstatus: VALID

Aktuelle Benutzerzahl: 2

Produkt Name: Mail Integration for Alfresco

Produkt ID: WPS-MAIL-SERVER-03

Kurze Produktversion: 3

Komplette Produktversion: 3.0.0

E-Mail Client:

Maximale Benutzerzahl: 0
Ablaufdatum der Lizenz: nie

Ablaufdatum der Supportdienste: 06.08.2014

Lizenznehmer: Full unlimited

Firma: Germany

E-Mail:

Stadt: Stuttgart
PLZ: 70173
Land: Germany

Overview of the license status






9 SILENT INSTALLATION OF ALFRESCO OUTLOOK CLIENT

With the Outlook E-Mail-Manager it is possible to perform a silent installation of the client on a single machine.

1. First of all you need to run Command Prompt as an Administrator (even if you are an Administrator on the machine) to force all operations to be performed under administrative rights



- 2. (optional) Navigate to the folder there AlfrescoOutlookClient.msi file is located. You can always type exact path to the file instead.
- 3. Execute one of the following command:
 - a. msiexec /i AlfrescoOutlookClient.msi HOST= alfresco host ALFRESCO=alfresco SHARE=share SSO=true SHAREALT=my-alt-url /quiet
 - b. msiexec /i AlfrescoOutlookClient.msi HOST= alfresco host SSO=true /quiet

Command line parameters:

alfresco host (format: ://<a href="

alfresco app name (default: alfresco) share app name (default: share) enable-sso (<true | false>)

SHAREALT=alternative share URL (default: none)

Example 1:

Your Alfresco Host URL: https://alfresco-url.com running on port 8081.

Alfresco Web-app: alfresco1 Share Web-app: share1

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99






SSO (single sign on) is enabled. This means a windows authentication can be used to access an alfresco server.

Alternative Share URL: www.alt-share-url.com

In this case correct command will be:

msiexec /i AlfrescoOutlookClient.msi HOST=<u>https://alfresco-url.com:8081</u> ALFRESCO=alfresco1 SHARE=share1 SSO=true SHAREALT=www.alt-share-url.com /quiet

The following picture shows how the CMD parameters are transferred to the Alfresco Plugin settings:



Example 2:

Your Alfresco Host URL: http://alfresco-url.com running on port 80 (default http port, so you don't need to specify it).

Alfresco Web-app: alfresco (default value) Share Web-app: share (default value)

SSO is not enabled. This means a standard authentication should be used to access an alfresco server.

Alternative Share URL: nonehttp://www.alt-share-url.com

In this case correct command will be:

msiexec /i AlfrescoOutlookClient.msi HOST=http://alfresco-url.com SSO=false /quiet You do not need to specify ALFRESCO, SHARE and SHAREALT parameters, as they are the default ones.


The following picture shows how the CMD parameters are transferred to the Alfresco Plugin settings:

Westernacher Products & Services AG

Königstraße 26 Fon +49 711 722595 0 70173 Stuttgart Fax +49 711 722595 99









Mail ecm@westernacher.com

Web ecm.westernacher.com